

From: Andrew Oser [<mailto:adoser777@yahoo.com>]
Sent: Sunday, February 26, 2017 12:39 PM
To: Crystal Geyser <crystalgeyser@analyticalcorp.com>
Subject: Commits on Draft EIR

Analytical Environmental Services
c/o Ryan Lee Sawyer, Project Manager
1801 7th Street, Suite 100
Sacramento, CA 95811
crystalgeyser@analyticalcorp.com

RE:
Public Comment on Draft Environmental Impact Report, Crystal Geyser
Bottling
Plant Project.

Dear Mr. Sawyer:

I have serious concerns about the impact of the Crystal Geyser Bottling Plant on the water supply for the City of Mount Shasta and surrounding areas.

I don't think adequate current hydrology research has been done. The draft EIR relies on outdated research and mathematical models, that are inappropriate for volcanic aquifers.

I recommend that before CG is permitted to begin operations:

- 1) Thorough new studies be done about the impact of CG operations on the local water supply.
- 2) Clear limits be set on how much water CG can extract
- 3) A system be set up for monitoring of the amount CG extracts and its

impact on local water supplies.

4) Strong penalties be imposed on CG if it exceeds the mandated limits.

5) A mitigation be in place that if CG operations result in a significant negative impact on local water supply (i.e. wells running dry, ground water levels going below benchmark levels), CG be required to reduce amount of water extracted or cease operations.

6) In the event of a severe drought, CG be required to cease extracting water until the drought is over.

Thanks you for reading and considering my comments.

Sincerely,
Andrew Oser
601 Kenneth Way
Mt. Shasta, CA 96067

Andrew Oser
Mount Shasta Retreat
www.mountshastaretreat.net