

# SAFE SURPLUS FOOD DONATION TOOLKIT

GUIDANCE FOR FOOD FACILITIES

# **SUMMER 2017**







This Best Management Practices Guidance was designed by staff at the Public Health Alliance of Southern California, the California Conference of the Directors of Environmental Health, and the Center for Climate Change and Health, made possible by the generous support of The California Endowment.

### **EXECUTIVE TEAM**

Tracy Delaney, Executive Director, Public Health Alliance of Southern California

Justin Malan, Executive Director, California Conference of Directors of Environmental Health

Linda Rudolph, Executive Director, The Center for Climate Change and Health

Savannah North, Project Manager, Public Health Alliance of Southern California

The project team would like to sincerely thank the Surplus Food Donation Environmental Health Advisory Committee for their critical input on the development of this toolkit, as well as the Los Angeles Department of Public Health, and the Orange County Health Care Agency.

#### ENVIRONMENTAL HEALTH ADVISORY COMMITTEE

Liza Frias, Director, Environmental Health Services, Orange County Health Care Agency
Freddie Agyin, Director, District Surveillance & Enforcement Branch, LA County Department
of Public Health

Jason Boetzer, Division Chief, Environmental Health, Sacramento County Environmental

Management Department

Donna Fenton, Director, Environmental Health Division, Kern County Public Health Services
Peggy Zarriello, Assistant Division Director, Health and Human Services, Placer County
Animal Services and Environmental Health Division

Mike Haller, Program Manager, Orange County Health Care Agency

Bernadet Garcia-Silva, Project Manager, Environmental Health Division, Los Angeles County

Department of Public Health







# Table of Contents

Safe Surplus Food Donation Toolkit	1
Purpose	1
The Problem: Wasted Food	2
WHY donate?	4
YOU can donate surplus food!	5
WHO to donate to	6
You are PROTECTED	
START a food donation program	8
HOW to donate safely	9
Appendix A: Legal Protections	10
Appendix B. EPA Food Waste Prevention Tips, Grocery Stores	12
Appendix C. EPA Food Waste Prevention Tips, Restaurants	14
Appendix D. Food Donation Agreement Form	16
Appendix E. Optional Donated Food Label	18
Appendix F. Food Donation Delivery Form	20
Appendix G. Rural Strategies	22
Appendix H. School Strategies	24
Appendix I. Glossary	26
Appendix J. Frequently Asked Questions	28
Appendix K. Local Resources Sheet	30







# **Purpose**

This toolkit was created for use and distribution by Environmental Health Departments across California to educate food facilities about safe surplus food donation, including information on liability protections, state mandates, and safe surplus food donation practices.

The Executive Team encourages Environmental Health Departments to adopt these materials and include local branding, contact information, and jurisdiction specific information as appropriate.

Please note that this toolkit is an evolving document and will likely be amended following the Safe Surplus Food Donation trainings in Summer and Fall 2017. The updated second version will be available electronically in Fall 2017.

Please contact Savannah North, <u>savannah.north@phi.org</u> with any questions or comments regarding the content or use of this toolkit.








# The Problem: Wasted Food

In the United States 40% of food produced goes uneaten- that is 62.5 million tons of wasted food every year. Meanwhile, there were 42.2 million people, including 13.1 million children, who did not have enough food to lead a healthy, active lifestyle in 2015. While reducing hunger in the US will require addressing the root causes of poverty, donations of wholesome, fresh food can be an important strategy to addressing the immediate needs of millions of Americans.<sup>1</sup>

Fortunately the Federal Environmental Protection Agency (EPA) and the State of California have set bold goals to increase food recovery and diversion of waste from landfills. In 2015, the EPA announces the first ever domestic goal to reduce food waste by 50% by 2030. In order to guide this effort the EPA established the Food Recovery Hierarchy, which prioritizes actions organizations can take to prevent and divert wasted food.











The California State Legislature and Governor Brown set an ambitious goal of 75% recycling, composting or source reduction of solid waste by 2020- calling for a statewide approach to decreasing California's reliance on landfills. Strategies to reach this goal include the passing of two bills in particular, AB 1826 and SB 1383.

Bill	Description
AB 1826- Mandatory Business Organics Recycling Law	Requires businesses that generate specified amounts of organic waste to arrange for organic waste recycling services.
SB 1383- Short-lived Climate Pollutants	<ul> <li>50% reduction in statewide disposal of organic waste by 2020</li> <li>75% reduction in statewide disposal of organic waste by 2025</li> <li>Goal that no less than 25% of edible food must be recovered for human consumption by 2025</li> </ul>

To learn more about AB 1826 visit: http://www.calrecycle.ca.gov/recycle/commercial/organics/
To learn more about SB 1383 visit: http://www.calrecycle.ca.gov/Climate/SLCP/

Diverting food waste from landfills not only conserves limited landfill space, but also reduces greenhouse gas emissions. In landfills, organic materials, like food scraps and yard trimmings, are broken down by bacteria to produce methane. Methane, a potent greenhouse gas, is shown to have a warming potential of 21 times that of carbon dioxide, significantly contributing to global climate change. Many experts see climate change as the greatest health challenge of this century, and one strategy to combat it is the reduction of methane and other greenhouse gas emissions. In this way, food waste reduction and safe food donation are key strategies that allow us to address two critical health issues- food insecurity and climate change. <sup>3</sup>

Donating surplus food from hotels, restaurants, catered events, and other food facilities can be a sustainable and simple way to help local missions and other non-profit and charitable organizations serve those in need in your community. Although a special public health permit is not required, donating, receiving, and distributing surplus foods must be done safely in order to minimize food safety risks.









# WHY donate?



HUNGER RELIEF: Over 16 million people in California, including individuals, families, and children, struggle with food insecurity. Not all of these families are eligible for federal assistance, or this assistance doesn't meet their needs- YOU can help fill this gap by donating your surplus wholesome food to local nonprofit or charitable hunger relief groups.



MANDATORY ORGANICS RECYCLING LAW (AB 1826): Beginning January 2016, businesses that generate a certain amount of waste per week must recycle their organic waste (which includes food waste). Donating surplus wholesome food is a strategy to reduce the amount of organic waste that ends up in your waste bin. To learn more about AB 1826, visit:



http://www.calrecycle.ca.gov/recycle/commercial/organics/.



ENHANCED TAX DEDUCTION: if you meet the following criteria, you may be eligible for the federal enhanced tax deduction which allows you to deduct the smaller of the following two: (a) twice the basis value of the donated food or (b) the basis value of the donated food plus one-half of the food's expected profit margin.

\*\*Please contact a tax preparer for questions and guidance

### TAX DEDUCTION CRITERIA

- 1. The recipient food recovery organization or donee must be an IRC 501(c)(3) organization and a public charity or a private operating foundation
- 2. The donee must give the donated food solely to the ill, the needy, or infants
- 3. The donee may not use or transfer the food in exchange for money, other property, or services
- 4. The donee must provide a written statement to donor stating that all requirements of IRC 170 (e)(3) have been met
- 5. The donated food must be in compliance with the Food, Drug, and Cosmetic Act (FDCA) and California Health and Safety Code (CHSC)

See the next page for an example deduction calculation.







### **EXAMPLE TAX DEDUCTION CALCULATION**

A grocery store donated potatoes with a fair market value of \$100. The basis value of these potatoes was \$30. The expected profit margin is the fair market value minus the basis value (\$100-\$30), which is \$70. Under the enhanced deduction, the grocery store is eligible to deduct the smaller of:

- 1. Basis value  $x = 30 \times 2 = 60 \text{ OR}$
- 2. Basis value + (expected profit margin/2) = \$30 + (70/2) = \$65

The enhanced deduction would be \$60. The enhanced deduction is substantially higher than the general deduction, which is limited to the basis value of \$30



\*\*\* In the State of California, businesses that are engaged in the processing, distribution or selling of agricultural products can earn a tax credit on 50% of their transportation costs. Find out more information:



http://leginfo.legislature.ca.gov/faces/codes\_displaySection.xhtm I?lawCode=RTC&sectionNum=17053.12.

For more information on the Enhanced Tax Deduction:



http://www.chlpi.org/wp-content/uploads/2013/12/Food-Donation-Fed-Tax-Guide-for-Pub-2.pdf

# YOU can donate surplus food!



Permitted food facilities such as restaurants, hotels, grocery stores, food processing facilities, food distributors, and caterers <u>can</u> donate prepared foods and meals (e.g. hot trays that remained back-of-house). Foods that have been previously served to a consumer <u>cannot</u> be donated.



Individuals can donate uncooked, pre-packaged food products (e.g. canned food items) that can be prepared on site by approved food handlers.







### THE TRUTH ABOUT DATE LABELS

Most of the date labels we see every day, with a few exceptions, like "sell by," "use by", or "best if used by" <u>DO NOT</u> indicate food safety – they indicate freshness or quality.<sup>4</sup>

In California, with the exception of infant formula/baby food and Reduced Oxygen Packaging (ROP) products, there is NO RESTRICTION on the sale or donation of food items past the date indicated on any date label. However, regardless of the date on the label, it is important that the donated food is apparently wholesome.

For more information about a specific product's shelf life or expiration check the FoodKeeper app:



To learn more about date labels visit:



# WHO to donate to

Most missions and nonprofit or charitable organizations that store or hold food on-site and receive donated foods operate under a public health permit and are familiar with safe food handling requirements. If an organized event or charitable organization does not operate under a public health permit, the donated foods must be immediately served and consumed. Make sure to talk with your nonprofit partner about their procedures to maintain food safety. See Appendix J for potential partners in your region.

# You are PROTECTED

Under the Federal Bill Emerson Good Samaritan Food Donation Act, "a person or gleaner shall not be subject to civil or criminal liability arising from the nature, age, packaging, or condition or apparently wholesome food or an apparently fit grocery product that the person or gleaner donated in good faith to a nonprofit organization for ultimate distribution to needy individuals."







### FEDERAL GOOD SAMARITAN LAW

# Donors must meet the following criteria:

- 1. The food must be donated to a nonprofit
- 2. Food must meet all federal, state, and local quality and labeling requirements; if it does not, the food must be reconditioned to meet all requirements
- 3. The receiving nonprofit organization must distribute it to needy individuals
- 4. Needy individuals receiving the food may not pay for it, however, if one nonprofit donates food to another nonprofit for distribution, the Act allows the first nonprofit to charge the distributing nonprofit a nominal fee to cover handling and processing costs

As long as these criteria are met and the donor does not act with gross negligence or intentional misconduct, the Emerson Act is very protective of donors.

EXCEPTION- DIRECT DONATIONS from donor to needy individuals are not protected by the Act (e.g. if a restaurant manager gives leftover food to a needy individual, the manager is not protected from liability under the Good Samaritan Law)

For more information on Legal Protections see Appendix A

For more information on the Federal Good Samaritan Law:



http://media.law.uark.edu/arklawnotes/2013/08/08/the-legalguide-to-the-bill-emerson-good-samaritan-food-donation-act/







# START a food donation program

In order to start a successful food donation program in your food facility, we suggest following these four steps:<sup>5</sup>

1. WEIGH AND TRACK YOUR SURPLUS FOOD FIRST set a surplus food reduction goal and plan accordingly! See Appendix B and C for Food Waste Prevention Tips from the EPA and visit the EPA Food Recovery Challenge page to sign up for a free tracking tool and access to more resources:



https://www.epa.gov/sustainable-management-food/food-recovery-challenge-frc

- 2. DEVELOP A PARTNERSHIP with a local nonprofit organization that can accept your food and serve it to people who need it most.
  - a. Call and meet with the organization in advance. Generally, it is best to start small and gradually improve and expand the process to fit your needs and the needs of the recipient organization.
  - b. Determine the logistics
    - i. What food is accepted? (not all nonprofits can accept all foods)
    - ii. How much can they accept?
    - iii. How often can they accept food?
    - iv. When are the best times for them to receive food?
    - v. Can they pick up the surplus food or am I willing to deliver?
  - c. To find places that might accept your food visit:



http://sustainableamerica.org/foodrescue/



http://www.feedingamerica.org/find-your-local-foodbank/



http://ampleharvest.org/find-pantry/

- 3. UNDERSTAND AND ESTABLISH PROTOCOLS TO ENSURE FOOD SAFETY (Note: many of these will already be known and in place if you are a permitted food facility)
  - a. Determine safe packaging, storage, and labeling requirements
  - b. Establish consistent pick-up/drop-off and transportation schedule
  - c. See Appendix D, E, and F for donation forms and tools
- **4.** IF YOU CANNOT DONATE IT, CONSIDER ANIMAL FEED OR COMPOSTING If donating to a local food recovery group isn't possible in your jurisdiction see Appendix G on Rural Strategies for Waste Reduction and Diversion









# HOW to donate safely

# TIME AND TEMPERATURE CONTROL

# **Prior to Transport:**

COLD FOODS: Must always remain at 41°F or below

FROZEN FOODS: Must always remain at 0°F or below

HOT FOODS: Must always remain at 135°F or above

\*\*Donations of whole produce, canned goods, dry foods and other similar products can be delivered anytime with no requirement for temperature controls or delivery times\*\*

# **During Transport:**

- 1. When available use portable coolers or a refrigerated vehicle to transport foods at 41°F or below
- 2. If refrigerated transport is not available, the food items should be transported in thermal blankets
- 3. If neither refrigerated transport nor thermal blankets are available, food should be labeled "Process Immediately" and must not be out of temperature controls for more than 30 minutes during transportation

# **After Transport:**

The food donor must check to ensure proper temperatures at the time of the transfer to the receiving facility or food transporter. The person-in-charge at the receiving venue should also check the temperature of the food upon receipt and note the time that the food is received. (see Appendix D- Food Donation Delivery Form).

## PROTECTING FOOD FROM CONTAMINATION

Food must be protected from potential contamination at all times through the use of sanitary, food-grade containers, and by ensuring that transport vehicles are clean and free of vermin.

If you have ANY questions about surplus food donation contact [INSERT EH Contact INFO HERE]









REFERENCE	DESCRIPTION
California Health and Safety Code	Section 114433- No food facility that donates food as permitted by Section 114432 shall be subject to civil or criminal liability or penalty for violation of any laws, regulations, or ordinances regulating the labeling or packaging of the donated product or with respect to any other laws, regulations, or ordinances, for a violation occurring after the time of the donation.
California Civil Code (See back for more information)	Section 1714.25 (a)- Except for injury resulting from negligence or willful act in the preparation or handling of donated food, no food facility that donates any food that is fit for human consumption at the time it was donated to a nonprofit charitable organization or a food bank shall be liable for any damage or injury resulting from the consumption of the donated food. The immunity from civil liability provided by this subdivision applies regardless of compliance with any laws, regulations, or ordinances regulating the packaging or labeling of food, and regardless of compliance with any laws, regulations, or ordinances regulating the storage or handling of food after the donation of the food.
California Food and Agriculture Code	Section 58505- Except for injury resulting from gross negligence or willful act, no county or agency of a county established pursuant to this chapter and no person who donates any agricultural product shall be liable for any injury, including, but not limited to, injury resulting from the ingesting of such agricultural product, as a result of any act, or the omission of any act, in connection with any product pursuant to this chapter.
United States Code, Bill Emerson Good Samaritan Food Donation Act	Title 42, Chapter 13A, Section 1791- (c) Liability for damages from donated food and grocery products (1) Liability of person or gleaner: A person or gleaner shall not be subject to civil or criminal liability arising from the nature, age, packaging, or condition of apparently wholesome food or apparently fit grocery product that the person or gleaner donates in good faith to a nonprofit organization for ultimate distribution to needy individuals.

Adapted from CDPH- https://archive.cdph.ca.gov/pubsforms/Documents/fdbRlgde32.pdf.







# California Civil Code, Section 1714.25

Type of Protection	Civil
When protection will not apply:	For the original donor, there is no protection for negligence or a willful act; for the ultimate distributor, there is no protection for negligence, recklessness, or intentional misconduct
Who it protects:	DONOR: Any food facility, nonprofit charitable organization, or food bank  DISTRIBUTOR: Nonprofit/charitable organization or food bank
Standards for Donated Food:	Fit for human consumption – provides protection regardless of compliance with packaging and labeling laws
Protections Apply When End Recipient Pays for Food:	No
Protections Apply to Direct Donations:	No See link for updates on the CA Good Samaritan Law: https://leginfo.legislature.ca.gov/faces/billTextClient.xht ml?bill_id=20172080AB1219

Adapted from ReFed- http://www.refed.com/tools/food-waste-policy-finder/california

# FOR MORE INFORMATION:



http://media.law.uark.edu/arklawnotes/2013/08/08/the-legal-guide-to-the-bill-emerson-good-samaritan-food-donation-act/

FOR MORE INFORMATION [INSERT EH Contact INFO here]











The EPA created this list of ideas and activities that grocery stores can implement to prevent food loss and waste.

Perform a food waste audit: Pick a day and monitor waste bins with volunteers, recording the following:  What is being thrown out Weight or number of items The reason the food is being disposed The expiration date of the product when applicable Whether the food was still wholesome/edible before being thrown out Identify the most wasted to least wasted items
Clarify date labeling and date encoding to reduce confusion to customers: Work with your supply chain to clearly label or define the difference between safety-based and quality-based dates. Some options might include:  Make "sell by" dates invisible to the consumer  Use more "freeze by" dates where applicable so customer knows they have that option  Remove "best before" or other quality dates from shelf-stable, non-perishable foods for which safety is not a concern  Make sure printed dates on products have descriptive language
Call a meeting to brainstorm and discuss food waste prevention
Share practices with other businesses to improve waste reduction industry-wide
Share practices with other businesses to improve waste reduction industry-wide  PURCHASING TIPS
PURCHASING TIPS
PURCHASING TIPS  Take an accurate inventory first and base orders on what you currently have  Buy surplus or odd shaped produce from farms or wholesalers that would
PURCHASING TIPS  Take an accurate inventory first and base orders on what you currently have  Buy surplus or odd shaped produce from farms or wholesalers that would otherwise be wasted and sell them at a discount  Send order estimates more frequently to suppliers to better align production
PURCHASING TIPS  Take an accurate inventory first and base orders on what you currently have  Buy surplus or odd shaped produce from farms or wholesalers that would otherwise be wasted and sell them at a discount  Send order estimates more frequently to suppliers to better align production planning with order timings
PURCHASING TIPS  Take an accurate inventory first and base orders on what you currently have Buy surplus or odd shaped produce from farms or wholesalers that would otherwise be wasted and sell them at a discount  Send order estimates more frequently to suppliers to better align production planning with order timings  Start or increase regular communication with suppliers Revise your supply contracts to require that suppliers have a food waste







	Use leftovers from the day before: Steak can be used for beef stew the next day
	Train staff on knife skills to make more efficient knife cuts to prevent waste
	Use as much of the food as possible: Cook up carrot greens and don't peel cucumbers or potatoes
	Reconstitute stalky vegetables that have wilted by immersing them in warm water (100°F) for 15 minutes
	Marinate meats to extend their shelf life for a few more days
	Refresh staff on storage techniques for different foods (e.g., don't store tomatoes and lettuce in the same container or near each other)
	Use see-through storage containers: Easily see what is available and fresh
	Cook, freeze, juice, or otherwise process foods that are approaching the end of their peak freshness to prolong their useful life
	STORE SET UP AND DISPLAY TIPS
	Set up a discount shelf for ripe, near-to-expire, discontinued, or slightly damaged food: Provide clear communication about this reduced price section
_	Set up a discount shelf for ripe, near-to-expire, discontinued, or slightly damaged
_	Set up a discount shelf for ripe, near-to-expire, discontinued, or slightly damaged food: Provide clear communication about this reduced price section  Redesign product displays with less excess: Instead of using a pile of produce,
_	Set up a discount shelf for ripe, near-to-expire, discontinued, or slightly damaged food: Provide clear communication about this reduced price section  Redesign product displays with less excess: Instead of using a pile of produce, have a back support that makes it look like a pile to keep produce fresher  Allow prepared foods to run out near store closing: Track these items and only
_	Set up a discount shelf for ripe, near-to-expire, discontinued, or slightly damaged food: Provide clear communication about this reduced price section  Redesign product displays with less excess: Instead of using a pile of produce, have a back support that makes it look like a pile to keep produce fresher  Allow prepared foods to run out near store closing: Track these items and only make as much as you can sell
_	Set up a discount shelf for ripe, near-to-expire, discontinued, or slightly damaged food: Provide clear communication about this reduced price section  Redesign product displays with less excess: Instead of using a pile of produce, have a back support that makes it look like a pile to keep produce fresher  Allow prepared foods to run out near store closing: Track these items and only make as much as you can sell  ENGAGING WITH CUSTOMERS  Provide taste samples: Train staff to remind customers that they can try a sample

PREP AND STORAGE TIPS

FOR MORE INFORMATION: YOUR ORGANIZATION'S CONTACT INFORMATION HERE











The EPA created this list of ideas and activities for restaurants to implement to help prevent food loss and waste.

nuch is
e each
ation.
rd the
g sheet
<u>ze</u>

# PREP AND STORAGE TIPS

☐ Call a meeting to brainstorm and discuss food waste prevention

Reduce batch sizes: Prepare meals ahead of time and store them for future use
Use cook-to-order instead of bulk-cooking all day or toward the end of the day
Incorporate leftovers: Steak can be used for beef stew the next day
Train staff on knife skills to make more efficient knife cuts to prevent waste
Use as much of the food as possible: Cook up carrot greens and don't peel cucumbers or potatoes
Reconstitute stalky vegetables that have wilted by immersing them in warm water (100°F) for 15 minutes
Freeze surplus and fresh fruits and veggies near the end of peak freshness for later use instead of throwing them away
Marinate meats to extend their shelf life for a few more days
Finish preparation at the line: Do not finish the food item until it's ready to go on the line so you can more easily use leftover ingredients in different recipes later
Refresh staff on storage techniques for different foods (e.g., don't store tomatoes and lettuce in the same container or near each other)
Use see-through storage containers to allow staff to see what is available and to keep an eye on freshness
Eliminate garnishes that typically don't get eaten







# **PURCHASING TIPS** Use reusable bottles instead of single use condiment packets ■ Buy bruised or odd shaped/sized produce at a discount Ask for your suppliers' policies for food waste: Simply inquiring will show suppliers it's a priority Reach out to other businesses to exchange ideas for source reduction methods Do regular inventory checks or increase their frequency to reduce spoilage ■ Buy local foods to minimize environmental impacts through reduced storage time and transportation SERVING TIPS If you're a buffet restaurant Go trayless: This will limit customers to take only what can fit on a plate and to make a conscious decision to go back for more ☐ Consider a "pay-per-item" system instead of "all-you-can-eat" system Use smaller plates, bowls and serving scoops to discourage over-plating Offer different meal sizes and portions: Don't limit small portions to just children Don't automatically put bread or chips and salsa on the table Ask them if they would like these items Ask if a customer wants a side item, instead of automatically providing sides **ENGAGING WITH CUSTOMERS** Provide taste samples: Allow customers to try foods before they buy them Educate customers on how to minimize food waste and why they should care Encourage customers to take home their leftover food

FOR MORE INFORMATION: YOUR ORGANIZATION'S CONTACT INFORMATION HERE









# **YOUR LOGO HERE**

# DONOR AND RECIPIENT INFORMATION

Food DONOR Facility/Organization Name		Food RECIPIENT Facility	/Organization Nam	ne
DONOR Representative Name		RECIPIENT Representat	RECIPIENT Representative Name	
Business Address		Business Address		
Phone	Email	Phone	Email	
DONATED FOOD	PRODUCT INFORMATION	I		
FOOD PRODUCT	PACKAGING	STORAGE CONDITIONS	CHECK ALL THAT APPLY	QUANTITY & FREQUENCY
Prepared Foods	Food-grade packaging	Chilled to 41F or below, or frozen at 0F or below		
Chilled Perishable Prepackages Foods	Original packaging OR food-grade packaging	Chilled to 41F or below		
Meat, poultry, fish (fresh)	Original packaging OR food-grade packaging	Chilled to 41F or below		
Meat, poultry, fish (frozen)	Original packaging OR food-grade packaging	Frozen at 0F or below		
Dairy Products	Original packaging OR food-grade packaging	Chilled to 41F or below		
Shelf stable foods	Original packaging			
Other				
TRANSPORTATION				
Describe how food will be transported. Include pickup frequencies and how food will be packaged for transport (e.g. in coolers, in refrigerated truck), and time and temperature tracking protocol. (See sample Food Donation Delivery Form included.)				







TOPIC	FOOD DONOR ORGANIZATION	FOOD RECIPIENT ORGANIZATION
Food training and experience of		
food manager or person-in-charge		
(e.g. ServSafe training) Allergen and cross-contamination		
awareness and training		
Best time and methods for		
communicating		
USE THIS SPACE FOR ANY ADI	ditional considerations	
We agree to abide by the agreements we have made, provide appropriate management and supervision to ensure safe food handling and donation, and to promptly communicate unsatisfactory conditions. We agree to handle food in accordance with the California Retail Food Code, to ensure that every effort is taken to provide apparently wholesome food to those in need.		
Signature of Food DONOR Representati	ve	Date
Printed Name of Food DONOR Represe	ntative	
Signature of Food RECIPIENT Represente	ative	Date
Printed Name of Food RECIPIENT Repres	sentative	

FOR MORE INFORMATION: YOUR ORGANIZATION'S CONTACT INFORMATION HERE











#### **FRONT PLATE**

These products are NOT RECOMMENDED for consumers with food allergies since they are
prepared on shared equipment. Please inform the donor if any person receiving or
consuming this product has a food allergy.
Date:

Donor: Weight

(lbs)/Count:

Item:

# USE FOR FOOD DONATIONS ONLY

If contents are frozen, see reheat standards on back.
Donation Questions: Call EHD NUMBER?
More Donation Information: INSERT EHD website

## **BACK PLATE**

of

These products are NOT RECOMMENDED for consumers with food allergies since they are prepared on shared equipment. Please inform the donor if any person receiving or consuming this product has a food allergy.

IF CONTENTS ARE FROZEN FOOD - PROPERLY THAW & REHEAT FOOD BEFORE SERVING Store Food at the Proper Temperature

### THAW PROPERLY PRIOR TO REHEATING:

- Keep food at or below 40F during thawing process
- Reheat food within 24hrs after thawing

### REHEATING TEMPERATURE STANDARDS:

- Rapidly heat food to an internal product temperature of 165F for at least 15 seconds
- Discard food if these temperature standards are not reached within 2hrs

# USE FOR FOOD DONATIONS ONLY









# **YOUR LOGO HERE**

# DONOR AND RECIPIENT INFORMATION

PERISHABLE FOOD ITEM(S)	QUANTITY (LBS)	DONOR TEMP AT HOLDING	TIME TAKEN	RECIEVER TEMP AT RECEIPT	TIME TAKEN	ACCEPTED
						YES or NO
						YES or NO
						YES or NO

\*\*Flip for additional rows

Name of Facility or Event	Public Health Permit #
	D
Address Delivered by (print name):	Phone #
TRANSPORTED BY (IF OTHER THAN DONOR O	R RECIPIENT):
Name of Delivery Organization:	Public Health Permit # (if applicable)
Address Delivered by (print name):	Phone #
DONATED TO:	
Name of Facility or Organization	Public Health Permit # (if applicable)
Address Received by (print name):	Phone #
I acknowledge that the food item(s) listed above	e meet the temperature holding requirements for
potentially hazardous foods, as defined in Section	on 113871 of the California Retail Food Code.
Donor Signature	Date
Recipient Signature	Date







PERISHABLE FOOD	QUANTITY	DONOR	TIME	RECIEVER	TIME	
ITEM(S)	(LBS)	TEMP AT HOLDING	TAKEN	TEMP AT RECEIPT	TAKEN	ACCEPTED
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO
						YES or NO

FOR MORE INFORMATION: YOUR ORGANIZATION'S CONTACT INFORMATION HERE:









# YOUR LOGO HERE

In rural areas it can be more challenging to find active food rescue groups able to pick-up surplus food and get it to people in need, however there are still numerous strategies for food facilities in rural jurisdictions to reduce wasted food and divert food waste from the landfill.

As with food facilities in urban or suburban areas it is key to start with preventing surplus food to begin with.

- WEIGH AND TRACK YOUR SURPLUS FOOD, set a surplus food reduction goal, and plan accordingly! Visit the EPA Food Recovery Challenge page to sign up for a free tracking tool and access to more resources. Here are a few tips for preventing wasted food. See Appendixes B and C for Food Waste Prevention Tips from the EPA
  - a. Compare purchasing inventory with customer ordering
  - b. Examine production and handling techniques to prevent and reduce preparation waste
  - c. Ensure proper storage techniques
  - d. See more tips in Appendix B

https://www.epa.gov/sustainable-management-food/food-recovery-challenge-frc
http://www.leanpath.com/free-resources/

2. Reach out to a local high school, community college, or university in your area to see if they already have, or would like to establish a community kitchen. Schools, colleges, and universities often have commercial kitchens that sit unused in the evenings and weekends. To learn more about strategies to partner with local schools, colleges, or universities see information from the Campus Kitchens Project below.









- 3. FEED ANIMALS If you still have excess food and can't easily donate surplus food to a nonprofit charitable organization. This strategy can benefit the food facility by reducing disposal costs and benefit the farmer by reducing feed costs. If you want to donate your food scraps to animals:
  - a. Contact your local solid waste, county agricultural extension office or public health agency for more information about local regulations
  - b. Determine what types, how often, and the amount of food scraps you can provide
  - c. Connect and partner with a local farmer or rancher

https://www.epa.gov/sites/production/files/2015- 08/documents/rutgers.pdf
https://www.epa.gov/sustainable-management-food/reduce-wasted-food-feeding-animals#success

4. GENERATE ENERGY with your food scraps if you can't feed animals. Energy generation via anaerobic digestion works like this; microorganisms break down organic materials, such as food scraps, yard waste, manure, and sewage sludge producing biogas and a soil amendment, two valuable products! To learn more, contact your local waste hauler or utility district.



**5.** COMPOST YOUR FOOD SCRAPS if you can't feed animals or send them for use in energy generation or other industrial uses. Composting food scraps creates a product that can be used to help improve soils, grow the next generation of crops, and improve water quality.

Yard waste and small quantities of food scraps can be composted onsite by food facilities. Animal products and large quantities of food scraps cannot be composted onsite. Use the following resources to learn how to start a small scale composting operation onsite or find a composting facility near your facility.

https://www.epa.gov/recycle/composting-home
http://www.findacomposter.com/

FOR MORE INFORMATION: YOUR ORGANIZATION'S CONTACT INFORMATION HERE











Given the fluctuation in the number of students served and student preferences and appetites, it can be challenging to purchase for, plan, and produce just the right amount of food for a school on any given day. This variability can result in a lot of wasted edible food. Fortunately, there are several easy strategies to prevent excess food, recover unwanted unopened food, and recycle food scraps.

As with any other food facility, school kitchens should start with preventing food loss first.

- WEIGH AND TRACK YOUR SURPLUS FOOD by conducting a student waste audit, set a surplus food reduction goal, and plan accordingly! Visit the EPA Food Recovery Challenge page to sign up for a free tracking tool Here are a few tips for preventing food loss
  - a. Compare purchasing inventory with student preferences
  - b. Examine production and handling techniques to prevent and reduce preparation waste
  - c. Ensure proper storage techniques
  - d. See more prevention tips from the EPA and USDA below

	https://www.epa.gov/sites/production/files/2016-08/documents/food_loss_prevention_options_grade_schools_august_2016.pdf
لببا	08/documents/food_loss_prevention_options_grade_schools_august_2016.pdf
	https://www.usda.gov/oce/foodwaste/resources/K12_scho ols.html
	https://www.usda.gov/oce/foodwaste/Student_Food_Waste_Audit_FIN AL_4-6-2017.pdf

2. FEED STUDENTS AND DONATE SURPLUS FOOD if there is still excess wholesome food after implementing prevention strategies.

### **SHARE TABLES**

Schools are unique in that there is the opportunity to set-up a share tables. A share table is a table in the student common eating area where students can leave their unwanted, unbitten, unopened food and beverage items for other students to take if they would like more food than what was provided. Share tables can help reduce wasted food and provide students with additional food options.

See this great resource created by Stop Waste on Best Practices for Share Tables.









REMEMBER, DONORS ARE PROTECTED FROM LIABILITY by the Federal Good Samaritan Law when donating surplus food to a nonprofit charitable organization. See the Safe Surplus Food Donation Toolkit for more information about donating surplus food:

# INSERT LINK TO TOOLKIT HERE.

Contact your health inspectors at the Environmental Health Department if you have any questions about share tables, school food donation, and surplus food donation.

### INSERT EHD CONTACT INFORMATION HERE

- 3. FEED ANIMALS if after setting up a share table and donating surplus food the school kitchen is still generating food scraps. This strategy can benefit the school by reducing disposal costs and benefit the farmer by reducing feed costs. If you want to donate your food scraps to animals;
  - a. Contact your local solid waste, county agricultural extension office or public health agency for more information amount local regulations
  - b. Determine what types, how often, and the amount of food scraps you can provide
  - c. Connect and partner with a local farmer or rancher



4. COMPOST FOOD SCRAPS from the school kitchen if there are no animals to feed nearby. Compost onsite to support an interactive educational program or school garden OR send to a composter to divert food scraps from the landfill. Composting organic waste onsite can be a great learning opportunity for students, teachers, and staff. Find out more about composting onsite from the resources below.

http://www.lifelab.org/composting/school-composting/
http://www.stopwaste.org/preventing-waste/composting-onsite
http://www.findacomposter.com/









TERM	DEFINITION
Diversion	The process of diverting food waste from landfills or farmland tillage for a higher value and more productive purpose, like prevention, recovery, animal feed, or composting
Food Bank	A surplus food collection and distribution system operated and established to assist in bringing donated food to nonprofit charitable organizations and individuals for the purposes of reducing hunger and supplying nutritional needs  ** CalCode Section 113783
Food Facility	An operation that stores, prepares, packages, serves, vends, or otherwise provides food for human consumption at the retail level  ** For the full list see- CalCode Section 113789
Food Loss	Generally refers to unintended loss of food during harvesting, post-harvest handling, processing, and distribution
Food Pantry	Directly serve local residents who suffer from hunger and food insecurity (e.g. provide hot meals or provide regular grocery products)
Food	The collection of edible food for distribution to food insecure
Recovery	individuals. Food recovery takes several forms: gleaning, perishable food rescue/salvage, non-perishable food collection, and rescue of prepared food
Food Rescue	Practice of collecting edible food that would otherwise go to waste from places such as restaurants, grocery stores, produce markets, or dining facilities and distributing it to local hunger relief agencies
Food Scraps	Generally used to refer to food that is no longer fit for human consumption
Food Waste	Food grown and produced for human consumption but not eaten. This includes food still safe to eat — surplus, damaged, or expired — as well as unavoidable waste, such as bones or rinds







Gleaner	A person who harvests for free distribution to the needy, or for donation to a nonprofit organization for ultimate distribution to the needy, an agricultural crop that has been donated by the owner
Gleaning	The act of collecting excess fresh produce from farms, gardens, farmers markets, grocers, restaurants, state/county fairs, or any other sources in order to provide it to those in need
Nonprofit Charitable Organization	<ul> <li>(a) A corporation incorporated pursuant to the Nonprofit Corporation Law (Division 2 (commencing with Section 5000) of Title 1 of the Corporations Code), that is exempt from taxation pursuant to paragraphs (1) to (10), inclusive, and paragraph (19) of Section 501(c) of the Internal Revenue Code [FN1] and Section 23701d of the Revenue and Taxation Code.</li> <li>(b) An organization that was organized and is in operation for charitable purposes and meets the requirements of Section 214 of the Revenue and Taxation Code.</li> <li>** CalCode Section 113841</li> </ul>
Share Table/ Food Share Table/ Sharing Table Surplus Food	Tables in the student common eating area where students can leave their unwanted, unbitten, unopened food and beverage items for other students to take if they would like more food than what was provided.  Excess edible food
Value- Added Processing	Extending the usable life of donated foods through processing methods such as making soups, sauces, or other value-added products











### 1. What foods can be donated?

Almost anything you serve or sell can be donated, including meats and dairy even if they are close to their expiration date. There are a few exceptions such as, "homemade foods" (without a valid health permit), baby food and infant formula that has exceeded its expiration date or specially processed foods (e.g. Reduced Oxygen Packaged), but you can learn more about these items from Environmental Health.

# 2. Can I be held liable for donating food?

The Bill Emerson Good Samaritan Food Donation Act (National) and the California Health and Safety Code, specifically for California, offers protection as long as the foods being donated are handled in a safe and sanitary manner.

# 3. How do we ensure the food is safe for distribution?

It is important to maintain the foods that will be donated in the same safe and reasonable manner which you hold other foods intended to be sold. A toolkit for donation is available at INSERT EH SITE HERE for detailed information on how to handle foods to be donated safely. You can always contact your health inspector if you have any questions regarding safe food handling measures.

# 4. Are there other organizations that can I can donate food to?

A growing number of organizations – both charitable and for profit – are working to recover wholesome excess food to provide low or no-cost meals to families in need. There are thousands of organizations helping to feed the hungry. For a list visit



 $www.usda.gov \verb|\oce| foodwaste| resources| donations.htm.$ 

If you have any other questions, please contact your health inspector at the Environmental Health Department.

## INSERT FH CONTACT INFORMATION HERE











# THIS PAGE WAS LEFT INTENTIONALLY BLANK







# References

<sup>1</sup> Emily Broad Leib et al., "Don't Waste, Donate: Enhancing Food Donations Through Federal Policy" (Harvard Food Law and Policy Clinic, NRDC, March 2017), https://www.nrdc.org/sites/default/files/dont-waste-donate-report.pdf.

<sup>2</sup> EPA, "Turning Food Waste into Energy," 2016,

https://www3.epa.gov/region9/waste/features/foodtoenergy/.

<sup>3</sup> Linda Rudolph and Catherine Harrison, "A Physician's Guide to Climate Change, Health and Equity" (Center for Climate Change and Health, Public Health Institute, 2016), http://climatehealthconnect.org/wp-content/uploads/2016/09/FullGuideTEMP.pdf.

<sup>4</sup> Emily Broad Leib and Dana Gunders, "The Dating Game: How Confusing Food Date Labels Lead to Food Waste in America" (Harvard Food Law and Policy Clinic, NRDC, n.d.), https://www.nrdc.org/sites/default/files/dating-game-report.pdf.

<sup>5</sup> LACFRI Working Group- <a href="http://publichealth.lacounty.gov/eh/misc/LACFRI.htm">http://publichealth.lacounty.gov/eh/misc/LACFRI.htm</a>





