



Food Program Official Inspection Report
 SISKIYOU COUNTY PUBLIC HEALTH
 & COMMUNITY DEVELOPMENT
 806 S. Main Street
 Yreka, California 96097
 ph: (530) 841-2100, fax: (530) 841-4076

Facility Name:	EL ZAGUAN	CMHC#	617116
Address:	1421 S. MAIN STREET YREKA, CA 96097		
Permit Holder:	MIRIAM VILLEGAS	Permit To Operate:	<input checked="" type="checkbox"/> <input type="checkbox"/> Not Valid
Phone:	841-0803	E-mail:	
Food Safety Certified Employee:	MIRIAM VILLEGAS	Expiration Date:	03/2024

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.			ROUTINE INSPECTION CONDUCTED ON THIS DATE.
	2	Prep./ Service			
	3	Storage/ Disp.			
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.			ALL FOOD HANDLING IS SATISFACTORY AT PRESENT TIME.
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
	12	Spoils			
Uten./ Equip.	13	Wash/ Sanitize			14. OBSERVED WALK-IN REFRIGERATOR NOT IN USE. FACILITY IS MAKING PLANS TO REPAIR/REPLACE THIS UNIT.
	14	Equip. Condition			
	15	Utensil Condition			
	16	Storage			
Employee	17	Handwashing			
	18	Employee Hygiene			
	19	Employee Habits			
	20	Food Cert./ Card			
Water	21	Water			
	22	Cross Con.			
Vermin Waste	23	Liquid Waste			
	24	Refuse			
	25	Rodents/ Insects			
	26	Animal/ Fowl			
Facilities	27	Ventilation			NOTE: WALK-IN FREEZER IS IN GOOD REPAIR.
	28	Doors			
	29	Floors			
	30	Walls - Ceilings			
	31	Toilet Fac.			
	32	Janitorial Fac.			
	33	Lighting			
Misc.	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site			
Received By (Print):	MIRIAM VILLEGAS	Received by (Signature):	Date: 7/11/2022
REHS (Print):	ZAKIYA RAHH	REHS (Signature):	Phone: 841-2112