



Food Program Official Inspection Report
 SISKIYOU COUNTY PUBLIC HEALTH
 & COMMUNITY DEVELOPMENT
 806 S. Main Street
 Yreka, California 96097
 ph: (530) 841-2100, fax: (530) 841-4076

Facility Name: <u>South Weed Valero</u>	CMHC# <u>100346</u>
Address: <u>1976 Shoshine Dr, Weed CA 96094</u>	
Permit Holder: <u>Dennis Erickson</u>	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: <u>938-3605</u>	E-mail:
Food Safety Certified Employee: <u>Terese Ecklund</u>	Expiration Date: <u>10/2022</u>

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1 Food Temp.				<p align="center"><i>Routine Inspection Conducted This Date</i></p> <p><i>9.) observed food in display refrigeration unit @ 46°F. Keep all food @ 41°F or colder.</i></p>
	2 Prep./ Service				
	3 Storage/ Disp.				
	4 Frozen Food				
	5 Pure Food				
	6 Reused Food				
	7 Transportation				
Food Storage	8 Storage Fac.				<p><i>13.) Observed slime or mold build-up inside ice machine. Discard ice, clean and sanitize machine in accordance with manufacturer's instructions.</i></p>
	9 Refrig. Units		X		
	10 Thermometer				
	11 Hazardous Mat.				
	12 Spoils				
Uten./Equip.	13 Wash/ Sanitize		X		<p><i>Note: Facility is currently utilizing a back-up generator, since the power is out resulting from fire.</i></p>
	14 Equip. Condition				
	15 Utensil Condition				
	16 Storage				
Employee	17 Handwashing				<p><i>13.) Observed slime or mold build-up inside ice machine. Discard ice, clean and sanitize machine in accordance with manufacturer's instructions.</i></p>
	18 Employee Hygiene				
	19 Employee Habits				
	20 Food Cert./ Card				
Water	21 Water				<p><i>Note: Facility is currently utilizing a back-up generator, since the power is out resulting from fire.</i></p>
	22 Cross Con.				
Waste	23 Liquid Waste				<p><i>Note: Facility is currently utilizing a back-up generator, since the power is out resulting from fire.</i></p>
	24 Refuse				
Vermif	25 Rodents/ Insects				<p><i>Note: Facility is currently utilizing a back-up generator, since the power is out resulting from fire.</i></p>
	26 Animal/ Fowl				
Facilities	27 Ventilation				<p><i>Note: Facility is currently utilizing a back-up generator, since the power is out resulting from fire.</i></p>
	28 Doors				
	29 Floors				
	30 Walls - Ceilings				
	31 Toilet Fac.				
	32 Janitorial Fac.				
	33 Lighting				
Misc.	34 Clothing - Linen				<p><i>Note: Facility is currently utilizing a back-up generator, since the power is out resulting from fire.</i></p>
	35 Signs				
	36 Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site

Received By (Print): <u>CNT</u>	Received by (Signature):	Date: <u>9-6-22</u>
REHS (Print): <u>Rick Florendo</u>	REHS (Signature):	Phone: <u>530-841-2114</u>