



Food Program Official Inspection Report
 SISKIYOU COUNTY PUBLIC HEALTH
 & COMMUNITY DEVELOPMENT
 806 S. Main Street
 Yreka, California 96097
 ph: (530) 841-2100, fax: (530) 841-4076

Facility Name: <u>Lake Street Mini Mart</u>	CMHC#
Address: <u>411 W. Lake St.</u>	
Permit Holder: <u>Balwinder Gill</u>	Permit To Operate: <input type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: <u>530-209-8741</u>	E-mail:
Food Safety Certified Employee: <u>NA</u>	Expiration Date:

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1 Food Temp.				<p>Routine Inspection Conducted This Date.</p> <p>3.) observed bags of ice stored on the ground inside walk-in freezer. Store food at least 6" of the ground. Correct asap.</p> <p>4.) observed water from leaking freezer compressor and freezing on all food products store below. Protect all food from potential contamination at all times. Move frozen food from areas of potential contamination immediately.</p> <p>14.) Observed freezer compressor leaking all over food stored below it. Maintain all equipment in a state of good repair and function. Repair compressor leak within 14 days and minimize use to avoid contamination.</p>
	2 Prep./ Service				
	3 Storage/ Disp.		X		
	4 Frozen Food		X		
	5 Pure Food				
	6 Reused Food				
	7 Transportation				
Food Storage	8 Storage Fac.				
	9 Refrig. Units				
	10 Thermometer				
	11 Hazardous Mat.				
	12 Spoils				
Uten./Equip.	13 Wash/ Sanitize				
	14 Equip. Condition		X		
	15 Utensil Condition				
	16 Storage				
Employee	17 Handwashing				
	18 Employee Hygiene				
	19 Employee Habits				
	20 Food Cert./ Card				
Water	21 Water				
	22 Cross Con.				
Waste	23 Liquid Waste				
	24 Refuse				
Vermif	25 Rodents/ Insects				
	26 Animal/ Fowl				
Facilities	27 Ventilation				
	28 Doors				
	29 Floors				
	30 Walls - Ceilings				
	31 Toilet Fac.				
	32 Janitorial Fac.				
	33 Lighting				
Misc.	34 Clothing - Linen				
	35 Signs				
	36 Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): <u>Nick Pomatta</u>	Received by (Signature): <u>Nick Pomatta</u> Date: <u>1-19-23</u>
REHS (Print): <u>R. J. Flanagan</u>	REHS (Signature): <u>[Signature]</u> Phone: <u>530-841-2114</u>