



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Misty's Wet Yer Whistle	Permit # 626707
Address: 401 S Main Street Suite	
Permit Holder: Misty Thibaudeau	Permit To Operate: <input type="radio"/> Valid <input type="radio"/> Not Valid
Phone: 530-842-0221	E-mail: mistealynn@aol.com
Food Safety Certified Employee: Misty Thibaudeau	Expiration Date: 06/2024

		MAJ	OUT	COS		
					The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/ Temp.	1	Food Temp.		X	X	<p style="text-align: center; font-weight: bold;">ROUTINE INSPECTION CONUDCTED ON THIS DATE</p> <p>1) Observed milk sitting on the counter at 47 F - 49 F. Dairy items need to be at 45 F or lower. Facility was instructed move milk to a working refrigeration unit.</p> <p>9) Observed a leak and food build up in hard to reach areas of the refrigeration. Store all food in a manner that is protected from contamination. Repair or replace refrigeration unit within the next 60 days.</p> <p>19) Observed ash tray with smoked cigarettes on the food prep counter. As stated in code 113977 (a) of the California Retail Food Code, the use of any form of tobacco can only be used in designated areas where contamination of non-prepackaged food, clean equipment, utensils, linens, and unwrapped single-use articles, or others needing protection cannot result in contact. Remove ash tray and discontinue smoking in all prohibited areas.</p> <p style="text-align: center; font-weight: bold;">NOTE: OBTAIN FOOD FACILITY PERMIT WITHIN THE NEXT 7 DAYS</p>
	2	Prep./ Service				
	3	Storage/ Disp.				
	4	Frozen Food				
	5	Pure Food				
	6	Reused Food				
	7	Transportation				
Food Storage	8	Storage Fac.				
	9	Refrig. Units		X		
	10	Thermometer				
	11	Hazardous Mat.				
Uten./Equip.	12	Spoils				
	13	Wash/ Sanitize				
	14	Equip. Condition				
	15	Utensil Condition				
Employee	16	Storage				
	17	Handwashing				
	18	Employee Hygiene				
	19	Employee Habits		X		
Water	20	Food Cert./ Card				
	21	Water				
Waste	22	Cross Con.				
	23	Liquid Waste				
Vermin	24	Refuse				
	25	Rodents/ Insects				
Facilities	26	Animal/ Fowl				
	27	Ventilation				
	28	Doors				
	29	Floors				
	30	Walls - Ceilings				
	31	Toilet Fac.				
	32	Janitorial Fac.				
Misc.	33	Lighting				
	34	Clothing - Linen				
	35	Signs				
	36	Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Misty Thibaudeau	Received by (Signature): Date: 05/16/2023
REHS (Print): Alexa Roche	REHS (Signature): Phone: 530-841-2117

Facility Name: Misty's Wet Yer Whistle

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):

Misty Thibaudeau

Received by (Signature):

Date:

05/16/2023

REHS (Print):

Alexa Roche

REHS (Signature):

Phone:

530-841-2117

Facility Name: Misty's Wet Yer Whistle

The marked items represent Health Code violations and must be corrected as follows:

[Empty area for listing health code violations and correction details]

Received By (Print): Misty Thibaudeau Received by (Signature): Date: 05/16/2023

REHS (Print): Alexa Roche REHS (Signature): Phone: 530-841-2117

Facility Name: Misty's Wet Yer Whistle

The marked items represent Health Code violations and must be corrected as follows:

[Empty area for listing health code violations and correction details]

Received By (Print): Misty Thibaudeau	Received by (Signature):	Date: 05/16/2023
--	--------------------------	---------------------

REHS (Print): Alexa Roche	REHS (Signature):	Phone: 530-841-2117
------------------------------	-------------------	------------------------