

Food Program Official Inspection Report

Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097 phone: (530) 841-2100, fax: (530) 841-4076

| Facility Name: Dollar General Store #21163 Permit # | | | | | | | |
|---|--|-------------------------------------|--------------------|-----------|---|--|--|
| Address: 20639 Big Springs Rd Weed CA 96094 | | | | | | | |
| Permit Holder: Permit To Operate: | | | | | | | |
| Dhone | Dolgen of California, LLC Valid Not Valid | | | | | | |
| Phone: 530-408-0583 E-mail: | | | | | | | |
| Food S | Safe | ty Certified Employ | ^{/ee:} N | IA | Expiration Date: NA | | |
| | | | MAJ | OUT CO | The marked items represent Health Code violations and must be corrected as follows: | | |
| Protection Time/ Temp. | 1 | Food Temp. | | | | | |
| | 2 | Prep./ Service | | | FOLLOW-UP ROUTINE INSPECTION CONDUCTED THIS DATE | | |
| ne/ | 3 | Storage/ Disp. | | | | | |
| μ | 4 | Frozen Food | | | THIS FACILITY IS APPROVED TO RE-OPEN AND ALL PREVIOUS VIOLATIONS | | |
| ctio | 5 | Pure Food | | | HAVE BEEN CORRECTED. | | |
| rote | 6 | Reused Food | | | | | |
| <u>م</u> | 7 | Transportation | | | | | |
| je | | Storage Fac. | | | 4 | | |
| oraç | | Refrig. Units | $\left - \right $ | | 4 | | |
| Food Storage | | Thermometer | | | 4 | | |
| Foo | | Hazardous Mat. | | | 4 | | |
| | | Spoils | | | 4 | | |
| uip. | | Wash/ Sanitize | | | 4 | | |
| Uten./Equip. | | Equip. Condition | | | 4 | | |
| Jten | _ | Utensil Condition | | | 4 | | |
| Ľ_ | | Storage | | | 4 | | |
| /ee | | Handwashing | | | 4 | | |
| Employee | | Employee Hygiene | | | 4 | | |
| ШШ | | Employee Habits Food Cert./ Card | | | 4 | | |
| ÷ | | Water | | | 4 | | |
| Water | 21 | | | | 4 | | |
| | | Liquid Waste | $\left - \right $ | | 4 | | |
| Waste | - | Refuse | | | 4 | | |
| - lin | | Rodents/ Insects | | | 4 | | |
| Vermin | | Animal/ Fowl | | | 4 | | |
| É | 27 | | | | 1 | | |
| (2) | 28 | | | | 1 | | |
| Facilities | | Floors | | | 1 | | |
| Faci | | Walls - Ceilings | | | 1 | | |
| - | 31 | Toilet Fac. | | | 1 | | |
| | 32 | | | | 1 | | |
| | 33 | Lighting | | | 1 | | |
| ن ن | | Clothing - Linen | | | 1 | | |
| Misc. | 35 | Signs | | |] | | |
| | | Misc. | | | | | |
| | | | DUT = | Out of co | mpliance COS = Corrected on-site | | |
| Received By (Print): Aleta Williams | | | | | | | |
| REHS (Print): Alexa Roche 530-841-2117 | | | | | | | |
| Page 1 Last modified 4/12/2 | | | | | | | |

| Facility Name: | Dollar General Store #21163 |
|----------------|-----------------------------|
|----------------|-----------------------------|

The marked items represent Health Code violations and must be corrected as follows:

۲.

| Received By (Print): | Received by (Signature): | Date: |
|----------------------|--------------------------|--------------|
| Aleta Williams | | 6/23/2023 |
| REHS (Print): | REHS (Signature): | Phone: |
| Alexa Roche | | 530-841-2117 |
| Page 2 | | |

| Facility Name: | Dollar General Store #21163 | | |
|----------------------|------------------------------|--|-----------------|
| | The marked items represent l | Health Code violations and must be correct | ted as follows: |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | κ. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Received By (Print): | | ceived by (Signature): | Date: |
| Alet | a Williams | | 6/23/2023 |
| REHS (Print): | R | EHS (Signature): | Phone: |
| Alexa R | oche | | 530-841-2117 |
| Page 3 | | | |

| Facility Name: | Dollar General Store #21163 |
|----------------|-----------------------------|
|----------------|-----------------------------|

The marked items represent Health Code violations and must be corrected as follows:

.

| Received By (Print): | Received by (Signature): | Date: |
|----------------------|--------------------------|--------------|
| Aleta Williams | | 6/23/2023 |
| REHS (Print): | REHS (Signature): | Phone: |
| Alexa Roche | | 530-841-2117 |
| Page 4 | | |