



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Dunsmuir Chevron - Stagestop</b>	Permit #: <b>000435</b>
Address: <b>4929 Dunsmuir Ave, Dunsmuir, CA, 96025</b>	
Permit Holder: <b>Weed Chevron</b>	Permit To Operate: <input checked="" type="radio"/> Valid <input type="radio"/> Not Valid
Phone: <b>530-235-2461</b>	E-mail: <b>dunsmuir@mtcounties.com</b>
Food Safety Certified Employee: _____	Expiration Date: _____

		MAJ	OUT	COS		
					The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/ Temp.	1				<p style="text-align: center; margin-top: 0;"><b>ROUTINE INSPECTION CONDUCTED THIS DATE</b></p> <p>2) Observed hot dog roller utilized to prepare foods in the Mop Room/Storage area. This is not an approved preparation area. Discontinue use of this equipment in this area.            Note: The facility has undergone a remodel. Plans were never submitted to this department for review, and nor was the remodel approved. The relocation of the food preparation area is <b>NOT APPROVED</b> at this time.</p> <p>3) Observed donuts stored in the beer cooler unprotected from possible sources of contamination. Cover all stored food. Correct immediately.</p> <p>3) Observed boxes of soda syrup stored under the drain pipes of the 3-comp sink. Store all food in an approved storage area that is at least 6" off the ground, and in a location that is not going to potentially contaminate the food. Food may never be stored under sewage drain pipes.</p> <p>3) Observe boxes of Oreo Cookies stored on the ground in the back storage area. Store all food at least 6" off the ground. Correct immediately.</p> <p>13) Observed soda syrup leaking all over the shelving of the cabinet at the soda machine service area. Keep all shelving clean and sanitized to prevent the attraction of rodents and other insects or vermin. Clean asap.</p> <p>14) Observed internal parts of the ice machine is broken. Maintain all equipment as to be serviceable and in good repair. Repair within 30 days. <b>3RD NOTICE</b>. Reinspection fee charge for non-compliance.</p> <p>14) Observed the installation of a new refrigeration unit, and new fryer. Get pre-approval from this department for the installation of ANY new equipment. Facility may not use this equipment at this time. Contact this department prior to installing new equipment, and get approval for any menu change. This fryer is <b>not approved</b> for operation without proper review and any food preparation must be performed in approved food preparation areas only. Remove equipment immediately, or submit a plan for the use of this equipment. (This may require a plan check to ensure that a proper food preparation area is available for this operation).</p> <p>20) Obtain a current food manager certification within 60 days.</p>	
	2			X		
	3			X		
	4					
	5					
	6					
	7					
Food Storage	8					
	9					
	10					
	11					
Uten./Equip.	12					
	13		X			
	14		X			
Employee	15					
	16					
	17		X			
	18					
Water	19					
	20		X			
Waste	21					
	22					
Vermin	23					
	24					
Facilities	25					
	26					
	27					
	28					
	29					
	30					
	31					
Misc.	32					
	33					
	34					
	35					
	36					

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site	
Received By (Print): <b>Diane P. Newton</b>	Received by (Signature): <i>Diane P. Newton</i>
REHS (Print): <b>Rick Florendo</b>	REHS (Signature): <i>Rick Florendo</i>
Date: <b>06/26/2023</b>	Phone: <b>530-841-2114</b>

**Facility Name:** Dunsmuir Chevron - Stagestop

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):

Received by (Signature):

Date:

06/26/2023

REHS (Print):

Rick Florendo

REHS (Signature):

Phone:

530-841-2114

**Facility Name:** Dunsmuir Chevron - Stageshop

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):

Received by (Signature):

Date:

06/26/2023

REHS (Print):

Rick Florendo

REHS (Signature):

Phone:

530-841-2114

**Facility Name:** Dunsmuir Chevron - Stagestop

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):

Received by (Signature):

Date:

06/26/2023

REHS (Print):

Rick Florendo

REHS (Signature):

Phone:

530-841-2114