

Food Program Official Inspection Report

Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097

phone: (530) 841-2100, fax: (530) 841-4076

Facility	Permit # 661511											
Address: 113 B Main Street Yreka CA 96097												
Permit Holder: Permit To Operate: Juan Gutierez Permit To Operate: Valid Not												
Phone:	5	530-643-8085			E-mail:							
Food S	Food Safety Certified Employee: Juan Gutierez Expiration Date: 2/2022											
			MAJ OUT		The marked items represent Health Code violations and must be corrected as follows:							
	1	Food Temp.	100 000	000	The marked kerne represent reality edge florations and make so corrected as follows.							
Тетр.	_	Prep./ Service										
e/ Te	3	Storage/ Disp.			Routine inspection report produced on 06/09/2023 incorrectly states that the Food							
Tim	_	Frozen Food			Facility Permit to Operate is valid. The permit is currently Not Valid and its 2 years pass							
Protection Time/	5	Pure Food			due. Obtain current permit within the next 7 days, to prevent future facility closure and additional fines.							
	6	Reused Food			additional filles.							
	7	Transportation										
	-	Storage Fac.										
age.	-	Refrig. Units										
Food Storage	10	Thermometer	† †									
poo	11	Hazardous Mat.										
ш	12	Spoils										
ġ.	13	Wash/ Sanitize										
Uten./Equip.	14	Equip. Condition										
en./	15	Utensil Condition										
Ď	16	Storage										
ø.	17	Handwashing										
oye	18	Employee Hygiene										
Employee	19	Employee Habits										
ш	20	Food Cert./ Card										
Water	21	Water										
	22	Cross Con.										
Waste	23	Liquid Waste										
	24	Refuse										
ermin'		Rodents/ Insects										
/el	26	Animal/ Fowl	igspace									
	-	Ventilation										
es		Doors										
Facilities	-	Floors										
Еа		Walls - Ceilings	\vdash									
	-	Toilet Fac.										
	_	Janitorial Fac.										
		Lighting										
Misc.		Clothing - Linen	\vdash									
Σ		Signs	\vdash									
ΜΔΙ-		Misc. or violation (OUT = Out	of cor	apliance COS = Corrected on-site							
Receive			<u> </u>	oi coil	Received by (Signature): Date:							
Juan Gutierez 6/28/2023												
REHS (Print): REHS (Signature) Phone: 530-841-2117												

Page 1

Last modified 4/12/2023

Facility Name:	Ricos Tacos	
	The marked items represent Health Code violations and must be corrected as follows:	
Received By (Print):	Received by (Signature): Da	re:
	an Gutierez	6/28/2023
RFHS (Print):		one:

530-841-2117

Alexa Roche

Facility Name:	Ricos Tacos	
	The marked items represent Health Code violations and must be corrected as follows:	
	· ·	
Received By (Print): Juar	Received by (Signature): Dan Gutierez	ate: 6/28/2023
REHS (Print):		none:

530-841-2117

Álexa Roche

Facility Name:	Ricos Tacos			
	The marked items re	present Health Code violations and	must be corrected as follows	S:
Received By (Print): Jua	n Gutierez	Received by (Signature):		Date: 6/28/2023
REHS (Print): Alexa Ro	oche	REHS (Signature):		Phone: 530-841-2117