

## **Food Program Official Inspection Report**

## Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097

phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: El Tapatio						000217			
Addres	s:	400 S Main Str	eet Dori	ris C/	4				
Permit Holder: Silvia Hernandez Permit To Operate:  O Valid O Not Valid									
Phone:	Ę	530-397-2004			E-mail: jasonabird1@icloud.com				
Food S	afet	ty Certified Employe	ee:		Expiration	Date:			
			MAJ OUT	cos	The marked items represent Health Code violations and must be corrected	d as follows:			
Ġ.	1	Food Temp.			ROUTINE INSPECTION CONDUCTED ON THIS DATE				
emi	2	Prep./ Service	X						
T /ət	3	Storage/ Disp.	×		25) Observed an excessive amount of flies in the facility and fly tape cannot				
Protection Time/ Temp.	4	Frozen Food			preparation areas. Ensure pest control is current and there are preventative	measures in place.			
ction	5	Pure Food			Install an air gate or screen to the back entrance door as soon as possible.	gate of screen to the back entrance door as soon as possible.			
rotec	6	Reused Food			3) Observed raw meat, cabbage, and beans uncovered in reach-in refrigerat	or. Keep food covered			
Ā	7	Transportation			in order to prevent contamination.				
<u>e</u>	8	Storage Fac.			Observed cilantro being stored along with drying dishes at the three-compartment sink. Facilis instructed to utilize food prep sink to wash produce.				
Food Storage	9	Refrig. Units							
d Str	10	Thermometer			to mondoted to dame to to a prop office to the property				
-000	-	Hazardous Mat.			16) Observed household use only blenders and portable cooking stove. Coo	king equipment need			
	12	Spoils		<u> </u>	to be NSF/ANSI approved. Remove all unapproved equipment.				
ir Ö		Wash/ Sanitize			16) Observed beans and rice being cooked on top of portable cooking stove in	in the kitchen. In the			
Uten./Equip.				<u> </u>	California Retail Food Code, 114149.1 (a) mechanical exhaust ventilation ed				
iten.	-	Utensil Condition		<u> </u>	provide over all cooking equipment as required to effectively remove odors, smoke, s				
n	-	Storage	×		heat, and vapors. Remove cooking stove and utilize Type II hood.				
e e	-	Handwashing			200 Comment Food Manager contification is not available on site. Equility is inc	solity is instructed to renew or			
Employee		Employee Hygiene		<u> </u>	20) Current Food Manager certification is not available on-site. Facility is ins receive Food Manager certification within the next 30 days.	tructed to renew or			
Emp		Employee Habits		<del>                                     </del>	16061VE 1 Ood Manager Certification within the Hort of days.				
		Food Cert./ Card	X	<u> </u>					
Water	-	Water		<del>                                     </del>					
		Cross Con.		<del>                                     </del>					
Waste	-	Liquid Waste		<del>                                     </del>					
>		Refuse		<u> </u>					
/ermin	_	Rodents/ Insects	×	<u> </u>					
Ve		Animal/ Fowl		<del>                                     </del>					
		Ventilation	<u></u>	<u> </u>					
es		Doors	<u></u>	<u> </u>					
-acilities		Floors	<del></del>	<del>                                     </del>					
Fa		Walls - Ceilings	<del></del>	<del>                                     </del>					
		Toilet Fac.	$\vdash$	<b>-</b>					
		Janitorial Fac.	-	<u> </u>					
		Lighting		<del>                                     </del>					
Misc.		Clothing - Linen	$\vdash$	<del>                                     </del>					
Ξ̈́		Signs	$\vdash$	<del>                                     </del>					
NAA I —		Misc.	LIT - Out	of con	npliance COS = Corrected on-site				
MAJ = Major violation OUT = Out of compliance COS = Corrected on-site  Received By (Print): Received by (Signature): Date:									
		Jason B	ird		8/	16/2023			
REHS (	Print	): Alexa Roche			REHS (Signature): Phone: 5	30-841-2117			

Facility Name:	El Tapatio	
	The marked items represent Health Code violations and mu-	st be corrected as follows:
,		
	•	
	ason Bird	Date: 8/16/2023
REHS (Print): Alexa Ro	REHS (Signature): oche	Phone: 530-841-2117

Facility Name:	El Tapatio	
	The marked items represent Health Code violations and must be corrected as follows:	
	· · · · · · · · · · · · · · · · · · ·	
Received By (Print):	Received by (Signature): Date:	
Jaso REHS (Print):	n Bird  REHS (Signature):  Phone	3/16/2023

530-841-2117

Alexa Roche

Facility Name:	El Tapatio	
	The marked items represent Health Code violations and must be corrected as follows:	
Received By (Print): Jas	Received by (Signature): Date on Bird	e: 8/16/2023
REHS (Print): Alexa Ro	REHS (Signature): Pho	ne: 30-841-2117