

Food Program Official Inspection Report

Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097

phone: (530) 841-2100, fax: (530) 841-4076

Facility	Na	^{me:} Erickson \	/aler)		Permit # 000221			
Addres	ss:	56 S Weed Blv	/d W	eed (CA				
Permit	Hol	^{der:} Dennis Eri	cksor	ı		Permit To Operate: Valid Not Valid			
Phone		530-938-4434				E-mail:			
Food S		ty Certified Employ	ee:			Expiration Date:			
MAJ OUT COS The marked items represent Health Code violations and must be corrected as follows:									
. 1	1	Food Temp.	IVIAJ	X	COS				
dwa		Prep./ Service	1			ROUTINE INSPECTION CONDUCTED THIS DATE			
% Te		Storage/ Disp.	1						
ion Time		Frozen Food	1			1) Observed cold food measured at 42-48 degrees F in reach-in refrigerator. Hold cold			
		Pure Food				food at 41 degrees or below. Correct asap.			
tecti		Reused Food				-			
Pro		Transportation				20) Comment Food Manager is governmently exprised. Facility is instructed to venery as reactive			
		Storage Fac.	1						
age		Refrig. Units				1 ood Manager Certification within the flext oo days.			
Stora		Thermometer	-						
ро		Hazardous Mat.	1						
Misc. Facilities Vermin Waste Water Employee Uten./Equip. Food Storage Protection Time/ Temp.		Spoils							
·	_	Wash/ Sanitize	1						
	_	Equip. Condition							
		Utensil Condition	1						
	_	Storage	1						
Employee Uten./Equi		Handwashing							
уее		Employee Hygiene	1						
oldı		Employee Habits							
Waste Water Employee Uten./Equip.	_	Food Cert./ Card		X					
ē		Water							
Nati		Cross Con.				Permit To Operate: Valid Not Valid E-mail: Expiration Date: The marked items represent Health Code violations and must be corrected as follows: ROUTINE INSPECTION CONDUCTED THIS DATE 1) Observed cold food measured at 42-48 degrees F in reach-in refrigerator. Hold cold			
		Liquid Waste				Permit To Operate:			
Nas		Refuse							
		Rodents/ Insects							
/erm		Animal/ Fowl							
		Ventilation							
	_	Doors							
Facilities Vermin Waste Water Employee Uten./Equip.	29	Floors							
acil		Walls - Ceilings							
ш.		Toilet Fac.							
		Lighting							
		Clothing - Linen							
Misc		Signs							
2		Misc.	П						
MAJ =			OUT =	Out c	of con	apliance COS = Corrected on-site			
						Received by (Signature): Date:			
REHS (Print	Chalyn Dew	ey			REHS (Signature): Phone: 530-841-2112			

Facility Name:	Erickson Valero		
	The marked items repr	esent Health Code violations and must	be corrected as follows:
	·		
Received By (Print): Za	ch Rehl	Received by (Signature):	Date: 9/26/2023
REHS (Print): Chalyn D	ewey	REHS (Signature):	Phone: 530-841-2112

Facility Name:	Erickson Valero	
	The marked items represent Health Code violations and must be corrected as	follows:
	· ·	
Described Described	Descrived by (Construe):	Deter
Received By (Print): Zacl	Received by (Signature): h Rehl	Date: 9/26/2023
REHS (Print):	REHS (Signature):	Phone:
Chalyn I	Dewey	530-841-2112

Facility Name:	Erickson Valero	
	The marked items represent Health Code violations and must be corrected as follows:	
Descripted Dry (Date)	Descriped by (Company):	
	ch Rehl	ate: 9/26/2023
REHS (Print): Chalyn [REHS (Signature): Ph	ione: 530-841-2112