



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>MERCY MEDICAL CENTER</b>	Permit # <b>0003237</b>
Address: <b>914 PINE ST. MOUNT SHASTA, CA 96067</b>	
Permit Holder: <b>MERCY MEDICAL</b>	Permit To Operate: <input checked="" type="radio"/> Valid <input type="radio"/> Not Valid
Phone: <b>530-926-8405</b>	E-mail: <b>JENNA.HENSONMARSHALL@COMMONSPIRIT.ORG</b>
Food Safety Certified Employee: <b>JENNA MARSHALL</b>	Expiration Date: <b>06/2025</b>

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.			
	2	Prep./ Service			
	3	Storage/ Disp.			
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.			
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
	12	Spoils			
Uten./Equip.	13	Wash/ Sanitize			
	14	Equip. Condition			
	15	Utensil Condition			
	16	Storage			
Employee	17	Handwashing			
	18	Employee Hygiene			
	19	Employee Habits			
	20	Food Cert./ Card			
Water	21	Water			
	22	Cross Con.			
Waste	23	Liquid Waste			
	24	Refuse			
Vermin	25	Rodents/ Insects			
	26	Animal/ Fowl			
Facilities	27	Ventilation			
	28	Doors			
	29	Floors		X	
	30	Walls - Ceilings			
	31	Toilet Fac.			
	32	Janitorial Fac.			
	33	Lighting			
Misc.	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

ROUTINE INSPECTION CONDUCTED THIS DATE

29) Observed epoxy peeling off the floor in the warewashing area. Maintain the floor in a smooth, durable, nonabsorbent, and easily cleanable condition. Repair within 90 days.

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site	
Received By (Print): <b>Mary Houston</b>	Received by (Signature): Date: <b>10/05/2023</b>
REHS (Print): <b>Chalyn Dewey</b>	REHS (Signature): Phone: <b>530-841-2112</b>

**Facility Name:** MERCY MEDICAL CENTER

The marked items represent Health Code violations and must be corrected as follows:

[Empty area for listing violations and corrections]

Received By (Print): Mary Houston	Received by (Signature):	Date: 10/05/2023
--------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

**Facility Name:** MERCY MEDICAL CENTER

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Mary Houston

Received by (Signature):

Date:  
10/05/2023

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112

**Facility Name:** MERCY MEDICAL CENTER

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Mary Houston

Received by (Signature):

Date:  
10/05/2023

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112