

February 15, 2023

VIA ELECTRONIC FILING

Kimberly D. Bose
Secretary, Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, D.C. 20426

Re: Lower Klamath Hydroelectric Project (FERC No. P-14803-001)
January 2023 Initial Monthly Report for the California Water Quality Monitoring Plan

Dear Secretary Bose:

On behalf of the co-licensees of the Lower Klamath Project, the Klamath River Renewal Corporation (Renewal Corporation) hereby submits our January 2023 Initial Monthly Report (the Report) under the California Water Quality Monitoring Plan, a subplan of the Renewal Corporation's Water Quality Monitoring and Management Plan. The Renewal Corporation implements the Water Quality Monitoring and Management Plan as approved in the Commission in Ordering Paragraph GG of its November 17, 2022 License Surrender Order (LSO).

The Renewal Corporation submitted this Report to the California State Water Resources Control Board, Hoopa Tribe, Karuk Tribe, Resighini Rancheria, Oregon Department of Environmental Quality, North Coast Regional Water Quality Control Board, and the United States Bureau of Land Management Klamath Falls Field Office on February 15, 2023. The Report describes the water quality monitoring that the Renewal Corporation implemented in January 2023 pursuant to the methodologies and procedures described in detail in the California Water Quality Monitoring Plan. In January 2023, the Renewal Corporation conducted continuous water quality monitoring at nine locations, collecting data at all stations at 15-minute intervals. The Renewal Corporation also collected grab water samples at nine locations, and laboratory analysis of these water samples is ongoing, and results will be included in a final version of the Report in one to two months, once they become available. The Report details the locations of monitoring, parameters sampled, period of record for each station, graphical data summaries, and tabular data. The Renewal Corporation makes this Report consistent with our monthly reporting obligation under Section 3.4 of the California Water Quality Monitoring Plan.

For additional information or questions about this submittal, please contact Dave Coffman, RES, LLC at dcoffman@res.us.

Sincerely,



Mark Bransom
Chief Executive Officer
Klamath River Renewal Corporation

February 15, 2023

Page 2

Chief Executive Officer
Klamath River Renewal Corporation

Encl.	January 2023 Monthly Report for the California Water Quality Monitoring Plan
--------------	--

eFile:	Kimberly Bose, Secretary, Federal Energy Regulatory Commission Via eFile at www.ferc.gov
cc:	Kevin Takei, California Department of Fish and Wildlife: kevin.takei@wildlife.ca.gov Anika Marriott, Oregon Department of Justice: anika.e.marriott@doj.state.or.us Dustin Till, PacifiCorp: Dustin.Till@pacificorp.com



Transmittal

Attention: Philip Meyer
California State Water Resources Control Board

Date: 2/15/2023

Contract No/RFI No.:

Justin Alvarez
Hoopa Tribe

Toz Soto
Karuk Tribe

Hans Voight
Resighini Rancheria

Chris Stine
Oregon Department of Environmental Quality

Gil Falcone
North Coast Regional Water Quality Control Board

Kevin Heatley
U.S. Bureau of Land Management Klamath Falls Field Office

FERC Project Number: No. 14803

Phase No:

To: Philip Meyer, Justin Alvarez, Toz Soto, Hans Voight, Chris Stine, Gil Falcone, Kevin Heatley

Phone:

Regarding: Klamath River Restoration Project – January 2023 Monthly Report for the California Water Quality Monitoring Plan

- We are sending you:** Attached Under separate cover via _____ the following items
- Shop drawings Prints Meeting Minutes Documents Specifications
- Copy of letter Presentation Invoice

Copies	Date	No.	Description
1	2/15/2023		January 2023 Monthly Report for the California Water Quality Monitoring Plan

These are transmitted as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval

- For your use
- As requested
- For review/comment
- For bids due _____
- Approved as noted
- Returned for corrections
- sign & return _____
- Submit _____ copies for distribution
- Return _____ corrected prints
- Prints returned after loan to us

Remarks		
Copy to	File.	Signed Mark Bransom <i>Mark Bransom</i>

If enclosures are not as noted, please notify us at once.



**January 2023 Initial Monthly Report
for the California Water Quality
Monitoring Plan**

Lower Klamath Project

January 2023



This page intentionally left blank



Table of Contents

1.0	Introduction	1
2.0	Description of Monitoring Activities for the Period of Record	1
2.1	Continuous Monitoring.....	1
2.2	Grab Water Sampling.....	4
3.0	Summary	7
4.0	References	9

Tables

Table 1. Continuous water quality monitoring stations, parameters, periods of record, and data gaps.....	1
Table 2. Grab water sampling locations, parameters, and dates samples were collected.....	4

List of Appendices

Appendix A	January 2023 Continuous Monitoring Data Graphs
Appendix B	January 2023 Continuous Monitoring Tabular Data
Appendix C	Figures
Appendix D	Grab Sample Location Photos



1.0 Introduction

The Klamath River Renewal Corporation (Renewal Corporation) hereby submits this January 2023 monthly report (the Report) under the California Water Quality Monitoring Plan, which is a subplan of the Water Quality Monitoring and Management Plan, implementing license surrender for the Lower Klamath Project.

The Lower Klamath Project consists of four hydroelectric developments on the Klamath River: J.C. Boyle, Copco No. 1, Copco No. 2, and Iron Gate. On November 17, 2022, the Federal Energy Regulatory Commission (FERC) issued its License Surrender Order (LSO), approving license surrender and the Renewal Corporation's application and 16 Management Plans to implement dam removal and basin restoration activities.

Ordering Paragraph (GG) of the LSO requires implementation of the Water Quality Monitoring and Management Plan, including the California Water Quality Monitoring Subplan, as approved by FERC. This Report was prepared in compliance with conditions of Section 3.4 of the California Water Quality Monitoring Subplan and addresses the water quality monitoring activities described below for the time period of January 1-31, 2023. The results of the monitoring are attached in graphical format (Appendix A) and tabular format (Appendix B).

2.0 Description of Monitoring Activities for the Period of Record

2.1 Continuous Monitoring

Continuous water quality monitoring occurred at nine locations on the Klamath River in California and Oregon (Appendix C, Figures 1a and 1b). Continuous monitoring data was collected at all stations at 15-minute intervals. The locations of monitoring, parameters sampled, and period of record for each station are listed in Table 1. Continuous monitoring data has been stored by and accessed via the Karuk Tribe Water Quality Department (Karuk Tribe Department of Natural Resources, 2023) and the U.S. Geological Survey (USGS) National Water Information System (NWIS) (U.S. Geological Survey (USGS), 2016). Data from both entities is provisional and subject to change.

For the purposes of this report, the period of record spans continuous data collected in the month of January, including January 1, 2023 through January 31, 2023. At three monitoring locations (Klamath River below Iron Gate, Klamath River below J.C. Boyle Dam, and Klamath River at Keno) percent saturation of dissolved oxygen was not recorded by the data sondes and will be calculated for inclusion in the January 2023 Final Monthly Report.

Data gaps, as defined in this report, are periods of 12 hours or longer where data is missing from the record. This is to ensure adequate coverage of any diurnal fluctuations in readings, especially when calculating statistics like minimum, maximum, and mean. The data gap occurring from the morning of January 18 through the morning of January 19 for some or all parameters at stations in California was due to an outage of the Aquarius servers, the data hosting and management software for the Karuk Tribe Water Quality Department data portal. This gap only appears in real-time transmitted data, and will be filled by manual transfer of data from the logger at the next calibration. Once missing data has been incorporated into the record, it will be included in the continuous datasets in future reports. See Appendix A for graphical representations of the data collected and Appendix B for tabular data in 15-minute intervals.

Table 1. Continuous water quality monitoring stations, parameters, periods of record, and data gaps.

Monitoring Station	Parameter Sampled	Period of Record	Data Gap Identification ¹
Klamath River at Klamath Estuary, CA	Water temperature	1/1/2023 – 1/31/2023	None
	Conductance	1/1/2023 – 1/31/2023	None
	pH	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (%)	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	None
	Turbidity	1/1/2023 – 1/31/2023	None



Monitoring Station	Parameter Sampled	Period of Record	Data Gap Identification ¹
Klamath River near Klamath, CA (USGS 11530500)	Water temperature	1/1/2023 – 1/31/2023	1/18/23 10:15 – 1/19/23 6:00
	Conductance	1/1/2023 – 1/31/2023	1/18/23 10:15 – 1/19/23 6:00
	pH	1/1/2023 – 1/31/2023	1/18/23 10:00 – 1/19/23 6:00
	Dissolved oxygen (%)	1/1/2023 – 1/31/2023	1/18/23 10:00 – 1/19/23 6:00
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	1/18/23 10:00 – 1/19/23 6:00
	Turbidity	1/1/2023 – 1/31/2023	1/18/23 10:00 – 1/19/23 6:00
Klamath River at Orleans, CA (USGS 11523000)	Water temperature	1/1/2023 – 1/31/2023	None
	Conductance	1/1/2023 – 1/31/2023	None
	pH	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (%)	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	None
	Turbidity	1/1/2023 – 1/31/2023	None
Klamath River near Seiad Valley, CA (USGS 11520500)	Water temperature	1/1/2023 – 1/31/2023	None
	Conductance	1/1/2023 – 1/31/2023	None
	pH	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (%)	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	None
	Turbidity	1/1/2023 – 1/31/2023	None
Klamath River at Walker Bridge, CA (USGS 11517818)	Water temperature	1/1/2023 – 1/31/2023	1/18/23 10:45 – 1/19/23 6:30
	Conductance	1/1/2023 – 1/31/2023	1/18/23 10:45 – 1/19/23 6:30
	pH	1/1/2023 – 1/31/2023	1/18/23 10:30 – 1/19/23 6:30
	Dissolved oxygen (%)	1/1/2023 – 1/31/2023	1/18/23 10:45 – 1/19/23 6:30
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	1/18/23 10:45 – 1/19/23 6:30
	Turbidity	1/1/2023 – 1/31/2023	1/18/23 10:45 – 1/19/23 6:30
Klamath River below Iron Gate Dam, CA (USGS 11516530)	Water temperature	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Conductance	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 7:00
	pH	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Dissolved oxygen (%)	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Turbidity	1/1/2023 – 1/31/2023	1/18/23 11:00 – 1/19/23 6:45
	Water temperature	1/1/2023 – 1/31/2023	None
	Conductance	1/1/2023 – 1/31/2023	None



Monitoring Station	Parameter Sampled	Period of Record	Data Gap Identification ¹
Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)	pH	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (%) ²	1/1/2023 – 1/31/2023	To be included in final monthly report
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	None
	Turbidity	1/1/2023 – 1/31/2023	None
Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700)	Water temperature	1/1/2023 – 1/31/2023	None
	Conductance	1/1/2023 – 1/31/2023	None
	pH	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (%) ²	1/1/2023 – 1/31/2023	To be included in final monthly report
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	None
	Turbidity	1/1/2023 – 1/31/2023	None
	Discharge	1/1/2023 – 1/31/2023	None
Klamath River at Keno, OR (USGS 11509500)	Water temperature	1/1/2023 – 1/31/2023	None
	Conductance	1/1/2023 – 1/31/2023	None
	pH	1/1/2023 – 1/31/2023	None
	Dissolved oxygen (%) ²	1/1/2023 – 1/31/2023	To be included in final monthly report
	Dissolved oxygen (mg/L)	1/1/2023 – 1/31/2023	None
	Turbidity	1/1/2023 – 1/31/2023	None
	Discharge	1/1/2023 – 1/31/2023	None

¹ Data gaps discussed in detail in Section 2.1 (Continuous Monitoring).

² Percent saturation of dissolved oxygen was not initially recorded by data sondes at three stations but will be calculated after the fact for inclusion in the January 2023 Final Monthly Report.



2.2 Grab Water Sampling

Grab water samples were collected at nine locations on the Klamath River in California and Oregon (Appendix C, Figures 6a and 6b). The locations of monitoring, parameters sampled, and sample date(s) for each station are listed in Table 2. Photos in the up- and down-stream direction at each sampling location are attached in Appendix D.

The samples for all parameters other than suspended sediment concentration (SSC) were collected and either overnight shipped or dropped off to the Sprague River Water Quality Lab (SRWQL) in Chiloquin, Oregon. Samples for several parameters (particulate and dissolved organic carbon, methylmercury, and particulate and dissolved aluminum) were then shipped by the lab to contracted labs for analysis. The remaining analyses will be completed by SRWQL. The SSC samples were shipped to the USGS Sediment Laboratory in Santa Cruz, California for analysis.

Analysis of these samples is ongoing, and results will be included in a final monthly report once they become available.

Table 2. Grab water sampling locations, parameters, and dates samples were collected.

Monitoring Station	Parameter Sampled	Sample Date(s)
Klamath River at Klamath Estuary, CA	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Methylmercury	1/17/2023
	Settleable solids	1/17/2023
Particulate and dissolved aluminum	1/17/2023	
Klamath River near Klamath, CA (USGS 11530500)	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Methylmercury	1/17/2023



Monitoring Station	Parameter Sampled	Sample Date(s)
	Settleable solids	1/17/2023
	Particulate and dissolved aluminum	1/17/2023
Klamath River at Orleans, CA (USGS 11523000)	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Methylmercury	1/17/2023
	Settleable solids	1/17/2023
	Particulate and dissolved aluminum	1/17/2023
Klamath River near Seiad Valley, CA (USGS 11520500)	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Methylmercury	1/17/2023
	Settleable solids	1/17/2023
	Particulate and dissolved aluminum	1/17/2023
Klamath River below Iron Gate Dam, CA (USGS 11516530)	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023



Monitoring Station	Parameter Sampled	Sample Date(s)
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Methylmercury	1/17/2023
	Settleable solids	1/17/2023
	Particulate and dissolved aluminum	1/17/2023
Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Methylmercury	1/17/2023
	Settleable solids	1/17/2023
Klamath River below Shovel Creek above Copco Lake, CA	Total nitrogen	1/17/2023
	Nitrate	1/17/2023
	Nitrite	1/17/2023
	Ammonia	1/17/2023
	Total phosphorous	1/17/2023
	Particulate organic phosphorous	1/17/2023
	Orthophosphate	1/17/2023
	Particulate organic carbon	1/17/2023
	Dissolved organic carbon	1/17/2023
	Turbidity	1/17/2023
	Suspended sediment concentration	1/17/2023
	Settleable solids	1/17/2023



Monitoring Station	Parameter Sampled	Sample Date(s)
Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700)	Total nitrogen	1/18/2023
	Nitrate	1/18/2023
	Nitrite	1/18/2023
	Ammonia	1/18/2023
	Total phosphorous	1/18/2023
	Particulate organic phosphorous	1/18/2023
	Orthophosphate	1/18/2023
	Particulate organic carbon	1/18/2023
	Dissolved organic carbon	1/18/2023
	Turbidity	1/18/2023
	Suspended sediment concentration	1/18/2023, 1/30/2023 ¹
	Settleable solids	1/18/2023
	Chlorophyll-a	1/18/2023
Klamath River at Keno, OR (USGS 11509500)	Total nitrogen	1/18/2023
	Nitrate	1/18/2023
	Nitrite	1/18/2023
	Ammonia	1/18/2023
	Total phosphorous	1/18/2023
	Particulate organic phosphorous	1/18/2023
	Orthophosphate	1/18/2023
	Particulate organic carbon	1/18/2023
	Dissolved organic carbon	1/18/2023
	Turbidity	1/18/2023
	Suspended sediment concentration	1/18/2023, 1/30/2023 ¹
	Settleable solids	1/18/2023
	Chlorophyll-a	1/18/2023

¹ Per the requirements of the Oregon Water Quality Management Plan, SSC samples were collected at the Oregon stations every two weeks, starting with the first sampling date (Klamath River Renewal Corporation (KRRC), 2022).

3.0 Summary

January 2023 was the first month of baseline data collection under the Water Quality Monitoring and Management Plan as required by the amended 401 Water Quality Certification of the Lower Klamath Project License Surrender (State of California, 2022). Water quality monitoring included continuous monitoring of nine stations and grab water sample collection at nine stations. The continuous monitoring dataset has minimal gaps and should be near-complete once real time data can be supplemented with manual downloads from data sondes. Grab water sampling resulted in a full set of samples and the results will be reported in the final monthly report for January 2023.



As required by the Quality Assurance Project Plan for monitoring, continuous monitoring data is being maintained per USGS and EPA-approved guidelines on both Karuk and USGS servers (Klamath River Renewal Corporation (KRRRC), 2022). When the results of grab water sampling become available that data will also be stored on the respective data servers. The entire data record will be hosted and publicly available by request on the Klamath River Renewal Project Data Management Platform (KRRP DMP or DMP) created by RES (RES, 2022). The DMP will include all monitoring results associated with the Project as well as comparisons between baseline conditions, drawdown conditions, and free-flowing river conditions.



4.0 References

- Karuk Tribe Department of Natural Resources. (2023). *Water Quality Data Portal*. Retrieved February 2, 2023, from Karuk Tribe Water Quality Department: <https://waterquality.karuk.us/>
- Klamath River Renewal Corporation (KRRRC). (2022). *Water Quality Monitoring and Management Plan*. Retrieved from FERC eLibrary, Accession Number 20221205-5047.
- RES. (2022). *Water Quality Monitoring*. Retrieved February 7, 2023, from Klamath Data Management System: <https://klamath-data-management-system-klamath.hub.arcgis.com/pages/water-quality-management-plan>
- State of California. (2022). Final Water Quality Certification for Lower Klamath Project License Surrender, Amended November 3, 2022. Sacramento, California: State Water Resources Control Board. Retrieved February 7, 2023, from https://www.waterboards.ca.gov/waterrights/water_issues/programs/water_quality_cert/lower_klamath_ferc14803.html
- U.S. Geological Survey (USGS). (2016). *National Water Information System*. Retrieved February 2, 2023, from USGS Water Data for the Nation: <https://waterdata.usgs.gov/nwis>




Appendix A / January 2023
Continuous Monitoring Data Graphs




Klamath River at Klamath Estuary, CA

Klamath River Estuary Dissolved Oxygen (mg/L)




Klamath River Estuary

Dissolved Oxygen (%)




Klamath River Estuary

pH




Klamath River Estuary Specific Conductance ($\mu\text{s}/\text{cm}$)




January 2023

Klamath River Estuary

Water Temperature (°C)



Klamath River Estuary Turbidity (FNU)




January 2023




Klamath River near Klamath, CA (USGS 11530500)

Klamath River at Klamath, CA Dissolved Oxygen (mg/L)




Klamath River at Klamath, CA

Dissolved Oxygen (%)




Klamath River at Klamath, CA

pH




January 2023

Klamath River at Klamath, CA Specific Conductance ($\mu\text{s}/\text{cm}$)




Klamath River at Klamath, CA

Water Temperature (°C)




Klamath River at Klamath, CA Turbidity (FNU)






Klamath River at Orleans, CA (USGS 11523000)

Klamath River at Orleans Dissolved Oxygen (mg/L)




Klamath River at Orleans

Dissolved Oxygen (%)




Klamath River at Orleans

pH



pH	
Min	7.0
Max	8.0
Median	7.9
Mean	7.9


Klamath River at Orleans Specific Conductance (µs/cm)




Specific Conductance	
Min	88
Max	144
Median	119
Mean	122

Klamath River at Orleans

Water Temperature (°C)




Klamath River at Orleans Turbidity (FNU)





Klamath River near Seiad Valley, CA (USGS 11520500)


Klamath River below Seiad Valley Dissolved Oxygen (mg/L)



Dissolved Oxygen (mg/L)	
Min	11.3
Max	13.3
Median	12.1
Mean	12.1

Klamath River below Seiad Valley


Dissolved Oxygen (%)



January 2023


Klamath River below Seiad Valley

pH




Klamath River below Seiad Valley

pH




Klamath River below Seiad Valley Specific Conductance (µs/cm)



Specific Conductance	
Min	124
Max	204
Median	195
Mean	186


Klamath River below Seiad Valley Turbidity (FNU)






Klamath River at Walker Bridge, CA (USGS 11517818)

Klamath River at Walker Bridge Dissolved Oxygen (mg/L)




Klamath River at Walker Bridge Dissolved Oxygen (%)



Klamath River at Walker Bridge

pH




January 2023

Klamath River at Walker Bridge Specific Conductance (µs/cm)




Klamath River at Walker Bridge

Water Temperature (°C)



Klamath River at Walker Bridge Turbidity (FNU)




January 2023




Klamath River below Iron Gate Dam, CA (USGS 11516530)

Klamath River below Iron Gate Dam Dissolved Oxygen (mg/L)




Klamath River below Iron Gate Dam Dissolved Oxygen (%)



Klamath River below Iron Gate Dam

pH




January 2023

Klamath River below Iron Gate Dam Specific Conductance (µs/cm)




Klamath River below Iron Gate Dam

Water Temperature (°C)




Klamath River below Iron Gate Dam Turbidity (FNU)






Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)

Klamath River at Daggett Bridge Dissolved Oxygen (mg/L)



Klamath River at Daggett Bridge


pH



January 2023


Klamath River at Daggett Bridge

Specific Conductance (µs/cm)




Klamath River at Daggett Bridge

Water Temperature (°C)



Klamath River at Daggett Bridge Turbidity (FNU)




Turbidity (FNU)	
Min	5
Max	25
Median	6
Mean	6




Klamath River below J.C. Boyle Powerplant near Keno, OR (USGS 11510700)

Klamath River below J. C. Boyle Dam

Discharge (cfs)




Klamath River below J. C. Boyle Dam Dissolved Oxygen (mg/L)




Klamath River below J. C. Boyle Dam

pH



January 2023


Klamath River below J. C. Boyle Dam Specific Conductance (µs/cm)




January 2023

Klamath River below J. C. Boyle Dam

Water Temperature (°C)



Klamath River below J. C. Boyle Dam Turbidity (FNU)







Klamath River at Keno, OR (USGS 11509500)

Klamath River below Keno Dam

Discharge (cfs)




Klamath River below Keno Dam Dissolved Oxygen (mg/L)




Klamath River below Keno Dam

pH




pH	
Min	7.7
Max	8.5
Median	7.9
Mean	7.9

Klamath River below Keno Dam Specific Conductance ($\mu\text{s}/\text{cm}$)




Klamath River below Keno Dam

Water Temperature (°C)



Klamath River below Keno Dam Turbidity (FNU)





Appendix B / January 2023
Continuous Monitoring Tabular Data



Klamath River at Klamath Estuary, CA

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 0:00	11.3	99.3	11.3	72	9.8	63
1/1/23 0:15	11.3	99.0	6.9	77	9.6	121
1/1/23 0:30	11.5	100.6	6.9	76	9.6	136
1/1/23 0:45	11.4	100.1	6.9	77	9.5	114
1/1/23 1:00	11.6	101.6	6.9	75	9.6	151
1/1/23 1:15	11.4	99.9	6.9	77	9.5	117
1/1/23 1:30	10.8	95.2	6.7	73	9.9	111
1/1/23 1:45	11.4	99.8	6.9	76	9.6	123
1/1/23 2:00	11.2	98.5	6.8	77	9.6	107
1/1/23 2:15	11.3	99.0	6.9	79	9.4	152
1/1/23 2:30	11.0	96.9	6.7	72	9.8	105
1/1/23 2:45	11.5	100.6	6.9	78	9.4	108
1/1/23 3:00	11.2	98.0	6.9	73	9.7	110
1/1/23 3:15	11.1	97.6	6.8	77	9.6	135
1/1/23 3:30	11.2	97.9	6.8	75	9.6	117
1/1/23 3:45	10.9	96.3	6.8	73	9.7	92
1/1/23 4:00	11.3	98.8	6.9	74	9.6	97
1/1/23 4:15	10.5	92.9	6.6	69	9.9	108
1/1/23 4:30	11.2	98.0	6.8	75	9.6	116
1/1/23 4:45	11.0	96.8	6.8	76	9.6	118
1/1/23 5:00	11.4	99.3	6.9	78	9.4	105
1/1/23 5:15	11.1	97.6	6.8	75	9.5	90
1/1/23 5:30	10.8	94.7	6.6	72	9.7	78
1/1/23 5:45	10.9	95.8	6.7	75	9.6	102
1/1/23 6:00	11.1	97.0	6.7	75	9.6	96
1/1/23 6:15	10.9	95.8	6.7	72	9.7	94
1/1/23 6:30	11.0	96.6	6.7	72	9.7	66
1/1/23 6:45	10.9	95.6	6.7	75	9.6	78
1/1/23 7:00	10.9	95.6	6.7	70	9.7	55
1/1/23 7:15	10.9	95.5	6.7	72	9.6	83
1/1/23 7:30	11.1	96.9	6.7	76	9.5	108
1/1/23 7:45	11.2	97.6	6.8	71	9.5	86
1/1/23 8:00	10.6	93.0	6.6	71	9.7	68
1/1/23 8:15	10.7	93.9	6.6	74	9.6	71
1/1/23 8:30	10.6	92.7	6.6	71	9.7	49
1/1/23 8:45	10.8	94.4	6.6	74	9.6	68
1/1/23 9:00	10.8	94.5	6.7	74	9.5	69
1/1/23 9:15	11.2	97.2	6.8	80	9.3	91
1/1/23 9:30	11.0	95.9	6.7	76	9.4	72
1/1/23 9:45	11.0	95.7	6.7	77	9.4	107
1/1/23 10:00	11.0	95.7	6.8	79	9.3	86
1/1/23 10:15	11.0	95.5	6.7	77	9.3	74

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 10:30	11.1	96.7	6.8	80	9.2	92
1/1/23 10:45	11.1	96.6	6.8	81	9.3	65
1/1/23 11:00	11.3	97.8	6.9	83	9.1	76
1/1/23 11:15	10.9	95.1	6.7	80	9.3	61
1/1/23 11:30	11.4	98.6	6.9	84	9.1	99
1/1/23 11:45	11.1	96.5	6.8	82	9.1	76
1/1/23 12:00	11.2	97.4	6.8	84	9.1	112
1/1/23 12:15	11.0	95.5	6.8	85	9.1	77
1/1/23 12:30	11.1	96.5	6.8	84	9.1	66
1/1/23 12:45	11.2	97.4	6.8	81	9.1	89
1/1/23 13:00	11.4	98.6	6.9	85	9.0	75
1/1/23 13:15	11.2	97.1	6.8	84	9.0	84
1/1/23 13:30	11.2	97.2	6.8	82	9.1	67
1/1/23 13:45	11.0	95.3	6.8	81	9.1	70
1/1/23 14:00	11.4	98.1	6.9	87	8.9	88
1/1/23 14:15	11.0	95.5	6.8	80	9.0	57
1/1/23 14:30	11.2	96.6	6.8	82	9.0	66
1/1/23 14:45	11.2	96.5	6.9	84	9.0	82
1/1/23 15:00	11.1	96.4	6.8	81	9.0	53
1/1/23 15:15	11.2	96.9	6.8	84	8.9	85
1/1/23 15:30	11.1	96.1	6.8	82	9.0	106
1/1/23 15:45	11.3	97.8	6.9	81	8.9	93
1/1/23 16:00	11.2	96.6	6.8	84	8.9	89
1/1/2023 16:15	10.9	94.8	6.7	78	9.0	44
1/1/2023 16:30	11.3	97.3	6.9	85	8.8	66
1/1/2023 16:45	10.5	90.9	6.6	72	9.1	30
1/1/2023 17:00	10.6	91.7	6.6	76	9.1	52
1/1/2023 17:15	10.9	94.0	6.8	86	8.9	81
1/1/2023 17:30	11.3	97.1	6.9	90	8.8	72
1/1/2023 17:45	11.6	99.7	7.0	92	8.7	92
1/1/2023 18:00	11.4	98.0	6.9	89	8.8	63
1/1/2023 18:15	11.4	98.4	6.9	89	8.8	88
1/1/2023 18:30	11.7	100.8	7.1	91	8.8	70
1/1/2023 18:45	12.0	102.6	7.2	95	8.7	75
1/1/2023 19:00	11.7	100.4	7.0	97	8.7	77
1/1/2023 19:15	11.7	101.0	7.0	97	8.8	83
1/1/2023 19:30	11.8	101.4	7.1	97	8.8	61
1/1/2023 19:45	11.9	102.5	7.2	98	8.8	68
1/1/2023 20:00	11.7	100.6	7.0	98	8.8	64
1/1/2023 20:15	11.8	101.8	7.1	98	8.8	106
1/1/2023 20:30	11.7	100.7	7.0	96	8.9	82
1/1/2023 20:45	11.8	101.6	7.1	100	8.8	92

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/2023 21:00	11.7	100.9	7.0	99	8.9	60
1/1/2023 21:15	11.6	100.3	7.0	96	9.0	91
1/1/2023 21:30	11.5	99.2	6.9	95	9.0	54
1/1/2023 21:45	11.8	101.4	7.1	102	8.8	54
1/1/2023 22:00	11.7	101.2	7.0	100	9.0	60
1/1/2023 22:15	11.6	100.5	7.0	98	9.0	51
1/1/2023 22:30	11.7	100.7	7.0	104	8.9	71
1/1/2023 22:45	11.7	101.1	7.0	102	8.9	58
1/1/2023 23:00	11.7	101.1	7.1	102	8.9	57
1/1/2023 23:15	11.7	101.3	7.1	100	9.0	51
1/1/2023 23:30	11.7	101.2	7.1	105	8.9	59
1/1/2023 23:45	11.7	100.8	7.0	103	8.9	57
1/2/2023 0:00	11.7	100.9	7.0	104	8.9	52
1/2/2023 0:15	11.8	101.5	7.1	104	8.8	50
1/2/2023 0:30	11.5	99.7	6.9	101	9.0	41
1/2/2023 0:45	11.7	100.7	7.0	104	8.8	51
1/2/2023 1:00	11.8	101.2	7.1	105	8.8	71
1/2/2023 1:15	11.7	100.6	7.0	105	8.8	50
1/2/2023 1:30	11.7	100.9	7.1	106	8.7	57
1/2/2023 1:45	11.6	99.9	7.0	104	8.8	48
1/2/2023 2:00	11.8	101.6	7.1	107	8.7	52
1/2/2023 2:15	11.8	101.3	7.1	106	8.7	47
1/2/2023 2:30	11.7	100.8	7.1	106	8.7	50
1/2/2023 2:45	11.6	99.9	7.0	102	8.8	48
1/2/2023 3:00	11.7	100.2	7.0	105	8.7	55
1/2/2023 3:15	11.7	100.5	7.1	106	8.6	46
1/2/2023 3:30	11.7	100.5	7.1	104	8.7	51
1/2/2023 3:45	11.7	100.0	7.0	103	8.7	57
1/2/2023 4:00	11.9	101.4	7.1	110	8.5	50
1/2/2023 4:15	11.7	100.2	7.0	104	8.6	49
1/2/2023 4:30	11.7	99.9	7.0	104	8.6	47
1/2/2023 4:45	11.8	100.6	7.1	108	8.5	46
1/2/2023 5:00	11.7	99.8	7.0	106	8.6	78
1/2/2023 5:15	11.7	100.1	7.1	105	8.6	45
1/2/2023 5:30	11.8	100.4	7.1	107	8.5	41
1/2/2023 5:45	11.6	99.6	7.0	104	8.6	39
1/2/2023 6:00	11.8	100.6	7.1	111	8.4	52
1/2/2023 6:15	11.7	99.7	7.1	107	8.5	50
1/2/2023 6:30	11.6	99.3	7.0	106	8.5	43
1/2/2023 6:45	11.7	100.1	7.1	111	8.4	40
1/2/2023 7:00	11.9	101.4	7.2	115	8.3	47
1/2/2023 7:15	11.6	99.1	7.0	108	8.5	41

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/2023 7:30	11.6	99.2	7.0	109	8.5	48
1/2/2023 7:45	11.6	99.2	7.0	108	8.5	40
1/2/2023 8:00	11.6	99.2	7.0	108	8.5	33
1/2/2023 8:15	11.7	99.6	7.1	113	8.4	46
1/2/2023 8:30	11.8	100.0	7.1	116	8.3	47
1/2/2023 8:45	11.6	99.1	7.0	115	8.4	44
1/2/2023 9:00	11.8	100.3	7.1	120	8.2	47
1/2/2023 9:15	11.7	99.3	7.0	115	8.3	39
1/2/2023 9:30	11.8	100.0	7.1	115	8.3	42
1/2/2023 9:45	11.6	99.1	7.0	112	8.4	39
1/2/2023 10:00	11.6	98.5	7.0	112	8.4	36
1/2/2023 10:15	11.8	100.1	7.1	121	8.2	45
1/2/2023 10:30	11.8	100.2	7.1	118	8.2	45
1/2/2023 10:45	11.6	98.4	7.0	116	8.3	39
1/2/2023 11:00	11.8	99.9	7.1	115	8.2	47
1/2/2023 11:15	11.9	100.7	7.2	118	8.1	39
1/2/2023 11:30	11.8	99.8	7.1	116	8.2	41
1/2/2023 11:45	11.7	99.4	7.1	113	8.2	38
1/2/2023 12:00	11.6	98.6	7.0	113	8.3	38
1/2/2023 12:15	11.7	99.6	7.1	114	8.2	38
1/2/2023 12:30	11.8	100.1	7.1	114	8.1	39
1/2/2023 12:45	11.9	100.5	7.2	115	8.1	42
1/2/2023 13:00	11.8	99.9	7.1	112	8.2	42
1/2/2023 13:15	11.8	99.9	7.1	111	8.2	41
1/2/2023 13:30	11.9	100.7	7.2	115	8.0	36
1/2/2023 13:45	11.8	100.0	7.1	109	8.1	36
1/2/2023 14:00	11.8	100.0	7.1	110	8.1	35
1/2/2023 14:15	11.8	99.6	7.1	107	8.2	42
1/2/2023 14:30	11.8	100.0	7.1	109	8.1	37
1/2/2023 14:45	11.8	100.0	7.1	108	8.1	40
1/2/2023 15:00	11.9	100.3	7.2	111	7.9	59
1/2/2023 15:15	11.9	100.4	7.2	107	8.0	41
1/2/2023 15:30	11.8	99.6	7.1	105	8.1	35
1/2/2023 15:45	11.9	100.5	7.2	106	8.0	41
1/2/2023 16:00	11.7	98.7	7.1	104	8.1	33
1/2/2023 16:15	11.9	100.3	7.2	107	8.0	42
1/2/2023 16:30	11.8	99.8	7.1	103	8.1	38
1/2/2023 16:45	11.7	98.7	7.1	102	8.1	35
1/2/2023 17:00	11.7	99.2	7.1	100	8.1	33
1/2/2023 17:15	12.0	100.7	7.2	106	7.9	33
1/2/2023 17:30	11.7	99.4	7.1	102	8.1	35
1/2/2023 17:45	12.0	101.2	7.3	110	7.8	35

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/2023 18:00	11.6	98.3	7.0	97	8.2	32
1/2/2023 18:15	11.7	98.8	7.1	104	8.1	49
1/2/2023 18:30	11.7	98.8	7.1	104	8.1	35
1/2/2023 18:45	11.5	97.6	7.0	100	8.3	27
1/2/2023 19:00	11.8	99.4	7.1	111	8.1	35
1/2/2023 19:15	11.6	98.4	7.0	112	8.1	28
1/2/2023 19:30	11.6	98.1	7.0	111	8.2	31
1/2/2023 19:45	11.6	98.6	7.0	115	8.2	34
1/2/2023 20:00	11.9	100.2	7.2	129	7.8	38
1/2/2023 20:15	11.7	99.1	7.1	124	8.1	32
1/2/2023 20:30	11.7	99.2	7.1	126	8.1	29
1/2/2023 20:45	11.6	98.0	7.1	128	8.0	31
1/2/2023 21:00	11.8	99.6	7.1	130	8.1	33
1/2/2023 21:15	11.7	98.9	7.1	134	8.0	33
1/2/2023 21:30	11.2	95.8	6.8	127	8.5	28
1/2/2023 21:45	11.5	97.1	7.0	136	8.1	37
1/2/2023 22:00	11.5	98.0	7.0	132	8.3	24
1/2/2023 22:15	11.4	96.8	6.9	136	8.4	29
1/2/2023 22:30	11.6	98.5	7.0	140	8.2	41
1/2/2023 22:45	11.3	96.7	6.9	135	8.5	27
1/2/2023 23:00	11.5	97.7	7.0	139	8.3	28
1/2/2023 23:15	11.8	99.6	7.1	143	8.1	32
1/2/2023 23:30	11.6	98.3	7.0	142	8.2	32
1/2/2023 23:45	11.4	97.1	7.0	142	8.3	30
1/3/2023 0:00	11.4	97.2	6.9	140	8.4	26
1/3/2023 0:15	11.7	99.2	7.1	143	8.1	27
1/3/2023 0:30	11.7	99.2	7.1	139	8.2	32
1/3/2023 0:45	11.8	99.6	7.1	142	8.0	29
1/3/2023 1:00	11.6	98.4	7.0	140	8.2	30
1/3/2023 1:15	11.8	99.5	7.2	140	8.0	28
1/3/2023 1:30	11.5	97.3	7.0	136	8.2	42
1/3/2023 1:45	11.8	99.7	7.1	137	7.9	29
1/3/2023 2:00	11.8	99.3	7.1	136	7.9	30
1/3/2023 2:15	11.9	100.0	7.2	131	8.0	28
1/3/2023 2:30	11.9	100.0	7.2	133	7.8	26
1/3/2023 2:45	11.8	99.5	7.2	131	7.9	35
1/3/2023 3:00	11.9	99.9	7.2	126	7.9	29
1/3/2023 3:15	11.9	99.8	7.2	130	7.8	36
1/3/2023 3:30	11.9	100.0	7.2	123	7.9	29
1/3/2023 3:45	11.6	98.1	7.0	117	8.1	24
1/3/2023 4:00	11.4	97.1	7.0	110	8.2	24
1/3/2023 4:15	11.6	98.2	7.0	114	8.1	24

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/2023 4:30	11.7	99.0	7.1	116	8.0	26
1/3/2023 4:45	11.9	100.2	7.2	117	7.9	30
1/3/2023 5:00	11.7	99.0	7.1	115	8.0	27
1/3/2023 5:15	11.6	97.9	7.1	115	7.8	28
1/3/2023 5:30	11.7	99.0	7.1	113	7.9	25
1/3/2023 5:45	11.9	100.0	7.2	116	7.9	28
1/3/2023 6:00	11.7	98.5	7.1	116	7.8	27
1/3/2023 6:15	11.7	98.8	7.1	114	7.9	29
1/3/2023 6:30	11.2	94.9	6.9	106	8.0	28
1/3/2023 6:45	11.8	98.8	7.2	119	7.6	28
1/3/2023 7:00	11.2	94.4	6.9	104	8.1	23
1/3/2023 7:15	12.0	100.5	7.2	114	7.7	25
1/3/2023 7:30	11.7	98.5	7.1	112	7.8	28
1/3/2023 7:45	11.7	98.7	7.1	114	7.8	26
1/3/2023 8:00	11.5	97.0	7.0	110	8.0	29
1/3/2023 8:15	11.8	99.0	7.1	117	7.8	28
1/3/2023 8:30	11.5	97.5	7.0	111	8.0	22
1/3/2023 8:45	11.9	99.3	7.2	127	7.5	32
1/3/2023 9:00	11.5	97.1	7.0	113	8.0	23
1/3/2023 9:15	11.9	99.7	7.2	124	7.8	27
1/3/2023 9:30	11.6	98.1	7.1	119	7.9	25
1/3/2023 9:45	11.7	98.2	7.0	123	7.9	26
1/3/2023 10:00	11.7	98.2	7.1	127	7.8	26
1/3/2023 10:15	11.5	96.9	7.0	121	8.0	25
1/3/2023 10:30	11.7	98.5	7.1	127	7.8	24
1/3/2023 10:45	11.9	99.3	7.2	133	7.7	27
1/3/2023 11:00	11.7	98.3	7.1	127	7.9	20
1/3/2023 11:15	11.6	97.0	7.0	129	7.8	26
1/3/2023 11:30	11.6	97.3	7.0	125	7.9	25
1/3/2023 11:45	11.5	96.6	7.0	126	7.9	23
1/3/2023 12:00	11.7	98.2	7.1	128	7.8	23
1/3/2023 12:15	11.9	99.6	7.2	135	7.5	28
1/3/2023 12:30	11.5	96.9	7.0	123	7.8	22
1/3/2023 12:45	11.7	98.1	7.1	125	7.7	25
1/3/2023 13:00	11.8	98.5	7.1	125	7.7	21
1/3/2023 13:15	11.9	99.2	7.2	124	7.6	24
1/3/2023 13:30	11.9	99.1	7.2	124	7.6	24
1/3/2023 13:45	11.8	98.9	7.2	123	7.6	25
1/3/2023 14:00	11.8	98.7	7.1	121	7.6	25
1/3/2023 14:15	11.9	99.5	7.2	121	7.5	23
1/3/2023 14:30	11.9	99.6	7.2	120	7.5	25
1/3/2023 14:45	11.7	97.7	7.1	117	7.6	25

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/2023 15:00	11.9	99.4	7.2	118	7.4	27
1/3/2023 15:15	11.6	96.6	7.1	114	7.6	21
1/3/2023 15:30	11.9	99.1	7.2	113	7.5	25
1/3/2023 15:45	11.8	98.3	7.1	113	7.6	26
1/3/2023 16:00	11.7	98.0	7.1	111	7.6	22
1/3/2023 16:15	11.9	98.9	7.2	113	7.5	25
1/3/2023 16:30	11.3	94.9	7.0	108	7.7	22
1/3/2023 16:45	11.6	96.9	7.1	109	7.6	23
1/3/2023 17:00	11.5	96.2	7.1	108	7.6	24
1/3/2023 17:15	11.8	98.1	7.2	111	7.5	23
1/3/2023 17:30	11.7	97.9	7.1	107	7.6	22
1/3/2023 17:45	11.7	97.6	7.1	106	7.6	23
1/3/2023 18:00	10.9	91.5	6.9	98	7.8	19
1/3/2023 18:15	11.9	98.7	7.2	111	7.3	28
1/3/2023 18:30	12.0	99.3	7.2	111	7.3	23
1/3/2023 18:45	11.4	95.4	7.1	106	7.6	17
1/3/2023 19:00	11.9	98.9	7.2	110	7.4	24
1/3/2023 19:15	11.8	98.4	7.2	110	7.5	22
1/3/2023 19:30	11.6	97.1	7.1	108	7.6	22
1/3/2023 19:45	11.8	98.5	7.1	109	7.6	22
1/3/2023 20:00	11.6	96.9	7.0	108	7.7	23
1/3/2023 20:15	11.9	99.1	7.2	117	7.5	23
1/3/2023 20:30	11.1	93.5	6.9	107	8.0	17
1/3/2023 20:45	11.8	97.8	7.2	130	7.3	26
1/3/2023 21:00	11.7	98.5	7.1	132	7.8	25
1/3/2023 21:15	11.4	96.3	7.0	130	8.0	18
1/3/2023 21:30	11.8	98.3	7.1	150	7.5	22
1/3/2023 21:45	11.5	96.1	7.0	151	7.7	24
1/3/2023 22:00	10.9	92.7	6.8	149	8.2	17
1/3/2023 22:15	11.5	96.7	7.0	166	7.8	23
1/3/2023 22:30	11.6	97.2	7.1	172	7.7	26
1/3/2023 22:45	11.1	93.8	6.9	170	8.0	22
1/3/2023 23:00	11.7	97.9	7.1	180	7.6	22
1/3/2023 23:15	11.6	97.3	7.0	183	7.7	23
1/3/2023 23:30	11.5	96.6	7.1	184	7.7	26
1/3/2023 23:45	11.4	95.7	7.0	192	7.9	21
1/4/2023 0:00	11.5	96.9	7.0	193	7.8	23
1/4/2023 0:15	11.3	95.5	7.0	188	8.0	23
1/4/2023 0:30	11.5	97.0	7.0	194	7.9	22
1/4/2023 0:45	11.7	98.2	7.1	189	7.7	100
1/4/2023 1:00	11.3	95.8	6.9	195	8.0	18
1/4/2023 1:15	11.7	98.0	7.1	187	7.7	22

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/2023 1:30	11.8	98.6	7.2	181	7.6	22
1/4/2023 1:45	11.7	98.2	7.1	180	7.6	23
1/4/2023 2:00	11.9	98.9	7.2	176	7.5	24
1/4/2023 2:15	11.8	98.6	7.1	175	7.6	21
1/4/2023 2:30	11.9	99.2	7.2	174	7.5	22
1/4/2023 2:45	11.6	97.9	7.1	172	7.8	21
1/4/2023 3:00	11.8	99.0	7.1	164	7.7	21
1/4/2023 3:15	11.8	98.8	7.2	165	7.6	19
1/4/2023 3:30	11.8	98.7	7.1	164	7.7	22
1/4/2023 3:45	11.7	98.1	7.1	163	7.7	22
1/4/2023 4:00	11.4	95.6	7.0	158	7.8	18
1/4/2023 4:15	11.9	99.3	7.2	154	7.6	20
1/4/2023 4:30	11.7	97.7	7.1	151	7.6	21
1/4/2023 4:45	11.9	98.9	7.2	148	7.4	21
1/4/2023 5:00	11.9	99.3	7.2	144	7.5	20
1/4/2023 5:15	11.9	99.3	7.2	142	7.4	20
1/4/2023 5:30	11.7	97.5	7.1	136	7.6	19
1/4/2023 5:45	10.6	89.5	6.8	129	7.9	16
1/4/2023 6:00	11.5	96.4	7.1	130	7.6	19
1/4/2023 6:15	10.8	91.4	6.8	123	7.9	14
1/4/2023 6:30	11.4	95.4	7.0	122	7.8	17
1/4/2023 6:45	11.4	95.9	7.0	121	7.7	17
1/4/2023 7:00	11.2	94.2	6.9	117	7.8	16
1/4/2023 7:15	10.5	88.7	6.7	112	8.0	16
1/4/2023 7:30	11.6	97.1	7.1	118	7.6	21
1/4/2023 7:45	11.2	94.5	6.9	114	7.8	18
1/4/2023 8:00	11.4	95.3	7.0	114	7.7	19
1/4/2023 8:15	11.8	98.2	7.1	116	7.6	20
1/4/2023 8:30	11.4	95.5	6.9	110	7.8	20
1/4/2023 8:45	11.7	98.1	7.1	116	7.6	21
1/4/2023 9:00	11.0	92.8	6.8	108	7.9	17
1/4/2023 9:15	11.4	95.9	7.0	112	7.8	16
1/4/2023 9:30	11.4	96.0	7.0	113	7.8	18
1/4/2023 9:45	10.1	85.8	6.6	98	8.1	10
1/4/2023 10:00	11.4	95.2	7.0	117	7.7	18
1/4/2023 10:15	11.2	94.1	6.9	114	7.8	14
1/4/2023 10:30	11.1	92.9	6.9	116	7.8	17
1/4/2023 10:45	11.5	96.2	7.0	121	7.7	19
1/4/2023 11:00	11.4	95.3	7.0	121	7.7	16
1/4/2023 11:15	11.4	95.2	7.0	127	7.7	19
1/4/2023 11:30	11.3	95.0	7.0	126	7.7	18
1/4/2023 11:45	11.6	96.7	7.1	129	7.7	17

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/2023 12:00	11.7	97.4	7.1	134	7.6	19
1/4/2023 12:15	10.5	88.5	6.8	114	8.0	12
1/4/2023 12:30	11.3	94.5	6.9	134	7.6	19
1/4/2023 12:45	10.8	91.0	6.8	125	7.8	16
1/4/2023 13:00	11.5	95.8	7.1	133	7.6	18
1/4/2023 13:15	11.1	93.2	6.9	129	7.7	17
1/4/2023 13:30	11.6	97.0	7.1	136	7.5	20
1/4/2023 13:45	11.4	95.5	7.1	130	7.6	17
1/4/2023 14:00	11.4	95.4	7.1	130	7.6	19
1/4/2023 14:15	11.9	98.7	7.2	136	7.4	19
1/4/2023 14:30	11.5	96.3	7.1	132	7.6	20
1/4/2023 14:45	11.6	97.1	7.1	130	7.5	19
1/4/2023 15:00	11.7	97.2	7.1	129	7.5	23
1/4/2023 15:15	11.5	96.0	7.1	127	7.5	19
1/4/2023 15:30	11.1	92.9	7.0	122	7.7	18
1/4/2023 15:45	11.3	94.5	7.0	122	7.7	18
1/4/2023 16:00	11.7	97.3	7.1	125	7.5	22
1/4/2023 16:15	11.7	97.6	7.2	122	7.5	19
1/4/2023 16:30	11.1	93.5	6.9	114	7.8	19
1/4/2023 16:45	11.6	97.1	7.2	119	7.5	22
1/4/2023 17:00	11.3	95.0	7.0	114	7.7	22
1/4/2023 17:15	11.5	96.3	7.1	116	7.7	19
1/4/2023 17:30	12.0	99.5	7.3	119	7.4	21
1/4/2023 17:45	11.9	98.9	7.3	118	7.5	22
1/4/2023 18:00	11.9	99.0	7.3	118	7.5	21
1/4/2023 18:15	10.4	87.9	6.7	100	8.2	16
1/4/2023 18:30	11.1	93.5	6.9	108	7.9	17
1/4/2023 18:45	11.3	95.2	7.0	110	7.9	21
1/4/2023 19:00	11.4	95.9	7.1	112	7.9	18
1/4/2023 19:15	11.7	97.9	7.2	113	7.8	20
1/4/2023 19:30	11.3	95.1	7.0	108	8.0	18
1/4/2023 19:45	11.3	95.5	7.0	109	8.0	19
1/4/2023 20:00	11.5	97.0	7.1	111	7.9	19
1/4/2023 20:15	11.3	95.4	7.0	110	8.0	20
1/4/2023 20:30	11.4	96.1	7.0	113	7.9	22
1/4/2023 20:45	11.5	97.0	7.1	111	8.1	22
1/4/2023 21:00	11.6	97.8	7.1	114	8.1	51
1/4/2023 21:15	11.5	97.6	7.1	117	8.1	24
1/4/2023 21:30	11.3	96.2	7.0	118	8.2	22
1/4/2023 21:45	11.2	95.1	6.9	126	8.2	24
1/4/2023 22:00	11.1	94.9	7.0	132	8.4	35
1/4/2023 22:15	11.5	97.1	7.1	144	8.1	25

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/2023 22:30	11.0	93.8	6.9	153	8.6	29
1/4/2023 22:45	11.2	95.3	7.0	168	8.2	23
1/4/2023 23:00	11.5	97.1	7.1	187	8.0	24
1/4/2023 23:15	11.2	95.5	7.1	197	8.3	23
1/4/2023 23:30	11.1	94.1	7.0	204	8.3	22
1/4/2023 23:45	11.3	95.8	7.1	218	8.3	28
1/5/2023 0:00	11.4	96.7	7.1	226	8.2	25
1/5/2023 0:15	11.5	97.4	7.2	222	8.0	26
1/5/2023 0:30	11.2	95.1	7.1	228	8.1	24
1/5/2023 0:45	11.4	96.3	7.2	225	8.0	23
1/5/2023 1:00	11.5	97.0	7.2	232	8.0	22
1/5/2023 1:15	11.4	96.3	7.1	233	8.0	22
1/5/2023 1:30	11.5	97.0	7.2	233	8.0	22
1/5/2023 1:45	11.1	94.5	7.0	235	8.3	20
1/5/2023 2:00	11.6	97.9	7.3	227	7.9	20
1/5/2023 2:15	11.6	97.7	7.2	221	8.0	20
1/5/2023 2:30	11.5	97.2	7.2	216	8.0	22
1/5/2023 2:45	11.5	97.4	7.2	214	8.1	20
1/5/2023 3:00	11.4	96.7	7.1	203	8.2	19
1/5/2023 3:15	11.6	98.1	7.2	189	8.0	20
1/5/2023 3:30	11.3	96.7	7.1	178	8.4	18
1/5/2023 3:45	11.4	97.2	7.1	168	8.3	22
1/5/2023 4:00	11.6	98.4	7.2	162	8.1	19
1/5/2023 4:15	11.7	98.6	7.3	164	7.9	18
1/5/2023 4:30	11.5	97.3	7.2	158	8.1	22
1/5/2023 4:45	11.5	97.3	7.2	156	8.1	21
1/5/2023 5:00	11.6	97.9	7.2	156	8.0	20
1/5/2023 5:15	10.8	92.4	6.9	146	8.5	16
1/5/2023 5:30	11.3	96.1	7.1	150	8.1	19
1/5/2023 5:45	11.4	96.1	7.1	148	8.1	21
1/5/2023 6:00	11.4	96.1	7.1	147	8.1	21
1/5/2023 6:15	11.4	96.1	7.1	145	8.0	19
1/5/2023 6:30	11.4	96.7	7.2	138	8.0	20
1/5/2023 6:45	11.5	97.0	7.2	138	8.0	21
1/5/2023 7:00	10.9	92.9	6.9	132	8.5	18
1/5/2023 7:15	11.3	96.2	7.1	131	8.2	18
1/5/2023 7:30	11.4	97.0	7.1	129	8.2	21
1/5/2023 7:45	11.2	95.6	7.0	125	8.4	19
1/5/2023 8:00	11.3	96.5	7.1	125	8.3	20
1/5/2023 8:15	11.4	96.9	7.1	120	8.3	19
1/5/2023 8:30	11.2	95.2	7.0	121	8.3	19
1/5/2023 8:45	11.3	95.8	7.0	119	8.3	20

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/2023 9:00	11.3	96.3	7.1	116	8.3	19
1/5/2023 9:15	10.8	91.7	6.9	113	8.4	20
1/5/2023 9:30	11.2	94.9	7.0	116	8.2	18
1/5/2023 9:45	10.9	93.1	7.0	115	8.3	19
1/5/2023 10:00	10.9	92.5	6.9	113	8.3	19
1/5/2023 10:15	9.6	82.6	6.5	103	8.8	16
1/5/2023 10:30	11.4	95.9	7.1	116	8.0	21
1/5/2023 10:45	11.4	96.6	7.1	115	8.0	21
1/5/2023 11:00	11.3	95.5	7.1	114	8.1	21
1/5/2023 11:15	11.1	94.5	7.0	113	8.2	18
1/5/2023 11:30	11.3	95.3	7.1	115	8.1	19
1/5/2023 11:45	11.4	96.3	7.2	116	8.0	20
1/5/2023 12:00	11.4	95.9	7.1	116	8.0	21
1/5/2023 12:15	10.7	91.2	6.9	109	8.3	18
1/5/2023 12:30	10.8	91.7	6.9	113	8.2	19
1/5/2023 12:45	11.6	97.6	7.3	120	7.8	21
1/5/2023 13:00	11.5	97.0	7.2	119	7.9	23
1/5/2023 13:15	10.3	88.1	6.8	106	8.6	19
1/5/2023 13:30	11.5	97.3	7.2	118	8.0	21
1/5/2023 13:45	11.5	97.0	7.2	118	8.0	21
1/5/2023 14:00	10.9	93.0	7.0	113	8.3	21
1/5/2023 14:15	11.5	97.3	7.2	119	7.9	27
1/5/2023 14:30	11.6	97.6	7.3	118	7.9	21
1/5/2023 14:45	11.7	98.5	7.3	119	7.9	21
1/5/2023 15:00	11.7	98.4	7.3	120	7.8	24
1/5/2023 15:15	11.6	97.5	7.3	119	7.9	24
1/5/2023 15:30	11.5	96.8	7.2	118	8.0	22
1/5/2023 15:45	11.7	98.6	7.4	120	7.8	21
1/5/2023 16:00	11.3	95.7	7.2	116	8.1	20
1/5/2023 16:15	11.6	97.7	7.3	118	7.9	22
1/5/2023 16:30	11.6	98.0	7.3	119	7.9	22
1/5/2023 16:45	11.5	96.9	7.2	115	8.1	22
1/5/2023 17:00	11.7	98.5	7.3	118	7.9	21
1/5/2023 17:15	11.4	96.4	7.2	113	8.1	20
1/5/2023 17:30	11.3	95.4	7.1	116	8.1	20
1/5/2023 17:45	11.6	97.8	7.3	115	8.0	22
1/5/2023 18:00	11.9	99.7	7.5	122	7.6	23
1/5/2023 18:15	10.8	92.5	6.9	104	8.6	20
1/5/2023 18:30	11.8	99.4	7.4	120	7.7	22
1/5/2023 18:45	11.6	97.7	7.3	117	8.0	23
1/5/2023 19:00	11.7	98.8	7.4	118	7.9	23
1/5/2023 19:15	10.6	91.0	6.9	102	8.7	20

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/2023 19:30	10.6	91.2	6.9	104	8.6	23
1/5/2023 19:45	11.1	94.7	7.0	106	8.5	19
1/5/2023 20:00	11.3	95.7	7.1	112	8.2	21
1/5/2023 20:15	11.1	94.8	7.1	109	8.4	21
1/5/2023 20:30	11.4	96.7	7.2	110	8.3	20
1/5/2023 20:45	10.7	91.7	6.9	101	8.7	20
1/5/2023 21:00	11.1	94.7	7.0	106	8.5	20
1/5/2023 21:15	11.0	94.2	6.9	97	8.8	18
1/5/2023 21:30	11.4	97.4	7.2	112	8.4	21
1/5/2023 21:45	11.3	96.0	7.1	110	8.5	19
1/5/2023 22:00	11.0	94.3	7.0	111	8.5	23
1/5/2023 22:15	10.9	93.2	7.0	113	8.5	22
1/5/2023 22:30	10.9	94.0	6.9	109	8.7	20
1/5/2023 22:45	11.0	94.2	7.0	111	8.6	20
1/5/2023 23:00	11.4	96.7	7.2	121	8.2	20
1/5/2023 23:15	11.2	95.8	7.1	121	8.4	18
1/5/2023 23:30	11.6	98.3	7.2	128	8.3	18
1/5/2023 23:45	11.4	97.5	7.2	130	8.4	24
1/6/2023 0:00	11.2	96.2	7.1	133	8.5	21
1/6/2023 0:15	11.2	95.8	7.0	139	8.7	17
1/6/2023 0:30	11.4	97.0	7.2	145	8.3	19
1/6/2023 0:45	10.9	93.5	6.9	150	8.8	17
1/6/2023 1:00	11.2	96.0	7.1	155	8.6	19
1/6/2023 1:15	10.9	94.4	6.9	158	9.0	15
1/6/2023 1:30	11.4	97.5	7.2	161	8.4	21
1/6/2023 1:45	11.1	95.3	7.0	163	8.8	17
1/6/2023 2:00	11.3	96.5	7.1	160	8.5	20
1/6/2023 2:15	11.4	97.4	7.1	160	8.5	21
1/6/2023 2:30	11.4	97.8	7.2	160	8.5	19
1/6/2023 2:45	11.1	95.8	7.0	158	8.8	19
1/6/2023 3:00	11.2	96.0	7.0	157	8.8	20
1/6/2023 3:15	11.8	99.9	7.4	154	8.2	26
1/6/2023 3:30	11.7	99.0	7.3	151	8.2	25
1/6/2023 3:45	11.7	99.7	7.3	149	8.2	24
1/6/2023 4:00	11.7	99.8	7.3	143	8.3	23
1/6/2023 4:15	11.0	94.5	7.0	136	8.7	21
1/6/2023 4:30	11.7	99.4	7.2	135	8.4	24
1/6/2023 4:45	11.5	98.3	7.2	134	8.4	24
1/6/2023 5:00	11.8	100.1	7.3	129	8.2	34
1/6/2023 5:15	11.8	100.1	7.3	129	8.2	28
1/6/2023 5:30	11.8	100.2	7.3	127	8.2	25
1/6/2023 5:45	11.7	99.7	7.3	126	8.3	26



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/2023 6:00	11.8	100.2	7.3	122	8.3	27
1/6/2023 6:15	11.7	99.5	7.3	122	8.3	28
1/6/2023 6:30	11.7	99.5	7.3	122	8.3	30
1/6/2023 6:45	11.7	99.9	7.3	115	8.4	24
1/6/2023 7:00	11.9	100.5	7.4	121	8.2	31
1/6/2023 7:15	11.5	98.5	7.2	113	8.5	27
1/6/2023 7:30	11.6	99.3	7.2	115	8.4	26
1/6/2023 7:45	11.6	98.8	7.2	116	8.3	28
1/6/2023 8:00	11.8	99.8	7.3	118	8.2	32
1/6/2023 8:15	11.8	99.8	7.3	118	8.2	33
1/6/2023 8:30	11.6	98.8	7.2	114	8.4	31
1/6/2023 8:45	11.5	97.9	7.2	114	8.4	28
1/6/2023 9:00	11.6	98.7	7.2	111	8.4	32
1/6/2023 9:15	11.8	99.8	7.3	116	8.2	50
1/6/2023 9:30	11.6	99.3	7.2	109	8.4	36
1/6/2023 9:45	11.7	99.7	7.3	113	8.3	42
1/6/2023 10:00	11.6	98.8	7.2	112	8.3	33
1/6/2023 10:15	11.8	100.3	7.4	120	8.1	51
1/6/2023 10:30	12.0	101.4	7.4	118	8.2	43
1/6/2023 10:45	11.8	100.3	7.3	114	8.3	37
1/6/2023 11:00	11.8	100.0	7.3	115	8.3	51
1/6/2023 11:15	11.7	99.9	7.2	112	8.4	40
1/6/2023 11:30	12.0	101.9	7.5	122	8.1	56
1/6/2023 11:45	11.9	100.7	7.4	119	8.2	54
1/6/2023 12:00	11.8	100.6	7.3	116	8.3	40
1/6/2023 12:15	11.7	99.7	7.2	113	8.4	44
1/6/2023 12:30	11.6	98.9	7.1	112	8.5	54
1/6/2023 12:45	11.9	101.4	7.4	119	8.3	49
1/6/2023 13:00	12.0	101.4	7.4	124	8.2	54
1/6/2023 13:15	11.8	100.2	7.2	115	8.4	51
1/6/2023 13:30	12.0	101.4	7.4	123	8.2	71
1/6/2023 13:45	11.8	100.6	7.3	116	8.4	46
1/6/2023 14:00	11.9	101.0	7.4	122	8.2	57
1/6/2023 14:15	12.0	102.1	7.5	124	8.2	58
1/6/2023 14:30	11.8	100.7	7.3	118	8.4	55
1/6/2023 14:45	11.9	100.9	7.3	118	8.3	47
1/6/2023 15:00	11.9	101.0	7.3	119	8.3	41
1/6/2023 15:15	11.9	101.5	7.4	120	8.3	55
1/6/2023 15:30	12.1	102.3	7.5	123	8.1	71
1/6/2023 15:45	11.8	100.8	7.3	116	8.3	52
1/6/2023 16:00	12.0	101.7	7.4	121	8.2	64
1/6/2023 16:15	12.0	102.0	7.4	119	8.2	57

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/2023 16:30	12.0	101.9	7.4	118	8.2	53
1/6/2023 16:45	11.9	101.5	7.4	117	8.3	56
1/6/2023 17:00	12.0	101.9	7.4	117	8.3	45
1/6/2023 17:15	12.0	102.0	7.4	118	8.3	59
1/6/2023 17:30	12.0	101.9	7.4	117	8.3	47
1/6/2023 17:45	11.9	101.5	7.4	116	8.3	56
1/6/2023 18:00	11.9	101.1	7.3	115	8.4	51
1/6/2023 18:15	11.5	98.4	7.2	114	8.5	68
1/6/2023 18:30	11.9	101.5	7.4	116	8.4	46
1/6/2023 18:45	11.6	99.4	7.2	115	8.4	70
1/6/2023 19:00	11.8	100.6	7.3	115	8.4	54
1/6/2023 19:15	10.8	93.2	6.8	103	8.9	37
1/6/2023 19:30	11.5	98.4	7.2	110	8.6	47
1/6/2023 19:45	11.6	99.4	7.2	114	8.5	50
1/6/2023 20:00	11.8	100.8	7.3	113	8.5	51
1/6/2023 20:15	11.9	101.5	7.3	114	8.5	58
1/6/2023 20:30	11.8	101.2	7.3	111	8.6	50
1/6/2023 20:45	11.9	101.5	7.3	112	8.6	62
1/6/2023 21:00	11.8	101.4	7.3	113	8.6	54
1/6/2023 21:15	11.8	101.5	7.3	112	8.6	50
1/6/2023 21:30	11.4	98.6	7.1	104	8.8	46
1/6/2023 21:45	11.4	98.4	7.0	103	8.9	49
1/6/2023 22:00	11.2	96.5	7.0	102	8.9	42
1/6/2023 22:15	11.7	100.8	7.2	112	8.7	62
1/6/2023 22:30	11.6	99.4	7.2	116	8.6	93
1/6/2023 22:45	11.7	100.5	7.2	114	8.7	63
1/6/2023 23:00	11.7	100.7	7.2	117	8.7	60
1/6/2023 23:15	12.0	102.5	7.4	125	8.4	98
1/6/2023 23:30	11.7	100.9	7.2	120	8.7	72
1/6/2023 23:45	11.9	101.5	7.3	126	8.5	69
1/7/2023 0:00	11.7	100.4	7.2	126	8.7	49
1/7/2023 0:15	11.9	101.6	7.3	132	8.4	82
1/7/2023 0:30	11.5	99.3	7.1	129	8.8	54
1/7/2023 0:45	11.7	100.9	7.2	132	8.7	58
1/7/2023 1:00	11.8	101.0	7.2	134	8.7	51
1/7/2023 1:15	11.6	99.7	7.1	133	8.9	44
1/7/2023 1:30	11.8	101.0	7.2	136	8.6	50
1/7/2023 1:45	11.6	100.0	7.1	135	8.8	50
1/7/2023 2:00	11.9	101.5	7.3	137	8.6	57
1/7/2023 2:15	11.8	101.0	7.2	136	8.6	55
1/7/2023 2:30	11.6	99.6	7.1	135	8.9	38
1/7/2023 2:45	11.9	101.5	7.3	138	8.6	58

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/2023 3:00	11.7	100.6	7.2	137	8.6	42
1/7/2023 3:15	11.7	100.5	7.1	136	8.8	43
1/7/2023 3:30	11.8	100.9	7.2	137	8.6	80
1/7/2023 3:45	11.8	101.2	7.3	136	8.6	68
1/7/2023 4:00	11.7	100.4	7.2	134	8.7	52
1/7/2023 4:15	11.9	101.8	7.3	135	8.5	49
1/7/2023 4:30	11.7	100.3	7.2	131	8.7	46
1/7/2023 4:45	11.7	100.4	7.2	130	8.7	51
1/7/2023 5:00	11.8	100.7	7.2	131	8.6	44
1/7/2023 5:15	11.8	100.7	7.2	129	8.6	48
1/7/2023 5:30	11.9	101.4	7.3	129	8.5	61
1/7/2023 5:45	12.0	102.2	7.4	130	8.4	46
1/7/2023 6:00	11.9	101.6	7.3	127	8.5	43
1/7/2023 6:15	11.8	101.2	7.3	121	8.6	47
1/7/2023 6:30	11.8	101.4	7.3	123	8.6	50
1/7/2023 6:45	11.9	101.6	7.3	124	8.5	47
1/7/2023 7:00	11.8	100.8	7.2	119	8.6	42
1/7/2023 7:15	11.9	101.5	7.3	120	8.5	44
1/7/2023 7:30	11.8	101.2	7.3	120	8.6	71
1/7/2023 7:45	11.6	99.6	7.1	117	8.7	41
1/7/2023 8:00	11.8	101.2	7.3	121	8.5	42
1/7/2023 8:15	11.8	100.8	7.3	120	8.6	48
1/7/2023 8:30	11.9	101.4	7.3	119	8.5	51
1/7/2023 8:45	11.8	101.1	7.3	117	8.6	50
1/7/2023 9:00	11.8	100.8	7.3	116	8.6	40
1/7/2023 9:15	11.8	101.2	7.3	117	8.6	43
1/7/2023 9:30	11.8	100.8	7.3	115	8.6	35
1/7/2023 9:45	11.8	101.1	7.3	115	8.6	45
1/7/2023 10:00	11.7	100.4	7.2	113	8.7	43
1/7/2023 10:15	11.7	100.2	7.2	114	8.6	42
1/7/2023 10:30	11.8	100.9	7.3	115	8.6	42
1/7/2023 10:45	11.8	100.8	7.3	116	8.5	40
1/7/2023 11:00	11.7	100.3	7.2	113	8.7	44
1/7/2023 11:15	11.7	100.2	7.2	116	8.6	46
1/7/2023 11:30	11.6	99.3	7.2	113	8.7	51
1/7/2023 11:45	11.6	99.3	7.2	115	8.6	49
1/7/2023 12:00	11.7	100.1	7.2	114	8.7	53
1/7/2023 12:15	11.7	100.4	7.2	116	8.6	43
1/7/2023 12:30	11.6	99.4	7.2	120	8.6	44
1/7/2023 12:45	11.7	100.6	7.3	120	8.6	64
1/7/2023 13:00	11.5	98.6	7.1	116	8.7	36
1/7/2023 13:15	11.6	99.7	7.2	117	8.7	44

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/2023 13:30	11.8	100.7	7.3	124	8.5	50
1/7/2023 13:45	11.6	99.8	7.2	120	8.7	44
1/7/2023 14:00	11.7	100.1	7.3	124	8.6	50
1/7/2023 14:15	11.4	98.0	7.1	117	8.8	42
1/7/2023 14:30	11.8	100.8	7.3	128	8.5	43
1/7/2023 14:45	11.5	98.9	7.1	119	8.8	38
1/7/2023 15:00	11.8	100.9	7.3	126	8.5	43
1/7/2023 15:15	11.8	101.0	7.3	126	8.5	42
1/7/2023 15:30	11.7	99.8	7.2	122	8.6	38
1/7/2023 15:45	11.8	100.8	7.3	125	8.5	40
1/7/2023 16:00	11.8	100.8	7.3	125	8.5	47
1/7/2023 16:15	11.8	100.9	7.3	123	8.5	39
1/7/2023 16:30	11.9	101.2	7.4	125	8.4	41
1/7/2023 16:45	11.9	101.1	7.4	124	8.4	38
1/7/2023 17:00	11.9	101.1	7.4	123	8.4	41
1/7/2023 17:15	11.8	101.0	7.3	121	8.5	38
1/7/2023 17:30	11.8	100.8	7.3	121	8.5	38
1/7/2023 17:45	12.0	102.1	7.5	123	8.3	43
1/7/2023 18:00	11.9	101.6	7.4	122	8.4	39
1/7/2023 18:15	11.4	97.9	7.2	118	8.6	36
1/7/2023 18:30	11.5	98.3	7.2	118	8.6	34
1/7/2023 18:45	11.4	97.7	7.2	117	8.6	33
1/7/2023 19:00	11.6	99.1	7.2	118	8.6	36
1/7/2023 19:15	11.6	99.2	7.3	118	8.6	34
1/7/2023 19:30	11.8	100.8	7.4	118	8.5	39
1/7/2023 19:45	11.6	99.4	7.2	114	8.7	33
1/7/2023 20:00	11.4	98.0	7.1	114	8.7	37
1/7/2023 20:15	11.2	96.5	7.1	113	8.8	29
1/7/2023 20:30	11.3	97.0	7.1	113	8.8	41
1/7/2023 20:45	11.8	100.9	7.4	117	8.5	39
1/7/2023 21:00	11.8	101.1	7.4	117	8.6	41
1/7/2023 21:15	11.3	97.5	7.1	108	8.9	34
1/7/2023 21:30	11.4	98.3	7.1	111	8.8	34
1/7/2023 21:45	11.5	99.0	7.2	111	8.9	35
1/7/2023 22:00	11.5	98.7	7.2	114	8.8	37
1/7/2023 22:15	11.6	99.5	7.2	112	8.8	33
1/7/2023 22:30	11.2	97.1	7.0	108	9.0	33
1/7/2023 22:45	11.5	99.4	7.2	113	8.9	43
1/7/2023 23:00	11.5	98.9	7.2	113	8.9	41
1/7/2023 23:15	11.5	99.3	7.2	114	9.0	31
1/7/2023 23:30	11.3	97.7	7.1	113	9.0	31
1/7/2023 23:45	11.4	98.7	7.1	118	9.0	30



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/2023 0:00	11.4	98.6	7.1	122	8.9	34
1/8/2023 0:15	11.2	97.2	7.0	123	9.1	30
1/8/2023 0:30	11.1	96.3	7.0	127	9.2	32
1/8/2023 0:45	11.1	96.2	7.0	136	8.9	34
1/8/2023 1:00	11.5	98.9	7.2	143	8.9	38
1/8/2023 1:15	11.2	97.0	7.0	141	9.1	27
1/8/2023 1:30	11.5	98.7	7.2	152	8.8	38
1/8/2023 1:45	11.5	98.6	7.2	155	8.7	40
1/8/2023 2:00	11.4	98.2	7.1	153	8.9	33
1/8/2023 2:15	11.3	97.9	7.1	156	9.0	28
1/8/2023 2:30	11.4	98.4	7.2	159	8.9	30
1/8/2023 2:45	11.4	98.1	7.1	157	8.9	30
1/8/2023 3:00	11.4	98.2	7.2	158	8.9	35
1/8/2023 3:15	11.4	98.3	7.2	158	8.9	35
1/8/2023 3:30	11.5	98.7	7.2	157	8.8	35
1/8/2023 3:45	11.4	98.4	7.1	158	8.9	33
1/8/2023 4:00	11.2	97.1	7.1	154	9.0	33
1/8/2023 4:15	11.3	98.0	7.1	151	9.0	28
1/8/2023 4:30	11.5	99.0	7.2	148	8.8	33
1/8/2023 4:45	11.5	98.9	7.2	141	8.9	30
1/8/2023 5:00	11.5	99.1	7.2	144	8.7	35
1/8/2023 5:15	11.6	99.6	7.3	143	8.7	33
1/8/2023 5:30	11.8	100.7	7.4	140	8.6	42
1/8/2023 5:45	11.5	99.1	7.2	130	8.9	31
1/8/2023 6:00	11.7	100.6	7.3	134	8.6	33
1/8/2023 6:15	11.8	101.0	7.4	134	8.6	41
1/8/2023 6:30	11.6	99.5	7.2	129	8.7	37
1/8/2023 6:45	11.6	100.0	7.3	125	8.7	34
1/8/2023 7:00	11.7	100.5	7.3	125	8.7	34
1/8/2023 7:15	11.7	100.1	7.3	124	8.7	32
1/8/2023 7:30	11.7	100.7	7.4	124	8.6	40
1/8/2023 7:45	11.7	100.5	7.3	123	8.6	38
1/8/2023 8:00	11.6	99.8	7.3	120	8.7	36
1/8/2023 8:15	11.7	100.2	7.3	122	8.6	35
1/8/2023 8:30	11.8	100.7	7.4	121	8.6	35
1/8/2023 8:45	11.7	100.1	7.3	119	8.6	35
1/8/2023 9:00	11.7	100.1	7.3	119	8.6	34
1/8/2023 9:15	11.7	99.9	7.3	118	8.6	36
1/8/2023 9:30	11.7	100.3	7.3	116	8.6	38
1/8/2023 9:45	11.6	99.2	7.2	114	8.7	34
1/8/2023 10:00	11.7	99.9	7.3	113	8.7	34
1/8/2023 10:15	11.8	100.6	7.4	117	8.5	39



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/2023 10:30	11.7	99.9	7.3	115	8.6	45
1/8/2023 10:45	11.6	99.4	7.2	111	8.7	35
1/8/2023 11:00	11.6	99.5	7.2	111	8.7	32
1/8/2023 11:15	11.8	100.7	7.4	117	8.5	36
1/8/2023 11:30	11.7	100.0	7.3	115	8.6	39
1/8/2023 11:45	11.7	100.1	7.3	113	8.6	40
1/8/2023 12:00	11.4	97.7	7.1	110	8.7	35
1/8/2023 12:15	11.6	99.1	7.2	111	8.7	37
1/8/2023 12:30	11.7	99.9	7.3	115	8.6	42
1/8/2023 12:45	11.7	100.4	7.3	111	8.5	42
1/8/2023 13:00	11.5	98.7	7.1	110	8.7	33
1/8/2023 13:15	11.7	100.0	7.3	114	8.6	34
1/8/2023 13:30	11.5	98.5	7.1	109	8.7	34
1/8/2023 13:45	11.8	101.0	7.4	118	8.4	48
1/8/2023 14:00	11.8	100.5	7.3	119	8.5	39
1/8/2023 14:15	11.9	101.1	7.4	121	8.4	42
1/8/2023 14:30	11.9	101.4	7.4	118	8.4	52
1/8/2023 14:45	11.6	99.8	7.2	108	8.7	34
1/8/2023 15:00	11.8	101.0	7.4	119	8.4	57
1/8/2023 15:15	11.6	99.8	7.2	112	8.6	48
1/8/2023 15:30	11.6	99.7	7.2	109	8.6	49
1/8/2023 15:45	11.7	100.0	7.2	111	8.6	41
1/8/2023 16:00	11.8	100.7	7.3	107	8.6	50
1/8/2023 16:15	11.6	99.9	7.2	108	8.7	39
1/8/2023 16:30	11.7	100.4	7.3	118	8.5	66
1/8/2023 16:45	11.7	100.0	7.3	120	8.4	50
1/8/2023 17:00	11.9	101.6	7.4	116	8.4	61
1/8/2023 17:15	11.7	100.1	7.2	107	8.7	56
1/8/2023 17:30	11.7	100.6	7.3	108	8.6	53
1/8/2023 17:45	11.7	100.0	7.2	106	8.7	47
1/8/2023 18:00	11.9	101.7	7.4	114	8.5	50
1/8/2023 18:15	11.8	100.9	7.3	116	8.5	54
1/8/2023 18:30	11.7	100.3	7.3	114	8.5	55
1/8/2023 18:45	11.8	101.1	7.4	112	8.5	72
1/8/2023 19:00	11.4	98.4	7.1	103	8.8	62
1/8/2023 19:15	11.6	99.5	7.2	107	8.7	55
1/8/2023 19:30	11.6	99.9	7.2	106	8.7	61
1/8/2023 19:45	11.4	98.6	7.1	101	8.8	84
1/8/2023 20:00	11.4	98.3	7.0	100	8.9	80
1/8/2023 20:15	11.4	98.2	7.0	98	8.9	58
1/8/2023 20:30	11.4	98.3	7.0	96	9.0	57
1/8/2023 20:45	11.1	96.7	6.9	89	9.2	57



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/8/2023 21:00	11.4	98.7	7.1	98	8.9	61
1/8/2023 21:15	11.2	96.7	7.0	98	9.1	91
1/8/2023 21:30	11.5	98.9	7.1	99	8.9	86
1/8/2023 21:45	11.4	98.4	7.0	95	9.0	64
1/8/2023 22:00	11.3	98.3	7.0	89	9.2	56
1/8/2023 22:15	11.4	98.2	7.0	104	8.9	85
1/8/2023 22:30	11.7	100.4	7.2	106	8.8	79
1/8/2023 22:45	11.8	101.2	7.3	108	8.7	91
1/8/2023 23:00	11.8	101.2	7.3	107	8.8	108
1/8/2023 23:15	11.8	101.6	7.3	96	8.9	61
1/8/2023 23:30	11.7	101.0	7.2	107	8.8	123
1/8/2023 23:45	11.4	98.8	7.1	99	9.1	100
1/9/2023 0:00	11.6	100.4	7.2	104	8.9	137
1/9/2023 0:15	11.7	100.7	7.2	107	8.8	96
1/9/2023 0:30	11.8	101.9	7.3	107	8.8	97
1/9/2023 0:45	11.9	102.0	7.3	53	8.7	106
1/9/2023 1:00	11.7	101.2	7.2	38	8.8	116
1/9/2023 1:15	11.8	101.4	7.3	106	8.8	145
1/9/2023 1:30	11.8	101.7	7.3	108	8.7	157
1/9/2023 1:45	11.7	101.1	7.2	46	8.8	88
1/9/2023 2:00	11.9	102.2	7.3	106	8.7	98
1/9/2023 2:15	12.0	102.6	7.4	53	8.6	138
1/9/2023 2:30	11.8	101.4	7.3	60	8.7	130
1/9/2023 2:45	11.9	102.3	7.3	45	8.7	164
1/9/2023 3:00	11.8	101.5	7.3	48	8.7	108
1/9/2023 3:15	11.9	102.2	7.3	60	8.6	120
1/9/2023 3:30	11.9	102.0	7.3	72	8.6	118
1/9/2023 3:45	12.0	102.7	7.4	47	8.5	163
1/9/2023 4:00	11.8	101.6	7.3	45	8.7	96
1/9/2023 4:15	11.9	101.8	7.3	49	8.6	97
1/9/2023 4:30	12.0	102.8	7.4	66	8.5	120
1/9/2023 4:45	11.8	101.1	7.3	56	8.7	97
1/9/2023 5:00	11.9	102.1	7.3	61	8.6	123
1/9/2023 5:15	11.9	102.2	7.3	63	8.6	107
1/9/2023 5:30	11.9	101.7	7.3	76	8.6	151
1/9/2023 5:45	12.0	102.5	7.4	64	8.5	117
1/9/2023 6:00	11.9	101.9	7.3	75	8.6	106
1/9/2023 6:15	11.9	102.0	7.3	70	8.6	150
1/9/2023 6:30	11.8	101.2	7.3	65	8.6	99
1/9/2023 6:45	12.0	102.6	7.4	62	8.5	98
1/9/2023 7:00	11.8	100.9	7.2	58	8.7	79
1/9/2023 7:15	11.6	99.8	7.1	66	8.7	86



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/9/2023 7:30	11.8	100.8	7.2	58	8.7	104
1/9/2023 7:45	11.9	101.8	7.3	61	8.6	108
1/9/2023 8:00	11.9	101.8	7.3	62	8.6	136
1/9/2023 8:15	11.5	98.9	7.1	50	8.7	85
1/9/2023 8:30	11.4	98.4	7.1	63	8.8	84
1/9/2023 8:45	11.7	100.7	7.2	58	8.7	84
1/9/2023 9:00	11.9	102.0	7.4	52	8.6	94
1/9/2023 9:15	11.6	99.6	7.1	57	8.8	106
1/9/2023 9:30	11.7	100.5	7.2	58	8.7	86
1/9/2023 9:45	11.8	101.2	7.3	66	8.7	93
1/9/2023 10:00	11.9	102.3	7.4	55	8.6	107
1/9/2023 10:15	12.0	102.4	7.4	51	8.6	152
1/9/2023 10:30	11.7	100.6	7.3	52	8.7	88
1/9/2023 10:45	11.1	96.0	7.0	49	9.1	51
1/9/2023 11:00	11.9	102.1	7.4	52	8.6	93
1/9/2023 11:15	11.7	100.8	7.3	57	8.7	95
1/9/2023 11:30	11.7	100.8	7.3	57	8.7	78
1/9/2023 11:45	11.3	97.2	7.0	56	8.9	94
1/9/2023 12:00	11.5	98.9	7.2	50	8.8	126
1/9/2023 12:15	11.2	97.3	7.0	50	9.1	74
1/9/2023 12:30	11.9	102.2	7.4	105	8.7	86
1/9/2023 12:45	11.3	98.1	7.1	48	9.0	63
1/9/2023 13:00	11.5	99.1	7.1	50	8.9	55
1/9/2023 13:15	11.3	97.5	7.0	101	9.0	74
1/9/2023 13:30	11.3	97.7	7.0	93	9.1	75
1/9/2023 13:45	11.7	100.3	7.2	106	8.8	101
1/9/2023 14:00	11.5	99.3	7.1	103	8.9	76
1/9/2023 14:15	11.9	102.0	7.4	111	8.7	91
1/9/2023 14:30	11.6	99.8	7.2	108	8.8	95
1/9/2023 14:45	11.9	102.3	7.4	113	8.6	92
1/9/2023 15:00	10.9	94.5	6.9	95	9.3	81
1/9/2023 15:15	11.5	99.3	7.2	102	8.9	66
1/9/2023 15:30	11.6	100.1	7.2	108	8.8	66
1/9/2023 15:45	11.8	101.2	7.3	109	8.8	88
1/9/2023 16:00	11.7	100.9	7.3	108	8.8	122
1/9/2023 16:15	11.7	100.6	7.2	108	8.8	77
1/9/2023 16:30	11.9	102.4	7.4	113	8.6	99
1/9/2023 16:45	11.6	100.1	7.2	103	8.9	65
1/9/2023 17:00	11.8	101.4	7.3	110	8.8	151
1/9/2023 17:15	11.6	99.8	7.2	107	8.9	75
1/9/2023 17:30	11.8	101.4	7.3	113	8.7	77
1/9/2023 17:45	11.6	99.8	7.2	107	8.9	72

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/2023 18:00	11.7	100.9	7.3	110	8.8	84
1/9/2023 18:15	11.6	100.1	7.2	106	8.9	64
1/9/2023 18:30	11.7	100.7	7.3	110	8.8	89
1/9/2023 18:45	11.7	100.5	7.3	108	8.9	74
1/9/2023 19:00	11.5	99.6	7.2	106	9.0	87
1/9/2023 19:15	11.6	100.6	7.2	107	9.0	86
1/9/2023 19:30	11.3	98.2	7.1	108	9.1	85
1/9/2023 19:45	11.5	99.9	7.2	106	9.1	102
1/9/2023 20:00	11.6	100.7	7.2	104	9.1	70
1/9/2023 20:15	11.4	98.9	7.1	100	9.3	57
1/9/2023 20:30	11.5	99.8	7.2	104	9.2	59
1/9/2023 20:45	10.8	95.1	6.8	93	9.7	57
1/9/2023 21:00	11.4	99.1	7.1	100	9.3	55
1/9/2023 21:15	11.2	98.2	7.0	96	9.4	52
1/9/2023 21:30	11.1	97.4	7.0	95	9.5	46
1/9/2023 21:45	11.1	97.3	7.0	93	9.6	39
1/9/2023 22:00	11.0	96.9	6.9	93	9.6	45
1/9/2023 22:15	11.2	98.2	7.0	99	9.5	54
1/9/2023 22:30	11.5	100.5	7.2	108	9.2	63
1/9/2023 22:45	11.0	96.6	6.9	94	9.7	58
1/9/2023 23:00	11.5	100.6	7.2	106	9.3	65
1/9/2023 23:15	11.6	100.8	7.3	108	9.2	60
1/9/2023 23:30	11.0	95.9	7.1	113	9.2	70
1/9/2023 23:45	11.7	101.8	7.3	109	9.2	68
1/10/2023 0:00	11.6	100.9	7.2	111	9.2	63
1/10/2023 0:15	11.6	101.0	7.2	109	9.2	71
1/10/2023 0:30	11.6	100.5	7.2	109	9.3	67
1/10/2023 0:45	11.6	100.6	7.2	109	9.2	58
1/10/2023 1:00	11.5	99.9	7.2	113	9.2	69
1/10/2023 1:15	11.6	100.8	7.2	112	9.2	57
1/10/2023 1:30	11.6	101.1	7.2	110	9.2	62
1/10/2023 1:45	11.4	98.5	7.2	119	9.0	75
1/10/2023 2:00	11.6	100.7	7.2	111	9.2	66
1/10/2023 2:15	11.7	101.2	7.3	116	9.0	66
1/10/2023 2:30	11.8	102.2	7.4	114	9.0	104
1/10/2023 2:45	11.8	101.9	7.4	118	8.9	64
1/10/2023 3:00	11.6	100.6	7.3	115	9.0	67
1/10/2023 3:15	11.7	101.0	7.3	117	9.0	54
1/10/2023 3:30	11.6	100.3	7.2	116	9.0	66
1/10/2023 3:45	11.6	100.0	7.2	114	9.0	66
1/10/2023 4:00	11.7	101.1	7.3	118	8.9	94
1/10/2023 4:15	11.5	99.7	7.2	113	9.0	79

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/2023 4:30	11.5	100.0	7.2	113	9.0	65
1/10/2023 4:45	11.7	100.7	7.3	116	9.0	61
1/10/2023 5:00	11.8	101.7	7.4	118	8.9	62
1/10/2023 5:15	11.8	101.4	7.3	117	8.9	76
1/10/2023 5:30	11.8	102.1	7.4	119	8.9	80
1/10/2023 5:45	11.7	101.1	7.3	116	8.9	55
1/10/2023 6:00	11.7	101.3	7.3	115	8.9	56
1/10/2023 6:15	11.6	100.6	7.3	115	8.9	58
1/10/2023 6:30	11.6	100.5	7.3	114	8.9	56
1/10/2023 6:45	11.8	102.0	7.4	117	8.8	79
1/10/2023 7:00	11.8	101.4	7.3	115	8.9	70
1/10/2023 7:15	11.8	101.3	7.4	119	8.8	87
1/10/2023 7:30	11.8	101.6	7.4	116	8.8	53
1/10/2023 7:45	11.9	102.4	7.5	120	8.8	67
1/10/2023 8:00	11.8	101.3	7.4	115	8.8	80
1/10/2023 8:15	11.8	101.6	7.4	117	8.8	65
1/10/2023 8:30	11.8	101.8	7.4	118	8.8	71
1/10/2023 8:45	11.6	99.8	7.3	116	8.9	72
1/10/2023 9:00	11.8	101.5	7.4	117	8.8	76
1/10/2023 9:15	11.8	101.2	7.4	118	8.8	68
1/10/2023 9:30	11.7	100.4	7.3	116	8.8	78
1/10/2023 9:45	11.7	100.9	7.3	116	8.8	58
1/10/2023 10:00	11.6	99.9	7.3	114	8.8	66
1/10/2023 10:15	11.6	99.8	7.2	111	8.8	48
1/10/2023 10:30	11.7	100.4	7.3	114	8.8	65
1/10/2023 10:45	11.6	99.9	7.3	108	8.8	54
1/10/2023 11:00	11.5	98.9	7.2	111	8.8	65
1/10/2023 11:15	11.7	100.7	7.3	113	8.8	62
1/10/2023 11:30	11.5	99.2	7.2	108	8.8	65
1/10/2023 11:45	11.7	100.6	7.3	114	8.7	61
1/10/2023 12:00	11.4	98.4	7.1	106	8.8	53
1/10/2023 12:15	11.6	99.9	7.3	109	8.8	60
1/10/2023 12:30	11.5	98.7	7.2	108	8.8	56
1/10/2023 12:45	11.7	100.4	7.3	111	8.7	79
1/10/2023 13:00	11.7	100.4	7.3	113	8.7	64
1/10/2023 13:15	11.7	100.4	7.3	109	8.7	62
1/10/2023 13:30	11.6	99.8	7.3	111	8.7	77
1/10/2023 13:45	11.6	99.8	7.3	113	8.7	72
1/10/2023 14:00	11.7	100.6	7.4	112	8.7	63
1/10/2023 14:15	11.8	100.9	7.3	115	8.7	98
1/10/2023 14:30	11.7	100.2	7.3	113	8.7	80
1/10/2023 14:45	11.7	100.3	7.3	108	8.7	51

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/2023 15:00	11.7	100.6	7.3	113	8.7	61
1/10/2023 15:15	11.8	101.3	7.4	116	8.7	83
1/10/2023 15:30	11.8	101.1	7.4	114	8.7	72
1/10/2023 15:45	11.8	101.3	7.4	117	8.6	114
1/10/2023 16:00	11.9	101.7	7.4	116	8.6	79
1/10/2023 16:15	11.9	102.0	7.5	118	8.6	73
1/10/2023 16:30	11.7	100.8	7.3	115	8.7	78
1/10/2023 16:45	11.7	100.7	7.3	115	8.7	79
1/10/2023 17:00	11.7	100.4	7.3	115	8.7	69
1/10/2023 17:15	11.9	101.6	7.4	120	8.6	79
1/10/2023 17:30	11.8	101.2	7.4	118	8.6	98
1/10/2023 17:45	11.8	101.2	7.4	118	8.7	159
1/10/2023 18:00	11.8	101.4	7.4	115	8.7	86
1/10/2023 18:15	11.8	101.3	7.4	114	8.7	140
1/10/2023 18:30	11.8	101.1	7.4	118	8.7	102
1/10/2023 18:45	11.4	97.9	7.1	104	8.8	54
1/10/2023 19:00	11.5	98.6	7.3	115	8.7	72
1/10/2023 19:15	11.7	100.7	7.4	118	8.7	103
1/10/2023 19:30	11.3	97.1	7.1	103	8.9	70
1/10/2023 19:45	11.7	100.5	7.3	113	8.7	92
1/10/2023 20:00	11.7	100.2	7.3	111	8.7	94
1/10/2023 20:15	11.6	99.5	7.3	113	8.7	79
1/10/2023 20:30	11.6	99.9	7.2	110	8.7	67
1/10/2023 20:45	11.6	99.7	7.2	107	8.7	62
1/10/2023 21:00	11.8	101.1	7.4	113	8.6	63
1/10/2023 21:15	11.5	98.7	7.1	102	8.8	71
1/10/2023 21:30	11.4	98.3	7.1	102	8.9	85
1/10/2023 21:45	11.4	98.5	7.1	103	8.8	53
1/10/2023 22:00	11.8	101.3	7.4	116	8.6	85
1/10/2023 22:15	11.8	101.0	7.4	113	8.6	70
1/10/2023 22:30	11.7	100.2	7.3	109	8.7	64
1/10/2023 22:45	11.6	99.5	7.2	105	8.8	61
1/10/2023 23:00	11.8	101.4	7.4	114	8.6	84
1/10/2023 23:15	11.1	95.7	7.0	91	9.0	49
1/10/2023 23:30	11.8	101.2	7.4	114	8.6	64
1/10/2023 23:45	11.7	100.7	7.3	112	8.7	99
1/11/2023 0:00	11.7	100.4	7.3	111	8.7	73
1/11/2023 0:15	11.7	100.8	7.3	113	8.7	82
1/11/2023 0:30	11.8	101.5	7.4	115	8.6	83
1/11/2023 0:45	11.8	101.5	7.4	114	8.7	73
1/11/2023 1:00	11.7	100.7	7.3	111	8.7	69
1/11/2023 1:15	11.6	99.8	7.2	108	8.8	77

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/2023 1:30	11.6	100.0	7.3	115	8.7	71
1/11/2023 1:45	11.5	99.3	7.2	108	8.9	84
1/11/2023 2:00	11.5	99.4	7.1	108	8.9	53
1/11/2023 2:15	11.2	97.3	7.0	102	9.0	55
1/11/2023 2:30	11.7	100.2	7.3	112	8.8	54
1/11/2023 2:45	11.7	100.3	7.3	113	8.8	59
1/11/2023 3:00	11.7	100.2	7.2	115	8.7	59
1/11/2023 3:15	11.7	100.5	7.3	116	8.7	84
1/11/2023 3:30	11.5	99.3	7.2	109	8.8	78
1/11/2023 3:45	11.8	101.4	7.4	122	8.6	53
1/11/2023 4:00	11.7	100.5	7.3	116	8.7	65
1/11/2023 4:15	11.7	100.3	7.2	116	8.7	66
1/11/2023 4:30	11.7	100.4	7.3	115	8.7	58
1/11/2023 4:45	11.7	100.4	7.3	119	8.6	57
1/11/2023 5:00	11.6	99.7	7.2	114	8.8	70
1/11/2023 5:15	11.8	101.1	7.4	121	8.6	93
1/11/2023 5:30	11.9	101.6	7.4	117	8.6	70
1/11/2023 5:45	11.8	100.9	7.3	119	8.6	63
1/11/2023 6:00	11.7	100.1	7.3	120	8.6	58
1/11/2023 6:15	11.7	100.3	7.2	119	8.6	52
1/11/2023 6:30	11.7	100.6	7.3	119	8.6	64
1/11/2023 6:45	11.8	101.0	7.3	120	8.6	51
1/11/2023 7:00	11.8	100.8	7.3	118	8.6	47
1/11/2023 7:15	11.9	101.8	7.4	112	8.6	55
1/11/2023 7:30	11.8	101.2	7.4	123	8.5	57
1/11/2023 7:45	11.8	101.1	7.4	120	8.5	67
1/11/2023 8:00	12.0	102.6	7.5	126	8.4	58
1/11/2023 8:15	11.7	100.5	7.3	118	8.6	56
1/11/2023 8:30	11.9	101.5	7.4	116	8.6	49
1/11/2023 8:45	12.0	102.1	7.4	121	8.5	69
1/11/2023 9:00	11.8	101.0	7.3	113	8.7	66
1/11/2023 9:15	11.9	101.9	7.4	120	8.5	64
1/11/2023 9:30	12.0	102.1	7.4	119	8.5	75
1/11/2023 9:45	11.8	101.0	7.3	115	8.6	56
1/11/2023 10:00	11.8	100.8	7.3	116	8.6	51
1/11/2023 10:15	11.9	101.6	7.4	118	8.5	49
1/11/2023 10:30	11.8	101.3	7.3	115	8.6	52
1/11/2023 10:45	11.7	100.0	7.2	113	8.6	49
1/11/2023 11:00	11.8	101.3	7.4	117	8.5	52
1/11/2023 11:15	11.7	100.1	7.3	114	8.6	51
1/11/2023 11:30	11.5	98.5	7.2	112	8.6	75
1/11/2023 11:45	12.0	102.2	7.5	122	8.4	60

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/2023 12:00	11.8	100.7	7.3	115	8.5	47
1/11/2023 12:15	11.8	101.3	7.4	115	8.5	63
1/11/2023 12:30	11.9	101.6	7.4	115	8.5	67
1/11/23 12:45	11.8	100.8	7.3	114	8.6	52
1/11/23 13:00	11.7	100.4	7.3	111	8.6	48
1/11/23 13:15	11.8	100.7	7.3	114	8.6	45
1/11/23 13:30	11.7	100.0	7.2	110	8.6	45
1/11/23 13:45	11.9	101.6	7.4	116	8.5	54
1/11/23 14:00	11.8	101.0	7.3	117	8.5	48
1/11/23 14:15	11.6	99.7	7.2	115	8.6	86
1/11/23 14:30	11.9	101.1	7.4	122	8.4	47
1/11/23 14:45	12.0	102.1	7.4	125	8.4	69
1/11/23 15:00	11.8	101.3	7.3	118	8.6	53
1/11/23 15:15	11.9	101.8	7.4	119	8.5	57
1/11/23 15:30	11.8	100.8	7.3	118	8.6	46
1/11/23 15:45	11.8	101.3	7.3	121	8.5	52
1/11/23 16:00	11.8	100.9	7.3	120	8.6	55
1/11/23 16:15	11.9	101.9	7.4	122	8.5	48
1/11/23 16:30	11.8	100.8	7.3	118	8.6	46
1/11/23 16:45	11.9	101.3	7.4	129	8.5	58
1/11/23 17:00	11.7	100.4	7.2	114	8.7	49
1/11/23 17:15	12.0	102.7	7.4	120	8.6	59
1/11/23 17:30	12.1	102.7	7.5	130	8.4	55
1/11/23 17:45	11.8	101.5	7.3	116	8.7	43
1/11/23 18:00	11.9	101.5	7.3	122	8.6	52
1/11/23 18:15	12.1	102.8	7.5	130	8.4	54
1/11/23 18:30	11.7	100.4	7.2	117	8.7	49
1/11/23 18:45	12.0	102.3	7.4	126	8.5	57
1/11/23 19:00	11.8	101.0	7.3	114	8.7	47
1/11/23 19:15	11.8	101.1	7.3	116	8.7	40
1/11/23 19:30	11.9	102.2	7.4	122	8.5	52
1/11/23 19:45	11.8	101.5	7.3	116	8.7	46
1/11/23 20:00	11.8	101.6	7.3	118	8.7	51
1/11/23 20:15	12.1	102.9	7.5	127	8.4	58
1/11/23 20:30	11.9	102.2	7.4	121	8.6	47
1/11/23 20:45	11.9	101.8	7.3	119	8.6	60
1/11/23 21:00	11.9	102.0	7.3	117	8.7	69
1/11/23 21:15	11.9	101.9	7.4	120	8.6	48
1/11/23 21:30	12.0	102.3	7.5	126	8.4	52
1/11/23 21:45	11.9	101.7	7.4	120	8.6	49
1/11/23 22:00	11.9	102.3	7.4	116	8.6	50
1/11/23 22:15	11.8	101.1	7.3	117	8.7	52

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	11.9	101.7	7.3	117	8.7	47
1/11/23 22:45	11.9	101.9	7.4	117	8.6	55
1/11/23 23:00	11.8	101.5	7.3	117	8.7	46
1/11/23 23:15	12.0	102.6	7.4	118	8.6	50
1/11/23 23:30	11.7	100.7	7.3	116	8.7	40
1/11/23 23:45	11.6	100.0	7.2	120	8.7	53
1/12/23 0:00	11.8	101.0	7.3	120	8.6	48
1/12/23 0:15	11.8	101.3	7.3	114	8.8	48
1/12/23 0:30	11.4	98.9	7.1	107	9.0	40
1/12/23 0:45	11.6	100.1	7.2	111	8.9	43
1/12/23 1:00	11.5	99.5	7.2	113	8.8	41
1/12/23 1:15	11.7	100.5	7.2	115	8.8	35
1/12/23 1:30	11.7	100.8	7.2	117	8.8	62
1/12/23 1:45	11.7	100.8	7.3	120	8.7	50
1/12/23 2:00	11.7	101.0	7.3	118	8.8	46
1/12/23 2:15	11.8	101.4	7.3	128	8.6	42
1/12/23 2:30	11.5	99.4	7.1	116	8.9	40
1/12/23 2:45	11.7	100.7	7.3	121	8.8	42
1/12/23 3:00	11.7	100.3	7.2	119	8.8	43
1/12/23 3:15	11.8	101.2	7.3	127	8.7	41
1/12/23 3:30	11.7	100.6	7.2	122	8.8	43
1/12/23 3:45	11.7	100.4	7.2	124	8.8	46
1/12/23 4:00	11.8	101.8	7.3	120	8.8	42
1/12/23 4:15	11.7	100.6	7.3	127	8.6	45
1/12/23 4:30	11.9	102.4	7.4	126	8.6	37
1/12/23 4:45	11.7	100.4	7.2	125	8.7	50
1/12/23 5:00	12.0	102.4	7.4	128	8.6	45
1/12/23 5:15	11.9	102.1	7.4	124	8.7	48
1/12/23 5:30	11.8	101.1	7.3	129	8.6	56
1/12/23 5:45	11.5	99.5	7.1	119	8.9	46
1/12/23 6:00	11.6	99.8	7.2	119	8.8	46
1/12/23 6:15	11.8	101.5	7.3	126	8.7	50
1/12/23 6:30	11.7	100.7	7.3	123	8.7	75
1/12/23 6:45	11.8	101.2	7.3	123	8.7	47
1/12/23 7:00	11.8	101.3	7.3	120	8.7	44
1/12/23 7:15	11.9	101.8	7.3	124	8.6	83
1/12/23 7:30	11.8	101.6	7.3	122	8.6	53
1/12/23 7:45	11.8	101.1	7.3	120	8.7	46
1/12/23 8:00	11.7	100.9	7.2	118	8.8	47
1/12/23 8:15	11.9	102.0	7.4	122	8.6	54
1/12/23 8:30	11.9	102.1	7.4	119	8.7	44
1/12/23 8:45	11.9	102.2	7.4	119	8.6	60

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 9:00	11.7	100.6	7.2	115	8.8	44
1/12/23 9:15	11.9	101.8	7.3	119	8.7	55
1/12/23 9:30	11.9	101.8	7.3	118	8.7	43
1/12/23 9:45	11.8	101.1	7.3	121	8.7	58
1/12/23 10:00	11.9	101.7	7.4	122	8.6	46
1/12/23 10:15	11.9	102.0	7.4	119	8.6	35
1/12/23 10:30	11.9	102.4	7.4	116	8.7	45
1/12/23 10:45	12.0	102.5	7.4	118	8.6	48
1/12/23 11:00	11.9	102.4	7.4	116	8.7	40
1/12/23 11:15	11.7	100.9	7.3	115	8.8	37
1/12/23 11:30	11.9	101.7	7.4	120	8.6	53
1/12/23 11:45	11.7	100.7	7.2	114	8.8	36
1/12/23 12:00	11.8	101.4	7.3	114	8.7	36
1/12/23 12:15	11.8	101.6	7.3	114	8.7	39
1/12/23 12:30	11.7	100.4	7.2	112	8.8	35
1/12/23 12:45	11.6	100.3	7.2	111	8.8	37
1/12/23 13:00	11.8	101.1	7.3	112	8.8	36
1/12/23 13:15	11.8	101.0	7.3	115	8.7	44
1/12/23 13:30	11.8	101.5	7.3	114	8.7	38
1/12/23 13:45	11.6	99.9	7.2	117	8.8	54
1/12/23 14:00	11.3	97.8	7.0	111	8.9	45
1/12/23 14:15	11.8	101.4	7.3	118	8.6	41
1/12/23 14:30	12.0	102.7	7.4	118	8.6	39
1/12/23 14:45	11.8	101.6	7.3	113	8.8	49
1/12/23 15:00	11.9	101.9	7.3	115	8.7	44
1/12/23 15:15	11.9	102.1	7.3	115	8.8	45
1/12/23 15:30	11.6	100.3	7.2	113	8.9	52
1/12/23 15:45	11.8	101.5	7.3	114	8.8	42
1/12/23 16:00	11.9	102.5	7.4	115	8.8	40
1/12/23 16:15	11.7	101.5	7.2	110	9.0	44
1/12/23 16:30	12.1	103.6	7.5	122	8.6	61
1/12/23 16:45	11.9	102.5	7.4	117	8.7	57
1/12/23 17:00	12.0	102.6	7.4	121	8.6	42
1/12/23 17:15	11.9	102.6	7.4	118	8.7	44
1/12/23 17:30	11.9	102.4	7.3	118	8.8	46
1/12/23 17:45	12.0	102.9	7.4	118	8.7	40
1/12/23 18:00	11.9	102.7	7.4	116	8.8	54
1/12/23 18:15	12.0	102.9	7.4	115	8.8	43
1/12/23 18:30	12.1	103.7	7.5	120	8.6	46
1/12/23 18:45	11.9	102.4	7.3	116	8.8	52
1/12/23 19:00	11.7	105.0	6.9	0	10.8	3
1/12/23 19:15	11.9	102.4	7.4	117	8.8	40

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	12.0	103.1	7.4	118	8.7	45
1/12/23 19:45	12.1	103.4	7.5	123	8.6	70
1/12/23 20:00	12.1	103.5	7.5	119	8.7	52
1/12/23 20:15	12.2	104.1	7.6	123	8.6	46
1/12/23 20:30	12.0	103.3	7.5	120	8.7	45
1/12/23 20:45	12.0	103.3	7.4	117	8.8	47
1/12/23 21:00	12.0	103.4	7.5	118	8.7	49
1/12/23 21:15	12.2	104.5	7.6	123	8.6	70
1/12/23 21:30	12.1	103.8	7.5	119	8.7	58
1/12/23 21:45	12.2	104.5	7.6	121	8.6	67
1/12/23 22:00	12.0	103.1	7.4	115	8.8	51
1/12/23 22:15	12.0	103.6	7.5	118	8.8	50
1/12/23 22:30	11.9	103.0	7.4	115	8.9	47
1/12/23 22:45	11.8	101.9	7.3	115	8.9	53
1/12/23 23:00	11.9	102.9	7.4	114	8.9	48
1/12/23 23:15	12.0	103.3	7.4	116	8.8	59
1/12/23 23:30	12.0	103.6	7.4	117	8.8	82
1/12/23 23:45	11.9	102.9	7.3	106	9.1	42
1/13/23 0:00	12.1	104.2	7.5	118	8.8	47
1/13/23 0:15	12.1	104.4	7.5	119	8.7	107
1/13/23 0:30	11.7	101.7	7.3	107	9.1	44
1/13/23 0:45	12.0	103.4	7.4	115	8.9	48
1/13/23 1:00	12.2	104.3	7.5	121	8.7	59
1/13/23 1:15	11.5	100.3	7.2	102	9.3	57
1/13/23 1:30	11.8	102.0	7.3	110	9.1	60
1/13/23 1:45	12.0	103.0	7.4	119	8.8	97
1/13/23 2:00	11.9	103.1	7.4	111	9.0	47
1/13/23 2:15	12.0	103.4	7.4	113	8.9	56
1/13/23 2:30	12.2	104.7	7.6	121	8.7	91
1/13/23 2:45	12.1	103.9	7.5	116	8.8	66
1/13/23 3:00	11.8	102.0	7.3	111	9.0	53
1/13/23 3:15	12.1	104.0	7.4	114	8.8	53
1/13/23 3:30	12.0	103.7	7.5	116	8.8	54
1/13/23 3:45	11.7	101.6	7.3	110	9.1	50
1/13/23 4:00	11.6	101.0	7.2	106	9.2	73
1/13/23 4:15	11.9	103.0	7.4	113	8.9	53
1/13/23 4:30	12.0	103.9	7.4	113	8.9	131
1/13/23 4:45	12.2	104.4	7.5	120	8.7	71
1/13/23 5:00	12.1	103.9	7.5	117	8.8	94
1/13/23 5:15	12.0	103.3	7.4	115	8.9	118
1/13/23 5:30	11.8	102.4	7.3	110	9.0	90
1/13/23 5:45	12.1	104.1	7.5	116	8.8	69

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 6:00	12.0	103.9	7.4	116	8.9	76
1/13/23 6:15	12.0	103.6	7.4	115	8.9	100
1/13/23 6:30	12.1	104.1	7.5	116	8.8	89
1/13/23 6:45	12.0	103.8	7.5	116	8.9	127
1/13/23 7:00	12.0	103.5	7.4	115	8.9	66
1/13/23 7:15	11.7	100.8	7.3	116	9.0	94
1/13/23 7:30	12.1	104.5	7.5	118	8.8	96
1/13/23 7:45	12.1	104.4	7.5	117	8.8	96
1/13/23 8:00	11.9	102.9	7.4	111	9.0	86
1/13/23 8:15	12.1	104.1	7.5	116	8.8	84
1/13/23 8:30	12.1	104.1	7.5	117	8.8	73
1/13/23 8:45	12.2	104.6	7.6	118	8.8	146
1/13/23 9:00	12.2	104.6	7.6	119	8.8	118
1/13/23 9:15	12.0	103.7	7.4	116	8.9	68
1/13/23 9:30	12.1	104.3	7.5	117	8.8	92
1/13/23 9:45	12.0	103.7	7.5	114	8.9	78
1/13/23 10:00	12.1	104.4	7.5	116	8.9	91
1/13/23 10:15	12.1	104.4	7.6	118	8.8	88
1/13/23 10:30	12.0	103.8	7.5	114	8.9	73
1/13/23 10:45	12.1	104.1	7.5	115	8.9	69
1/13/23 11:00	11.8	102.6	7.3	106	9.2	116
1/13/23 11:15	11.9	102.9	7.4	110	9.1	66
1/13/23 11:30	11.6	101.0	7.2	104	9.3	63
1/13/23 11:45	11.7	102.0	7.3	106	9.2	72
1/13/23 12:00	12.0	103.5	7.5	113	9.0	72
1/13/23 12:15	11.8	102.4	7.3	107	9.2	64
1/13/23 12:30	11.8	102.5	7.3	108	9.2	59
1/13/23 12:45	11.8	102.4	7.3	108	9.2	61
1/13/23 13:00	11.6	101.0	7.2	103	9.3	59
1/13/23 13:15	11.8	102.2	7.3	109	9.2	69
1/13/23 13:30	10.8	95.5	6.9	84	9.9	32
1/13/23 13:45	11.8	102.4	7.4	110	9.2	63
1/13/23 14:00	11.5	100.3	7.2	104	9.3	55
1/13/23 14:15	11.2	98.3	7.0	98	9.5	48
1/13/23 14:30	11.4	99.5	7.1	103	9.4	51
1/13/23 14:45	11.2	98.0	7.0	97	9.6	45
1/13/23 15:00	11.7	101.8	7.3	110	9.2	56
1/13/23 15:15	11.6	101.1	7.3	111	9.3	75
1/13/23 15:30	11.4	99.4	7.1	107	9.4	69
1/13/23 15:45	11.6	101.0	7.3	108	9.3	75
1/13/23 16:00	11.3	98.9	7.1	107	9.4	70
1/13/23 16:15	11.6	100.9	7.2	108	9.4	87

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 16:30	11.6	101.3	7.3	106	9.4	81
1/13/23 16:45	11.6	100.7	7.2	111	9.3	68
1/13/23 17:00	11.4	99.9	7.1	103	9.5	40
1/13/23 17:15	11.6	101.3	7.2	108	9.4	45
1/13/23 17:30	11.8	102.4	7.4	112	9.3	62
1/13/23 17:45	11.9	103.1	7.4	114	9.3	59
1/13/23 18:00	11.6	101.3	7.2	107	9.5	49
1/13/23 18:15	11.6	101.7	7.3	110	9.4	55
1/13/23 18:30	11.6	101.2	7.2	108	9.5	48
1/13/23 18:45	11.6	101.7	7.3	110	9.4	51
1/13/23 19:00	11.7	101.8	7.3	116	9.4	56
1/13/23 19:15	11.7	102.1	7.3	110	9.4	49
1/13/23 19:30	11.5	101.1	7.2	106	9.5	50
1/13/23 19:45	11.2	98.4	7.1	97	9.8	55
1/13/23 20:00	11.7	102.4	7.3	112	9.4	58
1/13/23 20:15	11.8	102.7	7.4	112	9.4	62
1/13/23 20:30	11.6	101.4	7.3	108	9.5	45
1/13/23 20:45	11.6	101.6	7.3	107	9.6	54
1/13/23 21:00	11.5	100.5	7.2	101	9.6	41
1/13/23 21:15	11.0	97.1	7.0	91	9.9	47
1/13/23 21:30	11.6	101.4	7.2	107	9.6	56
1/13/23 21:45	11.5	101.1	7.2	106	9.6	42
1/13/23 22:00	11.6	101.5	7.2	106	9.6	56
1/13/23 22:15	11.5	101.0	7.2	105	9.7	63
1/13/23 22:30	11.3	99.3	7.1	98	9.8	41
1/13/23 22:45	11.4	100.1	7.1	98	9.8	44
1/13/23 23:00	11.7	102.3	7.3	108	9.6	57
1/13/23 23:15	11.5	100.9	7.2	100	9.7	38
1/13/23 23:30	11.0	97.9	6.9	90	10.0	39
1/13/23 23:45	11.2	98.3	7.0	102	9.8	60
1/14/23 0:00	11.4	100.6	7.2	101	9.7	45
1/14/23 0:15	11.2	99.1	7.0	90	9.9	47
1/14/23 0:30	11.6	101.9	7.3	105	9.6	83
1/14/23 0:45	11.3	99.9	7.1	96	9.8	55
1/14/23 1:00	10.9	97.0	6.9	88	10.0	58
1/14/23 1:15	11.4	100.2	7.1	99	9.8	48
1/14/23 1:30	11.4	100.6	7.2	100	9.7	42
1/14/23 1:45	11.6	102.1	7.3	105	9.6	54
1/14/23 2:00	10.8	96.3	6.8	80	10.1	39
1/14/23 2:15	10.9	96.2	6.9	94	9.9	54
1/14/23 2:30	11.0	97.8	6.9	86	10.0	33
1/14/23 2:45	10.5	93.4	6.8	70	10.3	19



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	11.5	101.5	7.2	102	9.7	55
1/14/23 3:15	11.7	102.3	7.3	107	9.6	44
1/14/23 3:30	10.8	95.8	6.9	81	10.1	37
1/14/23 3:45	11.5	101.1	7.2	101	9.7	39
1/14/23 4:00	11.3	99.6	7.1	99	9.8	67
1/14/23 4:15	11.3	99.5	7.1	100	9.7	53
1/14/23 4:30	11.0	97.4	6.9	98	9.8	60
1/14/23 4:45	11.4	100.5	7.1	100	9.7	47
1/14/23 5:00	10.9	96.7	6.9	91	10.0	38
1/14/23 5:15	11.3	99.9	7.1	97	9.8	78
1/14/23 5:30	11.4	100.1	7.1	99	9.7	57
1/14/23 5:45	11.1	98.0	7.0	89	9.9	39
1/14/23 6:00	11.3	99.3	7.0	94	9.8	47
1/14/23 6:15	11.3	99.2	7.0	96	9.8	67
1/14/23 6:30	11.2	98.7	7.0	95	9.8	43
1/14/23 6:45	11.1	98.1	7.0	92	9.9	47
1/14/23 7:00	11.2	98.8	7.0	88	9.9	73
1/14/23 7:15	11.2	98.7	7.0	92	9.9	42
1/14/23 7:30	11.1	98.1	6.9	88	9.9	54
1/14/23 7:45	11.1	98.4	7.0	89	9.9	46
1/14/23 8:00	11.4	100.2	7.1	96	9.7	51
1/14/23 8:15	11.4	100.1	7.1	95	9.7	47
1/14/23 8:30	10.5	93.2	6.7	76	10.2	31
1/14/23 8:45	11.1	97.9	6.9	90	9.9	39
1/14/23 9:00	11.1	98.4	7.0	89	9.9	50
1/14/23 9:15	11.3	99.4	7.0	93	9.8	38
1/14/23 9:30	11.1	98.3	6.9	86	9.9	45
1/14/23 9:45	10.8	96.2	6.8	80	10.1	55
1/14/23 10:00	11.0	97.2	6.9	80	10.0	42
1/14/23 10:15	10.9	96.3	6.8	85	10.0	42
1/14/23 10:30	11.2	98.9	7.0	90	9.8	40
1/14/23 10:45	11.1	98.0	6.9	85	9.9	38
1/14/23 11:00	11.4	100.3	7.1	94	9.7	53
1/14/23 11:15	10.9	96.9	6.8	77	10.0	35
1/14/23 11:30	11.2	98.3	7.0	99	9.6	63
1/14/23 11:45	11.0	97.6	6.9	79	10.0	44
1/14/23 12:00	11.1	97.8	6.9	84	9.9	46
1/14/23 12:15	11.2	98.9	7.1	89	9.7	45
1/14/23 12:30	11.3	99.4	7.0	92	9.7	42
1/14/23 12:45	11.2	98.9	7.0	87	9.8	63
1/14/23 13:00	11.4	100.1	7.1	98	9.6	52
1/14/23 13:15	11.2	98.8	7.0	89	9.7	50

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 13:30	11.2	98.7	7.0	91	9.7	48
1/14/23 13:45	11.1	97.9	6.9	83	9.8	37
1/14/23 14:00	11.1	97.5	6.9	85	9.8	48
1/14/23 14:15	10.7	94.6	6.8	77	10.0	31
1/14/23 14:30	10.8	95.2	6.8	79	9.9	57
1/14/23 14:45	10.9	96.5	6.8	80	9.9	38
1/14/23 15:00	11.0	97.3	6.9	79	9.9	45
1/14/23 15:15	11.4	99.3	7.1	99	9.5	54
1/14/23 15:30	10.6	93.0	6.9	95	9.7	59
1/14/23 15:45	10.3	91.7	6.6	72	10.1	35
1/14/23 16:00	10.3	91.2	6.6	75	10.1	37
1/14/23 16:15	10.3	91.0	6.6	69	10.0	25
1/14/23 16:30	10.9	96.4	6.8	79	9.9	46
1/14/23 16:45	10.8	95.7	6.8	80	9.9	42
1/14/23 17:00	10.9	95.9	6.8	79	9.9	36
1/14/23 17:15	10.7	94.2	6.7	77	9.9	40
1/14/23 17:30	11.0	96.7	6.9	85	9.7	51
1/14/23 17:45	10.9	95.9	6.8	81	9.8	44
1/14/23 18:00	11.0	96.9	6.9	88	9.7	49
1/14/23 18:15	11.3	99.1	7.1	103	9.4	86
1/14/23 18:30	10.9	95.6	6.9	82	9.8	41
1/14/23 18:45	10.4	92.2	6.6	70	10.1	26
1/14/23 19:00	10.5	93.1	6.8	72	10.0	32
1/14/23 19:15	10.8	95.1	6.7	86	9.8	43
1/14/23 19:30	10.8	95.5	6.8	77	9.9	41
1/14/23 19:45	10.8	95.3	6.8	75	9.8	33
1/14/23 20:00	10.5	93.3	6.7	72	10.0	29
1/14/23 20:15	11.3	99.2	7.1	91	9.5	72
1/14/23 20:30	11.0	96.9	6.9	79	9.8	72
1/14/23 20:45	10.7	94.8	6.8	70	9.9	25
1/14/23 21:00	11.4	100.1	7.2	92	9.5	55
1/14/23 21:15	10.9	95.8	6.8	77	9.9	33
1/14/23 21:30	10.8	95.0	6.8	73	9.9	32
1/14/23 21:45	11.3	99.2	7.0	93	9.5	96
1/14/23 22:00	10.8	95.0	6.8	75	9.9	31
1/14/23 22:15	10.9	96.3	6.9	78	9.8	39
1/14/23 22:30	11.0	97.0	6.9	89	9.6	71
1/14/23 22:45	11.3	98.7	7.0	88	9.6	53
1/14/23 23:00	11.4	99.8	7.1	93	9.5	62
1/14/23 23:15	10.5	92.7	6.6	75	10.0	39
1/14/23 23:30	11.3	98.8	7.0	87	9.6	77
1/14/23 23:45	10.7	94.4	6.7	73	10.0	46

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 0:00	11.4	99.8	7.1	82	9.6	42
1/15/23 0:15	11.0	96.4	6.8	83	9.7	63
1/15/23 0:30	10.9	96.3	6.9	85	9.7	57
1/15/23 0:45	11.0	97.4	6.9	71	9.8	28
1/15/23 1:00	10.9	96.5	6.9	66	9.9	33
1/15/23 1:15	10.7	94.8	6.7	65	10.0	33
1/15/23 1:30	10.9	95.8	6.8	72	9.8	46
1/15/23 1:45	10.6	93.8	6.7	67	9.9	27
1/15/23 2:00	10.6	93.2	6.6	73	9.9	72
1/15/23 2:15	11.2	98.1	7.0	86	9.5	50
1/15/23 2:30	10.9	96.1	6.8	82	9.6	53
1/15/23 2:45	11.0	96.4	6.9	75	9.6	44
1/15/23 3:00	10.7	94.3	6.8	70	9.7	39
1/15/23 3:15	11.0	96.7	6.9	84	9.6	63
1/15/23 3:30	11.3	98.9	7.0	87	9.4	58
1/15/23 3:45	10.7	94.3	6.7	81	9.7	70
1/15/23 4:00	10.6	93.4	6.6	69	9.8	43
1/15/23 4:15	11.2	98.0	7.0	78	9.6	45
1/15/23 4:30	10.9	96.0	6.8	77	9.7	60
1/15/23 4:45	10.8	95.1	6.8	69	9.8	42
1/15/23 5:00	11.0	97.0	6.8	80	9.6	48
1/15/23 5:15	11.6	101.3	7.2	99	9.2	133
1/15/23 5:30	10.9	95.9	6.8	75	9.7	54
1/15/23 5:45	11.0	96.5	6.8	74	9.7	43
1/15/23 6:00	11.1	97.2	6.9	83	9.6	58
1/15/23 6:15	10.6	93.7	6.6	83	9.7	58
1/15/23 6:30	11.5	100.4	7.1	91	9.4	64
1/15/23 6:45	11.0	97.1	6.8	80	9.7	59
1/15/23 7:00	10.7	94.5	6.7	82	9.8	46
1/15/23 7:15	10.8	95.2	6.8	66	9.9	44
1/15/23 7:30	11.1	97.1	6.9	83	9.7	60
1/15/23 7:45	11.4	99.9	7.1	82	9.5	51
1/15/23 8:00	11.1	97.4	6.9	79	9.7	52
1/15/23 8:15	11.4	99.9	7.1	88	9.5	81
1/15/23 8:30	11.3	98.8	7.0	93	9.5	107
1/15/23 8:45	11.5	100.6	7.2	95	9.3	84
1/15/23 9:00	11.4	99.6	7.1	83	9.6	54
1/15/23 9:15	11.4	99.7	7.1	90	9.5	72
1/15/23 9:30	11.1	97.8	6.9	79	9.7	46
1/15/23 9:45	11.5	100.4	7.2	90	9.4	76
1/15/23 10:00	11.4	100.2	7.1	87	9.5	59
1/15/23 10:15	11.0	97.1	6.9	81	9.7	53

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 10:30	11.2	98.6	7.0	85	9.6	83
1/15/23 10:45	11.2	98.4	6.9	87	9.6	73
1/15/23 11:00	11.3	99.0	7.0	82	9.6	56
1/15/23 11:15	11.0	97.2	6.9	74	9.7	47
1/15/23 11:30	11.1	97.8	6.9	80	9.7	53
1/15/23 11:45	11.3	99.1	7.0	79	9.6	55
1/15/23 12:00	11.5	100.7	7.1	92	9.4	103
1/15/23 12:15	11.4	99.9	7.1	94	9.4	69
1/15/23 12:30	11.5	100.3	7.1	95	9.3	73
1/15/23 12:45	11.1	98.0	7.0	73	9.7	49
1/15/23 13:00	11.7	101.6	7.2	95	9.3	78
1/15/23 13:15	11.7	101.7	7.2	95	9.3	75
1/15/23 13:30	11.2	98.5	6.9	82	9.6	72
1/15/23 13:45	11.2	98.6	7.0	77	9.7	59
1/15/23 14:00	11.1	97.2	6.9	73	9.7	47
1/15/23 14:15	11.6	101.1	7.1	89	9.4	78
1/15/23 14:30	10.9	95.9	6.8	78	9.7	42
1/15/23 14:45	11.7	101.6	7.3	94	9.2	80
1/15/23 15:00	10.9	95.9	6.8	78	9.6	71
1/15/23 15:15	11.5	99.8	7.1	92	9.3	95
1/15/23 15:30	11.2	98.1	6.9	86	9.5	86
1/15/23 15:45	11.2	98.1	7.0	83	9.5	44
1/15/23 16:00	11.0	96.3	6.9	80	9.6	89
1/15/23 16:15	10.9	95.3	6.8	82	9.6	46
1/15/23 16:30	11.0	96.8	6.9	79	9.6	61
1/15/23 16:45	10.8	95.0	6.9	82	9.6	53
1/15/23 17:00	10.1	89.8	6.5	59	10.0	21
1/15/23 17:15	11.2	97.8	7.0	86	9.5	65
1/15/23 17:30	11.3	98.2	7.0	96	9.3	100
1/15/23 17:45	11.5	100.0	7.2	100	9.2	74
1/15/23 18:00	11.7	101.7	7.3	101	9.1	111
1/15/23 18:15	11.0	96.3	6.9	73	9.6	42
1/15/23 18:30	11.0	96.3	6.9	75	9.7	52
1/15/23 18:45	11.2	97.7	7.0	81	9.5	65
1/15/23 19:00	11.6	101.0	7.2	95	9.2	74
1/15/23 19:15	11.6	101.2	7.2	97	9.2	92
1/15/23 19:30	11.1	97.5	6.9	78	9.6	51
1/15/23 19:45	11.7	101.7	7.2	96	9.2	73
1/15/23 20:00	11.6	100.6	7.1	95	9.3	80
1/15/23 20:15	11.4	99.6	7.1	84	9.5	57
1/15/23 20:30	11.5	100.5	7.1	91	9.4	70
1/15/23 20:45	10.8	95.4	6.8	78	9.8	54

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	11.9	103.9	7.3	88	9.2	57
1/15/23 21:15	11.7	101.8	7.2	95	9.3	85
1/15/23 21:30	11.4	99.6	7.0	94	9.4	67
1/15/23 21:45	11.4	99.6	7.1	93	9.4	64
1/15/23 22:00	11.3	99.5	7.0	83	9.6	94
1/15/23 22:15	11.4	99.9	7.0	85	9.6	59
1/15/23 22:30	11.5	100.8	7.1	87	9.5	71
1/15/23 22:45	11.6	101.2	7.1	93	9.4	84
1/15/23 23:00	11.1	98.1	6.9	79	9.8	46
1/15/23 23:15	11.2	98.6	6.9	81	9.7	74
1/15/23 23:30	11.7	102.1	7.2	94	9.3	80
1/15/23 23:45	11.3	99.3	7.0	80	9.7	55
1/16/23 0:00	11.3	99.2	6.9	75	9.8	48
1/16/23 0:15	11.9	102.9	7.3	99	9.1	83
1/16/23 0:30	11.4	100.1	7.1	86	9.5	55
1/16/23 0:45	11.2	98.8	6.9	82	9.7	77
1/16/23 1:00	11.5	100.2	7.0	92	9.4	72
1/16/23 1:15	11.3	99.0	7.0	83	9.6	64
1/16/23 1:30	11.2	98.4	6.9	86	9.6	63
1/16/23 1:45	11.2	98.7	6.9	81	9.7	49
1/16/23 2:00	11.3	99.0	6.9	83	9.6	45
1/16/23 2:15	11.5	99.8	7.0	94	9.3	110
1/16/23 2:30	11.9	103.2	7.4	99	9.0	104
1/16/23 2:45	11.5	100.0	7.0	90	9.3	72
1/16/23 3:00	11.2	98.5	6.9	82	9.6	58
1/16/23 3:15	11.1	97.1	6.9	84	9.6	69
1/16/23 3:30	11.2	97.8	6.9	79	9.6	41
1/16/23 3:45	11.2	97.7	6.9	84	9.5	50
1/16/23 4:00	10.9	96.1	6.8	74	9.7	37
1/16/23 4:15	11.3	98.9	7.0	84	9.4	64
1/16/23 4:30	11.1	97.3	6.9	81	9.5	49
1/16/23 4:45	11.0	96.2	6.8	81	9.6	49
1/16/23 5:00	11.3	98.8	7.0	87	9.3	72
1/16/23 5:15	11.3	98.4	6.9	86	9.4	55
1/16/23 5:30	11.0	96.6	6.8	83	9.4	60
1/16/23 5:45	11.0	96.1	6.8	80	9.5	64
1/16/23 6:00	11.1	97.3	6.9	83	9.4	51
1/16/23 6:15	11.4	99.0	7.0	83	9.3	41
1/16/23 6:30	11.4	98.9	7.0	87	9.3	49
1/16/23 6:45	11.4	99.2	7.1	89	9.2	83
1/16/23 7:00	10.8	94.5	6.7	80	9.5	49
1/16/23 7:15	11.0	96.0	6.8	79	9.5	34



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	11.0	95.7	6.8	84	9.4	49
1/16/23 7:45	11.0	95.6	6.7	83	9.4	55
1/16/23 8:00	11.0	96.1	6.8	81	9.4	72
1/16/23 8:15	10.9	94.8	6.7	81	9.4	49
1/16/23 8:30	11.0	96.2	6.8	80	9.4	34
1/16/23 8:45	11.0	96.1	6.8	83	9.4	39
1/16/23 9:00	11.2	97.3	6.9	87	9.2	41
1/16/23 9:15	10.9	95.4	6.8	79	9.4	32
1/16/23 9:30	11.1	96.8	6.9	81	9.3	34
1/16/23 9:45	11.3	98.0	6.9	91	9.1	53
1/16/23 10:00	11.2	97.1	6.9	84	9.2	39
1/16/23 10:15	11.2	97.5	6.9	84	9.2	31
1/16/23 10:30	11.2	97.3	6.9	89	9.1	44
1/16/23 10:45	11.3	97.7	6.9	89	9.1	57
1/16/23 11:00	11.0	95.6	6.8	87	9.2	39
1/16/23 11:15	10.9	95.2	6.8	79	9.3	38
1/16/23 11:30	11.4	98.6	7.0	93	9.0	46
1/16/23 11:45	11.4	98.5	7.0	92	9.0	79
1/16/23 12:00	11.2	97.5	6.9	85	9.1	44
1/16/23 12:15	11.3	98.1	7.0	86	9.0	41
1/16/23 12:30	11.1	96.5	6.9	81	9.1	38
1/16/23 12:45	11.2	96.6	6.9	85	9.1	42
1/16/23 13:00	11.5	99.1	7.0	96	8.8	61
1/16/23 13:15	11.4	98.4	7.0	92	8.9	43
1/16/23 13:30	11.8	101.2	7.2	103	8.7	62
1/16/23 13:45	11.6	99.7	7.1	92	8.8	44
1/16/23 14:00	11.3	97.7	6.9	91	8.9	48
1/16/23 14:15	11.5	99.2	7.1	95	8.8	42
1/16/23 14:30	11.2	96.8	6.9	87	8.9	42
1/16/23 14:45	11.1	96.1	6.9	85	9.0	46
1/16/23 15:00	11.4	98.2	7.0	90	8.9	36
1/16/23 15:15	11.3	97.4	7.0	82	8.9	32
1/16/23 15:30	11.2	96.4	6.9	84	9.0	29
1/16/23 15:45	11.3	97.0	6.9	90	8.8	38
1/16/23 16:00	11.3	97.2	6.9	88	8.9	44
1/16/23 16:15	11.0	95.3	6.8	86	8.9	37
1/16/23 16:30	11.4	98.3	7.0	96	8.7	50
1/16/23 16:45	11.4	97.9	7.0	95	8.7	47
1/16/23 17:00	11.3	96.9	6.9	102	8.7	54
1/16/23 17:15	11.4	98.2	7.0	96	8.7	44
1/16/23 17:30	11.2	96.4	6.9	90	8.8	38
1/16/23 17:45	11.2	96.8	6.9	92	8.8	37

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 18:00	11.3	97.0	6.9	86	8.8	27
1/16/23 18:15	11.5	99.2	7.1	84	8.8	37
1/16/23 18:30	11.2	96.8	7.0	95	8.8	45
1/16/23 18:45	11.5	99.2	7.0	100	8.8	44
1/16/23 19:00	11.7	100.9	7.2	103	8.7	44
1/16/23 19:15	11.5	99.4	7.1	98	8.8	60
1/16/23 19:30	11.5	99.1	7.1	98	8.9	49
1/16/23 19:45	11.7	100.7	7.2	105	8.8	83
1/16/23 20:00	11.9	102.1	7.3	103	8.7	49
1/16/23 20:15	11.6	99.6	7.1	97	8.9	36
1/16/23 20:30	11.7	100.8	7.2	100	8.9	38
1/16/23 20:45	11.7	101.0	7.2	104	8.8	55
1/16/23 21:00	11.8	101.5	7.2	105	8.8	55
1/16/23 21:15	11.7	101.0	7.2	101	8.9	58
1/16/23 21:30	11.7	101.1	7.2	104	8.9	40
1/16/23 21:45	11.8	101.8	7.2	107	8.9	45
1/16/23 22:00	11.1	96.2	6.9	85	9.2	25
1/16/23 22:15	11.6	100.4	7.1	102	9.0	37
1/16/23 22:30	11.8	102.1	7.3	103	9.0	49
1/16/23 22:45	11.7	101.4	7.2	105	8.9	58
1/16/23 23:00	11.7	101.2	7.2	105	8.9	46
1/16/23 23:15	11.7	101.2	7.2	103	9.0	58
1/16/23 23:30	11.7	101.2	7.2	103	9.0	42
1/16/23 23:45	11.7	101.1	7.2	105	9.0	41
1/17/23 0:00	11.7	100.8	7.2	109	8.9	37
1/17/23 0:15	11.6	100.2	7.1	101	9.0	40
1/17/23 0:30	11.7	100.9	7.2	105	8.9	47
1/17/23 0:45	11.8	101.8	7.2	106	8.9	41
1/17/23 1:00	11.6	100.3	7.1	103	9.0	42
1/17/23 1:15	11.7	101.2	7.2	104	8.9	55
1/17/23 1:30	11.5	99.3	7.1	105	8.9	40
1/17/23 1:45	11.8	101.6	7.2	108	8.8	44
1/17/23 2:00	11.7	101.1	7.2	106	8.9	49
1/17/23 2:15	11.7	101.1	7.2	107	8.8	42
1/17/23 2:30	11.7	101.1	7.2	106	8.8	53
1/17/23 2:45	11.8	101.4	7.3	109	8.8	43
1/17/23 3:00	11.6	100.1	7.1	105	8.9	47
1/17/23 3:15	11.6	100.2	7.2	105	8.8	35
1/17/23 3:30	11.7	101.1	7.2	104	8.8	40
1/17/23 3:45	11.8	101.4	7.3	110	8.7	92
1/17/23 4:00	11.6	100.1	7.2	110	8.7	41
1/17/23 4:15	11.7	100.7	7.2	108	8.7	41

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 4:30	11.8	101.1	7.2	107	8.7	40
1/17/23 4:45	11.7	100.6	7.2	108	8.7	38
1/17/23 5:00	11.7	100.7	7.2	107	8.7	38
1/17/23 5:15	11.8	101.6	7.3	110	8.7	54
1/17/23 5:30	11.7	100.6	7.2	110	8.7	35
1/17/23 5:45	11.9	102.3	7.4	113	8.6	39
1/17/23 6:00	11.8	101.4	7.3	109	8.7	45
1/17/23 6:15	12.0	102.8	7.5	120	8.5	84
1/17/23 6:30	11.8	101.3	7.3	110	8.7	35
1/17/23 6:45	11.8	100.9	7.2	110	8.7	34
1/17/23 7:00	11.7	100.8	7.2	111	8.7	43
1/17/23 7:15	11.8	101.5	7.3	111	8.7	40
1/17/23 7:30	11.9	101.9	7.3	113	8.6	62
1/17/23 7:45	11.8	101.4	7.3	116	8.6	67
1/17/23 8:00	11.9	102.3	7.3	114	8.6	41
1/17/23 8:15	11.9	102.3	7.3	112	8.6	42
1/17/23 8:30	11.7	100.4	7.2	108	8.7	43
1/17/23 8:45	11.8	101.1	7.2	112	8.6	39
1/17/23 9:00	11.9	101.6	7.3	110	8.6	37
1/17/23 9:15	11.8	101.1	7.2	109	8.6	61
1/17/23 9:30	11.9	101.7	7.3	113	8.6	38
1/17/23 9:45	11.7	100.4	7.2	105	8.6	33
1/17/23 10:00	11.9	101.9	7.3	112	8.5	50
1/17/23 10:15	11.8	101.2	7.3	113	8.5	54
1/17/23 10:30	11.9	102.0	7.3	115	8.5	77
1/17/23 10:45	12.0	102.1	7.4	114	8.5	43
1/17/23 11:00	12.0	102.5	7.4	121	8.4	42
1/17/23 11:15	12.0	102.4	7.4	117	8.4	53
1/17/23 11:30	11.8	101.0	7.2	111	8.5	49
1/17/23 11:45	11.9	101.5	7.3	115	8.4	40
1/17/23 12:00	11.9	101.2	7.3	115	8.4	44
1/17/23 12:15	11.9	101.5	7.3	119	8.4	34
1/17/23 12:30	11.9	101.5	7.3	114	8.4	43
1/17/23 12:45	12.0	102.0	7.4	116	8.4	42
1/17/23 13:00	12.0	102.5	7.4	117	8.3	55
1/17/23 13:15	11.9	101.6	7.3	114	8.4	37
1/17/23 13:30	11.9	101.2	7.3	114	8.3	43
1/17/23 13:45	11.9	101.3	7.3	115	8.3	34
1/17/23 14:00	12.1	102.6	7.5	117	8.3	49
1/17/23 14:15	12.0	102.1	7.4	116	8.3	42
1/17/23 14:30	12.0	101.5	7.3	115	8.3	39
1/17/23 14:45	11.6	98.7	7.1	105	8.3	30

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 15:00	10.9	93.1	6.8	88	8.4	21
1/17/23 15:15	11.7	99.7	7.2	108	8.3	35
1/17/23 15:30	11.7	99.6	7.2	107	8.3	33
1/17/23 15:45	11.8	100.2	7.2	109	8.3	36
1/17/23 16:00	11.8	99.9	7.2	108	8.3	41
1/17/23 16:15	11.7	99.1	7.1	105	8.3	38
1/17/23 16:30	11.8	99.9	7.2	106	8.2	57
1/17/23 16:45	11.8	100.0	7.2	108	8.3	49
1/17/23 17:00	11.9	101.0	7.3	111	8.2	36
1/17/23 17:15	11.8	100.0	7.2	109	8.2	34
1/17/23 17:30	11.7	99.3	7.1	103	8.3	29
1/17/23 17:45	11.8	100.0	7.2	107	8.3	31
1/17/23 18:00	11.8	100.0	7.2	108	8.3	30
1/17/23 18:15	11.9	101.3	7.3	114	8.3	36
1/17/23 18:30	11.9	101.1	7.3	118	8.2	57
1/17/23 18:45	11.8	100.4	7.2	113	8.3	47
1/17/23 19:00	11.8	100.3	7.2	109	8.4	30
1/17/23 19:15	12.0	102.1	7.4	125	8.2	39
1/17/23 19:30	11.8	100.6	7.2	117	8.4	35
1/17/23 19:45	11.9	101.3	7.3	122	8.4	55
1/17/23 20:00	12.0	102.6	7.3	121	8.4	35
1/17/23 20:15	12.0	102.7	7.3	125	8.4	40
1/17/23 20:30	11.9	101.7	7.2	125	8.5	42
1/17/23 20:45	11.9	102.1	7.3	120	8.6	31
1/17/23 21:00	12.0	102.3	7.3	121	8.5	38
1/17/23 21:15	11.9	101.6	7.2	122	8.6	41
1/17/23 21:30	12.1	103.4	7.4	124	8.5	39
1/17/23 21:45	11.8	101.5	7.2	115	8.7	36
1/17/23 22:00	11.8	101.1	7.2	116	8.7	30
1/17/23 22:15	12.0	102.7	7.3	115	8.7	49
1/17/23 22:30	11.9	101.9	7.2	118	8.7	29
1/17/23 22:45	12.0	102.6	7.3	127	8.5	35
1/17/23 23:00	11.7	100.9	7.1	117	8.7	34
1/17/23 23:15	11.9	101.8	7.2	117	8.7	35
1/17/23 23:30	11.7	100.9	7.1	116	8.7	29
1/17/23 23:45	12.1	103.2	7.4	128	8.5	35
1/18/23 0:00	11.9	102.0	7.2	124	8.6	36
1/18/23 0:15	11.9	101.8	7.2	120	8.7	30
1/18/23 0:30	12.1	103.4	7.4	128	8.5	43
1/18/23 0:45	12.0	102.8	7.3	123	8.6	26
1/18/23 1:00	12.1	103.0	7.4	129	8.5	32
1/18/23 1:15	11.8	101.1	7.2	122	8.6	30

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	12.0	102.5	7.3	122	8.6	28
1/18/23 1:45	12.0	102.7	7.3	126	8.5	47
1/18/23 2:00	12.0	102.9	7.4	124	8.5	34
1/18/23 2:15	12.1	103.4	7.4	129	8.4	35
1/18/23 2:30	11.7	100.6	7.2	116	8.6	25
1/18/23 2:45	12.1	103.4	7.4	129	8.4	55
1/18/23 3:00	11.8	101.0	7.2	118	8.6	33
1/18/23 3:15	12.0	102.1	7.3	122	8.5	36
1/18/23 3:30	12.0	102.8	7.4	125	8.4	46
1/18/23 3:45	11.9	102.2	7.3	120	8.5	32
1/18/23 4:00	12.0	102.4	7.3	120	8.5	42
1/18/23 4:15	11.9	101.9	7.3	118	8.5	33
1/18/23 4:30	11.8	101.2	7.2	115	8.6	36
1/18/23 4:45	11.8	101.1	7.2	116	8.6	30
1/18/23 5:00	11.8	100.9	7.2	115	8.6	27
1/18/23 5:15	11.9	102.0	7.3	118	8.5	27
1/18/23 5:30	11.9	101.4	7.2	116	8.5	26
1/18/23 5:45	11.7	100.3	7.1	114	8.5	28
1/18/23 6:00	11.8	101.1	7.2	116	8.5	27
1/18/23 6:15	11.8	100.9	7.2	116	8.5	29
1/18/23 6:30	11.8	101.1	7.2	117	8.5	24
1/18/23 6:45	11.9	101.4	7.2	118	8.4	27
1/18/23 7:00	11.9	101.6	7.3	119	8.4	26
1/18/23 7:15	11.9	101.2	7.2	118	8.4	30
1/18/23 7:30	12.0	102.5	7.4	119	8.3	28
1/18/23 7:45	11.9	100.9	7.2	123	8.3	35
1/18/23 8:00	11.7	100.2	7.2	116	8.4	24
1/18/23 8:15	12.0	102.2	7.4	127	8.2	36
1/18/23 8:30	11.9	101.2	7.2	122	8.3	26
1/18/23 8:45	11.8	100.5	7.2	119	8.4	26
1/18/23 9:00	11.9	101.4	7.3	119	8.3	23
1/18/23 9:15	11.9	100.9	7.2	123	8.3	28
1/18/23 9:30	11.9	101.2	7.3	124	8.3	30
1/18/23 9:45	11.8	100.7	7.2	121	8.3	27
1/18/23 10:00	11.7	99.8	7.1	118	8.4	22
1/18/23 10:15	11.9	100.8	7.2	123	8.3	28
1/18/23 10:30	11.9	101.3	7.3	126	8.2	29
1/18/23 10:45	11.7	99.7	7.1	119	8.3	31
1/18/23 11:00	12.1	102.3	7.4	132	8.1	32
1/18/23 11:15	11.9	100.8	7.3	128	8.2	31
1/18/23 11:30	12.0	101.7	7.3	125	8.2	37
1/18/23 11:45	11.9	101.2	7.3	123	8.2	23

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 12:00	12.0	101.7	7.3	125	8.2	26
1/18/23 12:15	11.9	101.2	7.3	121	8.3	28
1/18/23 12:30	12.2	102.8	7.5	130	8.1	31
1/18/23 12:45	12.1	102.6	7.4	129	8.1	33
1/18/23 13:00	12.1	102.4	7.4	128	8.1	33
1/18/23 13:15	12.2	103.2	7.5	127	8.0	30
1/18/23 13:30	12.1	102.2	7.3	117	8.2	27
1/18/23 13:45	12.1	102.3	7.4	124	8.1	33
1/18/23 14:00	12.0	101.5	7.3	120	8.2	29
1/18/23 14:15	12.1	102.2	7.4	124	8.1	26
1/18/23 14:30	12.0	101.9	7.3	122	8.1	25
1/18/23 14:45	12.1	102.4	7.4	127	8.0	33
1/18/23 15:00	12.0	101.7	7.3	121	8.1	28
1/18/23 15:15	12.0	101.3	7.3	119	8.1	29
1/18/23 15:30	12.1	102.0	7.4	121	8.1	32
1/18/23 15:45	12.1	102.2	7.4	120	8.1	30
1/18/23 16:00	12.1	102.1	7.4	122	8.0	22
1/18/23 16:15	11.9	100.7	7.2	116	8.2	27
1/18/23 16:30	11.9	100.8	7.3	117	8.1	24
1/18/23 16:45	12.0	101.6	7.3	117	8.1	23
1/18/23 17:00	11.9	101.0	7.3	116	8.1	24
1/18/23 17:15	11.8	100.3	7.2	115	8.1	27
1/18/23 17:30	11.8	100.3	7.2	115	8.1	26
1/18/23 17:45	11.9	101.0	7.3	115	8.1	42
1/18/23 18:00	12.1	101.9	7.4	119	8.0	24
1/18/23 18:15	11.8	100.3	7.2	113	8.2	22
1/18/23 18:30	11.9	100.6	7.3	117	8.1	26
1/18/23 18:45	11.8	99.7	7.2	115	8.1	24
1/18/23 19:00	11.9	101.0	7.3	118	8.1	23
1/18/23 19:15	11.8	100.0	7.2	116	8.2	21
1/18/23 19:30	12.1	101.7	7.4	126	8.0	32
1/18/23 19:45	11.9	100.9	7.2	121	8.1	26
1/18/23 20:00	11.8	100.2	7.2	121	8.1	24
1/18/23 20:15	11.7	99.4	7.1	117	8.2	25
1/18/23 20:30	11.7	99.4	7.1	121	8.2	29
1/18/23 20:45	11.6	98.9	7.1	119	8.3	20
1/18/23 21:00	11.5	98.1	7.0	118	8.3	19
1/18/23 21:15	11.7	99.1	7.1	122	8.3	24
1/18/23 21:30	11.8	99.7	7.1	127	8.2	28
1/18/23 21:45	11.6	98.9	7.1	120	8.3	26
1/18/23 22:00	11.7	99.0	7.1	127	8.2	24
1/18/23 22:15	11.5	98.0	7.0	122	8.3	24

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 22:30	11.9	100.4	7.2	130	8.1	30
1/18/23 22:45	11.6	98.7	7.0	122	8.3	20
1/18/23 23:00	11.9	100.5	7.2	127	8.1	25
1/18/23 23:15	11.7	99.3	7.1	125	8.2	21
1/18/23 23:30	11.7	98.7	7.1	133	8.1	36
1/18/23 23:45	11.7	99.6	7.1	126	8.3	21
1/19/23 0:00	11.8	99.6	7.1	128	8.1	25
1/19/23 0:15	11.7	99.9	7.1	119	8.3	17
1/19/23 0:30	12.0	101.5	7.3	129	8.0	23
1/19/23 0:45	11.9	100.8	7.2	129	8.1	26
1/19/23 1:00	11.7	99.4	7.1	122	8.2	25
1/19/23 1:15	11.8	100.1	7.1	117	8.2	18
1/19/23 1:30	11.8	99.6	7.1	122	8.2	23
1/19/23 1:45	11.6	98.4	7.0	113	8.3	19
1/19/23 2:00	11.5	97.7	6.9	109	8.4	18
1/19/23 2:15	11.9	100.6	7.2	128	8.0	33
1/19/23 2:30	11.8	100.0	7.2	124	8.0	29
1/19/23 2:45	11.9	100.2	7.2	121	8.0	23
1/19/23 3:00	12.2	102.1	7.4	130	7.8	22
1/19/23 3:15	11.9	100.6	7.2	123	7.9	37
1/19/23 3:30	12.1	101.5	7.3	128	7.8	29
1/19/23 3:45	12.0	100.9	7.3	128	7.8	28
1/19/23 4:00	12.2	102.1	7.4	129	7.7	26
1/19/23 4:15	12.1	101.7	7.3	124	7.8	31
1/19/23 4:30	11.9	100.1	7.1	113	8.0	19
1/19/23 4:45	11.8	99.8	7.2	121	7.9	24
1/19/23 5:00	11.8	98.9	7.1	118	7.9	23
1/19/23 5:15	12.0	100.8	7.3	122	7.8	26
1/19/23 5:30	11.9	99.8	7.2	116	7.9	20
1/19/23 5:45	11.9	100.3	7.2	116	7.9	27
1/19/23 6:00	12.1	101.4	7.3	120	7.8	25
1/19/23 6:15	11.9	100.4	7.2	112	7.9	21
1/19/23 6:30	12.0	100.6	7.2	114	7.8	25
1/19/23 6:45	12.0	101.1	7.3	117	7.8	27
1/19/23 7:00	11.9	100.2	7.2	116	7.8	22
1/19/23 7:15	11.9	99.8	7.2	112	7.8	20
1/19/23 7:30	12.0	100.8	7.3	119	7.7	23
1/19/23 7:45	12.0	100.8	7.2	118	7.7	30
1/19/23 8:00	11.9	99.3	7.1	118	7.7	26
1/19/23 8:15	12.1	101.4	7.3	124	7.6	28
1/19/23 8:30	12.0	100.5	7.3	119	7.6	24
1/19/23 8:45	12.0	100.6	7.3	122	7.6	24

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 9:00	11.8	98.7	7.1	121	7.7	24
1/19/23 9:15	12.0	100.8	7.2	119	7.7	24
1/19/23 9:30	12.2	101.6	7.3	123	7.6	26
1/19/23 9:45	12.1	101.3	7.3	122	7.6	22
1/19/23 10:00	11.8	98.8	7.1	115	7.7	23
1/19/23 10:15	12.0	100.7	7.2	120	7.7	24
1/19/23 10:30	11.8	98.7	7.1	112	7.8	21
1/19/23 10:45	12.0	100.5	7.2	122	7.6	26
1/19/23 11:00	12.1	101.1	7.2	123	7.6	25
1/19/23 11:15	12.3	102.2	7.4	130	7.4	29
1/19/23 11:30	12.1	101.1	7.3	125	7.5	21
1/19/23 11:45	12.1	100.9	7.2	120	7.6	20
1/19/23 12:00	12.1	101.0	7.3	124	7.5	23
1/19/23 12:15	12.0	100.5	7.2	125	7.5	21
1/19/23 12:30	12.2	101.4	7.3	126	7.5	25
1/19/23 12:45	12.1	101.1	7.3	122	7.5	20
1/19/23 13:00	12.0	100.1	7.2	119	7.6	19
1/19/23 13:15	12.1	100.7	7.2	118	7.6	22
1/19/23 13:30	12.0	100.5	7.2	121	7.5	21
1/19/23 13:45	12.1	100.6	7.2	121	7.5	21
1/19/23 14:00	12.0	100.3	7.2	121	7.5	24
1/19/23 14:15	11.9	99.4	7.2	118	7.5	35
1/19/23 14:30	11.8	98.7	7.2	118	7.5	20
1/19/23 14:45	11.9	99.4	7.2	118	7.4	22
1/19/23 15:00	12.0	100.2	7.2	118	7.5	19
1/19/23 15:15	12.1	101.1	7.3	120	7.4	23
1/19/23 15:30	12.1	100.7	7.3	120	7.4	21
1/19/23 15:45	12.2	101.2	7.3	120	7.4	25
1/19/23 16:00	12.0	100.1	7.2	117	7.4	23
1/19/23 16:15	12.1	101.0	7.3	118	7.4	19
1/19/23 16:30	12.0	99.4	7.2	117	7.4	19
1/19/23 16:45	11.1	92.5	6.9	105	7.5	15
1/19/23 17:00	12.2	101.0	7.3	121	7.3	24
1/19/23 17:15	12.2	101.5	7.3	119	7.4	23
1/19/23 17:30	12.1	100.3	7.2	116	7.4	19
1/19/23 17:45	12.1	100.5	7.2	114	7.4	21
1/19/23 18:00	12.1	100.4	7.2	116	7.4	22
1/19/23 18:15	12.0	99.9	7.2	112	7.5	22
1/19/23 18:30	12.0	100.5	7.2	113	7.5	18
1/19/23 18:45	12.0	100.3	7.2	111	7.6	16
1/19/23 19:00	11.8	99.0	7.1	107	7.7	19
1/19/23 19:15	11.8	99.2	7.1	108	7.7	18

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 19:30	12.2	101.7	7.3	114	7.6	20
1/19/23 19:45	12.2	102.1	7.3	118	7.6	25
1/19/23 20:00	12.1	101.1	7.2	118	7.7	24
1/19/23 20:15	11.9	100.0	7.1	112	7.9	21
1/19/23 20:30	11.9	100.2	7.1	118	7.8	22
1/19/23 20:45	12.1	101.0	7.2	130	7.7	26
1/19/23 21:00	11.5	96.9	7.0	120	7.9	20
1/19/23 21:15	11.8	99.7	7.0	127	8.0	20
1/19/23 21:30	11.8	100.3	7.1	128	8.1	21
1/19/23 21:45	11.8	99.8	7.1	135	8.0	22
1/19/23 22:00	11.6	98.8	6.9	129	8.3	20
1/19/23 22:15	11.4	97.4	6.9	125	8.4	16
1/19/23 22:30	11.6	98.9	7.0	133	8.3	18
1/19/23 22:45	11.7	99.2	7.0	136	8.2	19
1/19/23 23:00	11.8	100.0	7.1	138	8.2	20
1/19/23 23:15	11.9	100.8	7.1	141	8.2	20
1/19/23 23:30	11.8	99.9	7.1	141	8.2	21
1/19/23 23:45	11.8	100.2	7.1	143	8.1	21
1/20/23 0:00	12.0	101.1	7.2	144	8.0	17
1/20/23 0:15	11.9	100.8	7.1	142	8.1	22
1/20/23 0:30	11.7	99.6	7.0	136	8.3	17
1/20/23 0:45	12.1	101.8	7.2	146	7.9	26
1/20/23 1:00	11.8	99.9	7.1	135	8.2	19
1/20/23 1:15	12.0	101.4	7.2	142	8.0	17
1/20/23 1:30	11.9	100.2	7.1	138	8.0	19
1/20/23 1:45	11.9	100.3	7.1	139	8.0	18
1/20/23 2:00	12.1	101.8	7.3	144	7.8	22
1/20/23 2:15	11.9	100.4	7.1	141	7.9	23
1/20/23 2:30	12.0	101.2	7.2	142	7.8	26
1/20/23 2:45	11.9	100.0	7.1	135	8.0	19
1/20/23 3:00	12.1	101.1	7.2	141	7.8	22
1/20/23 3:15	12.1	101.6	7.3	139	7.7	19
1/20/23 3:30	12.2	102.4	7.3	138	7.6	18
1/20/23 3:45	12.2	102.3	7.3	139	7.6	21
1/20/23 4:00	12.2	102.0	7.3	137	7.6	26
1/20/23 4:15	12.3	102.5	7.3	137	7.6	25
1/20/23 4:30	12.2	102.2	7.3	139	7.5	22
1/20/23 4:45	12.1	101.2	7.2	132	7.6	19
1/20/23 5:00	12.2	102.2	7.3	134	7.6	22
1/20/23 5:15	12.1	101.5	7.3	130	7.6	25
1/20/23 5:30	12.3	102.3	7.3	135	7.5	21
1/20/23 5:45	11.4	95.2	6.9	120	7.7	12

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 6:00	12.1	101.1	7.3	129	7.5	22
1/20/23 6:15	11.8	99.2	7.1	118	7.7	17
1/20/23 6:30	12.0	100.6	7.2	123	7.6	20
1/20/23 6:45	12.0	99.9	7.1	120	7.6	18
1/20/23 7:00	11.9	99.8	7.1	118	7.6	19
1/20/23 7:15	12.0	99.7	7.1	121	7.5	19
1/20/23 7:30	11.9	99.3	7.1	119	7.5	16
1/20/23 7:45	12.1	100.8	7.2	120	7.5	24
1/20/23 8:00	12.1	101.0	7.2	122	7.4	18
1/20/23 8:15	12.1	100.4	7.2	120	7.4	21
1/20/23 8:30	11.5	96.2	7.0	106	7.5	14
1/20/23 8:45	11.9	99.0	7.1	115	7.5	18
1/20/23 9:00	11.9	99.4	7.1	116	7.4	16
1/20/23 9:15	11.9	99.2	7.1	114	7.5	19
1/20/23 9:30	12.1	100.4	7.2	123	7.3	19
1/20/23 9:45	11.6	96.3	6.9	113	7.4	16
1/20/23 10:00	11.8	98.7	7.0	112	7.5	16
1/20/23 10:15	11.9	99.2	7.0	112	7.6	17
1/20/23 10:30	12.3	101.6	7.3	134	7.2	22
1/20/23 10:45	12.1	100.4	7.2	130	7.3	21
1/20/23 11:00	11.9	98.6	7.1	117	7.4	14
1/20/23 11:15	12.0	99.8	7.1	122	7.5	17
1/20/23 11:30	12.0	99.3	7.1	129	7.3	18
1/20/23 11:45	12.0	99.5	7.1	130	7.3	19
1/20/23 12:00	11.7	96.9	7.0	121	7.4	15
1/20/23 12:15	11.9	99.0	7.1	124	7.4	14
1/20/23 12:30	12.1	100.5	7.2	135	7.2	20
1/20/23 12:45	11.9	98.9	7.1	131	7.3	21
1/20/23 13:00	11.9	98.5	7.1	130	7.2	14
1/20/23 13:15	12.0	99.8	7.2	132	7.2	19
1/20/23 13:30	12.0	99.7	7.1	129	7.3	18
1/20/23 13:45	12.0	99.1	7.1	128	7.3	13
1/20/23 14:00	12.2	100.8	7.3	136	7.1	18
1/20/23 14:15	11.7	96.7	7.0	125	7.1	17
1/20/23 14:30	11.5	94.8	7.0	119	7.1	9
1/20/23 14:45	12.0	99.3	7.2	131	7.1	18
1/20/23 15:00	12.2	100.5	7.2	133	7.1	17
1/20/23 15:15	12.2	100.8	7.3	131	7.1	17
1/20/23 15:30	12.2	101.1	7.3	130	7.1	20
1/20/23 15:45	11.9	98.4	7.1	124	7.1	16
1/20/23 16:00	12.0	99.5	7.2	123	7.1	15
1/20/23 16:15	11.5	94.5	6.9	116	7.0	16

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	11.9	98.4	7.1	124	7.1	16
1/20/23 16:45	11.8	97.1	7.1	120	7.1	13
1/20/23 17:00	11.7	96.9	7.0	119	7.1	15
1/20/23 17:15	12.3	101.1	7.3	126	7.0	15
1/20/23 17:30	12.4	101.8	7.4	127	7.0	21
1/20/23 17:45	12.1	100.1	7.2	121	7.1	18
1/20/23 18:00	12.2	101.1	7.3	122	7.1	20
1/20/23 18:15	12.2	100.9	7.3	123	7.0	17
1/20/23 18:30	12.3	101.3	7.3	122	7.1	18
1/20/23 18:45	12.1	100.2	7.2	116	7.2	14
1/20/23 19:00	12.2	101.3	7.3	119	7.2	17
1/20/23 19:15	12.4	102.3	7.4	122	7.1	17
1/20/23 19:30	12.2	101.1	7.2	116	7.3	16
1/20/23 19:45	11.8	97.8	7.0	105	7.3	12
1/20/23 20:00	12.1	100.7	7.1	115	7.4	16
1/20/23 20:15	12.1	100.4	7.1	114	7.4	13
1/20/23 20:30	11.9	99.2	7.1	110	7.5	14
1/20/23 20:45	11.9	99.8	7.0	110	7.6	15
1/20/23 21:00	11.6	97.0	6.9	107	7.6	11
1/20/23 21:15	11.7	97.4	6.9	111	7.6	12
1/20/23 21:30	11.6	97.6	6.9	114	7.8	12
1/20/23 21:45	11.8	99.1	7.0	123	7.8	17
1/20/23 22:00	11.9	100.1	7.1	128	7.8	15
1/20/23 22:15	11.8	99.6	7.0	133	8.0	13
1/20/23 22:30	12.0	100.9	7.1	143	7.8	17
1/20/23 22:45	11.8	99.3	7.0	145	7.9	16
1/20/23 23:00	11.8	99.3	7.0	150	8.0	17
1/20/23 23:15	11.8	99.7	7.1	154	8.0	15
1/20/23 23:30	11.6	98.2	7.0	151	8.2	13
1/20/23 23:45	11.7	99.2	7.0	159	8.0	17
1/21/23 0:00	11.7	99.1	7.0	158	8.0	15
1/21/23 0:15	11.5	96.9	6.9	156	8.0	15
1/21/23 0:30	11.7	98.6	7.0	161	7.8	16
1/21/23 0:45	11.3	95.5	6.9	152	7.9	12
1/21/23 1:00	11.9	100.0	7.1	160	7.7	15
1/21/23 1:15	11.6	97.1	7.0	153	7.8	13
1/21/23 1:30	11.9	99.4	7.1	160	7.7	15
1/21/23 1:45	11.6	97.9	7.0	153	7.8	14
1/21/23 2:00	11.6	97.4	6.9	153	7.8	11
1/21/23 2:15	11.8	98.9	7.1	154	7.7	17
1/21/23 2:30	11.7	98.3	7.0	153	7.8	13
1/21/23 2:45	11.5	96.9	6.9	150	7.8	12

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 3:00	11.8	98.6	7.0	153	7.7	14
1/21/23 3:15	12.1	100.8	7.2	157	7.5	21
1/21/23 3:30	11.9	99.7	7.1	154	7.6	15
1/21/23 3:45	11.9	99.5	7.1	152	7.6	13
1/21/23 4:00	12.0	100.4	7.2	150	7.5	17
1/21/23 4:15	12.0	100.3	7.2	147	7.5	15
1/21/23 4:30	12.0	99.9	7.1	145	7.5	18
1/21/23 4:45	12.0	100.2	7.1	139	7.6	14
1/21/23 5:00	12.1	100.6	7.2	142	7.5	15
1/21/23 5:15	11.9	99.0	7.1	138	7.5	16
1/21/23 5:30	12.2	101.4	7.3	149	7.2	17
1/21/23 5:45	12.2	101.0	7.3	149	7.2	16
1/21/23 6:00	12.2	101.0	7.3	146	7.2	17
1/21/23 6:15	12.1	100.1	7.2	145	7.3	15
1/21/23 6:30	12.2	100.8	7.3	143	7.2	16
1/21/23 6:45	11.9	98.3	7.1	138	7.3	12
1/21/23 7:00	11.9	99.1	7.1	130	7.3	11
1/21/23 7:15	12.0	99.2	7.1	133	7.2	16
1/21/23 7:30	11.6	96.4	7.0	128	7.2	13
1/21/23 7:45	12.0	99.0	7.1	130	7.2	13
1/21/23 8:00	12.1	99.9	7.2	129	7.1	22
1/21/23 8:15	11.0	91.1	6.7	113	7.1	8
1/21/23 8:30	12.0	99.6	7.1	123	7.2	15
1/21/23 8:45	11.1	91.9	6.8	110	7.2	9
1/21/23 9:00	11.8	98.2	7.0	115	7.3	13
1/21/23 9:15	11.9	98.4	7.1	119	7.2	12
1/21/23 9:30	11.9	98.7	7.1	120	7.1	12
1/21/23 9:45	12.0	98.7	7.1	123	7.1	15
1/21/23 10:00	11.7	96.4	7.0	116	7.1	9
1/21/23 10:15	11.9	98.3	7.1	118	7.1	13
1/21/23 10:30	11.6	96.1	7.0	115	7.1	11
1/21/23 10:45	12.0	98.8	7.1	124	7.0	15
1/21/23 11:00	11.7	96.3	7.0	122	7.0	13
1/21/23 11:15	11.9	98.0	7.1	123	7.0	13
1/21/23 11:30	11.3	93.4	6.9	112	7.0	11
1/21/23 11:45	11.0	90.6	6.8	113	7.0	11
1/21/23 12:00	11.9	98.1	7.1	128	7.1	14
1/21/23 12:15	11.9	97.9	7.1	128	7.0	15
1/21/23 12:30	11.7	96.5	7.0	126	7.0	11
1/21/23 12:45	11.7	96.0	7.0	123	7.0	12
1/21/23 13:00	12.3	100.8	7.3	143	6.9	13
1/21/23 13:15	11.8	97.5	7.1	130	7.0	13

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 13:30	12.0	98.9	7.1	136	7.0	12
1/21/23 13:45	11.6	95.1	6.9	127	6.9	11
1/21/23 14:00	12.1	99.6	7.2	138	7.0	14
1/21/23 14:15	12.3	100.8	7.3	141	6.9	16
1/21/23 14:30	12.1	99.6	7.2	139	6.9	14
1/21/23 14:45	11.5	94.5	7.0	126	6.9	7
1/21/23 15:00	12.0	98.3	7.1	136	6.9	15
1/21/23 15:15	12.2	100.0	7.3	139	6.9	18
1/21/23 15:30	12.2	99.8	7.3	138	6.9	15
1/21/23 15:45	12.3	100.6	7.3	139	6.9	17
1/21/23 16:00	12.4	101.4	7.4	139	6.8	17
1/21/23 16:15	12.4	101.8	7.4	139	6.8	17
1/21/23 16:30	12.4	101.8	7.4	139	6.8	19
1/21/23 16:45	11.8	96.5	7.1	126	6.8	13
1/21/23 17:00	11.9	97.9	7.1	130	6.8	14
1/21/23 17:15	12.2	100.4	7.3	133	6.8	15
1/21/23 17:30	12.1	99.4	7.2	130	6.8	13
1/21/23 17:45	12.1	99.6	7.3	129	6.8	15
1/21/23 18:00	12.4	101.7	7.3	127	6.9	15
1/21/23 18:15	12.0	98.8	7.2	125	6.9	14
1/21/23 18:30	12.2	100.3	7.3	125	6.9	14
1/21/23 18:45	11.9	97.6	7.1	121	6.9	12
1/21/23 19:00	12.3	100.9	7.3	124	7.0	15
1/21/23 19:15	11.8	97.6	7.1	118	7.0	12
1/21/23 19:30	12.3	101.3	7.3	123	7.1	16
1/21/23 19:45	12.3	101.6	7.3	120	7.1	14
1/21/23 20:00	12.0	99.3	7.1	112	7.3	11
1/21/23 20:15	12.3	101.3	7.3	122	7.1	17
1/21/23 20:30	12.1	100.1	7.1	121	7.1	15
1/21/23 20:45	12.1	100.3	7.2	118	7.2	14
1/21/23 21:00	12.3	102.2	7.3	121	7.2	18
1/21/23 21:15	12.1	100.5	7.2	117	7.3	13
1/21/23 21:30	11.9	98.4	7.0	111	7.3	12
1/21/23 21:45	12.3	101.9	7.3	124	7.2	17
1/21/23 22:00	11.9	99.1	7.0	112	7.5	11
1/21/23 22:15	12.0	99.8	7.0	119	7.5	12
1/21/23 22:30	12.0	100.0	7.0	119	7.6	12
1/21/23 22:45	11.8	98.9	7.0	119	7.6	11
1/21/23 23:00	11.8	99.5	7.0	126	7.8	10
1/21/23 23:15	12.1	101.0	7.2	133	7.5	12
1/21/23 23:30	11.9	99.5	7.1	147	7.5	18
1/21/23 23:45	12.0	100.2	7.1	150	7.6	15

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 0:00	11.9	99.5	7.1	155	7.7	13
1/22/23 0:15	12.0	100.4	7.2	166	7.5	14
1/22/23 0:30	11.9	100.0	7.1	172	7.7	15
1/22/23 0:45	11.9	99.4	7.1	176	7.7	15
1/22/23 1:00	11.9	99.7	7.1	176	7.7	14
1/22/23 1:15	11.9	99.9	7.1	178	7.6	18
1/22/23 1:30	12.0	100.5	7.2	179	7.6	16
1/22/23 1:45	11.9	99.5	7.1	178	7.7	16
1/22/23 2:00	11.9	99.7	7.1	177	7.6	15
1/22/23 2:15	12.0	100.1	7.2	176	7.6	13
1/22/23 2:30	11.9	99.4	7.1	177	7.7	15
1/22/23 2:45	12.0	100.1	7.2	179	7.6	14
1/22/23 3:00	11.5	97.3	7.0	177	7.9	11
1/22/23 3:15	11.9	99.5	7.1	174	7.6	16
1/22/23 3:30	11.8	98.9	7.1	176	7.7	13
1/22/23 3:45	12.0	100.3	7.2	177	7.7	13
1/22/23 4:00	12.2	101.5	7.3	173	7.5	13
1/22/23 4:15	11.4	96.3	6.9	171	8.0	9
1/22/23 4:30	11.8	98.6	7.0	166	7.7	14
1/22/23 4:45	12.4	102.8	7.4	164	7.3	17
1/22/23 5:00	12.1	100.7	7.2	160	7.4	14
1/22/23 5:15	12.1	100.7	7.2	155	7.5	11
1/22/23 5:30	11.8	98.3	7.0	156	7.6	11
1/22/23 5:45	12.1	100.8	7.2	156	7.4	13
1/22/23 6:00	12.0	100.3	7.2	156	7.4	14
1/22/23 6:15	12.0	99.7	7.2	156	7.4	7
1/22/23 6:30	11.6	97.0	7.0	155	7.6	11
1/22/23 6:45	12.1	100.2	7.2	152	7.4	13
1/22/23 7:00	12.0	100.3	7.2	148	7.4	13
1/22/23 7:15	12.3	102.1	7.3	145	7.3	14
1/22/23 7:30	11.9	99.1	7.1	148	7.4	12
1/22/23 7:45	12.0	99.6	7.1	148	7.4	12
1/22/23 8:00	12.3	101.8	7.3	143	7.3	13
1/22/23 8:15	12.3	101.9	7.3	139	7.2	14
1/22/23 8:30	12.4	102.2	7.4	140	7.1	14
1/22/23 8:45	11.5	95.8	6.9	138	7.5	10
1/22/23 9:00	11.4	94.9	6.9	134	7.5	8
1/22/23 9:15	11.9	99.0	7.1	134	7.4	12
1/22/23 9:30	12.2	101.5	7.2	127	7.3	13
1/22/23 9:45	12.1	100.7	7.2	126	7.3	11
1/22/23 10:00	12.1	100.1	7.2	126	7.3	11
1/22/23 10:15	12.1	100.5	7.2	125	7.3	12



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 10:30	10.9	90.8	6.6	108	7.4	7
1/22/23 10:45	11.7	97.1	7.0	120	7.3	10
1/22/23 11:00	11.8	98.1	7.1	121	7.3	10
1/22/23 11:15	11.4	94.9	6.9	115	7.3	9
1/22/23 11:30	11.9	98.3	7.1	119	7.3	10
1/22/23 11:45	11.6	96.1	6.9	116	7.3	9
1/22/23 12:00	11.8	97.7	7.0	116	7.3	8
1/22/23 12:15	12.1	100.2	7.2	124	7.2	11
1/22/23 12:30	10.7	88.8	6.6	103	7.4	6
1/22/23 12:45	11.6	95.9	6.9	116	7.3	10
1/22/23 13:00	12.0	99.6	7.1	128	7.2	11
1/22/23 13:15	11.6	96.5	7.0	123	7.2	9
1/22/23 13:30	11.3	93.5	6.8	117	7.3	8
1/22/23 13:45	11.6	96.0	7.0	122	7.3	10
1/22/23 14:00	11.0	91.2	6.8	115	7.3	7
1/22/23 14:15	11.5	95.7	7.0	127	7.2	10
1/22/23 14:30	11.8	97.7	7.1	135	7.2	11
1/22/23 14:45	11.8	97.7	7.1	134	7.2	10
1/22/23 15:00	11.0	90.8	6.7	117	7.3	6
1/22/23 15:15	11.9	98.5	7.1	141	7.1	12
1/22/23 15:30	12.0	99.0	7.2	141	7.1	12
1/22/23 15:45	11.9	98.4	7.1	139	7.2	12
1/22/23 16:00	12.1	99.8	7.2	142	7.1	12
1/22/23 16:15	12.3	101.3	7.3	148	7.0	13
1/22/23 16:30	12.2	100.2	7.3	144	7.0	13
1/22/23 16:45	11.8	97.7	7.1	139	7.1	10
1/22/23 17:00	12.3	101.5	7.4	147	7.0	12
1/22/23 17:15	12.0	99.3	7.2	141	7.0	12
1/22/23 17:30	12.3	101.0	7.3	144	7.0	15
1/22/23 17:45	11.8	97.9	7.1	135	7.1	10
1/22/23 18:00	11.7	97.1	7.0	128	7.3	10
1/22/23 18:15	12.1	100.5	7.2	134	7.2	11
1/22/23 18:30	12.1	100.6	7.2	134	7.3	11
1/22/23 18:45	12.1	100.0	7.2	132	7.3	11
1/22/23 19:00	12.1	100.4	7.2	132	7.3	11
1/22/23 19:15	12.0	99.6	7.1	127	7.4	9
1/22/23 19:30	12.0	99.6	7.1	129	7.4	11
1/22/23 19:45	12.3	102.3	7.4	132	7.2	12
1/22/23 20:00	12.0	99.4	7.2	132	7.3	10
1/22/23 20:15	12.2	101.7	7.3	127	7.4	14
1/22/23 20:30	12.2	101.6	7.3	128	7.5	12
1/22/23 20:45	12.2	101.8	7.2	126	7.5	9

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	12.1	101.1	7.2	122	7.6	11
1/22/23 21:15	12.1	101.4	7.2	124	7.6	12
1/22/23 21:30	12.4	102.9	7.4	129	7.4	14
1/22/23 21:45	11.9	99.7	7.1	120	7.6	11
1/22/23 22:00	11.3	94.8	6.8	106	7.7	8
1/22/23 22:15	12.0	100.8	7.2	121	7.7	12
1/22/23 22:30	11.7	98.2	7.0	119	7.8	11
1/22/23 22:45	12.1	101.4	7.2	123	7.7	13
1/22/23 23:00	11.7	97.7	7.0	116	7.7	10
1/22/23 23:15	12.1	101.3	7.2	126	7.8	15
1/22/23 23:30	11.9	100.3	7.1	128	8.0	10
1/22/23 23:45	11.8	99.8	7.1	130	8.0	12
1/23/23 0:00	11.5	97.2	6.9	130	8.0	11
1/23/23 0:15	11.8	99.6	7.1	144	8.0	10
1/23/23 0:30	11.5	97.2	6.9	154	8.2	10
1/23/23 0:45	11.8	99.2	7.1	165	7.9	13
1/23/23 1:00	11.9	99.6	7.2	169	7.7	14
1/23/23 1:15	11.4	96.8	6.9	171	8.1	12
1/23/23 1:30	11.6	97.8	7.1	178	7.9	13
1/23/23 1:45	11.6	97.1	7.1	186	7.8	15
1/23/23 2:00	11.9	99.5	7.2	193	7.7	16
1/23/23 2:15	12.0	100.1	7.3	192	7.6	16
1/23/23 2:30	12.0	99.9	7.3	193	7.6	13
1/23/23 2:45	11.9	99.3	7.2	191	7.5	13
1/23/23 3:00	11.8	98.6	7.2	189	7.5	12
1/23/23 3:15	12.0	99.9	7.3	193	7.4	14
1/23/23 3:30	12.0	100.0	7.3	195	7.5	14
1/23/23 3:45	12.0	99.6	7.2	191	7.5	15
1/23/23 4:00	12.1	100.4	7.3	191	7.4	12
1/23/23 4:15	11.9	99.4	7.2	189	7.5	11
1/23/23 4:30	12.3	101.7	7.4	188	7.3	14
1/23/23 4:45	11.9	99.3	7.2	183	7.4	11
1/23/23 5:00	12.0	99.8	7.2	183	7.3	11
1/23/23 5:15	11.9	98.8	7.2	181	7.3	11
1/23/23 5:30	11.8	98.3	7.2	178	7.4	9
1/23/23 5:45	12.1	100.2	7.3	177	7.3	12
1/23/23 6:00	11.9	98.9	7.2	173	7.4	10
1/23/23 6:15	12.1	100.3	7.2	170	7.3	12
1/23/23 6:30	11.7	97.5	7.1	168	7.4	10
1/23/23 6:45	12.2	100.6	7.3	165	7.2	11
1/23/23 7:00	12.3	101.4	7.3	164	7.2	12
1/23/23 7:15	12.1	100.3	7.3	164	7.1	9

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 7:30	12.2	100.4	7.3	163	7.1	9
1/23/23 7:45	11.6	96.1	7.1	161	7.2	9
1/23/23 8:00	11.7	96.8	7.1	159	7.2	10
1/23/23 8:15	11.8	97.9	7.2	157	7.1	10
1/23/23 8:30	11.5	95.6	7.0	160	7.2	9
1/23/23 8:45	11.9	97.9	7.1	155	7.1	11
1/23/23 9:00	12.2	100.2	7.3	149	7.0	11
1/23/23 9:15	11.9	98.5	7.2	149	7.1	10
1/23/23 9:30	11.9	98.2	7.2	149	7.1	10
1/23/23 9:45	12.0	99.3	7.2	142	7.0	11
1/23/23 10:00	11.5	95.1	7.0	139	7.2	9
1/23/23 10:15	12.2	100.2	7.3	135	7.0	9
1/23/23 10:30	11.9	98.2	7.1	134	7.1	8
1/23/23 10:45	12.0	98.9	7.1	131	7.1	9
1/23/23 11:00	12.1	100.0	7.2	128	7.1	10
1/23/23 11:15	10.7	88.2	6.6	110	7.1	6
1/23/23 11:30	11.9	98.2	7.1	125	7.1	10
1/23/23 11:45	11.5	95.3	7.0	119	7.1	7
1/23/23 12:00	11.0	90.5	6.8	115	7.1	6
1/23/23 12:15	11.8	97.6	7.1	125	7.0	9
1/23/23 12:30	11.2	92.6	6.9	116	7.1	7
1/23/23 12:45	11.6	96.0	7.0	123	7.1	9
1/23/23 13:00	11.4	94.1	6.9	121	7.0	8
1/23/23 13:15	11.2	92.2	6.8	120	7.0	7
1/23/23 13:30	10.6	87.7	6.7	110	7.0	7
1/23/23 13:45	11.1	91.7	6.8	122	7.0	8
1/23/23 14:00	11.1	91.5	6.8	125	7.0	6
1/23/23 14:15	11.6	95.8	7.0	143	7.1	9
1/23/23 14:30	11.6	95.4	7.0	145	7.1	8
1/23/23 14:45	11.6	95.8	7.0	147	7.1	9
1/23/23 15:00	11.4	94.2	6.9	143	7.2	6
1/23/23 15:15	11.5	94.4	6.9	147	7.1	7
1/23/23 15:30	11.5	95.1	7.0	149	7.0	8
1/23/23 15:45	11.6	95.3	7.0	150	7.0	7
1/23/23 16:00	11.4	94.1	7.0	149	6.9	8
1/23/23 16:15	11.9	97.7	7.2	158	6.9	9
1/23/23 16:30	12.1	99.6	7.3	161	6.9	10
1/23/23 16:45	12.0	98.8	7.2	157	6.9	10
1/23/23 17:00	11.7	96.6	7.0	146	7.0	7
1/23/23 17:15	12.3	100.9	7.4	159	6.9	12
1/23/23 17:30	12.1	99.2	7.2	155	6.9	9
1/23/23 17:45	12.1	99.1	7.2	155	6.9	10

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 18:00	12.1	99.3	7.2	155	6.9	10
1/23/23 18:15	12.1	99.4	7.2	152	6.9	11
1/23/23 18:30	12.2	100.7	7.3	153	6.9	10
1/23/23 18:45	11.4	94.4	7.0	142	7.0	6
1/23/23 19:00	11.5	95.1	7.0	144	7.0	8
1/23/23 19:15	11.6	95.5	7.0	141	7.0	9
1/23/23 19:30	11.7	97.0	7.1	140	7.1	7
1/23/23 19:45	12.2	100.7	7.3	144	7.1	10
1/23/23 20:00	12.1	100.0	7.2	141	7.2	10
1/23/23 20:15	11.8	98.0	7.1	137	7.3	7
1/23/23 20:30	11.9	99.4	7.1	129	7.4	8
1/23/23 20:45	12.0	99.5	7.1	130	7.4	8
1/23/23 21:00	12.0	100.1	7.1	127	7.5	10
1/23/23 21:15	12.0	100.2	7.1	128	7.5	10
1/23/23 21:30	12.1	100.9	7.2	131	7.4	10
1/23/23 21:45	11.8	98.9	7.0	125	7.7	8
1/23/23 22:00	11.8	98.2	7.0	126	7.6	9
1/23/23 22:15	11.9	98.9	7.1	126	7.5	9
1/23/23 22:30	11.8	98.4	7.1	124	7.5	9
1/23/23 22:45	11.9	99.8	7.1	118	7.8	8
1/23/23 23:00	12.0	100.8	7.1	123	7.8	9
1/23/23 23:15	11.6	98.3	6.9	115	8.1	7
1/23/23 23:30	11.4	96.4	6.8	110	8.0	6
1/23/23 23:45	11.7	98.6	7.0	120	7.8	8
1/24/23 0:00	11.5	96.9	6.9	119	8.0	6
1/24/23 0:15	11.4	96.4	6.8	122	8.1	7
1/24/23 0:30	11.6	97.7	7.0	137	7.8	9
1/24/23 0:45	11.2	95.0	6.8	133	8.2	5
1/24/23 1:00	11.6	97.5	7.0	160	7.9	10
1/24/23 1:15	11.6	97.4	7.0	165	7.7	11
1/24/23 1:30	11.9	99.3	7.2	174	7.6	11
1/24/23 1:45	11.8	98.3	7.1	179	7.5	12
1/24/23 2:00	11.9	98.9	7.2	191	7.4	13
1/24/23 2:15	11.9	99.3	7.3	203	7.4	12
1/24/23 2:30	11.8	97.9	7.2	207	7.4	13
1/24/23 2:45	11.9	98.4	7.2	209	7.3	12
1/24/23 3:00	11.8	98.1	7.2	219	7.4	12
1/24/23 3:15	11.9	98.6	7.3	218	7.3	14
1/24/23 3:30	12.0	99.2	7.3	223	7.3	14
1/24/23 3:45	12.1	100.0	7.3	216	7.2	11
1/24/23 4:00	11.7	96.9	7.2	220	7.3	13
1/24/23 4:15	12.0	99.4	7.3	218	7.2	12

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 4:30	11.9	98.5	7.2	221	7.3	13
1/24/23 4:45	12.1	99.9	7.3	218	7.2	11
1/24/23 5:00	12.0	99.7	7.3	220	7.2	13
1/24/23 5:15	12.2	100.5	7.4	204	7.1	13
1/24/23 5:30	12.3	101.4	7.4	199	7.0	11
1/24/23 5:45	12.2	100.8	7.4	196	7.1	12
1/24/23 6:00	12.2	100.4	7.3	195	7.1	9
1/24/23 6:15	11.9	98.8	7.2	188	7.2	10
1/24/23 6:30	12.3	101.2	7.4	181	7.0	10
1/24/23 6:45	12.3	101.3	7.4	180	7.0	11
1/24/23 7:00	12.3	101.1	7.4	180	7.0	9
1/24/23 7:15	12.3	101.0	7.4	175	7.0	9
1/24/23 7:30	12.2	100.3	7.3	177	7.0	10
1/24/23 7:45	12.4	101.7	7.4	170	6.9	11
1/24/23 8:00	12.5	102.2	7.5	163	6.8	11
1/24/23 8:15	12.4	101.6	7.4	166	6.8	11
1/24/23 8:30	12.4	101.9	7.5	165	6.8	11
1/24/23 8:45	12.4	101.8	7.5	164	6.8	10
1/24/23 9:00	12.4	101.8	7.5	163	6.8	10
1/24/23 9:15	12.5	102.1	7.5	158	6.7	10
1/24/23 9:30	12.4	101.6	7.5	158	6.7	12
1/24/23 9:45	12.2	100.3	7.4	169	6.8	9
1/24/23 10:00	12.5	102.3	7.5	146	6.6	12
1/24/23 10:15	12.5	102.1	7.5	144	6.6	10
1/24/23 10:30	12.4	101.6	7.4	147	6.7	12
1/24/23 10:45	11.9	97.5	7.2	153	6.8	9
1/24/23 11:00	12.5	101.7	7.4	138	6.7	10
1/24/23 11:15	12.4	101.6	7.4	138	6.7	10
1/24/23 11:30	11.9	97.7	7.1	142	6.8	10
1/24/23 11:45	12.3	100.8	7.3	136	6.7	9
1/24/23 12:00	12.4	101.2	7.3	133	6.7	10
1/24/23 12:15	12.3	100.8	7.3	134	6.7	10
1/24/23 12:30	12.3	100.8	7.3	133	6.7	11
1/24/23 12:45	12.3	100.2	7.3	136	6.6	9
1/24/23 13:00	11.9	97.4	7.1	130	6.7	9
1/24/23 13:15	12.1	99.1	7.2	131	6.6	10
1/24/23 13:30	11.5	93.7	7.0	125	6.6	6
1/24/23 13:45	12.1	99.0	7.2	131	6.7	8
1/24/23 14:00	12.1	98.9	7.2	128	6.7	10
1/24/23 14:15	12.0	98.4	7.1	128	6.7	8
1/24/23 14:30	11.8	96.5	7.0	124	6.7	8
1/24/23 14:45	11.7	96.2	7.0	123	6.8	7

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 15:00	11.9	97.3	7.1	130	6.7	7
1/24/23 15:15	12.0	98.4	7.2	133	6.7	8
1/24/23 15:30	11.9	97.4	7.1	128	6.6	7
1/24/23 15:45	11.5	93.6	6.9	129	6.6	9
1/24/23 16:00	12.0	98.2	7.2	139	6.6	8
1/24/23 16:15	12.0	97.9	7.1	141	6.6	8
1/24/23 16:30	12.1	99.0	7.2	147	6.6	8
1/24/23 16:45	11.6	94.6	7.0	139	6.6	8
1/24/23 17:00	12.0	98.1	7.2	147	6.6	11
1/24/23 17:15	11.9	97.3	7.1	146	6.6	9
1/24/23 17:30	12.0	97.9	7.2	149	6.6	9
1/24/23 17:45	12.3	100.3	7.3	154	6.6	9
1/24/23 18:00	12.3	100.3	7.3	158	6.6	10
1/24/23 18:15	12.3	100.3	7.3	158	6.6	9
1/24/23 18:30	12.4	101.1	7.4	159	6.7	11
1/24/23 18:45	12.4	101.1	7.4	158	6.7	10
1/24/23 19:00	12.4	101.8	7.4	157	6.7	9
1/24/23 19:15	12.4	101.5	7.4	156	6.7	10
1/24/23 19:30	12.5	102.0	7.4	156	6.8	10
1/24/23 19:45	12.5	102.2	7.5	153	6.8	10
1/24/23 20:00	12.4	101.4	7.4	151	6.8	9
1/24/23 20:15	12.3	101.3	7.4	150	6.8	12
1/24/23 20:30	12.2	100.4	7.3	147	6.9	10
1/24/23 20:45	12.3	101.4	7.3	145	6.9	11
1/24/23 21:00	12.3	101.0	7.3	144	7.0	10
1/24/23 21:15	12.5	102.8	7.4	144	7.0	8
1/24/23 21:30	12.2	100.6	7.2	142	7.1	8
1/24/23 21:45	12.2	101.8	7.2	133	7.5	8
1/24/23 22:00	12.0	100.1	7.1	134	7.5	6
1/24/23 22:15	12.4	102.5	7.3	137	7.3	10
1/24/23 22:30	12.1	100.9	7.1	133	7.6	8
1/24/23 22:45	12.1	101.4	7.1	125	7.7	9
1/24/23 23:00	12.1	101.5	7.1	126	7.7	7
1/24/23 23:15	12.4	103.0	7.3	132	7.5	9
1/24/23 23:30	12.1	101.2	7.1	127	7.7	9
1/24/23 23:45	12.4	103.3	7.3	134	7.3	9
1/25/23 0:00	12.3	102.3	7.3	131	7.5	8
1/25/23 0:15	11.7	97.5	7.0	120	7.5	7
1/25/23 0:30	12.1	101.2	7.2	126	7.6	7
1/25/23 0:45	11.7	97.6	7.0	118	7.5	7
1/25/23 1:00	11.9	99.5	7.1	126	7.5	8
1/25/23 1:15	11.5	96.4	6.9	117	7.7	6

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 1:30	11.7	97.3	6.9	125	7.5	7
1/25/23 1:45	11.6	96.6	6.9	121	7.6	7
1/25/23 2:00	11.5	96.2	6.9	127	7.6	8
1/25/23 2:15	11.8	98.0	7.0	135	7.4	7
1/25/23 2:30	12.0	99.4	7.1	145	7.3	7
1/25/23 2:45	11.7	97.2	7.0	148	7.4	8
1/25/23 3:00	11.8	97.8	7.1	162	7.3	8
1/25/23 3:15	11.7	97.3	7.1	176	7.4	8
1/25/23 3:30	11.7	97.2	7.1	182	7.2	9
1/25/23 3:45	12.0	99.5	7.2	193	7.1	9
1/25/23 4:00	11.8	97.7	7.1	192	7.1	9
1/25/23 4:15	12.0	99.0	7.2	210	7.2	8
1/25/23 4:30	11.9	98.3	7.2	228	7.3	9
1/25/23 4:45	12.0	98.8	7.2	221	7.1	8
1/25/23 5:00	12.2	100.5	7.4	219	7.0	10
1/25/23 5:15	12.1	100.1	7.3	219	7.0	10
1/25/23 5:30	12.2	100.3	7.3	219	7.0	9
1/25/23 5:45	12.1	99.5	7.3	214	7.0	9
1/25/23 6:00	12.1	99.6	7.3	213	7.0	10
1/25/23 6:15	12.3	100.9	7.4	207	6.9	11
1/25/23 6:30	12.3	101.2	7.4	203	6.9	12
1/25/23 6:45	12.3	101.4	7.4	200	6.9	9
1/25/23 7:00	12.3	100.8	7.3	196	6.9	9
1/25/23 7:15	12.1	99.2	7.2	197	6.9	9
1/25/23 7:30	12.3	100.9	7.3	192	6.9	10
1/25/23 7:45	12.3	100.6	7.3	188	6.9	8
1/25/23 8:00	12.3	101.0	7.4	185	6.8	9
1/25/23 8:15	12.5	102.2	7.4	176	6.8	9
1/25/23 8:30	12.5	102.2	7.4	174	6.7	10
1/25/23 8:45	12.5	102.4	7.5	172	6.7	10
1/25/23 9:00	12.5	102.3	7.5	173	6.7	10
1/25/23 9:15	12.5	102.0	7.4	174	6.7	8
1/25/23 9:30	12.5	102.2	7.5	170	6.7	11
1/25/23 9:45	12.5	102.3	7.5	168	6.7	10
1/25/23 10:00	12.6	102.5	7.5	161	6.6	9
1/25/23 10:15	12.5	102.0	7.4	167	6.7	9
1/25/23 10:30	12.3	100.4	7.3	173	6.7	8
1/25/23 10:45	12.2	99.9	7.3	167	6.7	10
1/25/23 11:00	12.4	101.3	7.4	157	6.6	8
1/25/23 11:15	12.3	100.9	7.3	154	6.7	8
1/25/23 11:30	12.2	99.6	7.3	154	6.7	8
1/25/23 11:45	12.3	100.3	7.3	146	6.7	8

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 12:00	12.0	98.1	7.1	153	6.8	6
1/25/23 12:15	12.3	100.4	7.3	144	6.7	9
1/25/23 12:30	11.6	95.2	7.0	143	6.8	6
1/25/23 12:45	11.7	95.5	7.0	150	6.7	7
1/25/23 13:00	12.3	100.4	7.3	141	6.6	10
1/25/23 13:15	11.9	97.0	7.1	145	6.6	7
1/25/23 13:30	12.1	98.7	7.2	139	6.6	9
1/25/23 13:45	11.5	94.1	6.9	134	6.6	6
1/25/23 14:00	12.0	98.0	7.1	133	6.6	8
1/25/23 14:15	12.0	97.9	7.1	134	6.6	6
1/25/23 14:30	11.6	94.7	6.9	127	6.6	7
1/25/23 14:45	11.3	92.1	6.8	121	6.5	6
1/25/23 15:00	11.0	89.2	6.7	119	6.5	5
1/25/23 15:15	11.9	96.8	7.1	132	6.6	8
1/25/23 15:30	10.8	87.8	6.6	115	6.4	4
1/25/23 15:45	11.2	91.1	6.8	122	6.5	5
1/25/23 16:00	11.0	89.6	6.7	120	6.4	5
1/25/23 16:15	11.3	91.8	6.8	128	6.5	5
1/25/23 16:30	11.2	91.1	6.8	130	6.4	6
1/25/23 16:45	11.6	93.9	6.9	137	6.5	6
1/25/23 17:00	11.0	89.7	6.7	131	6.4	5
1/25/23 17:15	11.7	95.1	7.0	144	6.5	7
1/25/23 17:30	12.0	97.8	7.2	154	6.6	8
1/25/23 17:45	12.1	98.4	7.2	156	6.6	9
1/25/23 18:00	11.8	96.1	7.1	152	6.6	6
1/25/23 18:15	12.2	99.4	7.3	163	6.6	9
1/25/23 18:30	12.3	100.3	7.3	166	6.6	8
1/25/23 18:45	12.2	99.4	7.3	162	6.7	8
1/25/23 19:00	12.2	99.5	7.3	163	6.7	9
1/25/23 19:15	12.3	100.4	7.3	167	6.7	8
1/25/23 19:30	11.9	97.6	7.1	158	6.8	7
1/25/23 19:45	12.1	99.3	7.2	162	6.8	8
1/25/23 20:00	11.8	96.3	7.0	155	6.8	7
1/25/23 20:15	12.0	98.3	7.2	158	6.8	7
1/25/23 20:30	12.2	100.5	7.3	161	6.9	9
1/25/23 20:45	11.8	97.2	7.1	149	7.0	6
1/25/23 21:00	11.7	96.4	7.0	154	7.0	6
1/25/23 21:15	12.1	100.0	7.2	154	7.0	6
1/25/23 21:30	12.4	102.3	7.4	152	7.1	8
1/25/23 21:45	11.7	97.7	7.0	147	7.4	7
1/25/23 22:00	12.1	100.1	7.2	150	7.2	7
1/25/23 22:15	12.5	103.3	7.4	145	7.3	9

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 22:30	12.2	102.0	7.2	143	7.5	7
1/25/23 22:45	12.1	100.6	7.2	147	7.3	8
1/25/23 23:00	11.9	99.5	7.1	139	7.6	6
1/25/23 23:15	12.4	103.3	7.4	141	7.3	9
1/25/23 23:30	12.1	101.0	7.1	136	7.7	7
1/25/23 23:45	12.3	102.7	7.3	138	7.4	7
1/26/23 0:00	12.4	103.1	7.3	136	7.5	6
1/26/23 0:15	11.7	98.7	7.0	127	7.8	6
1/26/23 0:30	12.2	101.7	7.2	133	7.6	7
1/26/23 0:45	12.1	101.7	7.2	132	7.7	7
1/26/23 1:00	11.7	98.5	6.9	121	7.9	5
1/26/23 1:15	11.6	97.0	6.9	120	7.6	5
1/26/23 1:30	11.6	97.4	6.9	122	7.9	5
1/26/23 1:45	11.7	97.7	6.9	126	7.6	7
1/26/23 2:00	11.8	98.3	7.0	127	7.6	6
1/26/23 2:15	11.4	96.0	6.8	124	7.8	6
1/26/23 2:30	11.6	96.6	6.9	128	7.5	5
1/26/23 2:45	11.4	95.5	6.9	130	7.5	6
1/26/23 3:00	11.5	95.6	6.9	134	7.5	5
1/26/23 3:15	11.4	94.9	6.9	143	7.4	9
1/26/23 3:30	11.5	95.4	6.9	148	7.3	5
1/26/23 3:45	11.8	97.5	7.1	176	7.2	7
1/26/23 4:00	12.0	99.5	7.2	195	7.1	8
1/26/23 4:15	11.7	97.1	7.1	193	7.2	7
1/26/23 4:30	12.0	99.1	7.3	208	7.1	8
1/26/23 4:45	11.4	94.1	6.9	189	7.0	6
1/26/23 5:00	12.1	99.6	7.3	241	7.1	9
1/26/23 5:15	11.9	98.1	7.2	251	7.1	8
1/26/23 5:30	11.9	98.4	7.3	248	7.1	8
1/26/23 5:45	12.0	98.9	7.3	255	7.1	8
1/26/23 6:00	11.9	98.2	7.2	259	7.1	7
1/26/23 6:15	11.6	95.8	7.1	240	7.0	7
1/26/23 6:30	12.0	98.9	7.3	243	7.0	8
1/26/23 6:45	12.1	99.7	7.3	236	7.0	7
1/26/23 7:00	12.2	100.1	7.3	232	7.0	6
1/26/23 7:15	11.8	96.8	7.1	215	6.9	9
1/26/23 7:30	11.7	96.5	7.1	215	6.9	7
1/26/23 7:45	12.0	98.5	7.2	208	6.9	10
1/26/23 8:00	12.3	101.2	7.4	201	6.9	8
1/26/23 8:15	12.3	100.9	7.4	202	6.9	7
1/26/23 8:30	12.3	100.6	7.4	202	6.9	8
1/26/23 8:45	12.3	101.1	7.4	199	6.8	8

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 9:00	12.3	101.1	7.4	196	6.8	7
1/26/23 9:15	12.5	102.1	7.5	186	6.8	8
1/26/23 9:30	12.4	101.6	7.4	188	6.7	8
1/26/23 9:45	12.4	101.9	7.4	183	6.7	8
1/26/23 10:00	12.5	102.2	7.5	181	6.7	8
1/26/23 10:15	12.5	102.1	7.5	181	6.7	8
1/26/23 10:30	12.5	101.9	7.5	181	6.7	8
1/26/23 10:45	12.2	99.7	7.3	193	6.7	7
1/26/23 11:00	12.4	101.6	7.4	179	6.7	8
1/26/23 11:15	12.5	101.9	7.5	170	6.6	9
1/26/23 11:30	12.3	100.8	7.4	177	6.7	6
1/26/23 11:45	12.3	100.9	7.4	174	6.7	8
1/26/23 12:00	12.4	101.2	7.4	168	6.6	8
1/26/23 12:15	12.4	100.9	7.3	160	6.7	7
1/26/23 12:30	12.4	101.0	7.3	153	6.7	7
1/26/23 12:45	12.3	100.7	7.3	153	6.7	8
1/26/23 13:00	12.0	98.3	7.2	164	6.7	6
1/26/23 13:15	12.1	98.9	7.2	154	6.7	7
1/26/23 13:30	11.9	97.2	7.1	144	6.7	6
1/26/23 13:45	11.8	96.8	7.0	138	6.8	6
1/26/23 14:00	11.9	96.9	7.1	139	6.7	5
1/26/23 14:15	11.4	93.1	6.9	131	6.6	5
1/26/23 14:30	11.6	94.7	7.0	139	6.6	6
1/26/23 14:45	11.7	95.5	7.0	136	6.6	5
1/26/23 15:00	11.2	91.4	6.8	130	6.5	4
1/26/23 15:15	11.3	91.8	6.8	130	6.4	4
1/26/23 15:30	11.7	95.1	7.0	132	6.6	6
1/26/23 15:45	11.2	91.3	6.8	129	6.4	4
1/26/23 16:00	11.4	92.8	6.9	132	6.5	5
1/26/23 16:15	11.7	95.1	7.0	136	6.5	5
1/26/23 16:30	11.6	94.6	7.0	136	6.5	5
1/26/23 16:45	11.4	92.3	6.9	133	6.5	6
1/26/23 17:00	11.3	91.8	6.8	135	6.4	4
1/26/23 17:15	11.1	90.5	6.8	135	6.4	5
1/26/23 17:30	11.1	90.4	6.8	138	6.4	4
1/26/23 17:45	11.3	91.8	6.8	146	6.5	4
1/26/23 18:00	11.2	91.4	6.8	149	6.5	5
1/26/23 18:15	11.4	93.3	6.9	159	6.7	4
1/26/23 18:30	11.4	93.4	6.9	163	6.7	6
1/26/23 18:45	11.3	92.2	6.8	164	6.8	6
1/26/23 19:00	11.3	93.1	6.9	169	6.9	5
1/26/23 19:15	11.3	93.3	6.9	170	6.9	5



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 19:30	11.3	92.6	6.8	171	7.0	5
1/26/23 19:45	11.0	90.8	6.7	163	7.0	8
1/26/23 20:00	11.6	96.4	7.0	181	7.2	7
1/26/23 20:15	12.0	99.0	7.2	182	7.1	6
1/26/23 20:30	11.8	98.0	7.1	179	7.3	7
1/26/23 20:45	11.9	99.1	7.1	176	7.3	9
1/26/23 21:00	11.9	98.6	7.1	176	7.3	6
1/26/23 21:15	12.0	99.5	7.2	175	7.3	9
1/26/23 21:30	12.2	101.2	7.2	170	7.4	8
1/26/23 21:45	12.0	100.2	7.2	168	7.6	9
1/26/23 22:00	12.3	105.9	6.6	0	8.7	4
1/26/23 22:15	10.3	99.2	9.0	1	13.9	3
1/26/23 22:30	11.5	95.5	7.4	166	7.5	7
1/26/23 22:45	11.6	96.7	7.5	165	7.4	5
1/26/23 23:00	10.8	101.3	7.3	0	12.6	3
1/26/23 23:15	11.4	95.4	7.3	161	7.6	6
1/26/23 23:30	11.5	95.9	7.4	161	7.6	5
1/26/23 23:45	11.3	95.4	7.3	155	8.0	4
1/27/23 0:00	11.1	93.9	7.2	149	8.0	4
1/27/23 0:15	11.1	92.9	7.2	154	7.6	6
1/27/23 0:30	11.0	92.9	7.1	142	8.0	4
1/27/23 0:45	11.0	92.9	7.0	136	8.2	5
1/27/23 1:00	10.9	92.1	7.1	143	7.9	5
1/27/23 1:15	10.9	91.6	7.0	142	7.8	5
1/27/23 1:30	11.1	92.9	7.1	138	7.8	5
1/27/23 1:45	11.1	93.2	7.1	136	7.9	6
1/27/23 2:00	11.0	92.8	7.1	134	8.0	4
1/27/23 2:15	11.2	94.5	7.2	134	7.8	5
1/27/23 2:30	11.1	93.1	7.1	134	7.9	4
1/27/23 2:45	11.0	92.7	7.1	132	7.9	5
1/27/23 3:00	10.9	92.0	7.1	132	7.8	4
1/27/23 3:15	10.9	91.5	7.0	132	7.8	4
1/27/23 3:30	10.9	91.3	7.0	133	7.7	4
1/27/23 3:45	10.8	90.8	7.0	133	7.7	5
1/27/23 4:00	10.7	89.2	7.0	135	7.5	3
1/27/23 4:15	10.6	88.9	6.9	131	7.7	4
1/27/23 4:30	10.7	89.3	6.9	140	7.7	4
1/27/23 4:45	11.0	91.5	7.1	158	7.5	5
1/27/23 5:00	11.1	92.2	7.2	177	7.4	5
1/27/23 5:15	11.1	91.8	7.2	186	7.3	5
1/27/23 5:30	11.3	93.2	7.3	216	7.2	6
1/27/23 5:45	11.2	92.3	7.3	211	7.1	6

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 6:00	11.3	93.7	7.4	231	7.1	6
1/27/23 6:15	10.9	89.7	7.2	203	7.1	5
1/27/23 6:30	10.5	86.5	7.0	184	7.0	5
1/27/23 6:45	11.1	91.8	7.3	224	7.0	7
1/27/23 7:00	11.1	91.1	7.3	215	7.0	7
1/27/23 7:15	10.8	88.9	7.2	204	7.0	5
1/27/23 7:30	11.0	90.6	7.2	201	6.9	6
1/27/23 7:45	11.1	91.1	7.3	203	6.9	5
1/27/23 8:00	11.2	92.4	7.3	205	6.9	5
1/27/23 8:15	11.1	91.5	7.3	202	6.9	6
1/27/23 8:30	11.4	93.8	7.4	197	6.9	5
1/27/23 8:45	11.3	93.1	7.4	198	6.9	6
1/27/23 9:00	11.6	94.9	7.5	193	6.9	5
1/27/23 9:15	11.6	95.0	7.5	192	6.9	6
1/27/23 9:30	11.6	95.5	7.5	191	6.9	8
1/27/23 9:45	11.7	95.6	7.5	188	6.8	7
1/27/23 10:00	11.7	95.9	7.6	186	6.8	6
1/27/23 10:15	11.7	96.1	7.6	183	6.8	7
1/27/23 10:30	11.7	96.0	7.6	183	6.8	7
1/27/23 10:45	11.7	96.0	7.6	182	6.8	9
1/27/23 11:00	11.6	95.4	7.6	183	6.8	6
1/27/23 11:15	11.7	96.2	7.6	179	6.7	6
1/27/23 11:30	11.8	96.1	7.6	177	6.7	7
1/27/23 11:45	11.8	96.4	7.6	171	6.7	6
1/27/23 12:00	11.7	96.0	7.6	172	6.7	6
1/27/23 12:15	11.7	95.7	7.6	174	6.7	8
1/27/23 12:30	11.7	95.8	7.6	165	6.7	7
1/27/23 12:45	11.6	95.1	7.5	162	6.7	6
1/27/23 13:00	11.7	95.4	7.5	159	6.7	6
1/27/23 13:15	11.6	95.0	7.5	155	6.7	7
1/27/23 13:30	11.4	93.9	7.4	155	6.9	4
1/27/23 13:45	11.6	94.8	7.5	155	6.7	7
1/27/23 14:00	11.5	94.2	7.4	157	6.7	6
1/27/23 14:15	11.6	95.0	7.5	150	6.7	6
1/27/23 14:30	11.7	95.3	7.5	145	6.7	5
1/27/23 14:45	11.6	94.8	7.5	145	6.7	7
1/27/23 15:00	11.1	91.0	7.2	146	6.6	5
1/27/23 15:15	11.2	91.6	7.3	145	6.6	6
1/27/23 15:30	10.8	87.6	7.1	140	6.5	4
1/27/23 15:45	11.2	91.7	7.3	140	6.6	4
1/27/23 16:00	10.7	87.1	7.1	136	6.5	5
1/27/23 16:15	10.6	85.8	6.9	128	6.5	4

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 16:30	10.7	86.9	7.0	131	6.5	4
1/27/23 16:45	11.0	89.7	7.1	134	6.7	5
1/27/23 17:00	10.8	88.7	7.0	133	6.8	4
1/27/23 17:15	10.8	88.5	7.0	134	6.9	4
1/27/23 17:30	10.8	88.4	7.0	135	6.8	4
1/27/23 17:45	10.9	89.4	7.1	139	6.8	4
1/27/23 18:00	10.7	88.0	7.0	140	6.8	5
1/27/23 18:15	10.9	89.5	7.1	149	6.9	4
1/27/23 18:30	10.6	87.6	7.0	149	7.0	3
1/27/23 18:45	11.1	91.4	7.2	167	7.0	5
1/27/23 19:00	11.2	92.4	7.3	173	7.0	6
1/27/23 19:15	11.2	92.2	7.2	177	7.1	5
1/27/23 19:30	11.2	92.1	7.2	177	7.1	4
1/27/23 19:45	11.0	90.9	7.1	177	7.2	4
1/27/23 20:00	10.8	89.5	7.0	178	7.4	4
1/27/23 20:15	11.0	91.5	7.2	182	7.3	5
1/27/23 20:30	11.0	91.5	7.2	182	7.4	4
1/27/23 20:45	11.0	91.5	7.2	180	7.4	5
1/27/23 21:00	10.8	90.4	7.1	177	7.5	4
1/27/23 21:15	11.0	92.2	7.2	172	7.6	4
1/27/23 21:30	11.1	92.5	7.2	175	7.4	6
1/27/23 21:45	11.2	93.3	7.3	176	7.4	5
1/27/23 22:00	11.1	93.0	7.2	173	7.6	6
1/27/23 22:15	11.4	94.8	7.4	174	7.5	6
1/27/23 22:30	11.4	95.1	7.4	174	7.6	6
1/27/23 22:45	11.2	93.6	7.3	174	7.5	5
1/27/23 23:00	11.3	94.2	7.3	173	7.6	6
1/27/23 23:15	11.4	94.8	7.4	172	7.5	7
1/27/23 23:30	11.5	96.2	7.5	170	7.5	6
1/27/23 23:45	11.6	96.6	7.5	168	7.5	5
1/28/23 0:00	11.6	96.5	7.5	168	7.5	8
1/28/23 0:15	11.5	95.9	7.4	166	7.6	5
1/28/23 0:30	11.4	95.0	7.4	168	7.5	6
1/28/23 0:45	11.5	96.6	7.5	161	7.7	5
1/28/23 1:00	11.4	96.2	7.4	158	7.8	7
1/28/23 1:15	11.5	96.2	7.4	159	7.8	6
1/28/23 1:30	11.1	93.1	7.2	158	7.8	4
1/28/23 1:45	10.8	90.8	7.1	162	7.7	5
1/28/23 2:00	10.9	91.5	7.1	155	7.8	4
1/28/23 2:15	11.1	93.3	7.2	150	7.6	5
1/28/23 2:30	10.9	91.1	7.1	145	7.7	5
1/28/23 2:45	10.6	88.8	6.9	139	7.7	4

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 3:00	10.7	89.2	7.0	141	7.6	4
1/28/23 3:15	10.6	88.4	6.9	135	7.6	4
1/28/23 3:30	10.7	89.7	7.0	141	7.6	3
1/28/23 3:45	10.3	85.9	6.8	125	7.4	4
1/28/23 4:00	10.9	90.9	7.1	139	7.5	5
1/28/23 4:15	10.8	90.0	7.0	138	7.5	4
1/28/23 4:30	11.0	91.2	7.1	136	7.3	5
1/28/23 4:45	10.9	90.3	7.1	137	7.4	4
1/28/23 5:00	10.5	87.2	6.9	133	7.3	5
1/28/23 5:15	10.2	85.1	6.8	133	7.4	3
1/28/23 5:30	10.4	86.2	6.9	128	7.2	3
1/28/23 5:45	10.6	88.0	7.0	134	7.2	3
1/28/23 6:00	10.7	88.3	7.0	136	7.2	4
1/28/23 6:15	10.3	85.0	6.8	128	7.2	3
1/28/23 6:30	10.6	87.4	7.0	143	7.2	3
1/28/23 6:45	10.3	85.3	6.9	137	7.1	3
1/28/23 7:00	10.4	85.6	6.9	137	7.1	4
1/28/23 7:15	10.7	88.2	7.0	149	7.1	5
1/28/23 7:30	11.0	90.9	7.2	165	7.1	5
1/28/23 7:45	11.0	90.4	7.2	167	7.1	4
1/28/23 8:00	10.5	86.9	7.0	145	7.0	4
1/28/23 8:15	10.9	90.0	7.2	166	7.0	5
1/28/23 8:30	11.1	91.7	7.3	173	7.0	4
1/28/23 8:45	11.4	93.7	7.4	181	7.0	4
1/28/23 9:00	11.1	91.1	7.3	164	6.9	4
1/28/23 9:15	11.5	94.2	7.5	178	6.9	4
1/28/23 9:30	11.1	91.2	7.3	171	7.0	4
1/28/23 9:45	10.6	87.3	7.1	162	6.9	5
1/28/23 10:00	11.0	90.0	7.2	168	6.9	4
1/28/23 10:15	11.4	93.7	7.4	171	6.9	6
1/28/23 10:30	11.5	94.2	7.5	171	6.9	7
1/28/23 10:45	11.6	95.2	7.6	170	6.8	6
1/28/23 11:00	11.6	95.1	7.6	170	6.8	7
1/28/23 11:15	11.5	94.2	7.5	169	6.8	5
1/28/23 11:30	11.5	94.2	7.5	168	6.8	7
1/28/23 11:45	11.4	93.7	7.5	165	6.8	7
1/28/23 12:00	11.2	92.1	7.4	164	6.8	4
1/28/23 12:15	11.3	92.6	7.4	165	6.8	6
1/28/23 12:30	11.5	93.9	7.5	164	6.8	6
1/28/23 12:45	11.5	94.4	7.5	160	6.8	5
1/28/23 13:00	11.4	93.8	7.5	158	6.8	6
1/28/23 13:15	11.4	93.7	7.5	159	6.8	5

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 13:30	11.3	92.9	7.4	159	6.8	6
1/28/23 13:45	11.6	94.6	7.5	155	6.8	6
1/28/23 14:00	11.7	95.5	7.6	147	6.8	5
1/28/23 14:15	11.4	93.1	7.4	153	6.8	6
1/28/23 14:30	11.6	94.9	7.5	147	6.8	5
1/28/23 14:45	11.3	92.9	7.4	148	6.8	4
1/28/23 15:00	11.4	93.7	7.4	142	6.8	5
1/28/23 15:15	11.2	91.8	7.3	140	6.8	4
1/28/23 15:30	11.1	91.2	7.3	139	6.8	4
1/28/23 15:45	11.0	90.1	7.2	138	6.8	4
1/28/23 16:00	11.0	90.5	7.2	134	6.9	5
1/28/23 16:15	11.0	90.5	7.2	135	6.8	4
1/28/23 16:30	11.1	91.3	7.2	136	6.8	4
1/28/23 16:45	11.1	90.7	7.2	137	6.8	4
1/28/23 17:00	10.9	89.0	7.1	134	6.7	4
1/28/23 17:15	10.7	87.7	7.0	128	6.8	4
1/28/23 17:30	10.7	88.3	7.0	129	6.9	4
1/28/23 17:45	10.5	86.9	6.9	126	7.0	4
1/28/23 18:00	10.7	88.1	7.0	133	6.9	4
1/28/23 18:15	10.8	89.2	7.1	137	6.9	4
1/28/23 18:30	10.7	88.1	7.0	136	7.0	3
1/28/23 18:45	10.8	89.5	7.1	147	7.1	4
1/28/23 19:00	10.8	89.5	7.1	156	7.3	4
1/28/23 19:15	10.8	89.7	7.1	162	7.3	3
1/28/23 19:30	10.9	90.3	7.1	168	7.3	4
1/28/23 19:45	11.1	92.4	7.3	175	7.4	4
1/28/23 20:00	10.9	90.9	7.1	177	7.6	5
1/28/23 20:15	10.8	90.7	7.1	179	7.6	5
1/28/23 20:30	10.9	91.1	7.2	182	7.6	5
1/28/23 20:45	11.0	92.1	7.3	185	7.6	5
1/28/23 21:00	10.8	90.7	7.2	186	7.6	4
1/28/23 21:15	10.8	90.3	7.1	186	7.6	4
1/28/23 21:30	11.0	92.3	7.2	188	7.7	5
1/28/23 21:45	10.8	90.7	7.1	189	7.9	5
1/28/23 22:00	11.1	92.8	7.3	190	7.7	4
1/28/23 22:15	10.8	91.1	7.2	187	7.9	4
1/28/23 22:30	11.0	92.4	7.2	189	7.9	5
1/28/23 22:45	11.0	92.6	7.2	189	8.0	4
1/28/23 23:00	10.9	91.7	7.2	183	8.0	4
1/28/23 23:15	10.9	91.6	7.2	185	7.9	4
1/28/23 23:30	10.9	92.0	7.2	184	7.9	4
1/28/23 23:45	10.9	91.8	7.2	182	8.1	5

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	11.0	93.0	7.3	183	7.9	5
1/29/23 0:15	11.2	94.1	7.4	182	7.8	5
1/29/23 0:30	11.2	94.0	7.3	179	7.9	5
1/29/23 0:45	11.2	94.0	7.3	180	7.9	5
1/29/23 1:00	11.4	95.3	7.4	173	7.8	5
1/29/23 1:15	11.2	94.5	7.4	177	7.8	6
1/29/23 1:30	11.3	95.2	7.4	172	7.8	5
1/29/23 1:45	11.5	96.3	7.5	165	7.6	6
1/29/23 2:00	11.3	94.8	7.4	172	7.7	5
1/29/23 2:15	11.0	92.3	7.3	154	7.8	4
1/29/23 2:30	11.0	92.2	7.2	169	7.8	4
1/29/23 2:45	11.1	92.9	7.3	167	7.7	5
1/29/23 3:00	11.0	92.5	7.2	163	7.8	5
1/29/23 3:15	11.0	92.5	7.3	168	7.7	4
1/29/23 3:30	10.4	87.0	6.9	148	7.8	5
1/29/23 3:45	10.8	90.7	7.2	156	7.7	5
1/29/23 4:00	10.6	89.8	7.0	148	8.0	4
1/29/23 4:15	10.9	91.4	7.2	156	7.7	4
1/29/23 4:30	10.5	88.2	7.0	141	7.8	3
1/29/23 4:45	10.7	89.2	7.1	141	7.6	4
1/29/23 5:00	10.6	89.2	7.0	142	7.7	3
1/29/23 5:15	10.5	88.1	7.0	137	7.6	4
1/29/23 5:30	10.6	88.8	7.0	136	7.5	4
1/29/23 5:45	10.5	87.2	7.0	134	7.5	4
1/29/23 6:00	10.8	89.8	7.1	143	7.5	5
1/29/23 6:15	10.9	90.6	7.2	144	7.5	4
1/29/23 6:30	10.8	90.3	7.2	145	7.5	5
1/29/23 6:45	10.8	90.2	7.2	143	7.4	3
1/29/23 7:00	10.2	84.5	6.8	123	7.3	3
1/29/23 7:15	10.4	86.0	6.9	129	7.2	3
1/29/23 7:30	10.5	86.9	7.0	128	7.2	4
1/29/23 7:45	10.8	89.5	7.2	143	7.2	4
1/29/23 8:00	10.8	89.4	7.1	141	7.3	5
1/29/23 8:15	10.7	88.9	7.1	140	7.3	4
1/29/23 8:30	10.6	87.6	7.1	138	7.2	4
1/29/23 8:45	10.9	90.4	7.2	153	7.2	4
1/29/23 9:00	11.2	92.6	7.4	157	7.1	4
1/29/23 9:15	11.1	92.0	7.3	155	7.1	4
1/29/23 9:30	11.3	93.5	7.4	160	7.1	4
1/29/23 9:45	11.4	93.7	7.5	161	7.1	5
1/29/23 10:00	11.4	93.9	7.5	161	7.0	5
1/29/23 10:15	11.4	94.2	7.5	162	7.0	5

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 10:30	11.4	94.1	7.5	162	6.9	5
1/29/23 10:45	11.5	94.2	7.5	162	6.9	6
1/29/23 11:00	11.5	94.6	7.6	162	6.9	6
1/29/23 11:15	11.6	94.9	7.6	160	6.9	7
1/29/23 11:30	11.5	94.8	7.6	160	6.8	6
1/29/23 11:45	11.5	94.6	7.6	159	6.8	5
1/29/23 12:00	11.4	93.4	7.5	157	6.9	6
1/29/23 12:15	11.5	94.4	7.6	158	6.8	5
1/29/23 12:30	11.4	93.2	7.5	157	6.8	5
1/29/23 12:45	11.4	93.5	7.5	157	6.8	4
1/29/23 13:00	11.5	93.9	7.5	156	6.8	4
1/29/23 13:15	11.6	94.9	7.6	155	6.8	6
1/29/23 13:30	11.6	94.6	7.6	155	6.8	5
1/29/23 13:45	11.5	94.4	7.6	154	6.8	5
1/29/23 14:00	11.3	92.6	7.5	153	6.8	5
1/29/23 14:15	11.5	93.8	7.6	152	6.7	5
1/29/23 14:30	11.1	91.3	7.4	154	6.8	4
1/29/23 14:45	11.3	92.6	7.4	152	6.8	5
1/29/23 15:00	11.3	92.7	7.5	150	6.8	5
1/29/23 15:15	11.1	90.8	7.3	152	6.7	6
1/29/23 15:30	11.2	91.7	7.4	149	6.8	5
1/29/23 15:45	11.2	91.9	7.4	145	6.8	6
1/29/23 16:00	11.4	93.4	7.5	145	6.8	4
1/29/23 16:15	11.1	90.8	7.3	141	6.8	4
1/29/23 16:30	11.2	92.1	7.4	143	6.8	4
1/29/23 16:45	11.2	91.9	7.4	142	6.8	4
1/29/23 17:00	11.0	90.3	7.3	136	6.8	5
1/29/23 17:15	11.1	90.8	7.3	136	6.9	5
1/29/23 17:30	11.0	90.2	7.2	135	6.9	4
1/29/23 17:45	10.8	89.2	7.2	131	7.0	5
1/29/23 18:00	10.9	90.4	7.2	135	7.1	4
1/29/23 18:15	10.8	89.3	7.1	132	7.1	3
1/29/23 18:30	10.7	88.8	7.1	130	7.3	4
1/29/23 18:45	10.8	89.9	7.1	134	7.3	4
1/29/23 19:00	10.7	89.2	7.1	134	7.5	4
1/29/23 19:15	10.7	89.8	7.1	139	7.6	3
1/29/23 19:30	10.7	89.3	7.0	139	7.6	3
1/29/23 19:45	10.7	89.3	7.0	140	7.7	3
1/29/23 20:00	10.6	89.1	7.0	141	7.7	4
1/29/23 20:15	10.6	89.0	7.0	145	7.7	3
1/29/23 20:30	10.7	89.8	7.1	146	7.6	3
1/29/23 20:45	10.6	88.9	7.0	147	7.8	3

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	10.6	89.0	7.0	149	7.9	3
1/29/23 21:15	10.5	88.0	7.0	157	7.8	3
1/29/23 21:30	10.5	88.9	7.0	162	8.1	3
1/29/23 21:45	10.5	88.9	7.0	161	8.2	3
1/29/23 22:00	10.4	88.8	6.9	160	8.3	3
1/29/23 22:15	10.4	88.9	6.9	156	8.3	4
1/29/23 22:30	10.5	88.8	6.9	155	8.2	3
1/29/23 22:45	10.5	88.9	6.9	153	8.3	4
1/29/23 23:00	10.5	88.7	6.9	152	8.2	3
1/29/23 23:15	10.4	87.9	6.9	149	8.0	4
1/29/23 23:30	10.4	87.7	6.9	149	8.0	4
1/29/23 23:45	10.4	87.4	6.9	152	7.8	4
1/30/23 0:00	10.7	89.7	7.1	164	7.8	5
1/30/23 0:15	10.4	87.1	6.9	150	7.8	5
1/30/23 0:30	10.5	87.7	7.0	155	7.7	4
1/30/23 0:45	10.4	87.5	7.0	155	7.7	3
1/30/23 1:00	10.6	88.7	7.1	162	7.6	4
1/30/23 1:15	10.8	90.0	7.2	171	7.6	4
1/30/23 1:30	11.3	94.1	7.5	183	7.6	5
1/30/23 1:45	11.1	93.1	7.4	178	7.5	4
1/30/23 2:00	11.3	94.6	7.5	181	7.5	4
1/30/23 2:15	11.4	94.9	7.5	177	7.4	6
1/30/23 2:30	11.4	95.0	7.6	176	7.4	4
1/30/23 2:45	11.4	95.0	7.6	175	7.4	4
1/30/23 3:00	11.5	95.3	7.6	170	7.3	5
1/30/23 3:15	11.5	95.3	7.6	168	7.2	6
1/30/23 3:30	11.5	95.3	7.6	166	7.2	5
1/30/23 3:45	11.5	95.4	7.6	165	7.2	5
1/30/23 4:00	11.5	95.1	7.6	164	7.2	4
1/30/23 4:15	11.3	93.8	7.5	163	7.2	5
1/30/23 4:30	11.3	93.8	7.5	161	7.1	5
1/30/23 4:45	11.0	90.7	7.3	159	7.2	4
1/30/23 5:00	10.7	88.6	7.1	158	7.2	4
1/30/23 5:15	11.1	92.0	7.4	158	7.1	4
1/30/23 5:30	11.2	92.3	7.4	156	7.1	4
1/30/23 5:45	11.2	92.7	7.4	156	7.1	4
1/30/23 6:00	11.3	93.2	7.5	154	7.0	4
1/30/23 6:15	10.8	88.5	7.2	150	7.0	4
1/30/23 6:30	11.0	90.2	7.3	148	6.9	4
1/30/23 6:45	11.0	90.3	7.3	149	6.9	5
1/30/23 7:00	10.9	89.6	7.2	149	6.9	4
1/30/23 7:15	11.1	90.9	7.3	150	6.9	4

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 7:30	11.1	91.4	7.4	150	6.9	4
1/30/23 7:45	11.1	91.1	7.3	149	6.9	4
1/30/23 8:00	11.1	90.7	7.4	147	6.8	4
1/30/23 8:15	11.1	91.3	7.4	148	6.8	5
1/30/23 8:30	11.5	93.5	7.5	148	6.6	4
1/30/23 8:45	11.4	93.2	7.5	148	6.6	5
1/30/23 9:00	11.4	92.9	7.5	149	6.5	5
1/30/23 9:15	11.5	93.4	7.5	149	6.4	4
1/30/23 9:30	11.5	93.3	7.5	149	6.4	5
1/30/23 9:45	11.1	90.3	7.3	151	6.6	4
1/30/23 10:00	11.1	90.7	7.3	151	6.6	3
1/30/23 10:15	11.3	91.6	7.4	151	6.5	5
1/30/23 10:30	11.6	93.8	7.6	153	6.3	5
1/30/23 10:45	11.6	94.1	7.6	154	6.3	5
1/30/23 11:00	11.6	93.7	7.6	154	6.2	4
1/30/23 11:15	11.7	94.1	7.6	155	6.2	4
1/30/23 11:30	11.6	93.9	7.6	154	6.2	4
1/30/23 11:45	11.5	92.9	7.5	154	6.2	4
1/30/23 12:00	11.6	93.8	7.6	154	6.1	6
1/30/23 12:15	11.6	93.8	7.6	154	6.1	4
1/30/23 12:30	11.6	93.8	7.6	154	6.1	5
1/30/23 12:45	11.7	94.0	7.6	154	6.1	5
1/30/23 13:00	11.7	94.3	7.7	154	6.0	5
1/30/23 13:15	11.7	94.1	7.7	154	6.0	5
1/30/23 13:30	11.8	94.4	7.7	153	5.9	5
1/30/23 13:45	11.8	94.4	7.7	153	5.9	6
1/30/23 14:00	11.8	94.4	7.7	151	5.9	4
1/30/23 14:15	11.8	94.3	7.7	151	5.9	5
1/30/23 14:30	11.7	94.0	7.7	152	5.9	5
1/30/23 14:45	11.8	94.2	7.7	152	5.9	5
1/30/23 15:00	11.8	94.5	7.7	151	5.8	5
1/30/23 15:15	11.8	94.4	7.7	151	5.8	6
1/30/23 15:30	11.7	93.9	7.7	151	5.8	5
1/30/23 15:45	11.8	94.2	7.7	150	5.8	5
1/30/23 16:00	11.8	94.5	7.7	147	5.9	5
1/30/23 16:15	11.8	94.3	7.7	147	5.9	5
1/30/23 16:30	11.8	94.2	7.7	147	5.9	5
1/30/23 16:45	11.5	92.2	7.5	146	5.8	5
1/30/23 17:00	11.7	93.6	7.6	145	5.9	6
1/30/23 17:15	11.7	93.5	7.6	145	5.9	4
1/30/23 17:30	11.4	91.1	7.4	141	5.8	4
1/30/23 17:45	11.4	91.5	7.4	142	5.9	4



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 18:00	11.4	91.1	7.4	141	5.9	5
1/30/23 18:15	11.6	93.0	7.5	143	5.9	5
1/30/23 18:30	11.6	92.7	7.5	142	6.0	6
1/30/23 18:45	11.0	88.4	7.2	131	6.0	4
1/30/23 19:00	11.1	89.4	7.3	131	6.0	4
1/30/23 19:15	10.9	87.4	7.1	132	6.0	3
1/30/23 19:30	10.9	88.1	7.1	129	6.2	3
1/30/23 19:45	11.0	89.2	7.1	132	6.4	3
1/30/23 20:00	11.1	90.1	7.2	139	6.3	5
1/30/23 20:15	11.1	90.7	7.2	141	6.6	5
1/30/23 20:30	11.0	90.0	7.2	140	6.6	4
1/30/23 20:45	11.2	91.2	7.2	145	6.7	4
1/30/23 21:00	11.5	93.6	7.4	150	6.6	7
1/30/23 21:15	11.1	91.5	7.2	152	6.9	5
1/30/23 21:30	11.2	92.1	7.3	155	6.8	6
1/30/23 21:45	12.3	103.0	7.3	0	7.8	4
1/30/23 22:00	11.0	91.5	7.1	165	7.5	16
1/30/23 22:15	10.9	90.9	7.1	165	7.3	3
1/30/23 22:30	10.9	90.7	7.1	174	7.6	4
1/30/23 22:45	10.7	90.2	7.0	173	7.7	4
1/30/23 23:00	10.7	90.1	7.0	178	7.8	4
1/30/23 23:15	10.7	89.1	7.0	175	7.6	4
1/30/23 23:30	10.7	89.2	7.0	171	7.4	4
1/30/23 23:45	10.7	89.3	7.0	172	7.4	4
1/31/23 0:00	10.6	87.7	6.9	166	7.3	3
1/31/23 0:15	10.7	88.9	7.0	172	7.4	5
1/31/23 0:30	11.0	91.2	7.2	183	7.2	5
1/31/23 0:45	11.0	91.4	7.2	185	7.2	5
1/31/23 1:00	10.9	90.2	7.1	181	7.2	6
1/31/23 1:15	11.3	92.8	7.4	193	7.0	6
1/31/23 1:30	11.1	91.3	7.2	188	7.1	6
1/31/23 1:45	11.0	90.8	7.2	183	7.0	5
1/31/23 2:00	11.3	92.7	7.3	190	6.9	4
1/31/23 2:15	11.5	93.8	7.4	192	6.8	4
1/31/23 2:30	11.5	93.8	7.5	190	6.7	6
1/31/23 2:45	11.6	94.8	7.5	188	6.6	5
1/31/23 3:00	11.7	95.5	7.6	185	6.5	5
1/31/23 3:15	11.7	95.1	7.6	184	6.5	5
1/31/23 3:30	11.7	95.3	7.6	183	6.4	6
1/31/23 3:45	11.7	95.2	7.6	182	6.4	5
1/31/23 4:00	11.7	95.1	7.6	180	6.4	6
1/31/23 4:15	11.8	95.4	7.6	174	6.3	6

Klamath River Estuary



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/31/23 4:30	11.8	95.4	7.6	173	6.3	5
1/31/23 4:45	11.8	95.7	7.6	169	6.3	5
1/31/23 5:00	11.8	95.7	7.6	170	6.3	4
1/31/23 5:15	11.7	95.1	7.6	172	6.3	5
1/31/23 5:30	11.7	94.8	7.6	173	6.3	5
1/31/23 5:45	11.9	95.7	7.6	163	6.2	4
1/31/23 6:00	11.8	95.4	7.6	165	6.2	5
1/31/23 6:15	11.9	95.8	7.7	162	6.1	5
1/31/23 6:30	11.9	96.1	7.7	157	6.1	5
1/31/23 6:45	11.4	92.2	7.4	176	6.3	5
1/31/23 7:00	11.8	95.2	7.6	159	6.1	5
1/31/23 7:15	11.9	95.6	7.7	156	6.0	6
1/31/23 7:30	11.9	95.6	7.6	155	6.0	5
1/31/23 7:45	11.7	94.0	7.5	164	6.1	5
1/31/23 8:00	11.9	95.3	7.6	155	6.0	5
1/31/23 8:15	11.8	94.7	7.6	157	6.0	5
1/31/23 8:30	11.8	94.5	7.6	154	5.9	5
1/31/23 8:45	11.8	94.3	7.6	154	5.9	4
1/31/23 9:00	12.0	95.6	7.6	149	5.8	5
1/31/23 9:15	12.0	95.7	7.7	149	5.8	5
1/31/23 9:30	11.9	95.1	7.6	150	5.8	4
1/31/23 9:45	11.6	92.7	7.5	159	5.9	5
1/31/23 10:00	11.8	94.1	7.5	153	5.8	5
1/31/23 10:15	11.9	94.8	7.6	151	5.7	6
1/31/23 10:30	11.9	95.0	7.6	150	5.7	4
1/31/23 10:45	11.9	94.8	7.6	150	5.7	5
1/31/23 11:00	11.8	94.3	7.6	148	5.6	5
1/31/23 11:15	12.0	95.6	7.7	149	5.5	4
1/31/23 11:30	12.1	95.7	7.7	149	5.5	5
1/31/23 11:45	12.0	95.0	7.6	149	5.5	4
1/31/23 12:00	12.0	95.2	7.7	149	5.5	4
1/31/23 12:15	12.0	95.2	7.6	149	5.4	5
1/31/23 12:30	12.1	95.3	7.7	149	5.4	5
1/31/23 12:45	12.0	95.0	7.7	149	5.3	5
1/31/23 13:00	12.1	95.5	7.7	150	5.3	5
1/31/23 13:15	12.0	95.1	7.7	150	5.3	4
1/31/23 13:30	12.0	95.0	7.7	150	5.3	5
1/31/23 13:45	12.0	95.0	7.7	150	5.3	5
1/31/23 14:00	12.1	95.4	7.7	150	5.2	4
1/31/23 14:15	12.1	95.4	7.7	150	5.2	5
1/31/23 14:30	12.1	95.4	7.7	151	5.2	5
1/31/23 14:45	12.2	95.6	7.7	151	5.1	5



datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
1/31/23 15:00	12.2	95.5	7.7	151	5.1	5
1/31/23 15:15	12.2	95.7	7.8	151	5.1	5
1/31/23 15:30	12.2	95.6	7.8	151	5.1	4
1/31/23 15:45	12.2	95.4	7.7	151	5.1	5
1/31/23 16:00	12.2	95.6	7.8	151	5.1	4
1/31/23 16:15	12.2	95.8	7.8	150	5.1	6
1/31/23 16:30	12.2	95.7	7.8	150	5.1	5
1/31/23 16:45	12.1	94.9	7.7	150	5.1	4
1/31/23 17:00	12.1	95.1	7.7	148	5.2	4
1/31/23 17:15	12.1	95.1	7.7	148	5.2	5
1/31/23 17:30	12.1	95.1	7.7	148	5.2	4
1/31/23 17:45	12.1	95.1	7.7	147	5.2	4
1/31/23 18:00	12.1	95.0	7.7	146	5.2	5
1/31/23 18:15	12.0	94.6	7.6	146	5.3	5
1/31/23 18:30	11.6	91.3	7.4	138	5.4	4
1/31/23 18:45	11.9	94.0	7.5	142	5.5	4
1/31/23 19:00	11.9	94.2	7.5	142	5.5	5
1/31/23 19:15	11.8	93.8	7.5	141	5.6	4
1/31/23 19:30	11.7	93.6	7.5	141	5.7	4
1/31/23 19:45	11.7	93.2	7.4	138	5.8	4
1/31/23 20:00	11.6	92.8	7.3	137	5.9	4
1/31/23 20:15	11.5	92.6	7.3	137	5.9	5
1/31/23 20:30	11.5	92.2	7.3	135	6.0	4
1/31/23 20:45	11.4	92.2	7.2	136	6.1	4
1/31/23 21:00	11.4	92.0	7.2	135	6.2	4
1/31/23 21:15	11.3	91.7	7.2	135	6.2	5
1/31/23 21:30	11.4	92.0	7.2	137	6.4	4
1/31/23 21:45	11.3	91.4	7.1	135	6.4	4
1/31/23 22:00	11.3	91.9	7.1	137	6.6	5
1/31/23 22:15	11.1	90.3	7.1	136	6.4	3
1/31/23 22:30	11.1	90.8	7.1	141	6.7	4
1/31/23 22:45	11.1	90.8	7.1	142	6.7	5
1/31/23 23:00	11.2	91.5	7.1	147	6.7	7
1/31/23 23:15	11.1	90.7	7.1	151	6.7	5
1/31/23 23:30	11.0	90.4	7.0	155	6.9	4
1/31/23 23:45	10.9	90.4	7.0	161	7.2	3



Klamath River near Klamath, CA (USGS 11530500)

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 0:00	11.9	101.9	7.8	60	8.6	1373
1/1/23 0:15	11.9	101.8	7.8	63	8.6	1309
1/1/23 0:30	11.9	101.9	7.8	56	8.6	1249
1/1/23 0:45	11.9	101.8	7.8		8.6	1235
1/1/23 1:00	11.9	101.8	7.8	82	8.6	1255
1/1/23 1:15	11.9	101.7	7.8	83	8.6	1248
1/1/23 1:30	11.9	101.7	7.8	64	8.6	1269
1/1/23 1:45	11.9	101.7	7.8	57	8.6	1196
1/1/23 2:00	11.9	101.6	7.8	52	8.6	1251
1/1/23 2:15	11.9	101.6	7.8		8.6	1255
1/1/23 2:30	11.9	101.6	7.7		8.6	1286
1/1/23 2:45	11.9	101.6	7.7	64	8.6	1225
1/1/23 3:00	11.9	101.5	7.7	88	8.6	1191
1/1/23 3:15	11.9	101.4	7.8	86	8.6	1129
1/1/23 3:30	11.9	101.4	7.7	89	8.5	1055
1/1/23 3:45	11.9	101.4	7.8	88	8.5	1048
1/1/23 4:00	11.9	101.4	7.8	61	8.5	1179
1/1/23 4:15	11.9	101.4	7.7	88	8.5	4978
1/1/23 4:30	11.9	101.4	7.7	82	8.5	1036
1/1/23 4:45	11.9	101.4	7.8	95	8.5	1091
1/1/23 5:00	11.9	101.4	7.8	89	8.5	1095
1/1/23 5:15	11.9	101.3	7.8	89	8.5	1023
1/1/23 5:30	11.9	101.3	7.8	89	8.5	990
1/1/23 5:45			7.8	89	8.5	
1/1/23 6:00	11.9	101.3	7.8	80	8.5	1050
1/1/23 6:15	11.9	101.3	7.8	64	8.5	1065
1/1/23 6:30	11.9	101.3	7.8	55	8.5	995
1/1/23 6:45	11.9	101.2	7.8		8.4	1082
1/1/23 7:00	11.9	101.2	7.8	67	8.4	1032
1/1/23 7:15	11.9	101.3	7.8	81	8.4	957
1/1/23 7:30	11.9	101.2	7.8	77	8.4	1015
1/1/23 7:45	11.9	101.2	7.8	74	8.4	975
1/1/23 8:00	11.9	101.2	7.8	71	8.4	956
1/1/23 8:15	11.9	101.2	7.8	67	8.4	915
1/1/23 8:30	11.9	101.2	7.8	61	8.4	952
1/1/23 8:45	11.9	101.1	7.8	55	8.4	960
1/1/23 9:00	11.9	101.2	7.8	89	8.4	1047
1/1/23 9:15	11.9	101.2	7.8	75	8.4	925
1/1/23 9:30	11.9	101.2	7.8	63	8.4	926
1/1/23 9:45	11.9	101.2	7.8		8.4	859
1/1/23 10:00	11.9	101.2	7.8	77	8.4	879
1/1/23 10:15	11.9	101.2	7.8	62	8.4	904

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 10:30	11.9	101.2	7.8	53	8.4	882
1/1/23 10:45	11.9	101.2	7.8		8.4	971
1/1/23 11:00	11.9	101.0	7.8	76	8.4	841
1/1/23 11:15	11.9	101.2	7.8	74	8.4	800
1/1/23 11:30	11.9	101.2	7.8	63	8.4	832
1/1/23 11:45	11.9	101.2	7.8	58	8.4	830
1/1/23 12:00	11.9	101.3	7.8	53	8.4	862
1/1/23 12:15	11.9	101.3	7.8		8.4	842
1/1/23 12:30	11.9	101.3	7.8		8.4	798
1/1/23 12:45	11.9	101.2	7.8		8.4	917
1/1/23 13:00	11.9	101.4	7.8	58	8.4	805
1/1/23 13:15	11.9	101.4	7.8		8.4	735
1/1/23 13:30	11.9	101.4	7.8		8.4	791
1/1/23 13:45	11.9	101.4	7.8		8.4	764
1/1/23 14:00	11.9	101.4	7.8		8.4	785
1/1/23 14:15	11.9	101.4	7.8		8.4	717
1/1/23 14:30	11.9	101.1	7.8	78	8.4	988
1/1/23 14:45	11.9	101.4	7.8	95	8.3	719
1/1/23 15:00	11.9	101.4	7.8	88	8.3	753
1/1/23 15:15	11.9	101.3	7.8	71	8.3	711
1/1/23 15:30	11.9	101.3	7.8	63	8.3	730
1/1/23 15:45	11.9	101.3	7.8	55	8.3	647
1/1/23 16:00	11.9	101.3	7.8	52	8.3	685
1/1/23 16:15	11.9	101.3	7.8	52	8.3	696
1/1/23 16:30	11.9	101.2	7.8	69	8.2	663
1/1/23 16:45	11.9	101.2	7.8	55	8.2	689
1/1/23 17:00	11.9	101.2	7.8	52	8.2	651
1/1/23 17:15	11.9	101.2	7.8	68	8.2	674
1/1/23 17:30	11.9	101.1	7.8	79	8.2	645
1/1/23 17:45	11.9	101.1	7.8	99	8.2	1070
1/1/23 18:00	11.9	101.1	7.8	95	8.2	639
1/1/23 18:15	11.9	101.0	7.8	102	8.1	658
1/1/23 18:30	11.9	101.0	7.8	96	8.1	619
1/1/23 18:45	11.9	100.9	7.8	96	8.1	601
1/1/23 19:00	11.9	100.9	7.8	95	8.1	600
1/1/23 19:15	11.9	100.8	7.8	96	8.1	577
1/1/23 19:30	11.9	100.8	7.8	96	8.1	576
1/1/23 19:45	11.9	100.8	7.8	96	8.0	601
1/1/23 20:00	11.9	100.8	7.8	96	8.0	592
1/1/23 20:15	11.9	100.8	7.8	96	8.0	555
1/1/23 20:30	11.9	100.8	7.8	96	8.0	596
1/1/23 20:45	11.9	100.7	7.8	95	8.0	500

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 21:00	11.9	100.7	7.8	97	8.0	536
1/1/23 21:15	11.9	100.6	7.8	97	8.0	563
1/1/23 21:30	11.9	100.6	7.8	97	8.0	582
1/1/23 21:45	11.9	100.6	7.8	97	8.0	549
1/1/23 22:00	11.9	100.7	7.8	104	8.0	563
1/1/23 22:15	11.9	100.6	7.8	97	8.0	1388
1/1/23 22:30	11.9	100.5	7.8	97	8.0	548
1/1/23 22:45	11.9	100.5	7.8	97	8.0	555
1/1/23 23:00	11.9	100.5	7.8	96	8.0	642
1/1/23 23:15	11.9	100.5	7.8	97	7.9	537
1/1/23 23:30	11.9	100.5	7.8	97	7.9	520
1/1/23 23:45	11.9	100.4	7.8	98	7.9	532
1/2/23 0:00	11.9	100.5	7.8	98	7.9	510
1/2/23 0:15	11.9	100.4	7.8	98	7.9	501
1/2/23 0:30	11.9	100.3	7.8	98	7.9	517
1/2/23 0:45	11.9	100.3	7.8	98	7.9	500
1/2/23 1:00	11.9	100.3	7.8	98	7.9	757
1/2/23 1:15	11.9	100.3	7.8	98	7.9	498
1/2/23 1:30	11.9	100.2	7.8	98	7.8	482
1/2/23 1:45	11.9	100.2	7.8	98	7.8	478
1/2/23 2:00	11.9	100.1	7.8	98	7.8	511
1/2/23 2:15	11.9	100.2	7.8	98	7.8	510
1/2/23 2:30	11.9	100.2	7.8	98	7.8	507
1/2/23 2:45	11.9	100.1	7.8	98	7.8	495
1/2/23 3:00	11.9	100.1	7.8	99	7.8	461
1/2/23 3:15	11.9	100.0	7.8	98	7.8	487
1/2/23 3:30	11.9	100.1	7.8	99	7.8	484
1/2/23 3:45	11.9	100.0	7.8	99	7.8	496
1/2/23 4:00	11.9	100.0	7.8	99	7.7	477
1/2/23 4:15	11.9	100.0	7.8	99	7.7	464
1/2/23 4:30	11.9	99.9	7.8	68	7.7	484
1/2/23 4:45	12.0	100.0	7.8	100	7.7	447
1/2/23 5:00	12.0	100.0	7.8	99	7.7	464
1/2/23 5:15	12.0	100.0	7.8	78	7.7	485
1/2/23 5:30	11.9	99.9	7.8	100	7.7	448
1/2/23 5:45	12.0	99.9	7.8	99	7.7	402
1/2/23 6:00	12.0	99.9	7.8	100	7.7	458
1/2/23 6:15	11.9	99.8	7.8	100	7.6	438
1/2/23 6:30	12.0	99.8	7.8	100	7.6	492
1/2/23 6:45	12.0	99.8	7.8	100	7.6	389
1/2/23 7:00	12.0	99.8	7.8	100	7.6	385
1/2/23 7:15	12.0	99.8	7.8	107	7.6	433

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 7:30	12.0	99.8	7.8	101	7.6	425
1/2/23 7:45	12.0	99.8	7.8	101	7.6	416
1/2/23 8:00	12.0	99.7	7.8	101	7.6	427
1/2/23 8:15	12.0	99.8	7.8	101	7.6	393
1/2/23 8:30	12.0	99.7	7.8	101	7.6	428
1/2/23 8:45	12.0	99.7	7.8	101	7.6	409
1/2/23 9:00	12.0	99.7	7.8	101	7.6	393
1/2/23 9:15	12.0	99.7	7.8	101	7.5	506
1/2/23 9:30	12.0	99.6	7.8	102	7.5	407
1/2/23 9:45	12.0	99.6	7.8	101	7.5	387
1/2/23 10:00	12.0	99.6	7.8	101	7.5	435
1/2/23 10:15	12.0	99.6	7.8	101	7.5	388
1/2/23 10:30	12.0	99.6	7.8	102	7.5	380
1/2/23 10:45	12.0	99.6	7.8	102	7.5	400
1/2/23 11:00	12.0	99.6	7.8	101	7.5	386
1/2/23 11:15	12.0	99.5	7.8	102	7.5	398
1/2/23 11:30	12.0	99.6	7.8	102	7.5	383
1/2/23 11:45	12.0	99.5	7.8	102	7.5	373
1/2/23 12:00	12.0	99.5	7.8	102	7.4	364
1/2/23 12:15	12.0	99.5	7.8	102	7.4	343
1/2/23 12:30	12.0	99.6	7.8	102	7.4	377
1/2/23 12:45	12.0	99.5	7.8	103	7.4	341
1/2/23 13:00	12.0	99.5	7.8	103	7.4	391
1/2/23 13:15	12.0	99.5	7.8	103	7.4	371
1/2/23 13:30	12.0	99.5	7.8	103	7.4	356
1/2/23 13:45	12.0	99.5	7.8	103	7.4	360
1/2/23 14:00	12.0	99.5	7.8	103	7.4	365
1/2/23 14:15	12.0	99.5	7.8	103	7.4	365
1/2/23 14:30	12.0	99.4	7.8	103	7.4	353
1/2/23 14:45	12.0	99.5	7.8	103	7.4	342
1/2/23 15:00	12.0	99.5	7.8	103	7.4	612
1/2/23 15:15	12.0	99.5	7.8	103	7.4	361
1/2/23 15:30	12.0	99.5	7.8	104	7.4	348
1/2/23 15:45	12.0	99.5	7.8	104	7.4	342
1/2/23 16:00	12.0	99.4	7.8	104	7.4	342
1/2/23 16:15	12.0	99.4	7.8	104	7.4	351
1/2/23 16:30	12.0	99.4	7.8	104	7.4	347
1/2/23 16:45	12.0	99.4	7.8	104	7.4	329
1/2/23 17:00	12.0	99.4	7.8	104	7.4	382
1/2/23 17:15	12.0	99.4	7.8	105	7.4	312
1/2/23 17:30	12.0	99.4	7.8	104	7.4	321
1/2/23 17:45	12.0	99.4	7.8	105	7.4	305

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 18:00	12.0	99.4	7.8	105	7.3	344
1/2/23 18:15	12.0	99.4	7.8	105	7.3	329
1/2/23 18:30	12.0	99.4	7.8	105	7.3	312
1/2/23 18:45	12.0	99.4	7.8	105	7.3	322
1/2/23 19:00	12.0	99.4	7.8	105	7.3	322
1/2/23 19:15	12.0	99.4	7.8	105	7.3	309
1/2/23 19:30	12.0	99.3	7.8	105	7.3	314
1/2/23 19:45	12.0	99.3	7.8	105	7.3	308
1/2/23 20:00	12.0	99.3	7.8	105	7.3	309
1/2/23 20:15	12.0	99.3	7.8	105	7.3	294
1/2/23 20:30	12.0	99.3	7.8	106	7.3	318
1/2/23 20:45	12.0	99.3	7.8	105	7.3	291
1/2/23 21:00	12.0	99.3	7.8	105	7.2	307
1/2/23 21:15	12.0	99.3	7.8	106	7.2	293
1/2/23 21:30	12.0	99.3	7.8	106	7.2	453
1/2/23 21:45	12.0	99.3	7.8	106	7.2	290
1/2/23 22:00	12.0	99.3	7.8	106	7.2	290
1/2/23 22:15	12.0	99.2	7.8	106	7.2	265
1/2/23 22:30	12.0	99.2	7.8	106	7.2	291
1/2/23 22:45	12.0	99.3	7.8	106	7.2	311
1/2/23 23:00	12.0	99.2	7.8	105	7.2	321
1/2/23 23:15	12.0	99.3	7.8	106	7.2	336
1/2/23 23:30	12.0	99.2	7.8	97	7.2	294
1/2/23 23:45	12.0	99.2	7.8	107	7.2	289
1/3/23 0:00	12.0	99.2	7.8	107	7.2	307
1/3/23 0:15	12.0	99.2	7.8	107	7.2	304
1/3/23 0:30	12.0	99.2	7.8	107	7.2	282
1/3/23 0:45	12.0	99.2	7.8	107	7.1	287
1/3/23 1:00	12.0	99.2	7.8	107	7.1	312
1/3/23 1:15	12.0	99.1	7.8	107	7.1	299
1/3/23 1:30	12.0	99.1	7.8	107	7.1	265
1/3/23 1:45	12.0	99.2	7.8	108	7.1	285
1/3/23 2:00	12.0	99.1	7.8	108	7.1	282
1/3/23 2:15	12.0	99.1	7.8	108	7.1	284
1/3/23 2:30	12.0	99.1	7.8	107	7.1	282
1/3/23 2:45	12.0	99.1	7.8	108	7.1	276
1/3/23 3:00	12.0	99.0	7.8	108	7.0	272
1/3/23 3:15	12.0	99.1	7.8	108	7.0	278
1/3/23 3:30	12.0	99.1	7.8	108	7.0	289
1/3/23 3:45	12.0	99.1	7.8	108	7.0	489
1/3/23 4:00	12.0	99.1	7.8	108	7.0	288
1/3/23 4:15	12.1	99.1	7.8	108	7.0	282

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 4:30	12.0	99.0	7.8	107	7.0	275
1/3/23 4:45	12.0	99.0	7.8	108	7.0	268
1/3/23 5:00	12.0	98.9	7.8	108	7.0	269
1/3/23 5:15	12.1	99.1	7.8	108	7.0	262
1/3/23 5:30	12.1	99.0	7.8	108	6.9	267
1/3/23 5:45	12.1	98.9	7.8	109	6.9	258
1/3/23 6:00	12.1	99.0	7.8	109	6.9	1115
1/3/23 6:15	12.1	98.9	7.8	93	6.9	280
1/3/23 6:30	12.1	99.0	7.8	107	6.9	281
1/3/23 6:45	12.1	99.0	7.8	108	6.9	242
1/3/23 7:00	12.1	98.9	7.8	106	6.9	264
1/3/23 7:15	12.1	99.0	7.8	109	6.9	262
1/3/23 7:30	12.1	98.9	7.8	93	6.9	310
1/3/23 7:45	12.1	98.9	7.8	112	6.9	261
1/3/23 8:00	12.1	98.8	7.8	84	6.9	276
1/3/23 8:15	12.1	98.9	7.8	65	6.8	275
1/3/23 8:30	12.1	98.8	7.8	52	6.8	268
1/3/23 8:45	12.1	98.8	7.8	104	6.8	290
1/3/23 9:00	12.1	98.9	7.8	109	6.8	256
1/3/23 9:15	12.1	98.8	7.8	109	6.8	279
1/3/23 9:30	12.1	98.9	7.8	110	6.8	259
1/3/23 9:45	12.1	98.9	7.8	110	6.8	284
1/3/23 10:00	12.1	98.9	7.8	110	6.8	261
1/3/23 10:15	12.1	98.9	7.8	110	6.8	272
1/3/23 10:30	12.1	98.9	7.8	110	6.8	257
1/3/23 10:45	12.1	98.9	7.8	109	6.8	241
1/3/23 11:00	12.1	98.9	7.8	110	6.8	255
1/3/23 11:15	12.1	98.9	7.8	110	6.8	235
1/3/23 11:30	12.1	99.0	7.8	110	6.8	249
1/3/23 11:45	12.1	99.0	7.8	110	6.8	270
1/3/23 12:00	12.1	98.9	7.8	110	6.8	241
1/3/23 12:15	12.1	98.9	7.8	110	6.8	270
1/3/23 12:30	12.1	98.9	7.8	110	6.8	244
1/3/23 12:45	12.1	99.0	7.8	110	6.8	252
1/3/23 13:00	12.1	99.0	7.8	110	6.9	249
1/3/23 13:15	12.1	99.1	7.8	111	6.9	242
1/3/23 13:30	12.1	99.1	7.8	111	6.9	238
1/3/23 13:45	12.1	99.0	7.8	111	6.9	249
1/3/23 14:00	12.1	99.0	7.8	111	6.9	1006
1/3/23 14:15	12.1	99.0	7.8	110	6.9	320
1/3/23 14:30	12.1	99.0	7.8	110	6.9	238
1/3/23 14:45	12.1	99.0	7.8	111	6.9	228

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 15:00	12.1	99.0	7.8	111	6.9	222
1/3/23 15:15	12.1	99.1	7.8	111	6.9	222
1/3/23 15:30	12.1	99.0	7.8	111	6.9	288
1/3/23 15:45	12.1	99.1	7.8	111	6.9	218
1/3/23 16:00	12.1	99.1	7.8	111	6.9	200
1/3/23 16:15	12.1	99.0	7.8	112	6.9	226
1/3/23 16:30	12.1	99.1	7.8	111	6.9	184
1/3/23 16:45	12.1	99.1	7.8	111	6.9	220
1/3/23 17:00	12.1	99.1	7.8	111	6.9	213
1/3/23 17:15	12.1	99.1	7.8	112	6.9	211
1/3/23 17:30	12.1	99.1	7.8	111	6.9	223
1/3/23 17:45	12.1	99.2	7.8	111	6.9	230
1/3/23 18:00	12.1	99.1	7.8	111	6.9	228
1/3/23 18:15	12.1	99.0	7.8	111	6.9	249
1/3/23 18:30	12.1	99.1	7.8	112	6.9	233
1/3/23 18:45	12.1	99.0	7.8	112	6.9	214
1/3/23 19:00	12.1	99.1	7.8	112	6.9	217
1/3/23 19:15	12.1	99.1	7.8	112	6.9	211
1/3/23 19:30	12.1	99.1	7.8	112	6.9	218
1/3/23 19:45	12.1	99.1	7.8	112	6.9	220
1/3/23 20:00	12.1	99.0	7.8	112	6.9	248
1/3/23 20:15	12.1	99.0	7.8	112	6.9	221
1/3/23 20:30	12.1	99.0	7.8	108	6.9	218
1/3/23 20:45	12.1	99.0	7.8	112	6.9	215
1/3/23 21:00	12.1	99.0	7.8	112	6.9	220
1/3/23 21:15	12.1	98.9	7.8	112	6.9	220
1/3/23 21:30	12.1	99.0	7.8	112	6.9	218
1/3/23 21:45	12.1	98.9	7.8	112	6.9	210
1/3/23 22:00	12.1	99.0	7.8	113	6.9	208
1/3/23 22:15	12.1	98.9	7.8	120	6.9	221
1/3/23 22:30	12.1	99.0	7.8	112	6.9	197
1/3/23 22:45	12.1	99.0	7.8	113	6.9	208
1/3/23 23:00	12.1	98.9	7.8	113	6.9	206
1/3/23 23:15	12.1	99.0	7.8	113	6.9	264
1/3/23 23:30	12.1	99.0	7.8	113	6.9	204
1/3/23 23:45	12.1	98.9	7.8	113	6.9	207
1/4/23 0:00	12.1	98.9	7.8	113	6.9	207
1/4/23 0:15	12.1	98.9	7.8	113	6.9	208
1/4/23 0:30	12.0	98.8	7.8	113	6.9	209
1/4/23 0:45	12.0	98.8	7.8	113	6.9	206
1/4/23 1:00	12.1	98.9	7.8	113	6.9	210
1/4/23 1:15	12.1	98.9	7.8	113	6.9	218

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 1:30	12.0	98.7	7.8	113	6.9	206
1/4/23 1:45	12.0	98.8	7.8	113	6.9	211
1/4/23 2:00	12.0	98.7	7.8	113	6.9	218
1/4/23 2:15	12.0	98.8	7.8	113	6.9	231
1/4/23 2:30	12.0	98.8	7.8	113	6.9	196
1/4/23 2:45	12.0	98.8	7.8	114	6.9	195
1/4/23 3:00	12.0	98.7	7.8	114	6.9	191
1/4/23 3:15	12.0	98.7	7.8	114	6.9	194
1/4/23 3:30	12.0	98.7	7.8	114	6.9	195
1/4/23 3:45	12.0	98.7	7.8	114	6.9	193
1/4/23 4:00	12.0	98.6	7.8	114	6.9	196
1/4/23 4:15	12.0	98.6	7.8	114	6.9	198
1/4/23 4:30	12.0	98.6	7.8	114	6.9	182
1/4/23 4:45	12.0	98.6	7.8	114	6.9	239
1/4/23 5:00	12.0	98.6	7.8	114	6.9	201
1/4/23 5:15	12.0	98.6	7.8	114	6.9	181
1/4/23 5:30	12.0	98.5	7.8	114	6.9	197
1/4/23 5:45	12.0	98.5	7.8	114	6.9	187
1/4/23 6:00	12.0	98.5	7.8	114	6.9	231
1/4/23 6:15	12.0	98.5	7.8	114	6.9	155
1/4/23 6:30	12.0	98.5	7.8	114	6.9	279
1/4/23 6:45	12.0	98.4	7.8	114	7.0	191
1/4/23 7:00	12.0	98.4	7.8	115	7.0	200
1/4/23 7:15	12.0	98.5	7.8	115	7.0	194
1/4/23 7:30	12.0	98.5	7.8	115	7.0	198
1/4/23 7:45	12.0	98.4	7.8	115	7.0	209
1/4/23 8:00	12.0	98.5	7.8	115	7.0	169
1/4/23 8:15	12.0	98.2	7.8	115	7.0	493
1/4/23 8:30	12.0	98.3	7.8	115	7.0	253
1/4/23 8:45	12.0	98.3	7.8	115	7.0	171
1/4/23 9:00	12.0	98.3	7.8	115	7.0	160
1/4/23 9:15	12.0	98.3	7.8	115	7.0	200
1/4/23 9:30	12.0	98.3	7.8	115	7.0	203
1/4/23 9:45	11.9	98.2	7.8	115	7.0	184
1/4/23 10:00	11.9	98.2	7.8	115	7.0	190
1/4/23 10:15	11.9	98.2	7.8	115	7.0	192
1/4/23 10:30	11.9	98.1	7.8	115	7.0	194
1/4/23 10:45	11.9	98.3	7.8	115	7.0	179
1/4/23 11:00	11.9	98.2	7.8	115	7.0	182
1/4/23 11:15	11.9	98.2	7.8	115	7.0	185
1/4/23 11:30	11.9	98.2	7.8	115	7.0	183
1/4/23 11:45	11.9	98.1	7.8	115	7.0	181

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 12:00	11.9	98.1	7.8	115	7.0	182
1/4/23 12:15	11.9	98.3	7.8	115	7.1	175
1/4/23 12:30	11.9	98.2	7.8	115	7.1	178
1/4/23 12:45	11.9	98.2	7.8	115	7.1	177
1/4/23 13:00	11.9	98.1	7.8	115	7.1	175
1/4/23 13:15	11.9	98.2	7.8	115	7.1	182
1/4/23 13:30	11.9	98.3	7.8	116	7.1	177
1/4/23 13:45	11.9	98.2	7.8	116	7.2	171
1/4/23 14:00	11.9	98.1	7.8	116	7.2	182
1/4/23 14:15	11.9	98.2	7.9	116	7.2	185
1/4/23 14:30	11.9	98.2	7.9	116	7.2	171
1/4/23 14:45	11.9	98.1	7.8	116	7.2	164
1/4/23 15:00	11.9	98.1	7.8	116	7.2	178
1/4/23 15:15	11.9	98.1	7.8	116	7.2	171
1/4/23 15:30	11.9	98.1	7.8	116	7.2	169
1/4/23 15:45	11.8	98.0	7.9	116	7.2	171
1/4/23 16:00	11.8	98.0	7.9	116	7.2	167
1/4/23 16:15	11.8	97.9	7.9	116	7.2	189
1/4/23 16:30	11.8	98.0	7.9	116	7.2	173
1/4/23 16:45	11.8	97.9	7.9	116	7.2	177
1/4/23 17:00	11.8	97.9	7.9	116	7.2	163
1/4/23 17:15	11.8	97.9	7.9	116	7.2	164
1/4/23 17:30	11.8	98.0	7.9	116	7.2	176
1/4/23 17:45	11.8	97.9	7.8	117	7.2	163
1/4/23 18:00	11.8	97.8	7.8	116	7.2	164
1/4/23 18:15	11.8	97.8	7.8	116	7.3	163
1/4/23 18:30	11.8	97.8	7.8	117	7.3	192
1/4/23 18:45	11.8	97.7	7.8	117	7.3	161
1/4/23 19:00	11.8	97.7	7.8	117	7.3	163
1/4/23 19:15	11.8	97.7	7.8	117	7.3	164
1/4/23 19:30	11.8	97.7	7.8	117	7.3	170
1/4/23 19:45	11.8	97.7	7.8	117	7.3	162
1/4/23 20:00	11.8	97.6	7.8	117	7.3	164
1/4/23 20:15	11.8	97.6	7.8	117	7.3	160
1/4/23 20:30	11.8	97.5	7.8	116	7.3	160
1/4/23 20:45	11.8	97.5	7.8	116	7.3	165
1/4/23 21:00	11.8	97.5	7.8	116	7.3	162
1/4/23 21:15	11.8	97.4	7.8	116	7.3	159
1/4/23 21:30	11.8	97.4	7.8	117	7.3	162
1/4/23 21:45	11.8	97.3	7.8	117	7.3	150
1/4/23 22:00	11.7	97.3	7.8	117	7.3	155
1/4/23 22:15	11.7	97.3	7.8	117	7.3	159

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 22:30	11.8	97.3	7.8	117	7.3	157
1/4/23 22:45	11.7	97.3	7.8	117	7.3	159
1/4/23 23:00	11.7	97.2	7.8	117	7.3	158
1/4/23 23:15	11.7	97.2	7.8	117	7.3	161
1/4/23 23:30	11.7	97.2	7.8	117	7.3	159
1/4/23 23:45	11.7	97.2	7.8	117	7.3	160
1/5/23 0:00	11.7	97.2	7.9	117	7.3	157
1/5/23 0:15	11.7	97.1	7.8	117	7.3	156
1/5/23 0:30	11.7	97.1	7.8	117	7.3	152
1/5/23 0:45	11.7	97.1	7.8	117	7.3	185
1/5/23 1:00	11.7	97.1	7.9	117	7.3	152
1/5/23 1:15	11.7	97.1	7.8	117	7.3	146
1/5/23 1:30	11.7	97.1	7.8	117	7.3	150
1/5/23 1:45	11.7	97.0	7.8	117	7.3	153
1/5/23 2:00	11.7	97.1	7.8	117	7.3	154
1/5/23 2:15	11.7	97.0	7.8	117	7.4	153
1/5/23 2:30	11.7	96.9	7.9	117	7.4	148
1/5/23 2:45	11.7	97.0	7.9	117	7.4	145
1/5/23 3:00	11.7	97.0	7.9	117	7.4	146
1/5/23 3:15	11.7	97.0	7.8	117	7.4	150
1/5/23 3:30	11.7	97.0	7.8	117	7.4	150
1/5/23 3:45	11.7	97.0	7.8	117	7.4	150
1/5/23 4:00	11.7	96.9	7.8	117	7.4	150
1/5/23 4:15	11.7	96.9	7.9	117	7.4	146
1/5/23 4:30	11.7	96.9	7.8	117	7.4	153
1/5/23 4:45	11.7	97.0	7.9	117	7.4	156
1/5/23 5:00	11.7	97.0	7.9	117	7.4	156
1/5/23 5:15	11.7	96.9	7.8	117	7.4	153
1/5/23 5:30	11.7	96.9	7.8	117	7.4	151
1/5/23 5:45	11.7	96.9	7.9	117	7.4	147
1/5/23 6:00	11.6	96.9	7.8	117	7.5	164
1/5/23 6:15	11.6	96.9	7.8	117	7.5	154
1/5/23 6:30	11.6	96.9	7.8	117	7.5	153
1/5/23 6:45	11.6	96.9	7.8	117	7.5	155
1/5/23 7:00	11.6	96.9	7.8	117	7.5	147
1/5/23 7:15	11.6	96.9	7.8	117	7.5	156
1/5/23 7:30	11.6	96.8	7.8	117	7.5	148
1/5/23 7:45	11.6	96.9	7.8	117	7.5	152
1/5/23 8:00	11.6	96.9	7.8	117	7.5	149
1/5/23 8:15	11.6	96.9	7.8	117	7.5	160
1/5/23 8:30	11.6	96.9	7.8	117	7.5	150
1/5/23 8:45	11.6	96.9	7.9	117	7.5	151

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 9:00	11.6	97.0	7.8	118	7.5	149
1/5/23 9:15	11.6	96.9	7.8	117	7.5	160
1/5/23 9:30	11.6	97.0	7.9	117	7.6	146
1/5/23 9:45	11.6	97.0	7.8	117	7.6	150
1/5/23 10:00	11.6	97.1	7.8	117	7.6	154
1/5/23 10:15	11.6	97.0	7.8	117	7.6	150
1/5/23 10:30	11.6	97.0	7.9	117	7.6	153
1/5/23 10:45	11.6	96.9	7.8	117	7.6	165
1/5/23 11:00	11.6	97.0	7.8	117	7.6	154
1/5/23 11:15	11.6	97.1	7.9	118	7.6	154
1/5/23 11:30	11.6	97.2	7.9	117	7.6	162
1/5/23 11:45	11.6	97.1	7.9	118	7.6	164
1/5/23 12:00	11.6	97.1	7.9	118	7.6	160
1/5/23 12:15	11.6	97.3	7.9	118	7.7	168
1/5/23 12:30	11.6	97.2	7.9	118	7.7	174
1/5/23 12:45	11.6	97.3	7.9	118	7.7	162
1/5/23 13:00	11.6	97.2	7.9	118	7.7	174
1/5/23 13:15	11.6	97.3	7.9	118	7.7	175
1/5/23 13:30	11.6	97.4	7.9	116	7.7	181
1/5/23 13:45	11.6	97.4	7.9	118	7.7	174
1/5/23 14:00	11.6	97.6	7.9	118	7.7	178
1/5/23 14:15	11.6	97.5	7.9	118	7.8	180
1/5/23 14:30	11.6	97.6	7.9	117	7.8	185
1/5/23 14:45	11.6	97.6	7.9	117	7.8	197
1/5/23 15:00	11.7	97.7	7.9	117	7.8	189
1/5/23 15:15	11.6	97.6	7.9	117	7.8	204
1/5/23 15:30	11.6	97.7	7.9	117	7.8	205
1/5/23 15:45	11.6	97.7	7.9	117	7.8	229
1/5/23 16:00	11.7	98.0	7.9	117	7.8	314
1/5/23 16:15	11.6	97.8	7.9	117	7.8	220
1/5/23 16:30	11.6	97.7	7.9	117	7.8	222
1/5/23 16:45	11.7	97.9	7.9	117	7.8	229
1/5/23 17:00	11.7	98.0	7.9	117	7.9	218
1/5/23 17:15	11.7	98.0	7.9	117	7.9	221
1/5/23 17:30	11.7	98.0	7.9	117	7.9	225
1/5/23 17:45	11.7	98.1	7.9	117	7.9	209
1/5/23 18:00	11.7	98.2	7.9	117	7.9	221
1/5/23 18:15	11.7	98.1	7.9	117	7.9	229
1/5/23 18:30	11.7	98.3	7.9	117	7.9	213
1/5/23 18:45	11.7	98.2	7.9	117	7.9	241
1/5/23 19:00	11.7	98.2	7.9	117	7.9	246
1/5/23 19:15	11.7	98.3	7.9	117	7.9	233

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 19:30	11.7	98.3	7.9	117	7.9	249
1/5/23 19:45	11.7	98.4	7.9	117	7.9	251
1/5/23 20:00	11.7	98.4	7.9	116	7.9	259
1/5/23 20:15	11.7	98.5	7.9	116	7.9	267
1/5/23 20:30	11.7	98.5	7.9	116	7.9	269
1/5/23 20:45	11.7	98.5	7.9	116	7.9	270
1/5/23 21:00	11.7	98.6	7.9	116	7.9	286
1/5/23 21:15	11.7	98.6	7.9	116	7.9	299
1/5/23 21:30	11.7	98.7	7.9	116	8.0	301
1/5/23 21:45	11.7	98.7	7.9	116	8.0	288
1/5/23 22:00	11.7	98.8	7.9	116	8.0	318
1/5/23 22:15	11.7	98.8	7.9	116	8.0	353
1/5/23 22:30	11.7	98.9	7.9	116	8.0	351
1/5/23 22:45	11.7	98.9	7.9	125	8.0	370
1/5/23 23:00	11.7	98.9	7.9	115	8.0	375
1/5/23 23:15	11.7	99.0	7.9	115	8.0	385
1/5/23 23:30	11.7	99.0	7.9	115	8.0	386
1/5/23 23:45	11.8	99.0	7.9	115	8.0	528
1/6/23 0:00	11.8	99.0	7.9	115	8.0	413
1/6/23 0:15	11.8	99.1	7.9	115	8.0	410
1/6/23 0:30	11.8	99.1	7.9	115	8.0	462
1/6/23 0:45	11.8	99.1	7.9	114	8.0	430
1/6/23 1:00	11.8	99.2	7.9	115	8.0	468
1/6/23 1:15	11.8	99.2	7.9	115	8.0	462
1/6/23 1:30	11.8	99.3	7.9	115	8.0	475
1/6/23 1:45	11.8	99.3	7.9	115	8.0	432
1/6/23 2:00	11.8	99.3	7.9	115	8.0	456
1/6/23 2:15	11.8	99.4	7.9	115	8.0	466
1/6/23 2:30	11.8	99.4	7.9	115	8.0	482
1/6/23 2:45	11.8	99.4	7.9	115	8.0	467
1/6/23 3:00	11.8	99.4	7.9	115	8.0	467
1/6/23 3:15	11.8	99.5	7.9	115	8.0	507
1/6/23 3:30	11.8	99.5	7.9	115	8.0	457
1/6/23 3:45	11.8	99.5	7.9	115	8.0	491
1/6/23 4:00	11.8	99.6	7.9	114	8.0	524
1/6/23 4:15	11.8	99.6	7.9	114	8.0	559
1/6/23 4:30	11.8	99.6	7.9	114	8.0	548
1/6/23 4:45	11.8	99.7	7.9	122	8.0	554
1/6/23 5:00	11.8	99.7	7.9	114	8.0	534
1/6/23 5:15	11.8	99.7	7.9	114	8.0	537
1/6/23 5:30	11.8	99.8	7.9	113	8.0	563
1/6/23 5:45	11.8	99.8	7.9	112	8.0	510

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 6:00	11.8	99.8	7.9	113	8.0	582
1/6/23 6:15	11.8	99.8	7.9	113	8.0	592
1/6/23 6:30	11.8	99.8	7.9	113	8.0	606
1/6/23 6:45	11.8	99.9	7.9	113	8.0	590
1/6/23 7:00	11.8	99.9	7.9	113	8.0	643
1/6/23 7:15	11.8	99.9	7.9	113	8.0	576
1/6/23 7:30	11.8	99.9	7.9	113	8.0	623
1/6/23 7:45	11.8	99.9	7.9	113	8.0	582
1/6/23 8:00	11.8	99.9	7.9	114	8.0	577
1/6/23 8:15	11.8	100.0	7.9	114	8.0	592
1/6/23 8:30	11.8	100.0	7.9	113	8.0	604
1/6/23 8:45	11.9	100.0	7.9	114	8.0	603
1/6/23 9:00	11.9	100.0	7.9	114	8.0	631
1/6/23 9:15	11.9	100.1	7.9	114	8.0	639
1/6/23 9:30	11.9	100.1	7.9	113	8.0	587
1/6/23 9:45	11.9	100.1	7.9	113	8.0	626
1/6/23 10:00	11.9	100.1	7.9	113	8.0	583
1/6/23 10:15	11.9	100.1	7.9	113	8.0	642
1/6/23 10:30	11.9	100.1	7.9	112	8.1	624
1/6/23 10:45	11.9	100.2	7.9	112	8.1	642
1/6/23 11:00	11.9	100.2	7.9	112	8.1	644
1/6/23 11:15	11.9	100.2	7.9	112	8.1	669
1/6/23 11:30	11.9	100.2	7.9	111	8.1	677
1/6/23 11:45	11.9	100.3	7.9	111	8.1	688
1/6/23 12:00	11.9	100.3	7.9	111	8.1	704
1/6/23 12:15	11.9	100.3	7.9	111	8.1	689
1/6/23 12:30	11.9	100.3	7.9	111	8.1	674
1/6/23 12:45	11.9	100.3	7.9	110	8.1	644
1/6/23 13:00	11.9	100.4	7.9	110	8.1	681
1/6/23 13:15	11.9	100.4	7.9	110	8.1	673
1/6/23 13:30	11.9	100.4	7.9	110	8.2	636
1/6/23 13:45	11.9	100.4	7.9	110	8.2	615
1/6/23 14:00	11.9	100.4	7.9	110	8.2	554
1/6/23 14:15	11.9	100.5	7.9	110	8.2	611
1/6/23 14:30	11.9	100.5	7.9	110	8.2	593
1/6/23 14:45	11.9	100.5	7.9	110	8.2	599
1/6/23 15:00	11.9	100.5	7.9	110	8.2	560
1/6/23 15:15	11.9	100.5	7.9	110	8.2	609
1/6/23 15:30	11.9	100.5	7.9	110	8.2	558
1/6/23 15:45	11.9	100.5	7.9	110	8.2	525
1/6/23 16:00	11.9	100.5	7.9	110	8.2	564
1/6/23 16:15	11.9	100.5	7.9	124	8.2	581

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 16:30	11.9	100.5	7.9	110	8.2	527
1/6/23 16:45	11.9	100.5	7.9	110	8.2	550
1/6/23 17:00	11.9	100.5	7.9	110	8.2	528
1/6/23 17:15	11.9	100.5	7.9	110	8.2	543
1/6/23 17:30	11.9	100.5	7.9	110	8.2	564
1/6/23 17:45	11.9	100.5	7.9	110	8.2	565
1/6/23 18:00	11.9	100.5	7.9	124	8.2	2684
1/6/23 18:15	11.9	100.4	7.9	110	8.2	531
1/6/23 18:30	11.9	100.4	7.9	110	8.2	524
1/6/23 18:45	11.9	100.4	7.9	110	8.2	2202
1/6/23 19:00	11.9	100.4	7.9	110	8.2	522
1/6/23 19:15	11.9	100.3	7.9	110	8.2	511
1/6/23 19:30	11.8	100.3	7.9	110	8.2	496
1/6/23 19:45	11.9	100.3	7.9	110	8.2	507
1/6/23 20:00	11.8	100.2	7.9	110	8.2	414
1/6/23 20:15	11.8	100.2	7.9	110	8.2	474
1/6/23 20:30	11.8	100.2	7.9	110	8.2	471
1/6/23 20:45	11.8	100.2	7.9	110	8.2	480
1/6/23 21:00	11.8	100.2	7.9	110		460
1/6/23 21:15	11.8	100.2	7.9	110	8.2	494
1/6/23 21:30	11.8	100.2	7.9	110	8.2	475
1/6/23 21:45	11.8	100.2	7.9	111	8.2	449
1/6/23 22:00	11.8	100.2	7.9	111	8.2	449
1/6/23 22:15	11.8	100.1	7.9	111	8.2	437
1/6/23 22:30	11.8	100.1	7.9	111	8.2	429
1/6/23 22:45	11.8	100.1	7.9	111	8.2	449
1/6/23 23:00	11.8	100.1	7.9	111	8.2	488
1/6/23 23:15	11.8	100.1	7.9	111	8.2	468
1/6/23 23:30	11.8	100.0	7.9	111	8.2	440
1/6/23 23:45	11.8	100.0	7.9	111	8.2	414
1/7/23 0:00	11.8	100.0	7.9	111	8.2	440
1/7/23 0:15	11.8	100.0	7.9	112	8.2	438
1/7/23 0:30	11.8	99.9	7.9	112	8.2	454
1/7/23 0:45	11.8	100.0	7.9	112	8.2	424
1/7/23 1:00	11.8	100.0	7.9	112	8.2	416
1/7/23 1:15	11.8	99.9	7.9	112	8.2	529
1/7/23 1:30	11.8	99.9	7.9	112	8.2	439
1/7/23 1:45	11.8	99.9	7.9	112	8.2	416
1/7/23 2:00	11.8	99.8	7.9	112	8.2	431
1/7/23 2:15	11.8	99.8	7.9	112	8.2	421
1/7/23 2:30	11.8	99.9	7.9	113	8.2	418
1/7/23 2:45	11.8	99.8	7.9	113	8.2	414

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 3:00	11.8	99.8	7.9	113	8.2	381
1/7/23 3:15	11.8	99.8	7.9	113	8.2	3447
1/7/23 3:30	11.8	99.7	7.9	113	8.2	488
1/7/23 3:45	11.8	99.7	7.9	113	8.2	415
1/7/23 4:00	11.8	99.7	7.9	112	8.2	417
1/7/23 4:15	11.8	99.7	7.9	113	8.2	506
1/7/23 4:30	11.8	99.6	7.9	113	8.2	1351
1/7/23 4:45	11.8	99.6	7.9	114	8.2	420
1/7/23 5:00	11.8	99.6	7.9	114	8.2	472
1/7/23 5:15	11.8	99.6	7.9	114	8.2	1323
1/7/23 5:30	11.7	99.5	7.9	114	8.2	325
1/7/23 5:45	11.8	99.6	7.9	114	8.2	367
1/7/23 6:00	11.7	99.5	7.9	114	8.2	367
1/7/23 6:15	11.7	99.5	7.9	104	8.2	432
1/7/23 6:30	11.7	99.5	7.9	114	8.2	359
1/7/23 6:45	11.7	99.5	7.9	114	8.2	406
1/7/23 7:00	11.7	99.4	7.9	114	8.2	362
1/7/23 7:15	11.7	99.4	7.9	114	8.2	392
1/7/23 7:30	11.7	99.4	7.9	114	8.2	364
1/7/23 7:45	11.7	99.3	7.9	114	8.2	360
1/7/23 8:00	11.6	98.1	7.9	114	8.2	3120
1/7/23 8:15	11.7	99.3	7.9	114	8.2	332
1/7/23 8:30	11.7	99.2	7.9	114	8.2	368
1/7/23 8:45	11.7	99.3	7.9	114	8.2	339
1/7/23 9:00	11.7	99.2	7.9	114	8.2	338
1/7/23 9:15	11.7	99.2	7.9	114	8.2	357
1/7/23 9:30	11.7	99.3	7.9	114	8.2	316
1/7/23 9:45	11.7	99.3	7.9	114	8.2	345
1/7/23 10:00			7.9	114	8.2	
1/7/23 10:15	11.7	99.2	7.9	114	8.2	360
1/7/23 10:30	11.7	99.2	7.9	114	8.2	334
1/7/23 10:45	11.7	99.2	7.9	122	8.2	5308
1/7/23 11:00	11.7	99.2	7.9	73	8.2	366
1/7/23 11:15	11.7	99.2	7.9	80	8.3	311
1/7/23 11:30	11.7	99.2	7.9	86	8.3	345
1/7/23 11:45	11.7	99.2	7.9	85	8.3	334
1/7/23 12:00	11.7	99.2	7.9	84	8.3	320
1/7/23 12:15	11.7	99.2	7.9	78	8.3	326
1/7/23 12:30	11.7	99.2	7.9	84	8.3	326
1/7/23 12:45	11.7	99.3	7.9	84	8.4	313
1/7/23 13:00	11.7	99.3	7.9	85	8.4	315
1/7/23 13:15	11.7	99.3	7.9	93	8.4	306

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 13:30	11.7	99.2	7.9	91	8.4	319
1/7/23 13:45	11.7	99.2	7.9	87	8.4	314
1/7/23 14:00	11.7	99.2	7.9	93	8.4	305
1/7/23 14:15	11.7	99.2	7.9	84	8.4	390
1/7/23 14:30	11.7	99.2	7.9	89	8.4	310
1/7/23 14:45	11.6	99.2	7.9	114	8.4	287
1/7/23 15:00	11.7	99.2	7.9	117	8.4	324
1/7/23 15:15	11.6	99.2	7.9	115	8.4	298
1/7/23 15:30	11.7	99.2	7.9	87	8.4	306
1/7/23 15:45	11.6	99.2	7.9	114	8.4	294
1/7/23 16:00	11.6	99.2	7.9	115	8.4	302
1/7/23 16:15	11.6	99.2	7.9	115	8.4	309
1/7/23 16:30	11.6	99.1	7.9	115	8.4	286
1/7/23 16:45	11.6	99.2	7.9	115	8.4	290
1/7/23 17:00	11.6	99.1	7.9	115	8.4	393
1/7/23 17:15	11.6	99.0	7.9	115	8.4	290
1/7/23 17:30	11.6	99.1	7.9	114	8.4	303
1/7/23 17:45	11.6	99.1	7.9	115	8.4	281
1/7/23 18:00	11.6	98.9	7.9	115	8.4	296
1/7/23 18:15	11.6	99.0	7.9	115	8.4	291
1/7/23 18:30	11.6	99.0	7.9	115	8.4	303
1/7/23 18:45	11.6	99.0	7.9	115	8.4	312
1/7/23 19:00	11.6	99.0	7.9	115	8.4	301
1/7/23 19:15	11.6	98.9	7.9	115	8.4	304
1/7/23 19:30	11.6	98.9	7.9	115	8.4	339
1/7/23 19:45	11.6	98.8	7.9	115	8.4	299
1/7/23 20:00	11.6	98.9	7.9	115	8.4	313
1/7/23 20:15	11.6	98.8	7.9	115	8.4	309
1/7/23 20:30	11.6	98.9	7.9	115	8.4	288
1/7/23 20:45	11.6	98.7	7.9	115	8.4	305
1/7/23 21:00	11.6	98.8	7.9	115	8.4	379
1/7/23 21:15	11.6	98.9	7.9	128	8.4	329
1/7/23 21:30	11.6	98.9	7.9	115	8.4	449
1/7/23 21:45	11.6	98.9	7.9	115	8.4	314
1/7/23 22:00	11.6	98.8	7.9	115	8.4	466
1/7/23 22:15	11.6	98.8	7.9	115	8.4	361
1/7/23 22:30	11.6	98.8	7.9	115	8.4	272
1/7/23 22:45	11.6	98.9	7.9	115	8.3	364
1/7/23 23:00	11.6	98.9	7.9	115	8.3	362
1/7/23 23:15	11.6	98.8	7.9	115	8.3	397
1/7/23 23:30	11.6	98.7	7.9	115	8.3	350
1/7/23 23:45	11.6	98.8	7.9	115	8.3	372

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 0:00	11.6	98.8	7.9	115	8.3	334
1/8/23 0:15	11.6	98.8	7.9	115	8.3	333
1/8/23 0:30	11.6	98.8	7.9	115	8.3	365
1/8/23 0:45	11.6	98.7	7.9	115	8.3	330
1/8/23 1:00	11.6	98.9	7.9	115	8.3	354
1/8/23 1:15	11.6	98.9	7.9	115	8.3	420
1/8/23 1:30	11.6	98.8	7.9	115	8.3	451
1/8/23 1:45	11.6	98.8	7.9	115	8.3	353
1/8/23 2:00	11.6	98.9	7.9	115	8.3	318
1/8/23 2:15	11.6	98.8	7.9	115	8.3	351
1/8/23 2:30	11.6	98.8	7.9	115	8.3	372
1/8/23 2:45	11.6	98.8	7.9	115	8.3	368
1/8/23 3:00	11.7	98.9	7.9	115	8.3	370
1/8/23 3:15	11.6	98.8	7.9	115	8.3	367
1/8/23 3:30	11.6	98.8	7.9	115	8.3	362
1/8/23 3:45	11.7	98.8	7.9	115	8.3	555
1/8/23 4:00	11.7	98.9	7.9	114	8.2	408
1/8/23 4:15	11.7	98.9	7.9	114	8.2	416
1/8/23 4:30	11.7	98.9	7.9	114	8.2	437
1/8/23 4:45	11.7	98.9	7.9	114	8.2	569
1/8/23 5:00	11.7	98.9	7.9	114	8.2	446
1/8/23 5:15	11.7	98.9	7.9	114	8.2	447
1/8/23 5:30	11.7	98.9	7.9	114	8.2	395
1/8/23 5:45	11.7	99.0	7.9	114	8.2	498
1/8/23 6:00	11.7	99.0	7.9	113	8.2	479
1/8/23 6:15	11.7	99.1	7.9	114	8.2	495
1/8/23 6:30	11.7	99.1	7.9	113	8.2	504
1/8/23 6:45	11.7	99.0	7.9	113	8.2	546
1/8/23 7:00	11.7	99.1	7.9	113	8.2	487
1/8/23 7:15	11.7	99.1	7.9	113	8.2	541
1/8/23 7:30	11.7	99.1	7.9	113	8.2	581
1/8/23 7:45	11.7	99.1	7.9	113	8.2	784
1/8/23 8:00	11.7	99.2	7.9	113	8.2	593
1/8/23 8:15	11.7	99.3	7.9	113	8.2	634
1/8/23 8:30	11.7	99.2	7.9	113	8.2	630
1/8/23 8:45	11.7	99.2	7.9	113	8.2	692
1/8/23 9:00	11.7	99.3	7.9	113	8.2	759
1/8/23 9:15	11.7	99.3	7.9	112	8.2	777
1/8/23 9:30	11.7	99.4	7.9	112	8.2	786
1/8/23 9:45	11.7	99.4	7.9	112	8.2	833
1/8/23 10:00	11.7	99.4	7.9	112	8.2	827
1/8/23 10:15	11.8	99.4	7.9	112	8.2	811

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 10:30	11.8	99.5	7.9	112	8.2	842
1/8/23 10:45	11.8	99.6	7.9	110	8.2	846
1/8/23 11:00	11.8	99.6	7.9	111	8.2	860
1/8/23 11:15	11.8	99.7	7.9	111	8.2	866
1/8/23 11:30	11.8	99.7	7.9	65	8.2	992
1/8/23 11:45	11.8	99.7	7.9	111	8.2	864
1/8/23 12:00	11.8	99.8	7.9	110	8.2	1011
1/8/23 12:15	11.8	99.9	7.9	124	8.2	1064
1/8/23 12:30	11.8	100.0	7.9	110	8.2	1066
1/8/23 12:45	11.8	100.0	7.9	110	8.2	1225
1/8/23 13:00	11.8	100.1	7.9	110	8.2	1128
1/8/23 13:15	11.8	100.2	7.9	99	8.2	1330
1/8/23 13:30	11.8	100.1	7.9	63	8.2	1246
1/8/23 13:45	11.8	100.3	7.9	109	8.2	1141
1/8/23 14:00	11.8	100.3	7.9	109	8.2	1182
1/8/23 14:15	11.8	100.4	7.9	109	8.2	1055
1/8/23 14:30	11.8	100.5	7.9	109	8.2	1220
1/8/23 14:45	11.8	100.5	7.9	109	8.2	1227
1/8/23 15:00	11.8	100.5	7.9	109	8.2	1267
1/8/23 15:15	11.9	100.6	7.9	108	8.3	1301
1/8/23 15:30	11.9	100.6	7.9	109	8.3	1289
1/8/23 15:45	11.9	100.6	7.9	108	8.3	1260
1/8/23 16:00	11.9	100.7	7.9	108	8.3	1236
1/8/23 16:15	11.9	100.7	7.9	108	8.3	1285
1/8/23 16:30	11.9	100.8	7.9	108	8.3	1252
1/8/23 16:45	11.9	100.8	7.9	108	8.3	1536
1/8/23 17:00	11.9	100.8	7.9	108	8.3	1328
1/8/23 17:15	11.9	100.8	7.9	108	8.3	1282
1/8/23 17:30	11.9	100.8	7.9	108	8.3	1457
1/8/23 17:45	11.9	100.8	7.9	108	8.3	1312
1/8/23 18:00	11.9	100.8	7.9	82	8.3	1522
1/8/23 18:15	11.9	100.8	7.9	109	8.3	1316
1/8/23 18:30	11.9	100.9	7.9	108	8.3	1244
1/8/23 18:45	11.9	100.9	7.9	121	8.3	1418
1/8/23 19:00	11.9	101.0	7.9	108	8.3	1330
1/8/23 19:15	11.9	100.9	7.9	108	8.3	1210
1/8/23 19:30	11.9	101.0	7.9	108	8.3	1224
1/8/23 19:45	11.9	101.0	7.9	107	8.3	1238
1/8/23 20:00	11.9	101.0	7.9	108	8.3	1247
1/8/23 20:15	11.9	101.0	7.9	107	8.3	1178
1/8/23 20:30	11.9	100.9	7.9	68	8.3	6328
1/8/23 20:45	11.9	100.9	7.9	113	8.3	1506

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 21:00	11.9	101.0	7.9	112	8.3	1118
1/8/23 21:15	11.9	101.0	7.9	94	8.3	1318
1/8/23 21:30	11.9	101.0	7.9	69	8.3	1260
1/8/23 21:45	11.9	101.0	7.9	111	8.3	1381
1/8/23 22:00	11.9	101.0	7.9	84	8.3	1119
1/8/23 22:15	11.9	101.0	7.9	108	8.3	1341
1/8/23 22:30	11.9	101.0	7.9	112	8.3	1207
1/8/23 22:45	11.9	101.1	7.9	107	8.3	1125
1/8/23 23:00	11.9	101.1	7.9	108	8.3	1226
1/8/23 23:15	11.9	101.0	7.9	108	8.3	1129
1/8/23 23:30	11.9	101.0	7.9	116	8.3	1201
1/8/23 23:45	11.9	101.1	7.9	108	8.3	1041
1/9/23 0:00	11.9	101.0	7.9	89	8.3	1197
1/9/23 0:15	11.9	100.9	7.9	61	8.3	1143
1/9/23 0:30	11.9	101.0	7.9	64	8.3	1194
1/9/23 0:45	11.9	101.0	7.9	58	8.3	1167
1/9/23 1:00	11.9	100.9	8.0	54	8.3	1171
1/9/23 1:15	11.9	101.0	7.9	108	8.3	1164
1/9/23 1:30	11.9	100.9	7.9	63	8.3	1103
1/9/23 1:45	11.9	100.9	7.9		8.4	1103
1/9/23 2:00	11.9	100.9	7.9		8.4	1121
1/9/23 2:15	11.9	100.8	7.9	111	8.4	1172
1/9/23 2:30	11.8	100.8	7.9	107	8.4	1228
1/9/23 2:45	11.8	100.8	7.9	108	8.4	1089
1/9/23 3:00	11.8	100.8	7.9	107	8.4	1072
1/9/23 3:15	11.8	100.7	7.9	107	8.4	1053
1/9/23 3:30	11.8	100.7	7.9	108	8.4	1043
1/9/23 3:45	11.8	100.6	7.9	107	8.4	907
1/9/23 4:00	11.8	100.6	7.9	107	8.4	1016
1/9/23 4:15	11.8	100.5	7.9	107	8.4	1017
1/9/23 4:30	11.8	100.5	7.9	107	8.4	1022
1/9/23 4:45	11.8	100.5	7.9	107	8.4	1007
1/9/23 5:00	11.8	100.5	7.9	107	8.4	1007
1/9/23 5:15	11.8	100.4	7.9	108	8.4	999
1/9/23 5:30	11.8	100.4	7.9	107	8.4	986
1/9/23 5:45	11.8	100.4	7.9	107	8.4	945
1/9/23 6:00	11.8	100.4	7.9	107	8.4	1017
1/9/23 6:15	11.8	100.3	7.9	107	8.4	937
1/9/23 6:30	11.8	100.3	7.9	107	8.4	956
1/9/23 6:45	11.8	100.2	7.9	107	8.4	997
1/9/23 7:00	11.8	100.2	7.9	105	8.4	939
1/9/23 7:15	11.8	100.1	7.9	108	8.4	1011

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 7:30	11.7	100.1	7.9	108	8.4	1188
1/9/23 7:45	11.7	100.1	7.9	108	8.4	975
1/9/23 8:00	11.7	100.0	7.9	108	8.4	922
1/9/23 8:15	11.7	100.1	7.9	108	8.4	890
1/9/23 8:30	11.7	100.0	7.9	108	8.4	866
1/9/23 8:45	11.7	100.0	7.9	107	8.5	897
1/9/23 9:00	11.7	99.9	7.9	107	8.5	901
1/9/23 9:15	11.7	99.9	7.9	107	8.5	726
1/9/23 9:30	11.7	100.0	7.9	108	8.5	848
1/9/23 9:45	11.7	99.9	7.9	108	8.5	857
1/9/23 10:00	11.7	99.8	7.9	122	8.5	870
1/9/23 10:15	11.7	99.9	7.9	108	8.5	814
1/9/23 10:30	11.7	99.8	7.9	108	8.5	803
1/9/23 10:45	11.7	99.8	7.9	108	8.5	797
1/9/23 11:00	11.7	99.8	7.9	108	8.5	788
1/9/23 11:15	11.7	99.8	7.9	108	8.5	793
1/9/23 11:30	11.7	99.8	7.9	108	8.6	768
1/9/23 11:45	11.7	99.8	7.9	108	8.6	770
1/9/23 12:00	11.7	99.9	7.9	108	8.6	765
1/9/23 12:15	11.7	99.9	7.9	108	8.6	751
1/9/23 12:30	11.7	99.9	7.9	108	8.6	775
1/9/23 12:45	11.7	99.9	7.9	108	8.6	763
1/9/23 13:00	11.7	99.9	7.9	108	8.6	903
1/9/23 13:15	11.7	99.9	7.9	108	8.7	723
1/9/23 13:30	11.7	100.0	7.9	108	8.7	734
1/9/23 13:45	11.7	100.0	7.9	109	8.7	696
1/9/23 14:00	11.7	99.9	7.9	108	8.7	707
1/9/23 14:15	11.7	99.9	7.9	119	8.7	767
1/9/23 14:30	11.7	99.9	7.9	108	8.7	714
1/9/23 14:45	11.7	99.9	7.9	108	8.7	737
1/9/23 15:00	11.6	100.0	7.9	107	8.7	709
1/9/23 15:15	11.6	100.0	7.9	108	8.7	685
1/9/23 15:30	11.6	99.9	7.9	109	8.8	683
1/9/23 15:45	11.6	100.0	7.9	108	8.8	691
1/9/23 16:00	11.6	100.0	7.9	109	8.8	752
1/9/23 16:15	11.6	100.0	7.9	109	8.7	663
1/9/23 16:30	11.6	100.0	7.9	109	8.7	694
1/9/23 16:45	11.6	99.9	7.9	109	8.7	696
1/9/23 17:00	11.7	100.0	7.9	109	8.7	704
1/9/23 17:15	11.6	99.8	7.9	110	8.7	668
1/9/23 17:30	11.6	99.9	7.9	110	8.7	657
1/9/23 17:45	11.6	99.9	7.9	110	8.7	732

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 18:00	11.6	99.9	7.9	110	8.7	673
1/9/23 18:15	11.6	99.8	7.9	110	8.7	813
1/9/23 18:30	11.6	99.9	7.9	110	8.7	753
1/9/23 18:45	11.6	99.9	7.9	110	8.7	696
1/9/23 19:00	11.6	99.9	7.9	110	8.7	654
1/9/23 19:15	11.6	99.9	7.9	110	8.7	680
1/9/23 19:30	11.6	100.0	7.9	111	8.7	670
1/9/23 19:45	11.6	100.0	7.9	111	8.7	669
1/9/23 20:00	11.6	99.9	7.9	110	8.7	649
1/9/23 20:15	11.6	100.0	7.9	110	8.7	646
1/9/23 20:30	11.6	100.0	7.9	111	8.7	688
1/9/23 20:45	11.6	99.9	7.9	121	8.7	722
1/9/23 21:00	11.7	100.0	7.9	111	8.7	675
1/9/23 21:15	11.6	100.0	7.9	111	8.7	669
1/9/23 21:30	11.7	100.1	7.9	111	8.7	601
1/9/23 21:45	11.7	100.0	7.9	111	8.7	646
1/9/23 22:00	11.7	100.1	7.9	111	8.7	568
1/9/23 22:15	11.7	100.1	7.9	111	8.7	653
1/9/23 22:30	11.7	100.1	7.9	111	8.7	706
1/9/23 22:45	11.7	100.1	7.9	111	8.8	678
1/9/23 23:00	11.7	100.1	7.9	112	8.7	751
1/9/23 23:15	11.7	100.1	7.9	104	8.7	709
1/9/23 23:30	11.7	100.1	7.9	115	8.7	9032
1/9/23 23:45	11.7	100.1	7.9	112	8.7	878
1/10/23 0:00	11.7	100.2	7.9	112	8.7	709
1/10/23 0:15	11.7	100.1	7.9	112	8.7	732
1/10/23 0:30	11.7	100.1	7.9	112	8.7	726
1/10/23 0:45	11.7	100.1	7.9	112	8.7	746
1/10/23 1:00	11.7	100.1	7.9	112	8.7	731
1/10/23 1:15	11.7	100.2	7.9	112	8.7	754
1/10/23 1:30	11.7	100.1	7.9	112	8.7	754
1/10/23 1:45	11.7	100.0	7.9	112	8.6	724
1/10/23 2:00	11.7	100.1	7.9	112	8.6	728
1/10/23 2:15	11.7	100.1	7.9	116	8.6	801
1/10/23 2:30	11.7	100.1	7.9	112	8.6	767
1/10/23 2:45	11.7	100.1	7.9	111	8.6	740
1/10/23 3:00	11.7	100.1	7.9	111	8.6	829
1/10/23 3:15	11.7	100.1	7.9	111	8.6	778
1/10/23 3:30	11.7	100.1	7.9	110	8.6	791
1/10/23 3:45	11.7	100.1	7.9	108	8.6	800
1/10/23 4:00	11.7	100.1	7.9	110	8.6	819
1/10/23 4:15	11.7	100.1	7.9	110	8.6	784

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 4:30	11.7	100.0	7.9	110	8.6	797
1/10/23 4:45	11.7	100.0	7.9	111	8.6	806
1/10/23 5:00	11.7	100.1	7.9	108	8.6	838
1/10/23 5:15	11.7	100.1	7.9	111	8.6	837
1/10/23 5:30	11.7	100.1	7.9	111	8.6	811
1/10/23 5:45	11.7	100.1	7.9	110	8.6	845
1/10/23 6:00	11.7	100.1	7.9	110	8.5	912
1/10/23 6:15	11.7	100.1	7.9	111	8.5	879
1/10/23 6:30	11.7	100.0	7.9	110	8.5	835
1/10/23 6:45	11.7	100.0	7.9	109	8.5	864
1/10/23 7:00	11.7	100.0	7.9	110	8.5	904
1/10/23 7:15	11.7	100.0	7.9	110	8.5	877
1/10/23 7:30	11.7	100.0	7.9	110	8.5	870
1/10/23 7:45	11.7	100.0	7.9	110	8.5	845
1/10/23 8:00	11.7	99.9	7.9	110	8.5	816
1/10/23 8:15	11.7	99.9	7.9	110	8.5	782
1/10/23 8:30	11.7	99.9	7.9	110	8.5	838
1/10/23 8:45	11.7	99.9	7.9	110	8.5	866
1/10/23 9:00	11.7	99.8	7.9	110	8.5	871
1/10/23 9:15	11.7	99.8	7.9	110	8.5	830
1/10/23 9:30	11.7	99.8	7.9	110	8.5	855
1/10/23 9:45	11.7	99.7	7.9	109	8.5	841
1/10/23 10:00	11.7	99.8	7.9	109	8.5	747
1/10/23 10:15	11.7	99.7	7.9	109	8.5	779
1/10/23 10:30	11.7	99.7	7.9	110	8.4	819
1/10/23 10:45	11.7	99.7	7.9	117	8.4	850
1/10/23 11:00	11.7	99.7	7.9	109	8.4	830
1/10/23 11:15	11.7	99.7	7.9	109	8.4	829
1/10/23 11:30	11.7	99.6	7.9	109	8.4	829
1/10/23 11:45	11.7	99.6	7.9	109	8.4	815
1/10/23 12:00	11.7	99.6	7.9	109	8.4	846
1/10/23 12:15	11.7	99.6	7.9	108	8.4	816
1/10/23 12:30	11.7	99.5	7.9	108	8.4	878
1/10/23 12:45	11.7	99.6	7.9	108	8.4	787
1/10/23 13:00	11.7	99.6	7.9	108	8.4	813
1/10/23 13:15	11.7	99.6	7.9	109	8.4	1000
1/10/23 13:30	11.7	99.5	7.9	108	8.4	788
1/10/23 13:45	11.7	99.5	7.9	108	8.4	790
1/10/23 14:00	11.7	99.5	7.9	108	8.4	804
1/10/23 14:15	11.7	99.6	7.9	108	8.4	800
1/10/23 14:30	11.7	99.5	7.9	109	8.4	805
1/10/23 14:45	11.7	99.5	7.9	109	8.4	790

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/10/23 15:00	11.7	99.6	7.9	109	8.4	738
1/10/23 15:15	11.7	99.5	7.9	109	8.4	739
1/10/23 15:30	11.7	99.6	7.9	109	8.4	770
1/10/23 15:45	11.7	99.5	7.9	109	8.4	701
1/10/23 16:00	11.7	99.5	7.9	109	8.4	739
1/10/23 16:15	11.7	99.5	7.9	109	8.4	719
1/10/23 16:30	11.7	99.5	7.9	109	8.4	688
1/10/23 16:45	11.7	99.5	7.9	109	8.4	692
1/10/23 17:00	11.7	99.5	7.9	109	8.4	704
1/10/23 17:15	11.7	99.5	7.9	110	8.4	685
1/10/23 17:30	11.7	99.5	7.9	110	8.4	688
1/10/23 17:45	11.7	99.5	7.9	110	8.4	655
1/10/23 18:00	11.7	99.5	7.9	110	8.4	685
1/10/23 18:15	11.7	99.5	7.9	109	8.4	724
1/10/23 18:30	11.7	99.5	7.9	109	8.4	657
1/10/23 18:45	11.7	99.5	7.9	117	8.4	682
1/10/23 19:00	11.7	99.5	7.9	110	8.4	630
1/10/23 19:15	11.7	99.4	7.9	110	8.4	640
1/10/23 19:30	11.7	99.5	7.9	110	8.4	620
1/10/23 19:45	11.7	99.5	7.9	110	8.4	617
1/10/23 20:00	11.7	99.5	7.9	110	8.4	635
1/10/23 20:15	11.7	99.5	7.9	110	8.3	621
1/10/23 20:30	11.7	99.5	7.9	110	8.3	581
1/10/23 20:45	11.7	99.6	7.9	110	8.3	608
1/10/23 21:00	11.7	99.5	7.9	110	8.3	590
1/10/23 21:15	11.7	99.5	7.9	110	8.3	620
1/10/23 21:30	11.7	99.5	7.9	110	8.3	588
1/10/23 21:45	11.7	99.6	7.9	111	8.3	578
1/10/23 22:00	11.7	99.6	7.9	111	8.3	547
1/10/23 22:15	11.7	99.5	7.9	111	8.3	573
1/10/23 22:30	11.7	99.6	7.9	111	8.3	558
1/10/23 22:45	11.7	99.6	7.9	111	8.3	548
1/10/23 23:00	11.7	99.7	7.9	112	8.3	565
1/10/23 23:15	11.7	99.7	7.9	111	8.3	554
1/10/23 23:30	11.7	99.7	7.9	112	8.3	576
1/10/23 23:45	11.7	99.6	7.9	112	8.3	589
1/11/23 0:00	11.7	99.7	7.9	112	8.3	579
1/11/23 0:15	11.7	99.7	7.9	112	8.3	579
1/11/23 0:30	11.7	99.7	7.9	112	8.3	599
1/11/23 0:45	11.7	99.7	7.9	112	8.3	553
1/11/23 1:00	11.8	99.8	7.9	112	8.3	577
1/11/23 1:15	11.8	99.8	7.9	112	8.3	562

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 1:30	11.8	99.8	7.9	112		590
1/11/23 1:45	11.8	99.8	7.9	112	8.3	571
1/11/23 2:00	11.8	99.8	7.9	112	8.3	566
1/11/23 2:15	11.8	99.7	7.9	112	8.3	568
1/11/23 2:30	11.8	99.8	7.9	112	8.3	554
1/11/23 2:45	11.8	99.8	7.9	113	8.3	540
1/11/23 3:00	11.8	99.8	7.9	113	8.3	578
1/11/23 3:15	11.8	99.8	7.9	113	8.3	593
1/11/23 3:30	11.8	99.9	7.9	113	8.3	575
1/11/23 3:45	11.8	99.8	7.9	113	8.3	601
1/11/23 4:00	11.8	99.9	7.9	113	8.3	576
1/11/23 4:15	11.8	99.9	7.9	113	8.3	612
1/11/23 4:30	11.8	99.9	7.9	114	8.3	591
1/11/23 4:45	11.8	99.9	7.9	114	8.3	575
1/11/23 5:00	11.8	99.8	7.9	114	8.3	537
1/11/23 5:15	11.8	99.9	7.9	114	8.3	561
1/11/23 5:30	11.8	100.0	7.9	114	8.3	571
1/11/23 5:45	11.8	100.0	7.9	114	8.3	548
1/11/23 6:00	11.8	100.0	7.9	114	8.3	560
1/11/23 6:15	11.8	99.9	7.9	115	8.3	572
1/11/23 6:30	11.8	99.9	7.9	114	8.3	559
1/11/23 6:45	11.8	100.0	7.9	115	8.3	543
1/11/23 7:00	11.8	100.0	7.9	115	8.3	565
1/11/23 7:15	11.8	100.0	7.9	115	8.3	543
1/11/23 7:30	11.8	100.0	7.9	115	8.3	505
1/11/23 7:45	11.8	100.0	7.9	115	8.3	509
1/11/23 8:00	11.8	100.0	7.9	115	8.3	572
1/11/23 8:15	11.8	100.0	7.9	115	8.3	559
1/11/23 8:30	11.8	100.0	7.9	115	8.3	553
1/11/23 8:45	11.8	100.1	7.9	115	8.3	566
1/11/23 9:00	11.8	100.1	7.9	115	8.3	522
1/11/23 9:15	11.8	100.1	7.9	116	8.3	530
1/11/23 9:30	11.8	100.0	7.9	116	8.3	548
1/11/23 9:45	11.8	100.1	7.9	116	8.3	528
1/11/23 10:00	11.8	100.0	7.9	115	8.3	647
1/11/23 10:15	11.8	100.0	7.9	116	8.3	563
1/11/23 10:30	11.8	100.2	7.9	116	8.3	592
1/11/23 10:45	11.8	100.1	7.9	116	8.3	521
1/11/23 11:00	11.8	100.1	7.9	116	8.3	579
1/11/23 11:15	11.8	100.1	7.9	116	8.3	528
1/11/23 11:30	11.8	100.1	7.9	116	8.3	531
1/11/23 11:45	11.8	100.1	7.9	116	8.3	593

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 12:00	11.8	100.2	7.9	116	8.3	545
1/11/23 12:15	11.8	100.2	7.9	116	8.3	556
1/11/23 12:30	11.8	100.1	7.9	116	8.3	540
1/11/23 12:45	11.8	100.1	7.9	116	8.3	546
1/11/23 13:00	11.8	100.1	7.9	116	8.3	534
1/11/23 13:15	11.8	100.1	7.9	115	8.3	534
1/11/23 13:30	11.8	100.2	7.9	116	8.3	530
1/11/23 13:45	11.8	100.2	7.9	115	8.3	524
1/11/23 14:00	11.8	100.2	7.9	116	8.3	517
1/11/23 14:15	11.8	100.2	7.9	116	8.3	536
1/11/23 14:30	11.8	100.2	7.9	115	8.3	532
1/11/23 14:45	11.8	100.2	7.9	115	8.3	492
1/11/23 15:00	11.8	100.2	7.9	116	8.3	503
1/11/23 15:15	11.8	100.2	7.9	116	8.3	405
1/11/23 15:30	11.8	100.2	7.9	116	8.3	509
1/11/23 15:45	11.8	100.2	7.9	115	8.3	518
1/11/23 16:00	11.8	100.2	7.9	115	8.3	452
1/11/23 16:15	11.8	100.2	7.9	115	8.3	753
1/11/23 16:30	11.8	100.3	7.9	115	8.3	502
1/11/23 16:45	11.8	100.2	7.9	115	8.3	508
1/11/23 17:00	11.8	100.2	7.9	69	8.3	525
1/11/23 17:15	11.8	100.3	7.9	90	8.3	549
1/11/23 17:30	11.8	100.2	7.9	88	8.3	550
1/11/23 17:45	11.8	100.2	7.9	85	8.3	486
1/11/23 18:00	11.8	100.2	7.9	83	8.3	529
1/11/23 18:15	11.8	100.3	7.9	80	8.3	503
1/11/23 18:30	11.8	100.2	7.9	77	8.3	526
1/11/23 18:45	11.8	100.2	7.9	73	8.3	500
1/11/23 19:00	11.8	100.2	7.9	114	8.3	513
1/11/23 19:15	11.8	100.3	7.9	114	8.3	473
1/11/23 19:30	11.8	100.2	7.9	114	8.3	482
1/11/23 19:45	11.8	100.3	7.9	114	8.3	494
1/11/23 20:00	11.8	100.2	7.9	115	8.3	484
1/11/23 20:15	11.8	100.2	7.9	114	8.3	475
1/11/23 20:30	11.8	100.2	7.9	115	8.3	486
1/11/23 20:45	11.8	100.2	7.9	115	8.3	509
1/11/23 21:00	11.8	100.2	7.9	114	8.3	477
1/11/23 21:15	11.8	100.2	7.9	114	8.3	486
1/11/23 21:30	11.8	100.2	7.9	114	8.3	472
1/11/23 21:45	11.8	100.2	7.9	114	8.3	457
1/11/23 22:00	11.8	100.3	7.9	114	8.3	473
1/11/23 22:15	11.8	100.2	7.9	113	8.3	500

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	11.8	100.2	7.9	114	8.3	482
1/11/23 22:45	11.8	100.2	7.9	114	8.3	522
1/11/23 23:00	11.8	100.2	7.9	114	8.3	363
1/11/23 23:15	11.8	100.2	7.9	114	8.3	486
1/11/23 23:30	11.8	100.3	7.9	114	8.3	510
1/11/23 23:45	11.8	100.3	7.9	113	8.3	449
1/12/23 0:00	11.8	100.3	7.9	113	8.3	428
1/12/23 0:15	11.8	100.3	7.9	113	8.3	485
1/12/23 0:30	11.8	100.2	7.9	113	8.3	477
1/12/23 0:45	11.8	100.2	7.9	113	8.3	468
1/12/23 1:00	11.8	100.3	7.9	113	8.3	433
1/12/23 1:15	11.8	100.3	7.9	113	8.3	470
1/12/23 1:30	11.8	100.3	7.9	113	8.3	466
1/12/23 1:45	11.8	100.3	7.9	113	8.3	456
1/12/23 2:00	11.8	100.3	7.9	113	8.3	461
1/12/23 2:15	11.8	100.3	7.9	113	8.3	486
1/12/23 2:30	11.8	100.4	7.9	113	8.3	501
1/12/23 2:45	11.8	100.3	7.9	113	8.3	441
1/12/23 3:00	11.8	100.4	7.9	113	8.3	463
1/12/23 3:15	11.8	100.4	7.9	113	8.3	455
1/12/23 3:30	11.8	100.4	7.9	113	8.3	455
1/12/23 3:45	11.8	100.4	7.9	114	8.3	471
1/12/23 4:00	11.8	100.4	7.9	113	8.3	489
1/12/23 4:15	11.8	100.4	7.9	114	8.3	457
1/12/23 4:30	11.8	100.4	7.9	114	8.3	488
1/12/23 4:45	11.8	100.3	7.9	121	8.3	490
1/12/23 5:00	11.8	100.4	7.9	114	8.3	482
1/12/23 5:15	11.8	100.5	7.9	114	8.3	462
1/12/23 5:30	11.8	100.5	7.9	114	8.3	511
1/12/23 5:45	11.8	100.5	7.9	114	8.3	456
1/12/23 6:00	11.8	100.6	7.9	114	8.3	467
1/12/23 6:15	11.8	100.5	7.9	113	8.3	504
1/12/23 6:30	11.8	100.6	7.9	113	8.3	512
1/12/23 6:45	11.8	100.6	7.9	114	8.3	499
1/12/23 7:00	11.8	100.6	7.9	114	8.4	457
1/12/23 7:15	11.8	100.6	7.9	114	8.4	493
1/12/23 7:30	11.8	100.6	7.9	114	8.4	468
1/12/23 7:45	11.8	100.6	7.9	125	8.4	522
1/12/23 8:00	11.8	100.7	7.9	114	8.4	489
1/12/23 8:15	11.8	100.7	7.9	114	8.4	488
1/12/23 8:30	11.8	100.8	7.9	114	8.4	488
1/12/23 8:45	11.8	100.8	7.9	114	8.4	512

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 9:00	11.9	100.8	7.9	114	8.4	505
1/12/23 9:15	11.9	100.8	7.9	115	8.4	508
1/12/23 9:30	11.9	100.9	7.9	115	8.4	531
1/12/23 9:45	11.9	100.8	7.9	115	8.4	548
1/12/23 10:00	11.9	100.9	7.9	114	8.4	546
1/12/23 10:15	11.9	100.9	7.9	115	8.4	556
1/12/23 10:30	11.9	100.9	7.9	115	8.4	573
1/12/23 10:45	11.9	101.0	7.9	115	8.4	538
1/12/23 11:00	11.9	101.0	7.9	126	8.4	562
1/12/23 11:15	11.9	101.0	7.9	115	8.4	614
1/12/23 11:30	11.9	101.1	7.9	114	8.4	565
1/12/23 11:45	11.9	101.1	7.9	114	8.4	773
1/12/23 12:00	11.9	101.1	7.9	114	8.4	565
1/12/23 12:15	11.9	101.1	7.9	114	8.4	565
1/12/23 12:30					8.4	
1/12/23 12:45	11.9	101.3	8.0	115	8.4	605
1/12/23 13:00	11.9	101.3	8.1	115	8.4	730
1/12/23 13:15	11.9	101.4	8.1	115	8.5	2780
1/12/23 13:30	11.9	101.4	8.1	115	8.5	714
1/12/23 13:45	11.9	101.4	8.0	115	8.5	758
1/12/23 14:00	11.9	101.4	8.1	115	8.5	940
1/12/23 14:15	11.9	101.5	8.1	115	8.5	691
1/12/23 14:30	11.9	101.6	8.1	115	8.5	650
1/12/23 14:45	11.9	101.6	8.1	115	8.5	778
1/12/23 15:00	11.9	101.6	8.1	115	8.5	585
1/12/23 15:15	11.9	101.7	8.1	115	8.5	825
1/12/23 15:30	11.9	101.7	8.0	120	8.5	674
1/12/23 15:45	11.9	101.7	8.1	114		802
1/12/23 16:00	11.9	101.6	8.1	114	8.5	855
1/12/23 16:15	11.9	101.7	8.1	114	8.5	753
1/12/23 16:30	11.9	101.7	8.1	114	8.5	749
1/12/23 16:45	11.9	101.7	8.1	114	8.5	839
1/12/23 17:00	11.9	101.7	8.1	120	8.5	755
1/12/23 17:15	11.9	101.7	8.1	113	8.5	816
1/12/23 17:30	11.9	101.7	8.1	113	8.5	723
1/12/23 17:45	11.9	101.7	8.1	113	8.5	810
1/12/23 18:00	11.9	101.7	8.1	113	8.5	1054
1/12/23 18:15	11.9	101.7	8.1	113	8.5	1180
1/12/23 18:30	11.9	101.8	8.1	112	8.5	804
1/12/23 18:45	11.9	101.7	8.1	113	8.5	1314
1/12/23 19:00	11.9	101.7	8.1	112	8.5	1174
1/12/23 19:15	11.9	101.7	8.1	112	8.6	718

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	11.9	101.7	8.1	112	8.6	639
1/12/23 19:45	11.9	101.8	8.1	112	8.6	669
1/12/23 20:00	11.9	101.8	8.1	112	8.6	870
1/12/23 20:15	11.9	101.7	8.1	112	8.6	651
1/12/23 20:30	11.4	97.4	8.1	111	8.6	939
1/12/23 20:45	11.9	101.7	8.1	111	8.6	1130
1/12/23 21:00	11.9	101.7	8.1	111	8.6	1011
1/12/23 21:15	11.9	101.7	8.1	110	8.6	854
1/12/23 21:30	11.9	101.7	8.1	111	8.6	690
1/12/23 21:45	11.9	101.7	8.1	111	8.6	819
1/12/23 22:00	11.9	101.7	8.1	111	8.6	685
1/12/23 22:15	11.9	101.7	8.1	111	8.6	1130
1/12/23 22:30	11.9	101.7	8.1	111	8.6	642
1/12/23 22:45	11.9	101.7	8.1	110	8.7	742
1/12/23 23:00	11.9	101.7	8.1	110	8.7	828
1/12/23 23:15	11.9	101.7	8.1	110	8.7	761
1/12/23 23:30	11.9	101.7	8.1	110	8.7	1571
1/12/23 23:45	11.8	101.6	8.1	110	8.7	992
1/13/23 0:00	11.8	101.5	8.1	110	8.7	795
1/13/23 0:15	11.8	101.5	8.1	110	8.7	932
1/13/23 0:30	11.8	101.5	8.1	110	8.7	633
1/13/23 0:45	11.8	101.5	8.0	110	8.7	1134
1/13/23 1:00	11.8	101.4	8.1	110	8.8	837
1/13/23 1:15	11.8	101.5	8.1	110	8.8	1095
1/13/23 1:30	11.8	101.4	8.1	110	8.8	734
1/13/23 1:45	11.8	101.5	8.1	110	8.8	838
1/13/23 2:00	11.8	101.4	8.1	110	8.8	850
1/13/23 2:15	11.8	101.4	8.1	110	8.8	745
1/13/23 2:30	11.8	101.3	8.1	110	8.8	1010
1/13/23 2:45	11.8	101.3	8.1	109	8.8	820
1/13/23 3:00	11.8	101.3	8.1	110	8.8	862
1/13/23 3:15	11.8	101.2	8.1	110	8.9	1002
1/13/23 3:30	11.8	101.2	8.1	109	8.9	742
1/13/23 3:45	11.7	101.2	8.1	110	8.9	693
1/13/23 4:00	11.7	101.2	8.1	116	8.9	594
1/13/23 4:15	11.7	101.2	8.1	109	8.9	639
1/13/23 4:30	11.7	101.1	8.1	110	8.9	1040
1/13/23 4:45	11.7	101.1	8.1	110	8.9	931
1/13/23 5:00	11.7	101.1	8.1	110	8.9	861
1/13/23 5:15	11.7	101.0	8.1	110	9.0	572
1/13/23 5:30	11.7	101.1	8.1	116	9.0	944
1/13/23 5:45	11.7	101.0	8.1	110	9.0	757

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 6:00	11.7	101.0	8.1	110	9.0	750
1/13/23 6:15	11.7	101.0	8.1	110	9.0	707
1/13/23 6:30	11.7	101.0	8.1	109	9.0	638
1/13/23 6:45	11.7	101.0	8.1	116	9.0	540
1/13/23 7:00	11.7	101.0	8.1	110	9.0	614
1/13/23 7:15	11.7	100.9	8.1	109	9.0	621
1/13/23 7:30	11.7	100.9	8.1	110	9.1	541
1/13/23 7:45	11.7	100.9	8.1	110	9.1	645
1/13/23 8:00	11.7	100.9	8.1	110	9.1	650
1/13/23 8:15	11.7	100.9	8.1	110	9.1	785
1/13/23 8:30	11.6	100.8	8.1	110	9.1	636
1/13/23 8:45	11.6	100.8	8.1	110	9.1	627
1/13/23 9:00	11.6	100.8	8.1	110	9.1	696
1/13/23 9:15	11.6	100.8	8.1	110	9.1	621
1/13/23 9:30	11.6	100.8	8.1	110	9.1	789
1/13/23 9:45	11.6	100.8	8.1	109	9.1	642
1/13/23 10:00	11.6	100.8	8.1	109	9.2	847
1/13/23 10:15	11.6	100.7	8.1	109	9.2	612
1/13/23 10:30	11.6	100.7	8.1	109	9.2	503
1/13/23 10:45	11.6	100.7	8.1	109	9.2	649
1/13/23 11:00	11.6	100.7	8.1	109	9.2	1375
1/13/23 11:15	11.6	100.7	8.1	109	9.2	595
1/13/23 11:30	11.6	100.6	8.1	109	9.2	623
1/13/23 11:45	11.6	100.7	8.1	109	9.2	639
1/13/23 12:00	11.6	100.7	8.1	109	9.2	711
1/13/23 12:15	11.6	100.7	8.0	109	9.2	5253
1/13/23 12:30	11.6	100.6	8.1	109	9.2	852
1/13/23 12:45			8.0	109	9.2	
1/13/23 13:00	11.6	100.7	8.1	109	9.3	592
1/13/23 13:15			8.1	109	9.3	
1/13/23 13:30	11.6	100.8	8.1	109	9.3	1387
1/13/23 13:45			8.1	111	9.3	
1/13/23 14:00	11.6	100.7	8.1	108	9.3	497
1/13/23 14:15	11.6	100.7	8.1	108	9.3	682
1/13/23 14:30	11.6	100.7	8.1	108	9.3	689
1/13/23 14:45	11.6	100.7	8.0	107	9.3	563
1/13/23 15:00	11.6	100.8	8.1	107	9.3	827
1/13/23 15:15	11.6	100.7	8.0	111	9.4	1133
1/13/23 15:30	11.6	100.8	8.0	107	9.4	771
1/13/23 15:45			8.0	108	9.4	
1/13/23 16:00	11.6	100.8	8.0	107	9.4	440
1/13/23 16:15	11.6	100.8	8.0	107	9.4	771

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 16:30	11.6	100.7	8.1	107	9.4	768
1/13/23 16:45	11.6	100.7	8.1	112	9.4	676
1/13/23 17:00	11.6	100.8	8.0	106	9.4	800
1/13/23 17:15	11.6	100.8	8.0	106	9.4	560
1/13/23 17:30	11.6	100.8	8.0	106	9.4	529
1/13/23 17:45	11.6	100.8	8.0	106	9.4	692
1/13/23 18:00	11.6	100.8	8.1	106	9.4	415
1/13/23 18:15	11.6	100.7	8.0	106	9.4	583
1/13/23 18:30	11.6	100.8	8.0	106	9.4	712
1/13/23 18:45	11.6	100.8	8.1	106	9.4	576
1/13/23 19:00	11.6	100.8	8.0	106	9.4	495
1/13/23 19:15			8.0	106	9.4	
1/13/23 19:30	11.6	100.8	8.0	104	9.3	473
1/13/23 19:45	11.6	100.8	8.1	108	9.3	559
1/13/23 20:00	11.6	100.8	8.0	109	9.3	627
1/13/23 20:15	11.6	100.9	8.0	109	9.3	638
1/13/23 20:30	11.6	100.9	8.0	110	9.3	482
1/13/23 20:45	11.6	100.9	8.0	110	9.3	695
1/13/23 21:00	11.6	100.9	8.0	107	9.3	526
1/13/23 21:15	11.6	101.0	8.0	107	9.3	648
1/13/23 21:30	11.6	100.9	8.0	107	9.3	713
1/13/23 21:45	11.6	100.9	8.0	107	9.3	669
1/13/23 22:00	11.6	101.0	8.0	107	9.3	530
1/13/23 22:15	11.6	101.0	8.0	106	9.3	627
1/13/23 22:30	11.6	101.0	8.0	106	9.3	990
1/13/23 22:45	11.6	101.1	8.0	106	9.3	607
1/13/23 23:00	11.6	101.1	8.0	106	9.3	619
1/13/23 23:15	11.6	101.1	8.0	106	9.3	867
1/13/23 23:30	11.6	101.1	8.0	106	9.3	559
1/13/23 23:45	11.6	101.1	8.0	107	9.3	586
1/14/23 0:00	11.6	101.2	8.0	106	9.2	546
1/14/23 0:15	11.6	101.1	8.0	106	9.2	695
1/14/23 0:30	11.6	101.2	8.0	106	9.2	911
1/14/23 0:45	11.7	101.2	8.0	106	9.2	698
1/14/23 1:00	11.7	101.2	8.0	106	9.2	633
1/14/23 1:15	11.7	101.2	8.0	105	9.2	947
1/14/23 1:30	11.7	101.2	8.0	105	9.2	666
1/14/23 1:45	11.6	100.9	8.1	105	9.2	611
1/14/23 2:00	11.7	101.3	8.0	105	9.2	900
1/14/23 2:15	11.7	101.3	8.0	105	9.2	649
1/14/23 2:30	11.7	101.3	8.0	105	9.2	596
1/14/23 2:45	11.7	101.2	8.0	103	9.2	767

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	11.7	101.3	8.0	104	9.2	860
1/14/23 3:15	11.7	101.1	8.0	104	9.2	684
1/14/23 3:30	11.7	101.3	8.0	104	9.2	806
1/14/23 3:45	11.7	101.3	8.1	110	9.1	566
1/14/23 4:00	11.7	101.3	8.0	104	9.1	633
1/14/23 4:15	11.7	101.2	8.0	104	9.1	1124
1/14/23 4:30	11.7	101.3	8.0	103	9.1	788
1/14/23 4:45	11.7	101.2	8.0	91	9.1	902
1/14/23 5:00	11.7	101.3	8.0	106	9.1	676
1/14/23 5:15	11.7	101.2	8.0	104	9.1	829
1/14/23 5:30	11.7	101.3	8.0	104	9.1	854
1/14/23 5:45	11.7	101.3	8.0	104	9.1	822
1/14/23 6:00	11.7	101.2	8.1	109	9.1	852
1/14/23 6:15	11.7	101.2	8.0	103	9.1	807
1/14/23 6:30	11.7	101.3	8.0	103	9.1	601
1/14/23 6:45	11.7	101.2	8.0	103	9.1	668
1/14/23 7:00	11.7	101.2	8.1	109	9.1	653
1/14/23 7:15	11.7	101.2	8.1	103	9.1	642
1/14/23 7:30	11.7	101.2	8.1	103	9.1	784
1/14/23 7:45	11.7	101.1	8.1	109	9.1	802
1/14/23 8:00	11.7	101.2	8.0	103	9.1	740
1/14/23 8:15	11.7	101.1	8.0	103	9.0	1571
1/14/23 8:30	11.7	101.1	8.0	103	9.0	716
1/14/23 8:45	11.7	101.1	8.0	103	9.0	700
1/14/23 9:00	11.7	101.1	8.0	103	9.0	999
1/14/23 9:15	11.7	101.0	8.1	109	9.0	949
1/14/23 9:30	11.7	101.0	8.1	103	9.0	818
1/14/23 9:45	11.7	101.0	8.0	103	9.0	803
1/14/23 10:00	11.7	101.0	8.1	103	9.0	609
1/14/23 10:15	11.7	100.9	8.1	103	9.0	904
1/14/23 10:30	11.7	100.9	8.0	103	9.0	915
1/14/23 10:45	11.7	100.9	8.1	109	9.0	946
1/14/23 11:00	11.7	100.8	8.0	103	9.0	782
1/14/23 11:15					9.0	
1/14/23 11:30					9.0	
1/14/23 11:45					9.0	
1/14/23 12:00					9.0	
1/14/23 12:15	11.7	100.7	8.1	103	9.0	731
1/14/23 12:30	11.7	100.8	8.0	103	9.0	929
1/14/23 12:45	11.7	100.8	8.0	103	9.0	790
1/14/23 13:00	11.6	100.6	8.0	103	9.0	864
1/14/23 13:15	11.6	100.6	8.0	103	9.0	725

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 13:30	11.7	100.7	8.0	103	9.0	843
1/14/23 13:45	11.6	100.6	8.0	103	9.0	1296
1/14/23 14:00	11.6	100.6	8.1	103	9.0	796
1/14/23 14:15	11.6	100.6	8.0	103	9.0	847
1/14/23 14:30	11.6	100.6	8.1	102	9.0	775
1/14/23 14:45	11.6	100.6	8.1	102	9.0	1009
1/14/23 15:00	11.6	100.6	8.1	102	9.0	684
1/14/23 15:15	11.6	100.5	8.1	102	9.0	843
1/14/23 15:30	11.6	100.5	8.1	102	9.0	924
1/14/23 15:45	11.6	100.5	8.0	102	9.0	1140
1/14/23 16:00	11.6	100.4	8.1	102	9.0	828
1/14/23 16:15	11.6	100.4	8.1	102	9.0	884
1/14/23 16:30	11.6	100.5	8.0	102	9.0	1166
1/14/23 16:45	11.6	100.4	8.1	102	9.0	857
1/14/23 17:00	11.6	100.4	8.1	102	9.0	828
1/14/23 17:15	11.6	100.4	8.1	101	9.0	1218
1/14/23 17:30	11.6	100.4	8.1	101	9.0	1057
1/14/23 17:45	11.6	100.3	8.1	101	9.0	907
1/14/23 18:00	11.6	100.3	8.1	101	9.0	1077
1/14/23 18:15	11.6	100.4	8.1	101	9.0	1176
1/14/23 18:30	11.6	100.3	8.0	101	9.0	1215
1/14/23 18:45	11.6	100.4	8.0	101	9.0	870
1/14/23 19:00	11.6	100.4	8.0	101	9.0	1037
1/14/23 19:15	11.6	100.3	8.0	101	9.0	1105
1/14/23 19:30	11.6	100.4	8.0	102	9.0	716
1/14/23 19:45	11.6	100.4	8.0	102	9.0	1153
1/14/23 20:00	11.6	100.3	8.0	100	9.0	759
1/14/23 20:15	11.6	100.4	8.0	100	9.0	1005
1/14/23 20:30	11.6	100.4	8.1	100	9.0	2019
1/14/23 20:45	11.6	100.3	8.0	103	9.0	876
1/14/23 21:00	11.6	100.4	8.0	99	9.0	704
1/14/23 21:15	11.6	100.4	8.0	100	9.0	1762
1/14/23 21:30	11.6	100.4	8.0	100	9.0	3037
1/14/23 21:45	11.6	100.5	8.0	100	9.0	874
1/14/23 22:00	11.6	100.5	8.0	100	9.0	1012
1/14/23 22:15	11.6	100.6	8.1	100	9.0	752
1/14/23 22:30	11.6	100.5	8.0	100	9.0	688
1/14/23 22:45	11.6	100.5	8.1	100	9.0	1186
1/14/23 23:00	11.6	100.6	8.1	100	9.0	848
1/14/23 23:15	11.6	100.6	8.1	100	9.0	835
1/14/23 23:30	11.6	100.6	8.0	100	9.0	731
1/14/23 23:45	11.7	100.7	8.1	100	9.0	1414

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 0:00	11.6	100.6	8.1	100	9.0	981
1/15/23 0:15	11.7	100.6	8.1	94	9.0	955
1/15/23 0:30	11.7	100.6	8.0	101	9.0	729
1/15/23 0:45	11.7	100.8	8.0	100	9.0	1170
1/15/23 1:00	11.7	100.8	8.1	100	9.0	1372
1/15/23 1:15	11.7	100.8	8.0	101	9.0	740
1/15/23 1:30	11.7	100.8	8.1	101	9.0	748
1/15/23 1:45	11.7	100.8	8.1	101	9.0	878
1/15/23 2:00	11.7	100.9	8.1	101	9.0	776
1/15/23 2:15	11.7	100.9	8.1	101	9.0	761
1/15/23 2:30	11.7	100.9	8.1	101	9.0	673
1/15/23 2:45	11.7	101.0	8.1	101	9.0	1218
1/15/23 3:00	11.7	100.9	8.1	101	9.0	928
1/15/23 3:15	11.7	101.0	8.1	101	9.0	859
1/15/23 3:30	11.7	101.1	8.1	101	8.9	927
1/15/23 3:45	11.7	101.0	8.1	101	9.0	799
1/15/23 4:00	11.7	101.1	8.1	101	8.9	946
1/15/23 4:15	11.7	101.1	8.1	101	8.9	779
1/15/23 4:30	11.7	101.1	8.1	101	8.9	1015
1/15/23 4:45	11.7	101.1	8.1	101	8.9	787
1/15/23 5:00	11.7	101.2	8.1	101	8.9	1033
1/15/23 5:15	11.7	101.2	8.1	101	8.9	995
1/15/23 5:30	11.7	101.2	8.1	101	8.9	1034
1/15/23 5:45	11.7	101.2	8.1	101	8.9	811
1/15/23 6:00	11.8	101.3	8.1	101	8.9	953
1/15/23 6:15	11.8	101.3	8.1	101	8.9	1088
1/15/23 6:30	11.7	101.2	8.1	101	8.9	1038
1/15/23 6:45	11.8	101.2	8.1	101	8.9	689
1/15/23 7:00	11.8	101.4	8.1	101	8.9	1005
1/15/23 7:15	11.8	101.3	8.1	101	8.9	1142
1/15/23 7:30	11.8	101.4	8.1	101	8.9	911
1/15/23 7:45	11.8	101.3	8.1	101	8.8	1227
1/15/23 8:00	11.8	101.3	8.1	101	8.8	1298
1/15/23 8:15	11.8	101.4	8.1	101	8.8	1148
1/15/23 8:30	11.8	101.3	8.1	100	8.8	1559
1/15/23 8:45	11.8	101.3	8.1	107	8.8	1037
1/15/23 9:00	11.8	101.3	8.1	101	8.8	894
1/15/23 9:15	11.8	101.3	8.1	100	8.8	1446
1/15/23 9:30	11.8	101.3	8.0	100	8.8	1002
1/15/23 9:45	11.8	101.4	8.1	100	8.8	1016
1/15/23 10:00	11.8	101.4	8.1	100	8.8	883
1/15/23 10:15	11.8	101.4	8.0	100	8.8	1044

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 10:30	11.8	101.4	8.0	100	8.8	1131
1/15/23 10:45	11.8	101.4	8.1	100	8.8	994
1/15/23 11:00	11.8	101.4	8.1	100	8.8	1031
1/15/23 11:15	11.8	101.4	8.1	100	8.8	1111
1/15/23 11:30	11.8	101.5	8.0	100	8.8	958
1/15/23 11:45	11.8	101.4	8.1	100	8.8	941
1/15/23 12:00	11.8	101.5	8.0	100	8.8	1250
1/15/23 12:15	11.8	101.6	8.1	100	8.8	1665
1/15/23 12:30	11.8	101.5	8.1	100	8.8	841
1/15/23 12:45	11.8	101.5	8.1	100	8.8	1100
1/15/23 13:00	11.8	101.5	8.0	100	8.8	1392
1/15/23 13:15	11.8	101.6	8.0	100	8.8	990
1/15/23 13:30	11.8	101.6	8.0	100	8.8	1207
1/15/23 13:45	11.8	101.5	8.0	100	8.8	888
1/15/23 14:00	11.8	101.6	8.1	100	8.8	1105
1/15/23 14:15	11.8	101.6	8.1	100	8.8	891
1/15/23 14:30	11.8	101.6	8.1	100	8.8	766
1/15/23 14:45	11.8	101.5	8.0	100	8.8	909
1/15/23 15:00	11.8	101.6	8.0	100	8.8	1154
1/15/23 15:15	11.8	101.6	8.1	99	8.8	972
1/15/23 15:30	11.8	101.5	8.1	100	8.8	1305
1/15/23 15:45	11.8	101.5	8.0	100	8.8	1030
1/15/23 16:00	11.8	101.6	8.0	100	8.8	920
1/15/23 16:15	11.8	101.6	8.0	100	8.8	1124
1/15/23 16:30	11.8	101.5	8.1	100	8.8	918
1/15/23 16:45	11.8	101.4	8.0	100	8.7	799
1/15/23 17:00	11.8	101.4	8.0	99	8.7	984
1/15/23 17:15	11.8	101.5	8.0	100	8.7	999
1/15/23 17:30	11.8	101.4	8.0	100	8.7	764
1/15/23 17:45	11.8	101.4	8.0	100	8.7	809
1/15/23 18:00	11.8	101.4	8.1	106	8.7	915
1/15/23 18:15	11.8	101.4	8.0	100	8.7	723
1/15/23 18:30	11.8	101.4	8.0	100	8.7	839
1/15/23 18:45	11.8	101.3	8.1	100	8.7	777
1/15/23 19:00	11.8	101.3	8.0	100	8.7	655
1/15/23 19:15	11.8	101.3	8.0	100	8.7	897
1/15/23 19:30	11.8	101.2	8.0	101	8.7	611
1/15/23 19:45	11.8	101.3	8.0	101	8.7	887
1/15/23 20:00	11.8	101.2	8.0	101	8.7	766
1/15/23 20:15	11.8	101.2	8.0	101	8.7	873
1/15/23 20:30	11.8	101.2	8.0	101	8.7	877
1/15/23 20:45	11.8	101.1	8.0	101	8.6	725

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	11.8	101.2	8.0	101	8.6	665
1/15/23 21:15	11.8	101.2	8.0	101	8.6	634
1/15/23 21:30	11.8	101.2	8.0	101	8.7	827
1/15/23 21:45	11.8	101.2	8.0	102	8.6	868
1/15/23 22:00	11.8	101.1	8.1	102	8.6	824
1/15/23 22:15	11.8	101.1	8.0	102	8.6	866
1/15/23 22:30	11.8	101.1	8.0	102	8.6	1419
1/15/23 22:45	11.8	101.0	8.0	102	8.6	602
1/15/23 23:00	11.8	101.0	8.1	102	8.6	771
1/15/23 23:15	11.8	101.0	8.0	102	8.6	755
1/15/23 23:30	11.8	101.0	8.1	102	8.6	597
1/15/23 23:45	11.8	101.0	8.0	102	8.6	839
1/16/23 0:00	11.8	101.0	8.0	103	8.6	925
1/16/23 0:15	11.8	101.0	8.0	103	8.6	640
1/16/23 0:30	11.8	100.9	8.0	103	8.6	857
1/16/23 0:45	11.8	100.9	8.1	103	8.6	579
1/16/23 1:00	11.8	100.9	8.0	103	8.6	646
1/16/23 1:15	11.8	100.8	8.0	103	8.6	1075
1/16/23 1:30	11.8	100.9	8.0	109	8.6	820
1/16/23 1:45	11.8	100.8	8.1	103	8.6	693
1/16/23 2:00	11.8	100.8	8.0	106	8.5	580
1/16/23 2:15	11.8	100.7	8.1	86	8.5	827
1/16/23 2:30	11.8	100.7	8.1	77	8.5	535
1/16/23 2:45	11.8	100.8	8.1	104	8.5	543
1/16/23 3:00	11.8	100.7	8.1	104	8.5	793
1/16/23 3:15	11.8	100.7	8.1	104	8.5	748
1/16/23 3:30	11.8	100.7	8.1	104	8.5	637
1/16/23 3:45	11.8	100.7	8.1	104	8.5	626
1/16/23 4:00	11.8	100.6	8.0	104	8.5	517
1/16/23 4:15	11.8	100.6	8.0	105	8.5	683
1/16/23 4:30	11.8	100.6	8.1	104	8.5	448
1/16/23 4:45	11.8	100.6	8.1	104	8.5	789
1/16/23 5:00	11.8	100.6	8.0	104	8.4	576
1/16/23 5:15	11.8	100.5	8.0	105	8.4	814
1/16/23 5:30	11.8	100.5	8.0	105	8.4	558
1/16/23 5:45	11.8	100.5	8.1	111	8.4	660
1/16/23 6:00	11.8	100.5	8.0	105	8.4	720
1/16/23 6:15	11.8	100.4	8.0	105	8.4	614
1/16/23 6:30	11.8	100.4	8.0	105	8.4	592
1/16/23 6:45	11.8	100.4	8.0	111	8.4	740
1/16/23 7:00	11.8	100.4	8.0	106	8.4	712
1/16/23 7:15	11.8	100.3	8.0	106	8.4	495

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	11.8	100.4	8.1	106	8.4	573
1/16/23 7:45	11.8	100.4	8.0	106	8.4	735
1/16/23 8:00	11.8	100.4	8.0	106	8.4	469
1/16/23 8:15	11.8	100.4	8.0	106	8.4	555
1/16/23 8:30	11.8	100.4	8.0	106	8.4	645
1/16/23 8:45	11.8	100.3	8.0	106	8.4	562
1/16/23 9:00	11.8	100.3	8.0	106	8.4	590
1/16/23 9:15	11.8	100.3	8.0	106	8.4	506
1/16/23 9:30	11.8	100.3	8.0	107	8.4	594
1/16/23 9:45	11.8	100.3	8.1	106	8.4	592
1/16/23 10:00	11.8	100.3	8.0	113	8.4	613
1/16/23 10:15	11.8	100.2	8.0	107	8.4	565
1/16/23 10:30	11.8	100.3	8.0	107	8.4	789
1/16/23 10:45	11.8	100.3	8.0	107	8.4	778
1/16/23 11:00	11.8	100.3	8.0	107	8.4	685
1/16/23 11:15	11.8	100.4	8.0	107	8.4	497
1/16/23 11:30	11.8	100.4	8.0	107	8.4	437
1/16/23 11:45	11.8	100.4	8.0	106	8.4	630
1/16/23 12:00	11.8	100.4	8.1	107	8.4	658
1/16/23 12:15	11.8	100.4	8.0	107	8.4	721
1/16/23 12:30	11.8	100.4	8.0	107	8.4	694
1/16/23 12:45	11.8	100.4	8.1	107	8.4	486
1/16/23 13:00	11.8	100.4	8.0	107	8.4	545
1/16/23 13:15	11.8	100.4	8.1	108	8.5	675
1/16/23 13:30	11.8	100.4	8.0	107	8.5	570
1/16/23 13:45	11.8	100.5	8.1	107	8.5	500
1/16/23 14:00	11.8	100.5	8.0	108	8.5	600
1/16/23 14:15	11.8	100.5	8.1	108	8.5	845
1/16/23 14:30	11.8	100.5	8.0	108	8.5	635
1/16/23 14:45	11.8	100.5	8.0	108	8.5	631
1/16/23 15:00	11.8	100.5	8.0	108	8.5	703
1/16/23 15:15	11.8	100.5	8.0	108	8.5	522
1/16/23 15:30	11.8	100.5	8.0	108	8.5	499
1/16/23 15:45	11.8	100.5	8.0	108	8.5	445
1/16/23 16:00	11.8	100.5	8.1	108	8.5	389
1/16/23 16:15	11.8	100.5	8.0	108	8.5	459
1/16/23 16:30	11.8	100.5	8.1	108	8.5	377
1/16/23 16:45	11.8	100.4	8.0	108	8.5	631
1/16/23 17:00	11.8	100.5	8.0	108	8.5	485
1/16/23 17:15	11.8	100.4	8.1	108	8.5	558
1/16/23 17:30	11.8	100.4	8.0	109	8.5	830
1/16/23 17:45	11.8	100.4	8.0	109	8.5	617

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 18:00	11.8	100.4	8.0	108	8.5	503
1/16/23 18:15	11.8	100.3	8.1	109	8.5	452
1/16/23 18:30	11.8	100.3	8.0	109	8.5	435
1/16/23 18:45	11.8	100.4	8.1	109	8.5	564
1/16/23 19:00	11.8	100.3	8.1	109	8.4	664
1/16/23 19:15	11.8	100.3	8.1	109	8.4	465
1/16/23 19:30	11.8	100.3	8.0	109	8.4	330
1/16/23 19:45	11.8	100.3	8.0	109	8.4	463
1/16/23 20:00	11.8	100.3	8.1	109	8.5	486
1/16/23 20:15	11.8	100.3	8.0	109	8.4	444
1/16/23 20:30	11.8	100.3	8.0	109	8.4	455
1/16/23 20:45	11.8	100.3	8.0	109	8.5	445
1/16/23 21:00	11.8	100.3	8.0	110	8.4	519
1/16/23 21:15	11.8	100.3	8.0	110	8.5	425
1/16/23 21:30	11.8	100.3	8.0	110	8.4	462
1/16/23 21:45	11.8	100.3	8.1	110	8.4	467
1/16/23 22:00	11.8	100.3	8.0	110	8.4	372
1/16/23 22:15	11.8	100.2	8.1	110	8.4	393
1/16/23 22:30	11.8	100.2	8.1	110	8.4	395
1/16/23 22:45	11.8	100.2	8.0	110	8.4	449
1/16/23 23:00	11.8	100.2	8.1	110	8.4	323
1/16/23 23:15	11.8	100.2	8.1	110	8.4	548
1/16/23 23:30	11.8	100.2	8.0	110	8.4	448
1/16/23 23:45	11.8	100.3	8.0	111	8.4	465
1/17/23 0:00	11.8	100.2	8.1	111		455
1/17/23 0:15	11.8	100.2	8.0	111	8.4	528
1/17/23 0:30	11.8	100.2	8.0	111	8.4	397
1/17/23 0:45	11.8	100.1	8.1	117	8.4	384
1/17/23 1:00	11.8	100.2	8.1	111	8.4	489
1/17/23 1:15	11.8	100.2	8.0	111	8.4	405
1/17/23 1:30	11.8	100.1	8.0	111	8.4	535
1/17/23 1:45	11.8	100.1	8.1	117	8.4	447
1/17/23 2:00	11.8	100.1	8.1	111	8.4	376
1/17/23 2:15	11.8	100.1	8.1	111	8.3	366
1/17/23 2:30	11.8	100.1	8.1	111	8.3	520
1/17/23 2:45	11.8	100.1	8.1	111	8.3	534
1/17/23 3:00	11.8	100.2	8.0	112	8.3	419
1/17/23 3:15	11.8	100.1	8.1	112	8.3	332
1/17/23 3:30	11.8	100.1	8.0	112	8.3	430
1/17/23 3:45	11.8	100.1	8.0	112	8.3	450
1/17/23 4:00	11.8	100.1	8.1	112	8.2	430
1/17/23 4:15	11.8	100.1	8.1	112	8.2	360

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 4:30	11.8	100.1	8.0	112	8.2	355
1/17/23 4:45	11.8	100.1	8.1	112	8.2	617
1/17/23 5:00	11.8	100.1	8.0	112	8.2	394
1/17/23 5:15	11.8	100.1	8.0	112	8.2	469
1/17/23 5:30	11.8	100.0	8.1	112	8.2	385
1/17/23 5:45	11.8	100.1	8.1	112	8.2	437
1/17/23 6:00	11.8	100.1	8.1	113	8.2	305
1/17/23 6:15	11.8	100.0	8.0	112	8.1	453
1/17/23 6:30	11.8	100.0	8.0	112	8.1	470
1/17/23 6:45	11.8	100.0	8.0	113	8.1	438
1/17/23 7:00	11.8	100.0	8.1	113	8.1	316
1/17/23 7:15	11.8	100.0	8.1	113	8.1	393
1/17/23 7:30	11.8	100.1	8.1	113	8.1	392
1/17/23 7:45	11.8	100.1	8.1	113	8.1	443
1/17/23 8:00	11.8	100.0	8.1	113	8.1	295
1/17/23 8:15	11.8	100.0	8.1	113	8.1	615
1/17/23 8:30	11.9	100.0	8.1	113	8.0	335
1/17/23 8:45	11.9	100.1	8.0	113	8.0	545
1/17/23 9:00	11.9	100.0	8.0	113	8.0	469
1/17/23 9:15	11.9	100.1	8.1	113	8.0	297
1/17/23 9:30	11.9	100.2	8.1	113	8.0	553
1/17/23 9:45	11.9	100.2	8.1	113	8.0	415
1/17/23 10:00	11.9	100.2	8.1	114	8.0	798
1/17/23 10:15	11.9	100.2	8.1	114	8.1	375
1/17/23 10:30	11.9	100.2	8.1	114	8.1	502
1/17/23 10:45	11.9	100.2	8.1	114	8.1	394
1/17/23 11:00	11.9	100.3	8.1	114	8.1	561
1/17/23 11:15	11.9	100.3	8.0	114	8.1	419
1/17/23 11:30	11.9	100.4	8.1	114	8.1	535
1/17/23 11:45	11.9	100.4	8.1	114	8.1	343
1/17/23 12:00	11.9	100.4	8.1	114	8.1	467
1/17/23 12:15	11.9	100.5	8.1	113	8.1	334
1/17/23 12:30	11.9	100.6	8.1	114	8.1	321
1/17/23 12:45	11.9	100.6	8.1	114	8.2	360
1/17/23 13:00	11.9	100.6	8.1	114	8.2	315
1/17/23 13:15	11.9	100.7	8.1	114	8.2	366
1/17/23 13:30	11.9	100.6	8.1	121	8.2	369
1/17/23 13:45	11.9	100.7	8.1	115	8.2	360
1/17/23 14:00	11.9	100.7	8.1	115	8.2	475
1/17/23 14:15	11.9	100.8	8.0	115	8.2	418
1/17/23 14:30	11.9	100.8	8.1	115	8.2	371
1/17/23 14:45	11.9	100.8	8.1	115	8.2	413

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 15:00	11.9	100.8	8.1	115	8.2	358
1/17/23 15:15	11.9	100.8	8.1	115	8.2	354
1/17/23 15:30	11.9	100.8	8.1	115	8.2	332
1/17/23 15:45	11.9	100.8	8.1	115	8.2	333
1/17/23 16:00	11.9	100.8	8.1	115	8.2	317
1/17/23 16:15	11.9	100.8	8.1	115	8.2	513
1/17/23 16:30	11.9	100.8	8.1	115	8.2	387
1/17/23 16:45	11.9	100.7	8.1	115	8.2	354
1/17/23 17:00	11.9	100.7	8.0	115	8.2	399
1/17/23 17:15	11.9	100.7	8.1	115	8.2	284
1/17/23 17:30	11.9	100.7	8.1	115	8.2	373
1/17/23 17:45	11.9	100.7	8.1	116	8.2	318
1/17/23 18:00	11.9	100.7	8.1	116	8.2	396
1/17/23 18:15	11.9	100.7	8.1	116	8.2	373
1/17/23 18:30	11.9	100.7	8.1	116	8.2	432
1/17/23 18:45	11.9	100.6	8.1	116	8.2	321
1/17/23 19:00	11.9	100.6	8.1	116	8.1	370
1/17/23 19:15	11.9	100.6	8.1	116	8.1	342
1/17/23 19:30	11.9	100.6	8.1	116	8.1	311
1/17/23 19:45	11.9	100.6	8.1	116	8.1	315
1/17/23 20:00	11.9	100.6	8.1	116	8.1	528
1/17/23 20:15	11.9	100.5	8.1	116	8.1	510
1/17/23 20:30	11.9	100.5	8.1	116	8.1	458
1/17/23 20:45	11.9	100.5	8.1	116	8.1	350
1/17/23 21:00	11.9	100.5	8.1	116	8.1	450
1/17/23 21:15	11.9	100.5	8.1	116	8.1	286
1/17/23 21:30	11.9	100.5	8.1	116	8.1	294
1/17/23 21:45	11.9	100.5	8.1	116	8.1	282
1/17/23 22:00	11.9	100.5	8.1	116	8.1	313
1/17/23 22:15	11.9	100.5	8.0	117	8.1	496
1/17/23 22:30	11.9	100.5	8.1	117	8.0	362
1/17/23 22:45	11.9	100.4	8.1	117	8.0	413
1/17/23 23:00	11.9	100.4	8.1	117	8.0	320
1/17/23 23:15	11.9	100.4	8.1	117	8.0	309
1/17/23 23:30	11.9	100.4	8.1	117	8.0	276
1/17/23 23:45	11.9	100.4	8.1	117	8.0	454
1/18/23 0:00	11.9	100.3	8.1	117	8.0	379
1/18/23 0:15	11.9	100.4	8.1	117	8.0	288
1/18/23 0:30	11.9	100.3	8.1	117	8.0	342
1/18/23 0:45	11.9	100.3	8.1	117	8.0	293
1/18/23 1:00	11.9	100.2	8.1	117	8.0	327
1/18/23 1:15	11.9	100.3	8.1	117	8.0	293

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	11.9	100.2	8.1	117	8.0	230
1/18/23 1:45	11.9	100.2	8.1	118	8.0	314
1/18/23 2:00	11.9	100.2	8.1	117	8.0	318
1/18/23 2:15	11.9	100.2	8.1	118	8.0	406
1/18/23 2:30	11.9	100.0	8.1	118	8.0	340
1/18/23 2:45	11.9	100.1	8.1	118	8.0	266
1/18/23 3:00	11.9	100.1	8.1	118	7.9	224
1/18/23 3:15	11.9	100.1	8.0	118	7.9	321
1/18/23 3:30	11.9	100.0	8.1	118	7.9	487
1/18/23 3:45	11.9	100.0	8.0	118	7.9	486
1/18/23 4:00	11.9	100.1	8.1	124	7.9	532
1/18/23 4:15	11.9	100.1	8.1	118	7.9	305
1/18/23 4:30	11.9	100.1	8.1	118	7.9	299
1/18/23 4:45	11.9	100.0	8.1	118	7.9	358
1/18/23 5:00	11.9	100.0	8.1	118	7.9	279
1/18/23 5:15	11.9	100.0	8.1	118	7.8	275
1/18/23 5:30	11.9	100.0	8.0	118	7.8	270
1/18/23 5:45	11.9	100.0	8.0	118	7.8	258
1/18/23 6:00	11.9	100.1	8.1	119	7.8	288
1/18/23 6:15	11.9	100.0	8.1	119	7.8	302
1/18/23 6:30	11.9	100.0	8.1	118	7.8	279
1/18/23 6:45	11.9	100.0	8.1	119	7.8	249
1/18/23 7:00	11.9	100.0	8.1	119	7.8	623
1/18/23 7:15	11.9	99.9	8.1	119	7.8	308
1/18/23 7:30	11.9	100.0	8.0	119	7.8	353
1/18/23 7:45	11.9	99.8	8.1	119	7.8	417
1/18/23 8:00	11.9	99.8	8.0	119	7.7	327
1/18/23 8:15	11.9	99.9	8.0	119	7.7	338
1/18/23 8:30	11.9	99.9	8.0	119	7.7	331
1/18/23 8:45	11.9	99.9	8.1	119	7.7	339
1/18/23 9:00	11.9	100.0	8.1	119	7.7	296
1/18/23 9:15	11.9	99.9	8.1	119	7.7	283
1/18/23 9:30	11.9	99.9	8.1	119	7.7	248
1/18/23 9:45	11.9	100.0	8.1	119	7.7	428
1/18/23 10:00	11.9	100.0	8.1	119	7.7	288
1/18/23 10:15					7.7	
1/18/23 10:30					7.7	
1/18/23 10:45					7.7	
1/18/23 11:00					7.7	
1/18/23 11:15					7.7	
1/18/23 11:30					7.7	
1/18/23 11:45					7.7	

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/18/23 12:00					7.7	
1/18/23 12:15					7.7	
1/18/23 12:30					7.7	
1/18/23 12:45					7.7	
1/18/23 13:00					7.7	
1/18/23 13:15					7.7	
1/18/23 13:30					7.7	
1/18/23 13:45					7.7	
1/18/23 14:00					7.7	
1/18/23 14:15					7.6	
1/18/23 14:30					7.6	
1/18/23 14:45					7.6	
1/18/23 15:00					7.6	
1/18/23 15:15					7.6	
1/18/23 15:30					7.6	
1/18/23 15:45					7.6	
1/18/23 16:00					7.6	
1/18/23 16:15					7.6	
1/18/23 16:30					7.6	
1/18/23 16:45					7.6	
1/18/23 17:00					7.6	
1/18/23 17:15					7.6	
1/18/23 17:30					7.6	
1/18/23 17:45					7.6	
1/18/23 18:00					7.6	
1/18/23 18:15					7.6	
1/18/23 18:30					7.5	
1/18/23 18:45					7.5	
1/18/23 19:00					7.5	
1/18/23 19:15					7.5	
1/18/23 19:30					7.5	
1/18/23 19:45					7.5	
1/18/23 20:00					7.5	
1/18/23 20:15					7.5	
1/18/23 20:30					7.4	
1/18/23 20:45					7.4	
1/18/23 21:00					7.4	
1/18/23 21:15					7.4	
1/18/23 21:30					7.4	
1/18/23 21:45					7.4	
1/18/23 22:00					7.4	
1/18/23 22:15					7.4	

**Klamath River at Klamath, CA
(11530500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/18/23 22:30					7.4	
1/18/23 22:45					7.4	
1/18/23 23:00					7.4	
1/18/23 23:15					7.4	
1/18/23 23:30					7.4	
1/18/23 23:45					7.4	
1/19/23 0:00					7.4	
1/19/23 0:15					7.3	
1/19/23 0:30					7.3	
1/19/23 0:45					7.3	
1/19/23 1:00					7.3	
1/19/23 1:15					7.3	
1/19/23 1:30					7.3	
1/19/23 1:45					7.3	
1/19/23 2:00					7.3	
1/19/23 2:15					7.3	
1/19/23 2:30					7.3	
1/19/23 2:45					7.3	
1/19/23 3:00					7.3	
1/19/23 3:15					7.3	
1/19/23 3:30					7.3	
1/19/23 3:45					7.3	
1/19/23 4:00					7.3	
1/19/23 4:15					7.3	
1/19/23 4:30					7.2	
1/19/23 4:45					7.2	
1/19/23 5:00					7.2	
1/19/23 5:15					7.2	
1/19/23 5:30					7.2	
1/19/23 5:45					7.2	
1/19/23 6:00					7.2	
1/19/23 6:15	12.1	100.1	7.9	121	7.2	226
1/19/23 6:30	12.1	100.0	7.9	120	7.2	330
1/19/23 6:45	12.1	100.0	7.9	120	7.2	335
1/19/23 7:00	12.1	100.1	7.9	121	7.2	311
1/19/23 7:15	12.1	100.0	7.9	121	7.2	336
1/19/23 7:30	12.1	100.1	7.9	121	7.2	288
1/19/23 7:45	12.1	100.1	7.9	121	7.2	206
1/19/23 8:00	12.1	100.0	7.9	121	7.2	224
1/19/23 8:15	12.1	100.1	7.9	121		296
1/19/23 8:30	12.1	100.1	7.9	121	7.2	270
1/19/23 8:45	12.1	100.2	7.9	121	7.2	303

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 9:00	12.1	100.2	7.9	121	7.2	315
1/19/23 9:15	12.1	100.1	7.9	121	7.2	271
1/19/23 9:30	12.1	100.1	7.9	121	7.2	209
1/19/23 9:45	12.1	100.2	7.9	121	7.2	325
1/19/23 10:00	12.1	100.2	7.9	121	7.2	385
1/19/23 10:15	12.1	100.2	7.9	121	7.2	286
1/19/23 10:30	12.1	100.2	7.9	121	7.2	301
1/19/23 10:45	12.1	100.2	7.9	121	7.2	236
1/19/23 11:00	12.1	100.4	7.9	122	7.2	314
1/19/23 11:15	12.1	100.4	7.9	122	7.2	227
1/19/23 11:30	12.1	100.4	7.9	122	7.2	246
1/19/23 11:45	12.1	100.5	7.9	122	7.2	277
1/19/23 12:00	12.1	100.4	7.9	122	7.3	223
1/19/23 12:15	12.2	100.6	7.9	122	7.3	220
1/19/23 12:30	12.1	100.7	7.9	122	7.3	280
1/19/23 12:45	12.2	100.8	7.9	122	7.3	215
1/19/23 13:00	12.1	100.7	7.9	122	7.3	246
1/19/23 13:15	12.1	100.8	7.9	122	7.4	323
1/19/23 13:30	12.1	100.8	7.9	122	7.4	319
1/19/23 13:45	12.2	100.9	7.9	122	7.4	214
1/19/23 14:00	12.2	101.0	7.9	122	7.4	271
1/19/23 14:15	12.2	101.0	7.9	122	7.4	256
1/19/23 14:30	12.2	101.0	7.9	122	7.4	228
1/19/23 14:45	12.1	101.0	7.9	122	7.4	262
1/19/23 15:00	12.2	101.0	7.9	122	7.4	225
1/19/23 15:15	12.1	101.0	7.9	122	7.4	213
1/19/23 15:30	12.2	101.1	7.9	122	7.4	289
1/19/23 15:45	12.1	101.0	7.9	122	7.4	295
1/19/23 16:00	12.2	101.0	7.9	122	7.4	265
1/19/23 16:15	12.2	101.1	7.9	122	7.4	247
1/19/23 16:30	12.2	101.0	7.9	122	7.4	248
1/19/23 16:45	12.2	101.0	7.9	122	7.4	310
1/19/23 17:00	12.1	100.8	7.9	122	7.4	199
1/19/23 17:15	12.1	100.9	7.9	122	7.4	300
1/19/23 17:30	12.1	100.8	7.9	122	7.4	273
1/19/23 17:45	12.2	100.9	7.9	122	7.4	271
1/19/23 18:00	12.2	100.9	7.9	122	7.4	222
1/19/23 18:15	12.2	100.9	7.9	122	7.3	276
1/19/23 18:30	12.2	100.8	7.9	122	7.3	299
1/19/23 18:45	12.2	100.8	7.9	122	7.3	237
1/19/23 19:00	12.2	100.7	7.9	122	7.3	267
1/19/23 19:15	12.2	100.7	7.9	123	7.3	235

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 19:30	12.2	100.7	7.9	123	7.3	212
1/19/23 19:45	12.2	100.7	7.9	123	7.3	301
1/19/23 20:00	12.2	100.7	7.9	123	7.2	264
1/19/23 20:15	12.2	100.7	7.9	122	7.2	233
1/19/23 20:30	12.2	100.7	7.9	123	7.2	241
1/19/23 20:45	12.2	100.6	7.9	123	7.2	225
1/19/23 21:00	12.2	100.6	7.9	123	7.2	247
1/19/23 21:15	12.2	100.6	7.9	123	7.2	213
1/19/23 21:30	12.2	100.5	7.9	123	7.2	273
1/19/23 21:45	12.2	100.6	7.8	123	7.2	216
1/19/23 22:00	12.2	100.6	7.9	123	7.2	273
1/19/23 22:15	12.2	100.6	7.9	123	7.2	224
1/19/23 22:30	12.2	100.6	7.9	123	7.2	205
1/19/23 22:45	12.2	100.5	7.9	123	7.2	194
1/19/23 23:00	12.2	100.6	7.9	123	7.2	328
1/19/23 23:15	12.2	100.5	7.9	123	7.1	221
1/19/23 23:30	12.2	100.6	7.9	123	7.1	193
1/19/23 23:45	12.2	100.5	7.9	123	7.1	197
1/20/23 0:00	12.2	100.5	7.9	123	7.1	219
1/20/23 0:15	12.2	100.5	7.9	123	7.1	234
1/20/23 0:30	12.2	100.6	7.9	123	7.1	404
1/20/23 0:45	12.2	100.5	7.9	123	7.1	224
1/20/23 1:00	12.2	100.5	7.9	123	7.1	211
1/20/23 1:15	12.2	100.5	7.9	123	7.1	198
1/20/23 1:30	12.2	100.5	7.9	123	7.1	215
1/20/23 1:45	12.2	100.5	7.9	123	7.1	225
1/20/23 2:00	12.2	100.4	7.9	124	7.1	212
1/20/23 2:15	12.2	100.5	7.9	123	7.1	271
1/20/23 2:30	12.2	100.5	7.9	124	7.1	268
1/20/23 2:45	12.2	100.5	7.9	124	7.0	240
1/20/23 3:00	12.2	100.4	7.9	124	7.0	199
1/20/23 3:15	12.2	100.4	7.9	124	7.0	215
1/20/23 3:30	12.2	100.4	7.9	124	7.0	195
1/20/23 3:45	12.2	100.4	7.9	124	7.0	196
1/20/23 4:00	12.2	100.4	7.9	124	7.0	213
1/20/23 4:15	12.2	100.4	7.9	124	7.0	201
1/20/23 4:30	12.2	100.4	7.9	124	7.0	220
1/20/23 4:45	12.2	100.3	7.9	124	7.0	289
1/20/23 5:00	12.2	100.4	7.9	124	7.0	237
1/20/23 5:15	12.2	100.4	7.9	124	7.0	226
1/20/23 5:30	12.2	100.3	7.9	124	7.0	185
1/20/23 5:45	12.2	100.3	7.9	124	6.9	252

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 6:00	12.2	100.4	7.9	124	6.9	212
1/20/23 6:15	12.2	100.2	7.9	124	6.9	239
1/20/23 6:30	12.2	100.3	7.9	124	6.9	215
1/20/23 6:45	12.2	100.3	7.9	124	6.9	220
1/20/23 7:00	12.2	100.2	7.9	124	6.9	183
1/20/23 7:15	12.2	100.3	7.9	124	6.9	248
1/20/23 7:30	12.2	99.9	7.9	124	6.8	161
1/20/23 7:45	12.2	100.3	7.9	124	6.8	218
1/20/23 8:00	12.2	100.2	7.9	124	6.8	151
1/20/23 8:15	12.2	100.2	7.9	124	6.8	204
1/20/23 8:30	12.2	100.2	7.9	124	6.8	248
1/20/23 8:45	12.2	100.2	7.9	125	6.8	208
1/20/23 9:00	12.3	100.3	7.9	125	6.8	225
1/20/23 9:15	12.2	100.2	7.9	125	6.8	219
1/20/23 9:30	12.3	100.3	7.9	125	6.8	196
1/20/23 9:45	12.3	100.3	7.9	125	6.8	181
1/20/23 10:00	12.3	100.3	7.9	125	6.8	195
1/20/23 10:15	12.3	100.3	7.9	125	6.8	208
1/20/23 10:30	12.3	100.3	7.9	125	6.8	203
1/20/23 10:45	12.3	100.4	7.9	125	6.8	192
1/20/23 11:00	12.3	100.4	7.9	125	6.8	193
1/20/23 11:15	12.3	100.5	7.9	125	6.9	206
1/20/23 11:30	12.3	100.5	7.9	125	6.9	211
1/20/23 11:45	12.3	100.6	7.9	125	6.9	173
1/20/23 12:00	12.2	100.4	7.9	125	6.9	177
1/20/23 12:15	12.3	100.7	7.9	125	6.9	191
1/20/23 12:30	12.3	100.7	7.9	125	7.0	156
1/20/23 12:45	12.2	100.6	7.9	125	7.0	183
1/20/23 13:00	12.3	100.8	7.9	125	7.0	159
1/20/23 13:15	12.3	101.0	7.9	125	7.0	276
1/20/23 13:30	12.2	100.9	7.9	125	7.1	175
1/20/23 13:45	12.2	101.0	7.9	125	7.1	179
1/20/23 14:00	12.3	101.1	7.9	125	7.1	205
1/20/23 14:15	12.2	101.1	7.9	125	7.1	264
1/20/23 14:30	12.2	101.1	7.9	125	7.2	178
1/20/23 14:45	12.2	101.1	7.9	125	7.2	184
1/20/23 15:00	12.2	101.2	7.9	125	7.2	285
1/20/23 15:15	12.2	101.2	7.9	125	7.2	192
1/20/23 15:30	12.2	101.2	7.9	125	7.2	167
1/20/23 15:45	12.2	101.1	7.9	126	7.2	265
1/20/23 16:00	12.2	101.1	7.9	126	7.2	195
1/20/23 16:15	12.2	101.1	7.9	126	7.2	193

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	12.2	101.0	7.9	126	7.2	167
1/20/23 16:45	12.2	101.1	7.9	126	7.2	164
1/20/23 17:00	12.2	101.0	7.9	126	7.1	151
1/20/23 17:15	12.2	101.0	7.9	126	7.1	229
1/20/23 17:30	12.2	101.0	7.9	126	7.1	158
1/20/23 17:45	12.2	101.0	7.9	126	7.1	141
1/20/23 18:00	12.2	100.9	7.9	126	7.1	155
1/20/23 18:15	12.2	100.9	7.9	126	7.1	294
1/20/23 18:30	12.2	100.8	7.9	126	7.0	243
1/20/23 18:45	12.2	100.8	7.9	126	7.0	277
1/20/23 19:00	12.2	100.8	7.9	126	7.0	224
1/20/23 19:15	12.2	100.7	7.9	126	7.0	174
1/20/23 19:30	12.3	100.7	7.9	126	7.0	210
1/20/23 19:45	12.3	100.7	7.9	126	7.0	185
1/20/23 20:00	12.3	100.7	7.9	126	7.0	237
1/20/23 20:15	12.3	100.6	7.9	126	6.9	190
1/20/23 20:30	12.3	100.6	7.9	126	6.9	195
1/20/23 20:45	12.3	100.6	7.9	126	6.9	267
1/20/23 21:00	12.3	100.5	7.9	126	6.9	178
1/20/23 21:15	12.3	100.5	7.9	126	6.9	136
1/20/23 21:30	12.3	100.5	7.9	126	6.9	198
1/20/23 21:45	12.3	100.5	7.9	126	6.9	203
1/20/23 22:00	12.3	100.4	7.9	126	6.9	275
1/20/23 22:15	12.3	100.4	7.9	126	6.9	190
1/20/23 22:30	12.3	100.4	7.9	127	6.9	193
1/20/23 22:45	12.2	100.4	7.9	127	6.9	205
1/20/23 23:00	12.2	100.4	7.9	127	6.9	160
1/20/23 23:15	12.2	100.4	7.9	127	6.9	287
1/20/23 23:30	12.2	100.4	7.9	127	6.9	168
1/20/23 23:45	12.2	100.3	7.9	127	6.9	159
1/21/23 0:00	12.2	100.3	7.9	127	6.9	236
1/21/23 0:15	12.2	100.2	7.9	127	6.9	180
1/21/23 0:30	12.2	100.3	7.9	127	6.9	248
1/21/23 0:45	12.2	100.3	7.9	127	6.9	195
1/21/23 1:00	12.2	100.2	7.9	127	6.9	199
1/21/23 1:15	12.2	100.1	7.9	127	6.9	173
1/21/23 1:30	12.2	100.3	7.9	127	6.9	208
1/21/23 1:45	12.2	100.2	7.9	127	6.9	171
1/21/23 2:00	12.2	100.3	7.9	127	6.9	163
1/21/23 2:15	12.2	100.2	7.9	127	6.8	164
1/21/23 2:30	12.2	100.2	7.9	127	6.8	154
1/21/23 2:45	12.2	100.2	7.9	127	6.8	148

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 3:00	12.2	100.2	7.9	127	6.8	228
1/21/23 3:15	12.2	100.2	7.9	127	6.8	171
1/21/23 3:30	12.2	100.2	7.9	127	6.8	244
1/21/23 3:45	12.2	100.3	7.9	127	6.8	168
1/21/23 4:00	12.2	100.2	7.9	127	6.8	179
1/21/23 4:15	12.2	100.2	7.9	127	6.8	209
1/21/23 4:30	12.2	100.1	7.9	127	6.8	217
1/21/23 4:45	12.2	100.2	7.9	127	6.8	193
1/21/23 5:00	12.2	100.2	7.9	127	6.8	181
1/21/23 5:15	12.2	100.1	7.9	127	6.8	257
1/21/23 5:30	12.3	100.2	7.9	127	6.8	205
1/21/23 5:45	12.3	100.2	7.9	127	6.8	185
1/21/23 6:00	12.3	100.2	7.9	127	6.8	207
1/21/23 6:15	12.3	100.1	7.9	128	6.7	211
1/21/23 6:30	12.3	100.0	7.9	127	6.7	196
1/21/23 6:45	12.3	100.1	7.9	128	6.7	148
1/21/23 7:00	12.3	100.1	7.9	128	6.7	177
1/21/23 7:15	12.3	100.1	7.9	128	6.7	153
1/21/23 7:30	12.3	100.1	7.9	128	6.7	174
1/21/23 7:45	12.3	100.0	7.9	128	6.6	222
1/21/23 8:00	12.3	100.1	7.9	128	6.6	158
1/21/23 8:15	12.3	100.1	7.9	128	6.6	193
1/21/23 8:30	12.3	100.2	7.9	128	6.6	174
1/21/23 8:45	12.3	100.0	7.9	128	6.6	241
1/21/23 9:00	12.3	100.0	7.9	128	6.6	187
1/21/23 9:15	12.3	100.0	7.9	128	6.6	162
1/21/23 9:30	12.3	100.2	7.9	128	6.6	136
1/21/23 9:45	12.3	100.2	7.9	128	6.5	167
1/21/23 10:00	12.3	100.1	7.9	128	6.5	162
1/21/23 10:15	12.3	100.2	7.9	128	6.5	241
1/21/23 10:30	12.3	100.2	7.9	128	6.5	239
1/21/23 10:45	12.3	100.3	7.9	128	6.6	217
1/21/23 11:00	12.4	100.5	7.9	128	6.6	165
1/21/23 11:15	12.3	100.4	7.9	128	6.6	212
1/21/23 11:30	12.3	100.5	7.9	128	6.6	182
1/21/23 11:45	12.3	100.5	7.9	128	6.6	197
1/21/23 12:00	12.4	100.7	7.9	128	6.6	231
1/21/23 12:15	12.4	100.7	7.9	128	6.6	223
1/21/23 12:30	12.4	100.8	7.9	128	6.7	160
1/21/23 12:45	12.3	100.8	7.9	128	6.7	183
1/21/23 13:00	12.3	100.9	7.9	128	6.7	175
1/21/23 13:15	12.4	101.0	7.9	128	6.7	187

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 13:30	12.4	101.0	7.9	128	6.8	178
1/21/23 13:45	12.3	101.0	7.9	128	6.8	162
1/21/23 14:00	12.4	101.1	7.9	128	6.8	194
1/21/23 14:15	12.4	101.1	7.9	129	6.8	161
1/21/23 14:30	12.4	101.2	7.9	129	6.8	227
1/21/23 14:45	12.3	101.2	7.9	129	6.8	133
1/21/23 15:00	12.4	101.2	7.9	129	6.9	161
1/21/23 15:15	12.3	101.2	7.9	129	6.9	165
1/21/23 15:30	12.3	101.3	7.9	129	6.9	167
1/21/23 15:45	12.3	101.2	7.9	129	6.9	160
1/21/23 16:00	12.3	101.3	7.9	129	6.9	227
1/21/23 16:15	12.3	101.3	7.9	129	6.9	140
1/21/23 16:30	12.3	101.1	7.9	129	6.9	143
1/21/23 16:45	12.3	101.2	7.9	129	6.9	155
1/21/23 17:00	12.3	101.3	7.9	129	6.9	222
1/21/23 17:15	12.3	101.1	7.9	129	6.9	151
1/21/23 17:30	12.3	101.2	7.9	129	6.9	165
1/21/23 17:45	12.3	101.2	7.9	129	6.9	215
1/21/23 18:00	12.3	101.2	7.9	129	6.9	174
1/21/23 18:15	12.3	101.2	7.9	130	6.9	134
1/21/23 18:30	12.3	101.2	7.9	129	6.9	152
1/21/23 18:45	12.3	101.2	7.9	129	6.9	161
1/21/23 19:00	12.3	101.1	7.9	129	6.9	159
1/21/23 19:15	12.3	101.1	7.9	129	6.9	133
1/21/23 19:30	12.3	101.1	7.9	129	6.9	155
1/21/23 19:45	12.3	101.1	7.9	129	6.8	132
1/21/23 20:00	12.3	101.0	7.9	130	6.8	200
1/21/23 20:15	12.3	101.0	7.9	129	6.8	225
1/21/23 20:30	12.3	101.0	7.9	129	6.8	176
1/21/23 20:45	12.3	101.0	7.9	129	6.8	151
1/21/23 21:00	12.3	101.0	7.9	130	6.8	123
1/21/23 21:15	12.3	100.9	7.9	130	6.8	151
1/21/23 21:30	12.3	100.9	7.9	130	6.8	130
1/21/23 21:45	12.3	100.9	7.9	130	6.8	161
1/21/23 22:00	12.3	100.9	7.9	130	6.8	170
1/21/23 22:15	12.3	100.8	7.9	130	6.8	140
1/21/23 22:30	12.3	100.9	7.9	130	6.8	224
1/21/23 22:45	12.3	100.8	7.9	129	6.8	189
1/21/23 23:00	12.3	100.8	7.9	130	6.8	185
1/21/23 23:15	12.3	100.8	7.9	130	6.8	185
1/21/23 23:30	12.3	100.8	7.9	130	6.8	180
1/21/23 23:45	12.3	100.8	7.9	130	6.8	217

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 0:00	12.3	100.7	7.9	130	6.8	142
1/22/23 0:15	12.3	100.8	7.9	130	6.8	217
1/22/23 0:30	12.3	100.7	7.9	130	6.8	211
1/22/23 0:45	12.3	100.6	7.9	130	6.8	135
1/22/23 1:00	12.3	100.7	7.9	130	6.8	132
1/22/23 1:15	12.3	100.5	7.9	130	6.8	178
1/22/23 1:30	12.3	100.7	7.9	130	6.8	136
1/22/23 1:45	12.3	100.6	7.9	130	6.9	135
1/22/23 2:00	12.3	100.6	7.9	130	6.9	150
1/22/23 2:15	12.3	100.7	7.9	130	6.9	179
1/22/23 2:30	12.3	100.6	7.9	130	6.9	126
1/22/23 2:45	12.3	100.7	7.9	130	6.9	155
1/22/23 3:00	12.3	100.6	7.9	130	6.9	218
1/22/23 3:15	12.3	100.6	7.9	130	6.9	136
1/22/23 3:30	12.3	100.6	7.9	131	6.9	137
1/22/23 3:45	12.3	100.5	7.9	130	6.9	133
1/22/23 4:00	12.3	100.5	7.9	130	6.9	133
1/22/23 4:15	12.3	100.6	7.9	131	6.8	143
1/22/23 4:30	12.3	100.5	7.9	131	6.8	138
1/22/23 4:45	12.3	100.5	7.9	131	6.8	148
1/22/23 5:00	12.3	100.4	7.9	131	6.8	165
1/22/23 5:15	12.3	100.4	7.9	131	6.8	143
1/22/23 5:30	12.3	100.4	7.9	131	6.8	133
1/22/23 5:45	12.3	100.4	7.9	131	6.8	136
1/22/23 6:00	12.2	100.3	7.9	131	6.8	125
1/22/23 6:15	12.3	100.3	7.9	131	6.8	162
1/22/23 6:30	12.3	100.4	7.9	131	6.8	144
1/22/23 6:45	12.2	100.3	7.9	131	6.8	137
1/22/23 7:00	12.2	100.3	7.9	131	6.8	125
1/22/23 7:15	12.2	100.3	7.9	131	6.8	139
1/22/23 7:30	12.2	100.3	7.9	131	6.8	134
1/22/23 7:45	12.2	100.2	7.9	131	6.8	133
1/22/23 8:00	12.3	100.3	7.9	131	6.8	117
1/22/23 8:15	12.3	100.3	7.9	131	6.8	197
1/22/23 8:30	12.3	100.2	7.9	131	6.8	128
1/22/23 8:45	12.3	100.3	7.9	131	6.8	168
1/22/23 9:00	12.3	100.3	7.9	131	6.8	134
1/22/23 9:15	12.3	100.3	7.9	131	6.8	149
1/22/23 9:30	12.3	100.3	7.9	131	6.8	149
1/22/23 9:45	12.3	100.3	7.9	131	6.8	115
1/22/23 10:00	12.3	100.3	7.9	131	6.8	219
1/22/23 10:15	12.2	100.2	7.9	131	6.8	128

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 10:30	12.3	100.3	7.9	131	6.8	116
1/22/23 10:45	12.2	100.2	7.9	131	6.8	125
1/22/23 11:00	12.3	100.4	7.9	131	6.8	112
1/22/23 11:15	12.3	100.4	7.9	131	6.8	132
1/22/23 11:30	12.3	100.5	7.9	131	6.9	133
1/22/23 11:45	12.3	100.6	7.9	131	6.9	147
1/22/23 12:00	12.2	100.5	7.9	131	6.9	218
1/22/23 12:15	12.3	100.6	7.9	131	6.9	122
1/22/23 12:30	12.3	100.7	7.9	131	6.9	105
1/22/23 12:45	12.3	100.7	7.9	131	7.0	184
1/22/23 13:00	12.2	100.7	7.9	131	7.0	142
1/22/23 13:15	12.2	100.7	7.9	131	7.0	144
1/22/23 13:30	12.2	100.8	7.9	131	7.0	166
1/22/23 13:45	12.2	100.8	7.9	131	7.0	131
1/22/23 14:00	12.2	100.9	7.9	131	7.1	127
1/22/23 14:15	12.2	100.9	7.9	131	7.1	201
1/22/23 14:30	12.2	101.0	7.9	131	7.1	136
1/22/23 14:45	12.2	101.0	7.9	131	7.1	129
1/22/23 15:00	12.2	101.1	7.9	132	7.1	119
1/22/23 15:15	12.2	101.0	7.9	132	7.1	129
1/22/23 15:30	12.2	100.8	7.9	132	7.1	120
1/22/23 15:45	12.2	101.0	7.9	131	7.2	189
1/22/23 16:00	12.2	100.9	7.9	131	7.1	152
1/22/23 16:15	12.2	101.0	7.9	132	7.1	117
1/22/23 16:30	12.2	100.8	7.9	132	7.1	120
1/22/23 16:45	12.2	100.9	7.9	132	7.1	129
1/22/23 17:00	12.2	100.6	7.9	132	7.1	129
1/22/23 17:15	12.2	100.8	7.9	132	7.1	177
1/22/23 17:30	12.2	100.8	7.9	132	7.1	136
1/22/23 17:45	12.2	100.7	7.9	132	7.1	131
1/22/23 18:00	12.2	100.5	7.9	132	7.0	137
1/22/23 18:15	12.2	100.6	7.9	132	7.0	130
1/22/23 18:30	12.2	100.4	7.9	132	7.0	185
1/22/23 18:45	12.2	100.6	7.9	132	7.0	124
1/22/23 19:00	12.2	100.5	7.9	132	7.0	109
1/22/23 19:15	12.2	100.5	7.9	132	7.0	132
1/22/23 19:30	12.2	100.5	7.9	132	7.0	127
1/22/23 19:45	12.2	100.4	7.9	132	6.9	127
1/22/23 20:00	12.2	100.4	7.9	132	6.9	130
1/22/23 20:15	12.2	100.4	7.9	132	6.9	130
1/22/23 20:30	12.2	100.3	7.9	132	6.9	132
1/22/23 20:45	12.2	100.3	7.9	132	6.9	170

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	12.2	100.2	7.9	132	6.8	136
1/22/23 21:15	12.2	100.1	7.9	132	6.8	134
1/22/23 21:30	12.2	100.1	7.9	132	6.8	196
1/22/23 21:45	12.2	100.2	7.9	132	6.8	140
1/22/23 22:00	12.2	100.0	7.9	132	6.8	126
1/22/23 22:15	12.2	99.9	7.9	132	6.8	123
1/22/23 22:30	12.2	100.0	7.9	132	6.8	126
1/22/23 22:45	12.2	100.1	7.9	132	6.8	111
1/22/23 23:00	12.2	100.0	7.9	132	6.8	134
1/22/23 23:15	12.2	100.0	7.9	133	6.8	126
1/22/23 23:30	12.2	100.0	7.9	132	6.8	125
1/22/23 23:45	12.2	99.9	7.9	133	6.8	118
1/23/23 0:00	12.2	100.0	7.9	133	6.8	96
1/23/23 0:15	12.2	99.9	7.9	133	6.8	125
1/23/23 0:30	12.2	99.9	7.9	133	6.8	135
1/23/23 0:45	12.2	99.9	7.9	133	6.8	125
1/23/23 1:00	12.2	99.9	7.9	133	6.8	122
1/23/23 1:15	12.2	99.9	7.9	133	6.8	132
1/23/23 1:30	12.2	99.9	7.9	133	6.8	168
1/23/23 1:45	12.2	99.9	7.9	133	6.8	127
1/23/23 2:00	12.2	99.7	7.9	133	6.8	119
1/23/23 2:15	12.2	99.9	7.9	133	6.8	130
1/23/23 2:30	12.2	99.8	7.9	133	6.9	120
1/23/23 2:45	12.2	99.9	7.9	133	6.9	124
1/23/23 3:00	12.2	99.8	7.9	133	6.9	124
1/23/23 3:15	12.2	99.8	7.9	133	6.9	128
1/23/23 3:30	12.2	99.8	7.9	133	6.9	128
1/23/23 3:45	12.2	99.8	7.9	133	6.8	130
1/23/23 4:00	12.2	99.6	7.9	133	6.8	128
1/23/23 4:15	12.2	99.8	7.9	133	6.8	122
1/23/23 4:30	12.2	99.8	7.9	133	6.8	121
1/23/23 4:45	12.2	99.7	7.9	133	6.8	123
1/23/23 5:00	12.2	99.7	7.9	133	6.8	115
1/23/23 5:15	12.2	99.7	7.9	133	6.8	123
1/23/23 5:30	12.2	99.6	7.9	133	6.8	138
1/23/23 5:45	12.2	99.7	7.9	133	6.8	127
1/23/23 6:00	12.2	99.7	7.9	133	6.8	124
1/23/23 6:15	12.2	99.6	7.9	133	6.8	126
1/23/23 6:30	12.2	99.6	7.9	133	6.8	122
1/23/23 6:45	12.2	99.6	7.9	133	6.8	127
1/23/23 7:00	12.2	99.6	7.9	133	6.8	127
1/23/23 7:15	12.2	99.6	7.9	133	6.8	157

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/23/23 7:30	12.2	99.5	7.9	133	6.8	129
1/23/23 7:45	12.2	99.6	7.9	133	6.8	130
1/23/23 8:00	12.2	99.6	7.9	133	6.8	126
1/23/23 8:15	12.2	99.6	7.9	133	6.8	126
1/23/23 8:30	12.2	99.5	7.9	134	6.8	118
1/23/23 8:45	12.2	99.5	7.9	133	6.7	128
1/23/23 9:00	12.2	99.4	7.9	133	6.7	130
1/23/23 9:15	12.2	99.5	7.9	133	6.7	124
1/23/23 9:30	12.2	99.5	7.9	133	6.7	149
1/23/23 9:45	12.2	99.5	7.9	133	6.7	130
1/23/23 10:00	12.2	99.3	7.9	134	6.7	129
1/23/23 10:15	12.2	99.6	7.9	134	6.7	137
1/23/23 10:30	12.2	99.6	7.9	134	6.7	126
1/23/23 10:45	12.2	99.6	7.9	134	6.7	120
1/23/23 11:00	12.2	99.4	7.9	134	6.7	125
1/23/23 11:15	12.2	99.7	7.9	134	6.7	126
1/23/23 11:30	12.2	99.7	7.9	134	6.7	123
1/23/23 11:45	12.2	99.8	7.9	134	6.7	126
1/23/23 12:00	12.2	99.9	7.9	134	6.7	119
1/23/23 12:15	12.2	99.9	7.9	134	6.7	127
1/23/23 12:30	12.2	99.9	7.9	134	6.7	120
1/23/23 12:45	12.2	100.0	7.9	134	6.8	126
1/23/23 13:00	12.2	100.1	7.9	134	6.8	125
1/23/23 13:15	12.2	100.1	7.9	134	6.8	117
1/23/23 13:30	12.2	100.2	7.9	134	6.8	125
1/23/23 13:45	12.2	100.3	7.9	134	6.9	115
1/23/23 14:00	12.2	100.3	7.9	134	6.9	120
1/23/23 14:15	12.2	100.4	7.9	134	6.9	119
1/23/23 14:30	12.2	100.4	7.9	134	6.9	119
1/23/23 14:45	12.2	100.4	7.9	134	6.9	119
1/23/23 15:00	12.2	100.3	7.9	134	6.9	120
1/23/23 15:15	12.2	100.4	7.9	134	6.9	121
1/23/23 15:30	12.2	100.5	7.9	134	6.9	119
1/23/23 15:45	12.2	100.5	7.9	134	6.9	118
1/23/23 16:00	12.2	100.5	7.9	134	6.9	126
1/23/23 16:15	12.2	100.4	7.9	134	6.9	119
1/23/23 16:30	12.2	100.4	7.9	134	6.9	124
1/23/23 16:45	12.2	100.4	7.9	134	6.9	117
1/23/23 17:00	12.2	100.3	7.9	134	6.9	123
1/23/23 17:15	12.2	100.3	7.9	134	6.9	114
1/23/23 17:30	12.2	100.3	7.9	134	6.9	115
1/23/23 17:45	12.2	100.3	7.9	134	6.9	117

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 18:00	12.2	100.2	7.9	134	6.9	115
1/23/23 18:15	12.2	100.2	7.9	134	6.8	118
1/23/23 18:30	12.2	100.1	7.9	134	6.8	126
1/23/23 18:45	12.2	100.1	7.9	134	6.8	122
1/23/23 19:00	12.2	100.1	7.9	134	6.8	119
1/23/23 19:15	12.2	100.1	7.9	135	6.8	115
1/23/23 19:30	12.2	100.0	7.9	134	6.8	120
1/23/23 19:45	12.2	99.9	7.9	134	6.8	115
1/23/23 20:00	12.2	99.9	7.9	135	6.8	113
1/23/23 20:15	12.2	99.9	7.9	135	6.7	109
1/23/23 20:30	12.2	99.9	7.9	135	6.7	123
1/23/23 20:45	12.2	99.9	7.9	135	6.7	117
1/23/23 21:00	12.2	99.8	7.9	134	6.7	112
1/23/23 21:15	12.2	99.7	7.9	135	6.6	113
1/23/23 21:30	12.3	99.9	7.9	135	6.6	110
1/23/23 21:45	12.3	99.8	7.9	135	6.6	112
1/23/23 22:00	12.3	99.8	7.9	135	6.6	121
1/23/23 22:15	12.3	99.7	7.9	135	6.6	118
1/23/23 22:30	12.3	99.8	7.9	135	6.6	121
1/23/23 22:45	12.3	99.8	7.9	135	6.5	112
1/23/23 23:00	12.3	99.7	7.9	135	6.5	115
1/23/23 23:15	12.3	99.6	7.9	135	6.5	113
1/23/23 23:30	12.3	99.7	7.9	135	6.5	115
1/23/23 23:45	12.3	99.6	7.9	135	6.5	122
1/24/23 0:00	12.3	99.7	7.9	135	6.5	112
1/24/23 0:15	12.3	99.6	7.9	135	6.5	114
1/24/23 0:30	12.2	99.6	7.9	135	6.5	116
1/24/23 0:45	12.2	99.6	7.9	135	6.5	118
1/24/23 1:00	12.3	99.6	7.9	135	6.5	113
1/24/23 1:15	12.3	99.7	7.9	135	6.5	114
1/24/23 1:30	12.3	99.6	7.9	135	6.6	115
1/24/23 1:45	12.3	99.7	7.9	135	6.6	112
1/24/23 2:00	12.2	99.6	7.9	135	6.6	121
1/24/23 2:15	12.2	99.5	7.9	135	6.6	117
1/24/23 2:30	12.2	99.5	7.9	135	6.6	111
1/24/23 2:45	12.2	99.6	7.9	135	6.6	110
1/24/23 3:00	12.2	99.6	7.9	135	6.6	111
1/24/23 3:15	12.2	99.5	7.9	136	6.6	107
1/24/23 3:30	12.2	99.5	7.9	136	6.6	111
1/24/23 3:45	12.2	99.5	7.9	135	6.6	118
1/24/23 4:00	12.2	99.6	7.9	135	6.6	115
1/24/23 4:15	12.2	99.6	7.9	135	6.6	114

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 4:30	12.2	99.5	7.9	135	6.6	108
1/24/23 4:45	12.2	99.6	7.9	136	6.5	104
1/24/23 5:00	12.2	99.5	7.9	135	6.5	108
1/24/23 5:15	12.2	99.5	7.9	135	6.5	108
1/24/23 5:30	12.3	99.6	7.9	136	6.5	111
1/24/23 5:45	12.2	99.5	7.9	135	6.5	111
1/24/23 6:00	12.3	99.6	7.9	136	6.5	111
1/24/23 6:15	12.2	99.5	7.9	135	6.5	109
1/24/23 6:30	12.2	99.5	7.9	135	6.5	117
1/24/23 6:45	12.3	99.6	7.9	135	6.5	109
1/24/23 7:00	12.3	99.6	7.9	136	6.5	114
1/24/23 7:15	12.3	99.5	7.9	136	6.5	105
1/24/23 7:30	12.3	99.5	7.9	135	6.5	119
1/24/23 7:45	12.3	99.5	7.9	135	6.5	113
1/24/23 8:00	12.3	99.5	7.9	136	6.5	109
1/24/23 8:15	12.3	99.4	7.9	136	6.5	118
1/24/23 8:30	12.3	99.5	7.9	135	6.4	108
1/24/23 8:45	12.3	99.5	7.9	136	6.4	104
1/24/23 9:00	12.3	99.6	7.9	135	6.4	112
1/24/23 9:15	12.3	99.6	7.9	136	6.4	111
1/24/23 9:30	12.3	99.6	7.9	136	6.4	114
1/24/23 9:45	12.3	99.6	7.9	136	6.4	106
1/24/23 10:00	12.3	99.6	7.9	136	6.4	109
1/24/23 10:15	12.3	99.7	7.9	136	6.4	108
1/24/23 10:30	12.3	99.7	7.9	136	6.4	106
1/24/23 10:45	12.3	99.8	7.9	136	6.5	113
1/24/23 11:00	12.3	99.9	7.9	136	6.5	108
1/24/23 11:15	12.3	99.8	7.9	136	6.5	108
1/24/23 11:30	12.3	100.0	7.9	136	6.5	111
1/24/23 11:45	12.3	100.0	7.9	136	6.5	101
1/24/23 12:00	12.3	100.0	7.9	136	6.5	102
1/24/23 12:15	12.3	100.2	7.9	136	6.5	102
1/24/23 12:30	12.3	100.2	7.9	136	6.6	104
1/24/23 12:45	12.3	100.3	7.9	136	6.6	112
1/24/23 13:00	12.3	100.5	7.9	136	6.6	107
1/24/23 13:15	12.3	100.5	7.9	136	6.6	105
1/24/23 13:30	12.3	100.6	7.9	136	6.7	103
1/24/23 13:45	12.3	100.6	7.9	136	6.7	102
1/24/23 14:00	12.3	100.7	7.9	136	6.7	102
1/24/23 14:15	12.3	100.8	7.9	136	6.8	101
1/24/23 14:30	12.3	100.8	7.9	136	6.8	111
1/24/23 14:45	12.3	100.9	7.9	136	6.8	110

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 15:00	12.3	100.9	7.9	136	6.8	108
1/24/23 15:15	12.3	100.9	7.9	136	6.8	104
1/24/23 15:30	12.3	100.9	7.9	136	6.8	106
1/24/23 15:45	12.3	100.9	7.9	136	6.8	113
1/24/23 16:00	12.3	100.9	7.9	136	6.8	106
1/24/23 16:15	12.3	100.9	7.9	136	6.8	112
1/24/23 16:30	12.3	100.9	7.9	136	6.8	104
1/24/23 16:45	12.3	100.9	7.9	136	6.8	104
1/24/23 17:00	12.3	100.9	7.9	136	6.8	103
1/24/23 17:15	12.3	100.9	7.9	136	6.8	100
1/24/23 17:30	12.3	100.9	7.9	136	6.8	107
1/24/23 17:45	12.3	100.7	7.9	136	6.8	104
1/24/23 18:00	12.3	100.7	7.9	136	6.8	105
1/24/23 18:15	12.3	100.7	7.9	136	6.8	108
1/24/23 18:30	12.3	100.6	7.9	136	6.7	105
1/24/23 18:45	12.3	100.7	7.9	136	6.7	102
1/24/23 19:00	12.3	100.6	7.9	137	6.7	103
1/24/23 19:15	12.3	100.6	7.9	136	6.7	103
1/24/23 19:30	12.3	100.5	7.9	136	6.7	108
1/24/23 19:45	12.3	100.5	7.9	136	6.7	108
1/24/23 20:00	12.3	100.5	7.9	136	6.6	106
1/24/23 20:15	12.3	100.4	7.9	136	6.6	105
1/24/23 20:30	12.3	100.3	7.9	137	6.6	102
1/24/23 20:45	12.3	100.4	7.9	136	6.6	106
1/24/23 21:00	12.3	100.4	7.9	137	6.6	108
1/24/23 21:15	12.3	100.3	7.9	137	6.6	107
1/24/23 21:30	12.3	100.3	7.9	137	6.6	98
1/24/23 21:45	12.3	100.3	7.9	137	6.5	100
1/24/23 22:00	12.3	100.2	7.9	136	6.5	105
1/24/23 22:15	12.3	100.2	7.9	136	6.5	106
1/24/23 22:30	12.4	100.2	7.9	137	6.5	98
1/24/23 22:45	12.3	100.1	7.9	137	6.5	108
1/24/23 23:00	12.3	100.1	7.9	137	6.4	105
1/24/23 23:15	12.3	100.1	7.9	137	6.4	93
1/24/23 23:30	12.4	100.1	7.9	137	6.4	96
1/24/23 23:45	12.4	100.1	7.9	137	6.4	102
1/25/23 0:00	12.3	100.1	7.9	137	6.4	101
1/25/23 0:15	12.3	100.1	7.9	137	6.4	104
1/25/23 0:30	12.3	100.0	7.9	137	6.4	98
1/25/23 0:45	12.3	100.0	7.9	137	6.4	100
1/25/23 1:00	12.3	100.0	7.9	137	6.4	98
1/25/23 1:15	12.3	100.0	7.9	137	6.4	99

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 1:30	12.3	100.0	7.9	137	6.4	100
1/25/23 1:45	12.3	100.0	7.9	137	6.4	95
1/25/23 2:00	12.3	99.9	7.9	137	6.5	103
1/25/23 2:15	12.3	100.0	7.9	137	6.5	99
1/25/23 2:30	12.3	99.8	7.9	137	6.5	103
1/25/23 2:45	12.3	100.0	7.9	137	6.5	105
1/25/23 3:00	12.3	100.0	7.9	137	6.5	96
1/25/23 3:15	12.3	99.9	7.9	137	6.5	91
1/25/23 3:30	12.3	99.9	7.9	137	6.5	94
1/25/23 3:45	12.3	99.9	7.9	137	6.5	99
1/25/23 4:00	12.3	99.9	7.9	137	6.5	97
1/25/23 4:15	12.3	99.9	7.9	137	6.5	96
1/25/23 4:30	12.3	99.8	7.9	137	6.5	96
1/25/23 4:45	12.3	99.9	7.9	137	6.4	98
1/25/23 5:00	12.3	99.8	7.9	137	6.4	100
1/25/23 5:15	12.3	99.8	7.9	137	6.4	98
1/25/23 5:30	12.3	99.8	7.9	137	6.4	92
1/25/23 5:45	12.3	99.8	7.9	137	6.4	98
1/25/23 6:00	12.3	99.8	7.9	137	6.4	101
1/25/23 6:15	12.3	99.7	7.9	137	6.4	98
1/25/23 6:30	12.3	99.8	7.9	137	6.4	95
1/25/23 6:45	12.3	99.7	7.9	137	6.4	91
1/25/23 7:00	12.3	99.7	7.9	137	6.4	93
1/25/23 7:15	12.3	99.7	7.9	137	6.4	112
1/25/23 7:30	12.3	99.7	7.9	137	6.4	114
1/25/23 7:45	12.3	99.8	7.9	142	6.4	116
1/25/23 8:00	12.3	99.7	7.9	137	6.4	110
1/25/23 8:15	12.3	99.8	7.9	137	6.4	109
1/25/23 8:30	12.3	99.7	7.9	137	6.4	108
1/25/23 8:45	12.3	99.7	7.9	137	6.4	111
1/25/23 9:00	12.3	99.8	7.9	137	6.4	109
1/25/23 9:15	12.3	99.7	7.9	138	6.4	110
1/25/23 9:30	12.3	99.7	7.9	138	6.4	115
1/25/23 9:45	12.3	99.8	7.9	138	6.4	106
1/25/23 10:00	12.3	99.9	7.9	138	6.4	109
1/25/23 10:15	12.3	99.9	7.9	138	6.4	110
1/25/23 10:30	12.3	100.0	7.9	138	6.4	107
1/25/23 10:45	12.3	100.0	7.9	138	6.4	107
1/25/23 11:00	12.3	99.9	7.9	137	6.4	104
1/25/23 11:15	12.3	100.0	7.9	137	6.4	104
1/25/23 11:30	12.4	100.2	7.9	138	6.4	100
1/25/23 11:45	12.3	100.1	7.9	138	6.5	102

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 12:00	12.3	100.2	7.9	138	6.5	108
1/25/23 12:15	12.3	100.2	7.9	138	6.5	103
1/25/23 12:30	12.4	100.4	7.9	137	6.5	106
1/25/23 12:45	12.4	100.5	7.9	138	6.6	103
1/25/23 13:00	12.3	100.5	7.9	137	6.6	110
1/25/23 13:15	12.4	100.7	7.9	138	6.6	94
1/25/23 13:30	12.3	100.6	7.9	138	6.6	96
1/25/23 13:45	12.4	100.8	7.9	138	6.7	92
1/25/23 14:00	12.3	100.9	7.9	138	6.7	99
1/25/23 14:15	12.3	100.8	7.9	138	6.7	102
1/25/23 14:30	12.3	100.9	7.9	138	6.8	106
1/25/23 14:45	12.3	100.9	7.9	138	6.8	102
1/25/23 15:00	12.3	101.0	7.9	138	6.8	108
1/25/23 15:15	12.3	101.1	7.9	138	6.8	103
1/25/23 15:30	12.3	101.1	7.9	138	6.8	108
1/25/23 15:45	12.3	101.1	7.9	138	6.8	106
1/25/23 16:00	12.3	101.0	7.9	138	6.8	106
1/25/23 16:15	12.3	101.0	7.9	138	6.8	107
1/25/23 16:30	12.3	101.0	7.9	138	6.8	110
1/25/23 16:45	12.3	101.0	7.9	138	6.8	102
1/25/23 17:00	12.3	100.8	7.9	138	6.8	108
1/25/23 17:15	12.3	100.9	7.9	138	6.8	159
1/25/23 17:30	12.3	100.9	7.9	138	6.8	117
1/25/23 17:45	12.3	100.9	7.9	138	6.8	114
1/25/23 18:00	12.3	100.8	7.9	138	6.8	117
1/25/23 18:15	12.3	100.8	7.9	138	6.8	119
1/25/23 18:30	12.3	100.7	7.9	138	6.8	114
1/25/23 18:45	12.3	100.7	7.9	138	6.8	116
1/25/23 19:00	12.3	100.7	7.9	138	6.8	113
1/25/23 19:15	12.3	100.6	7.9	138	6.7	110
1/25/23 19:30	12.3	100.6	7.9	138	6.7	112
1/25/23 19:45	12.3	100.6	7.9	138	6.7	113
1/25/23 20:00	12.3	100.5	7.9	138	6.7	108
1/25/23 20:15	12.3	100.5	7.9	138	6.7	113
1/25/23 20:30	12.3	100.5	7.9	138	6.7	110
1/25/23 20:45	12.3	100.5	7.9	138	6.7	110
1/25/23 21:00	12.3	100.5	7.9	138	6.6	109
1/25/23 21:15	12.3	100.2	7.9	138	6.6	110
1/25/23 21:30	12.3	100.4	7.9	138	6.6	111
1/25/23 21:45	12.3	100.4	7.9	138	6.6	107
1/25/23 22:00	12.3	100.2	7.9	138	6.6	114
1/25/23 22:15	12.3	100.3	7.9	138	6.6	112

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 22:30	12.3	100.1	7.9	138	6.5	104
1/25/23 22:45	12.3	100.3	7.9	139	6.5	109
1/25/23 23:00	12.3	100.2	7.9	138	6.5	107
1/25/23 23:15	12.3	100.2	7.9	138	6.5	108
1/25/23 23:30	12.3	100.1	7.9	138	6.5	106
1/25/23 23:45	12.3	100.0	7.9	139	6.5	102
1/26/23 0:00	12.3	100.1	7.9	138	6.4	107
1/26/23 0:15	12.3	100.0	7.9	139	6.4	110
1/26/23 0:30	12.3	100.0	7.9	139	6.4	110
1/26/23 0:45	12.3	100.0	7.9	139	6.4	109
1/26/23 1:00	12.3	100.1	7.9	139	6.4	99
1/26/23 1:15	12.3	100.0	7.9	138	6.5	112
1/26/23 1:30	12.3	100.0	7.9	139	6.5	106
1/26/23 1:45	12.3	100.0	7.9	139	6.5	107
1/26/23 2:00	12.3	100.1	7.9	138	6.5	106
1/26/23 2:15	12.3	99.9	7.9	139	6.5	103
1/26/23 2:30	12.3	100.0	7.9	139	6.5	105
1/26/23 2:45	12.3	100.0	7.9	138	6.5	111
1/26/23 3:00	12.3	100.0	7.9	139	6.5	105
1/26/23 3:15	12.3	100.1	7.9	138	6.5	111
1/26/23 3:30	12.3	100.0	7.9	139	6.5	107
1/26/23 3:45	12.3	100.0	7.9	139	6.5	103
1/26/23 4:00	12.3	100.0	7.9	139	6.5	105
1/26/23 4:15	12.3	100.0	7.9	139	6.5	109
1/26/23 4:30	12.3	99.9	7.9	139	6.5	108
1/26/23 4:45	12.3	99.9	7.9	139	6.5	104
1/26/23 5:00	12.3	99.9	7.9	139	6.5	105
1/26/23 5:15	12.3	100.0	7.9	139	6.5	104
1/26/23 5:30	12.3	99.9	7.9	139	6.5	106
1/26/23 5:45	12.3	99.8	7.9	139	6.5	103
1/26/23 6:00	12.3	99.9	7.9	139	6.5	104
1/26/23 6:15	12.3	99.9	7.9	139	6.4	104
1/26/23 6:30	12.3	99.8	7.9	139	6.4	105
1/26/23 6:45	12.3	99.8	7.9	139	6.4	102
1/26/23 7:00	12.3	99.7	7.9	139	6.4	106
1/26/23 7:15	12.3	99.7	7.9	139	6.4	105
1/26/23 7:30	12.3	99.9	7.9	139	6.4	104
1/26/23 7:45	12.3	99.8	7.9	139	6.4	98
1/26/23 8:00	12.3	99.8	7.9	139	6.4	103
1/26/23 8:15	12.3	99.8	7.9	139	6.4	100
1/26/23 8:30	12.3	99.7	7.9	139	6.4	103
1/26/23 8:45	12.3	99.8	7.9	139	6.4	107

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 9:00	12.3	99.7	7.9	139	6.4	105
1/26/23 9:15	12.3	99.7	7.9	139	6.4	108
1/26/23 9:30	12.3	99.8	7.9	139	6.4	104
1/26/23 9:45	12.3	99.8	7.9	139	6.4	110
1/26/23 10:00	12.3	99.9	7.9	139	6.4	110
1/26/23 10:15	12.3	99.9	7.9	139	6.4	102
1/26/23 10:30	12.3	100.0	7.9	139	6.4	113
1/26/23 10:45	12.3	99.9	7.9	139	6.4	106
1/26/23 11:00	12.3	100.1	7.9	139	6.4	107
1/26/23 11:15	12.3	100.1	7.9	139	6.5	113
1/26/23 11:30	12.3	100.1	7.9	139	6.5	113
1/26/23 11:45	12.3	100.3	7.9	139	6.5	108
1/26/23 12:00	12.3	100.4	7.9	139	6.5	110
1/26/23 12:15	12.3	100.4	7.9	139	6.6	110
1/26/23 12:30					6.6	110
1/26/23 12:45					6.6	
1/26/23 13:00					6.6	
1/26/23 13:15	12.4	100.9	8.0	139	6.7	91
1/26/23 13:30	12.3	100.9	7.9	147	6.7	86
1/26/23 13:45	12.4	101.1	7.9	147	6.7	75
1/26/23 14:00	12.4	101.1	7.9	147	6.8	74
1/26/23 14:15	12.4	101.1	7.9	147	6.8	78
1/26/23 14:30	12.4	101.2	7.9	147	6.8	72
1/26/23 14:45	12.3	101.2	7.9	147	6.8	78
1/26/23 15:00	12.3	101.3	7.9	147	6.9	72
1/26/23 15:15	12.3	101.3	7.9	147	6.9	75
1/26/23 15:30	12.3	101.3	7.8	147	6.9	74
1/26/23 15:45	12.4	101.4	7.8	147	6.9	73
1/26/23 16:00	12.3	101.2	7.8	147	6.9	72
1/26/23 16:15	12.3	101.3	7.8	147	6.9	70
1/26/23 16:30	12.3	101.2	7.8	147	6.9	71
1/26/23 16:45	12.3	101.2	7.8	147	6.9	76
1/26/23 17:00	12.3	101.2	7.8	147	6.9	76
1/26/23 17:15	12.3	101.1	7.8	147	6.9	78
1/26/23 17:30	12.3	101.1	7.8	147	6.9	72
1/26/23 17:45	12.3	101.0	7.8	147	6.9	69
1/26/23 18:00	12.3	101.0	7.8	147	6.9	77
1/26/23 18:15	12.3	101.0	7.8	147	6.8	72
1/26/23 18:30	12.3	100.9	7.8	147	6.8	82
1/26/23 18:45	12.3	100.9	7.8	147	6.8	70
1/26/23 19:00	12.3	100.8	7.8	147	6.8	72
1/26/23 19:15	12.3	100.8	7.8	147	6.8	77

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 19:30	12.3	100.8	7.8	147	6.8	71
1/26/23 19:45	12.3	100.7	7.8	147	6.8	71
1/26/23 20:00	12.3	100.7	7.8	147	6.7	73
1/26/23 20:15	12.3	100.7	7.8	147	6.7	70
1/26/23 20:30	12.3	100.7	7.8	147	6.7	67
1/26/23 20:45	12.3	100.6	7.8	147	6.7	72
1/26/23 21:00	12.3	100.6	7.8	147	6.7	65
1/26/23 21:15	12.3	100.6	7.8	147	6.7	64
1/26/23 21:30	12.3	100.5	7.8	147	6.7	69
1/26/23 21:45	12.3	100.4	7.8	147	6.6	68
1/26/23 22:00	12.3	100.4	7.8	147	6.6	71
1/26/23 22:15	12.3	100.4	7.8	147	6.6	63
1/26/23 22:30	12.3	100.4	7.8	147	6.6	66
1/26/23 22:45	12.3	100.2	7.8	147	6.6	64
1/26/23 23:00	12.3	100.2	7.8	147	6.5	70
1/26/23 23:15	12.3	100.2	7.8	147	6.5	68
1/26/23 23:30	12.3	100.2	7.8	147	6.5	65
1/26/23 23:45	12.3	100.1	7.8	147	6.5	70
1/27/23 0:00	12.3	100.1	7.8	147	6.5	69
1/27/23 0:15	12.3	100.1	7.8	147	6.5	71
1/27/23 0:30	12.3	100.0	7.8	147	6.5	69
1/27/23 0:45	12.3	100.0	7.8	147	6.5	74
1/27/23 1:00	12.3	100.0	7.8	147	6.5	68
1/27/23 1:15	12.3	100.1	7.8	147	6.5	66
1/27/23 1:30	12.3	100.0	7.8	147	6.5	65
1/27/23 1:45	12.3	100.1	7.8	147	6.5	64
1/27/23 2:00	12.3	100.0	7.8	147	6.5	66
1/27/23 2:15	12.3	100.0	7.8	147	6.5	66
1/27/23 2:30	12.3	99.9	7.8	147	6.5	68
1/27/23 2:45	12.3	99.9	7.8	147	6.5	69
1/27/23 3:00	12.3	99.9	7.8	147	6.5	69
1/27/23 3:15	12.3	100.0	7.8	147	6.5	66
1/27/23 3:30	12.3	99.9	7.8	148	6.5	64
1/27/23 3:45	12.3	99.8	7.8	148	6.5	73
1/27/23 4:00	12.3	99.8	7.8	148	6.6	62
1/27/23 4:15	12.3	99.8	7.8	148	6.5	66
1/27/23 4:30	12.3	99.9	7.8	148	6.5	66
1/27/23 4:45	12.3	99.8	7.8	148	6.5	62
1/27/23 5:00	12.3	99.8	7.8	148	6.5	70
1/27/23 5:15	12.3	99.8	7.8	148	6.5	65
1/27/23 5:30	12.3	99.7	7.8	148	6.5	67
1/27/23 5:45	12.3	99.8	7.8	148	6.5	61

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/27/23 6:00	12.3	99.8	7.8	148	6.5	70
1/27/23 6:15	12.3	99.8	7.8	148	6.5	62
1/27/23 6:30	12.3	99.7	7.8	148	6.5	63
1/27/23 6:45	12.3	99.7	7.8	148	6.5	60
1/27/23 7:00	12.3	99.7	7.8	148	6.5	61
1/27/23 7:15	12.3	99.6	7.8	148	6.5	70
1/27/23 7:30	12.3	99.7	7.8	148	6.5	65
1/27/23 7:45	12.3	99.5	7.8	148	6.4	67
1/27/23 8:00	12.3	99.6	7.8	148	6.4	67
1/27/23 8:15	12.3	99.5	7.8	148	6.4	65
1/27/23 8:30	12.3	99.6	7.8	148	6.4	63
1/27/23 8:45	12.3	99.6	7.8	148	6.4	71
1/27/23 9:00	12.3	99.6	7.8	148	6.4	73
1/27/23 9:15	12.3	99.6	7.8	148	6.4	65
1/27/23 9:30	12.3	99.6	7.8	148	6.4	65
1/27/23 9:45	12.3	99.5	7.8	148	6.4	72
1/27/23 10:00	12.3	99.6	7.8	148	6.4	69
1/27/23 10:15	12.3	99.6	7.8	148	6.5	64
1/27/23 10:30	12.3	99.8	7.8	148	6.5	71
1/27/23 10:45	12.3	99.6	7.8	148	6.5	66
1/27/23 11:00	12.3	99.8	7.8	148	6.5	68
1/27/23 11:15	12.3	99.8	7.8	148	6.5	65
1/27/23 11:30	12.3	99.8	7.8	148	6.5	68
1/27/23 11:45	12.3	99.8	7.8	148	6.6	65
1/27/23 12:00	12.3	99.8	7.8	148	6.6	62
1/27/23 12:15	12.3	100.0	7.8	148	6.6	68
1/27/23 12:30	12.3	99.9	7.8	148	6.6	72
1/27/23 12:45	12.3	100.1	7.8	148	6.6	67
1/27/23 13:00	12.3	100.1	7.8	148	6.6	64
1/27/23 13:15	12.3	100.2	7.8	148	6.7	69
1/27/23 13:30	12.3	100.2	7.8	148	6.7	64
1/27/23 13:45	12.3	100.3	7.8	148	6.7	68
1/27/23 14:00	12.3	100.4	7.8	148	6.8	67
1/27/23 14:15	12.3	100.4	7.8	148	6.8	62
1/27/23 14:30	12.3	100.5	7.8	148	6.8	61
1/27/23 14:45	12.3	100.5	7.8	148	6.8	61
1/27/23 15:00	12.3	100.5	7.9	148	6.8	60
1/27/23 15:15	12.3	100.5	7.9	148	6.8	62
1/27/23 15:30	12.3	100.5	7.8	148	6.9	65
1/27/23 15:45	12.3	100.5	7.8	148	6.9	65
1/27/23 16:00	12.2	100.4	7.8	148	6.9	73
1/27/23 16:15	12.3	100.5	7.8	148	6.9	65

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 16:30	12.2	100.5	7.8	148	6.9	72
1/27/23 16:45	12.2	100.5	7.9	148	6.9	62
1/27/23 17:00	12.2	100.5	7.8	148	6.9	65
1/27/23 17:15	12.2	100.4	7.8	148	6.9	61
1/27/23 17:30	12.2	100.4	7.8	148	6.9	64
1/27/23 17:45	12.2	100.4	7.8	148	6.9	65
1/27/23 18:00	12.2	100.3	7.8	148	6.9	63
1/27/23 18:15	12.2	100.3	7.8	148	6.9	62
1/27/23 18:30	12.2	100.2	7.8	148	6.9	63
1/27/23 18:45	12.2	100.2	7.8	148	6.8	61
1/27/23 19:00	12.2	100.2	7.8	148	6.8	67
1/27/23 19:15	12.2	100.1	7.8	148	6.8	61
1/27/23 19:30	12.2	100.0	7.8	148	6.8	59
1/27/23 19:45	12.2	100.0	7.8	148	6.8	66
1/27/23 20:00	12.2	99.9	7.8	148	6.8	62
1/27/23 20:15	12.2	99.9	7.8	148	6.7	60
1/27/23 20:30	12.2	99.9	7.8	148	6.7	62
1/27/23 20:45	12.2	99.9	7.8	148	6.7	63
1/27/23 21:00	12.2	99.9	7.8	148	6.7	60
1/27/23 21:15	12.2	99.8	7.8	148	6.7	59
1/27/23 21:30	12.2	99.8	7.8	148	6.7	60
1/27/23 21:45	12.2	99.8	7.8	148	6.7	58
1/27/23 22:00	12.2	99.8	7.8	148	6.7	58
1/27/23 22:15	12.2	99.7	7.8	148	6.7	62
1/27/23 22:30	12.2	99.7	7.8	148	6.7	62
1/27/23 22:45	12.2	99.7	7.8	148	6.7	57
1/27/23 23:00	12.2	99.6	7.8	148	6.7	58
1/27/23 23:15	12.2	99.6	7.8	148	6.7	60
1/27/23 23:30	12.2	99.6	7.8	148	6.7	60
1/27/23 23:45	12.2	99.5	7.8	148	6.7	58
1/28/23 0:00	12.2	99.5	7.8	148	6.7	57
1/28/23 0:15	12.2	99.5	7.8	148	6.6	63
1/28/23 0:30	12.2	99.6	7.8	148	6.6	63
1/28/23 0:45	12.2	99.5	7.8	148	6.6	57
1/28/23 1:00	12.2	99.5	7.8	148	6.6	56
1/28/23 1:15	12.2	99.4	7.8	148	6.6	60
1/28/23 1:30	12.2	99.4	7.8	148	6.6	60
1/28/23 1:45	12.2	99.4	7.8	148	6.6	62
1/28/23 2:00	12.2	99.3	7.9	148	6.6	60
1/28/23 2:15	12.2	99.3	7.9	148	6.7	61
1/28/23 2:30	12.2	99.3	7.9	148	6.7	60
1/28/23 2:45	12.2	99.3	7.9	148	6.7	59

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 3:00	12.2	99.3	7.9	148	6.7	58
1/28/23 3:15	12.2	99.3	7.9	148	6.7	59
1/28/23 3:30	12.1	99.3	7.9	148	6.7	58
1/28/23 3:45	12.1	99.2	7.9	148	6.7	62
1/28/23 4:00	12.1	99.2	7.9	148	6.7	55
1/28/23 4:15	12.1	99.2	7.9	148	6.7	59
1/28/23 4:30	12.1	99.2	7.9	148	6.8	59
1/28/23 4:45	12.1	99.1	7.9	148	6.8	60
1/28/23 5:00	12.1	99.1	7.9	148	6.7	58
1/28/23 5:15	12.1	99.1	7.9	148	6.7	61
1/28/23 5:30	12.1	99.1	7.9	149	6.7	57
1/28/23 5:45	12.1	99.1	7.9	149	6.7	56
1/28/23 6:00	12.1	99.0	7.9	149	6.7	63
1/28/23 6:15	12.1	99.0	7.9	149	6.7	56
1/28/23 6:30	12.1	99.0	7.9	148	6.7	56
1/28/23 6:45	12.1	98.9	7.9	149	6.7	56
1/28/23 7:00	12.1	99.0	7.9	149	6.7	58
1/28/23 7:15	12.1	98.9	7.9	149	6.7	60
1/28/23 7:30	12.1	98.9	7.8	149	6.7	57
1/28/23 7:45	12.1	99.0	7.9	149	6.7	62
1/28/23 8:00	12.1	98.9	7.8	149	6.7	58
1/28/23 8:15	12.1	98.8	7.9	149	6.7	61
1/28/23 8:30	12.1	98.9	7.9	149	6.6	59
1/28/23 8:45	12.1	98.8	7.8	149	6.6	66
1/28/23 9:00	12.1	98.8	7.9	148	6.6	66
1/28/23 9:15	12.1	98.8	7.9	149	6.6	55
1/28/23 9:30	12.1	98.9	7.8	149	6.6	65
1/28/23 9:45	12.1	98.9	7.8	149	6.6	60
1/28/23 10:00	12.1	98.9	7.9	149	6.6	60
1/28/23 10:15	12.1	99.0	7.9	149	6.6	59
1/28/23 10:30	12.1	99.0	7.9	149	6.7	60
1/28/23 10:45	12.1	99.0	7.9	149	6.7	57
1/28/23 11:00	12.1	99.1	7.9	149	6.7	56
1/28/23 11:15	12.1	99.1	7.9	149	6.7	57
1/28/23 11:30	12.1	99.2	7.9	149	6.8	57
1/28/23 11:45	12.1	99.3	7.9	149	6.8	61
1/28/23 12:00	12.1	99.4	7.9	149	6.8	59
1/28/23 12:15	12.1	99.4	7.9	149	6.8	56
1/28/23 12:30	12.1	99.5	7.9	149	6.8	61
1/28/23 12:45	12.1	99.5	7.9	149	6.9	58
1/28/23 13:00	12.1	99.6	7.9	149	6.9	59
1/28/23 13:15	12.1	99.6	7.9	149	6.9	55

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 13:30	12.1	99.4	7.9	149	6.9	63
1/28/23 13:45	12.1	99.6	7.9	149	6.9	55
1/28/23 14:00	12.1	99.6	7.9	149	6.9	57
1/28/23 14:15	12.1	99.6	7.9	149	6.9	61
1/28/23 14:30	12.1	99.7	7.9	149	7.0	57
1/28/23 14:45	12.1	99.7	7.9	149	7.0	54
1/28/23 15:00	12.1	99.7	7.9	149	7.0	55
1/28/23 15:15	12.1	99.7	7.9	149	7.0	53
1/28/23 15:30	12.1	99.7	7.9	149	7.0	60
1/28/23 15:45	12.1	99.7	7.9	149	7.0	56
1/28/23 16:00	12.1	99.7	7.9	149	7.0	52
1/28/23 16:15	12.1	99.7	7.9	149	7.0	55
1/28/23 16:30	12.1	99.7	7.9	149	7.0	61
1/28/23 16:45	12.1	99.7	7.9	149	7.0	54
1/28/23 17:00	12.1	99.7	7.9	149	7.0	54
1/28/23 17:15	12.1	99.7	7.9	148	7.0	60
1/28/23 17:30	12.1	99.6	7.9	149	7.0	61
1/28/23 17:45	12.1	99.6	7.9	149	7.0	56
1/28/23 18:00	12.1	99.6	7.9	149	7.0	62
1/28/23 18:15	12.1	99.6	7.9	149	7.0	62
1/28/23 18:30	12.1	99.5	7.9	149	7.0	61
1/28/23 18:45	12.1	99.6	7.9	149	7.0	54
1/28/23 19:00	12.1	99.5	7.9	149	7.0	56
1/28/23 19:15	12.1	99.5	7.9	149	7.0	57
1/28/23 19:30	12.1	99.5	7.9	149	7.0	55
1/28/23 19:45	12.1	99.5	7.9	149	7.0	56
1/28/23 20:00	12.1	99.4	7.9	149	6.9	55
1/28/23 20:15	12.1	99.4	7.9	148	6.9	55
1/28/23 20:30	12.1	99.4	7.9	149	6.9	53
1/28/23 20:45	12.1	99.3	7.9	149	6.9	55
1/28/23 21:00	12.1	99.3	7.9	149	6.9	55
1/28/23 21:15	12.1	99.3	7.9	149	6.8	55
1/28/23 21:30	12.1	99.2	7.9	149	6.8	53
1/28/23 21:45	12.1	99.1	7.9	149	6.8	61
1/28/23 22:00	12.1	99.1	7.9	149	6.8	58
1/28/23 22:15	12.1	99.0	7.9	149	6.8	58
1/28/23 22:30	12.1	99.1	7.9	149	6.8	56
1/28/23 22:45	12.1	99.0	7.8	149	6.8	58
1/28/23 23:00	12.1	98.9	7.8	149	6.8	53
1/28/23 23:15	12.1	99.0	7.9	149	6.7	55
1/28/23 23:30	12.1	98.9	7.9	149	6.7	53
1/28/23 23:45	12.1	98.9	7.9	149	6.7	53

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	12.1	98.9	7.9	149	6.7	56
1/29/23 0:15	12.1	98.8	7.8	149	6.7	54
1/29/23 0:30	12.1	98.7	7.9	149	6.7	52
1/29/23 0:45	12.1	98.7	7.9	149	6.7	53
1/29/23 1:00	12.1	98.8	7.9	149	6.7	52
1/29/23 1:15	12.1	98.6	7.9	149	6.7	56
1/29/23 1:30	12.1	98.7	7.9	149	6.7	54
1/29/23 1:45	12.1	98.6	7.9	149	6.7	53
1/29/23 2:00	12.1	98.6	7.9	149	6.7	53
1/29/23 2:15	12.1	98.6	7.9	149	6.7	53
1/29/23 2:30	12.1	98.5	7.9	149	6.7	51
1/29/23 2:45	12.1	98.6	7.9	149	6.7	55
1/29/23 3:00	12.1	98.6	7.9	149	6.7	52
1/29/23 3:15	12.1	98.6	7.9	149	6.7	51
1/29/23 3:30	12.1	98.6	7.9	149	6.8	54
1/29/23 3:45	12.1	98.6	7.9	149	6.8	52
1/29/23 4:00	12.0	98.6	7.9	149	6.8	53
1/29/23 4:15	12.0	98.5	7.9	149	6.8	51
1/29/23 4:30	12.0	98.5	7.9	149	6.8	51
1/29/23 4:45	12.0	98.5	7.9	149	6.8	51
1/29/23 5:00	12.0	98.5	7.9	149	6.8	50
1/29/23 5:15	12.0	98.5	7.9	149	6.8	55
1/29/23 5:30	12.0	98.4	7.9	149	6.8	56
1/29/23 5:45	12.0	98.5	7.9	149	6.8	51
1/29/23 6:00	12.0	98.4	7.9	149	6.8	50
1/29/23 6:15	12.0	98.3	7.9	149	6.8	55
1/29/23 6:30	12.0	98.4	7.9	149	6.8	52
1/29/23 6:45	12.0	98.3	7.9	149	6.8	50
1/29/23 7:00	12.0	98.4	7.9	149	6.8	51
1/29/23 7:15	12.0	98.3	7.9	149	6.8	49
1/29/23 7:30	12.0	98.3	7.9	149	6.7	51
1/29/23 7:45	12.0	98.3	7.9	149	6.7	54
1/29/23 8:00	12.0	98.3	7.9	149	6.7	63
1/29/23 8:15	12.0	98.3	7.9	149	6.7	57
1/29/23 8:30	12.0	98.2	7.9	149	6.7	56
1/29/23 8:45	12.0	98.2	7.9	149	6.7	56
1/29/23 9:00	12.0	98.2	7.9	149	6.7	55
1/29/23 9:15	12.0	98.2	7.9	149	6.7	52
1/29/23 9:30	12.0	98.2	7.9	149	6.7	56
1/29/23 9:45	12.0	98.2	7.9	149	6.7	50
1/29/23 10:00	12.0	98.2	7.9	149	6.7	51
1/29/23 10:15	12.0	98.3	7.9	149	6.7	53

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/29/23 10:30	12.0	98.3	7.9	149	6.7	51
1/29/23 10:45	12.0	98.4	7.9	149	6.8	51
1/29/23 11:00	12.0	98.4	7.9	149	6.8	50
1/29/23 11:15	12.0	98.5	7.9	149	6.8	51
1/29/23 11:30	12.0	98.5	7.9	149	6.8	52
1/29/23 11:45	12.0	98.6	7.9	149	6.8	51
1/29/23 12:00	12.0	98.6	7.9	149	6.8	53
1/29/23 12:15	12.0	98.7	7.9	149	6.9	49
1/29/23 12:30	12.0	98.8	7.9	149	6.9	52
1/29/23 12:45	12.0	98.8	7.9	149	6.9	51
1/29/23 13:00	12.0	98.9	7.9	149	6.9	51
1/29/23 13:15	12.0	99.0	7.9	149	7.0	50
1/29/23 13:30	12.0	99.0	7.9	149	7.0	51
1/29/23 13:45	12.0	99.1	7.9	149	7.0	49
1/29/23 14:00	12.0	99.1	7.9	149	7.0	52
1/29/23 14:15	12.0	99.2	7.9	149	7.0	54
1/29/23 14:30	12.0	99.2	7.9	149	7.1	50
1/29/23 14:45	12.0	99.2	7.9	149	7.1	55
1/29/23 15:00	12.0	99.3	7.9	149	7.1	51
1/29/23 15:15	12.0	99.3	7.9	149	7.1	51
1/29/23 15:30	12.0	99.2	7.9	149	7.1	54
1/29/23 15:45	12.1	99.2	7.9	149	7.0	51
1/29/23 16:00	12.0	99.2	7.9	149	7.0	49
1/29/23 16:15	12.0	99.2	7.9	149	7.0	49
1/29/23 16:30	12.1	99.1	7.9	149	7.0	50
1/29/23 16:45	12.1	99.1	7.9	149	7.0	47
1/29/23 17:00	12.1	99.0	7.9	149	7.0	53
1/29/23 17:15	12.1	99.0	7.9	149	6.9	53
1/29/23 17:30	12.1	98.9	7.9	149	6.9	52
1/29/23 17:45	12.1	98.9	7.9	149	6.9	54
1/29/23 18:00	12.1	98.9	7.9	149	6.8	51
1/29/23 18:15	12.1	98.8	7.9	149	6.8	52
1/29/23 18:30	12.1	98.8	7.9	149	6.8	51
1/29/23 18:45	12.1	98.7	7.9	149	6.8	49
1/29/23 19:00	12.1	98.7	7.9	149	6.7	54
1/29/23 19:15	12.1	98.7	7.9	149	6.7	50
1/29/23 19:30	12.1	98.6	7.9	149	6.6	51
1/29/23 19:45	12.1	98.5	7.9	149	6.6	48
1/29/23 20:00	12.1	98.5	7.9	149	6.6	51
1/29/23 20:15	12.1	98.4	7.8	149	6.5	47
1/29/23 20:30	12.1	98.5	7.8	149	6.5	51
1/29/23 20:45	12.1	98.4	7.8	149	6.5	51

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	12.1	98.3	7.8	149	6.5	51
1/29/23 21:15	12.1	98.3	7.8	149	6.4	48
1/29/23 21:30	12.1	98.3	7.8	149	6.4	48
1/29/23 21:45	12.1	98.3	7.8	149	6.4	51
1/29/23 22:00	12.1	98.2	7.8	149	6.4	48
1/29/23 22:15	12.1	98.1	7.8	149	6.3	48
1/29/23 22:30	12.1	98.1	7.8	149	6.3	49
1/29/23 22:45	12.2	98.2	7.8	149	6.2	48
1/29/23 23:00	12.2	98.1	7.8	149	6.2	51
1/29/23 23:15	12.2	98.0	7.8	149	6.2	45
1/29/23 23:30	12.2	98.0	7.8	149	6.2	53
1/29/23 23:45	12.2	98.1	7.8	149	6.1	50
1/30/23 0:00	12.2	98.0	7.8	149	6.1	50
1/30/23 0:15	12.2	98.0	7.8	149	6.1	51
1/30/23 0:30	12.2	97.9	7.8	149	6.1	52
1/30/23 0:45	12.2	98.0	7.9	141	6.1	49
1/30/23 1:00	12.2	98.0	7.9	149	6.1	47
1/30/23 1:15	12.2	97.9	7.9	149	6.1	47
1/30/23 1:30	12.2	97.9	7.9	141	6.0	48
1/30/23 1:45	12.2	97.9	7.9	149	6.0	45
1/30/23 2:00	12.2	97.9	7.9	149	6.0	47
1/30/23 2:15	12.2	97.9	7.9	150	6.0	45
1/30/23 2:30	12.2	97.8	7.9	149	6.0	49
1/30/23 2:45	12.2	97.8	7.9	141	6.0	48
1/30/23 3:00	12.2	97.8	7.9	150	6.0	54
1/30/23 3:15	12.2	97.8	7.9	150	6.0	51
1/30/23 3:30	12.2	97.9	7.9	141	6.0	53
1/30/23 3:45	12.2	97.8	7.9	150	6.0	52
1/30/23 4:00	12.2	97.9	7.9	150	6.0	51
1/30/23 4:15	12.2	97.8	7.9	150	6.0	62
1/30/23 4:30	12.2	97.8	7.9	150	6.0	61
1/30/23 4:45	12.2	97.8	7.9	150	6.0	59
1/30/23 5:00	12.2	97.8	7.9	150	6.0	63
1/30/23 5:15	12.2	97.8	7.9	150	6.0	62
1/30/23 5:30	12.2	97.8	7.9	150	6.0	62
1/30/23 5:45	12.2	97.8	7.9	150	6.0	60
1/30/23 6:00	12.2	97.9	7.9	150	5.9	63
1/30/23 6:15	12.2	97.8	7.9	150	5.9	60
1/30/23 6:30	12.2	97.8	7.9	150	5.9	62
1/30/23 6:45	12.2	97.8	7.9	150	5.9	68
1/30/23 7:00	12.2	97.8	7.9	150	5.9	70
1/30/23 7:15	12.2	97.7	7.9	150	5.8	65

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 7:30	12.2	97.8	7.9	141	5.8	76
1/30/23 7:45	12.3	97.8	7.9	141	5.8	74
1/30/23 8:00	12.3	97.8	7.9	141	5.8	83
1/30/23 8:15	12.3	97.8	7.9	150	5.8	77
1/30/23 8:30	12.3	97.8	7.9	141	5.8	78
1/30/23 8:45	12.3	97.7	7.9	150	5.7	76
1/30/23 9:00	12.3	97.8	7.9	150	5.7	73
1/30/23 9:15	12.3	97.8	7.9	141	5.7	81
1/30/23 9:30	12.3	97.9	7.9	150	5.7	81
1/30/23 9:45	12.3	97.8	7.9	141	5.7	92
1/30/23 10:00	12.3	97.9	7.9	150	5.7	82
1/30/23 10:15	12.3	98.0	7.9	150	5.7	85
1/30/23 10:30	12.3	98.0	7.9	150	5.7	76
1/30/23 10:45	12.3	98.1	7.9	150	5.8	82
1/30/23 11:00	12.3	98.2	7.9	150	5.8	84
1/30/23 11:15	12.3	98.3	7.9	150	5.8	83
1/30/23 11:30	12.3	98.3	7.9	150	5.8	77
1/30/23 11:45	12.3	98.4	7.9	150	5.8	71
1/30/23 12:00	12.3	98.5	7.9	150	5.8	73
1/30/23 12:15	12.3	98.6	7.9	150	5.8	70
1/30/23 12:30	12.3	98.7	7.9	150	5.9	67
1/30/23 12:45	12.4	98.8	7.9	150	5.9	68
1/30/23 13:00	12.3	98.8	7.9	150	5.9	57
1/30/23 13:15	12.4	99.0	7.9	150	5.9	62
1/30/23 13:30	12.4	99.1	7.9	150	6.0	60
1/30/23 13:45	12.4	99.1	7.9	150	6.0	62
1/30/23 14:00	12.4	99.2	7.9	141	6.0	62
1/30/23 14:15	12.4	99.3	7.9	150	6.0	57
1/30/23 14:30	12.4	99.4	7.9	141	6.0	56
1/30/23 14:45	12.4	99.4	7.9	141	6.0	54
1/30/23 15:00	12.4	99.5	7.9	150	6.1	54
1/30/23 15:15	12.4	99.5	7.9	150	6.1	53
1/30/23 15:30	12.4	99.5	7.9	150	6.1	54
1/30/23 15:45	12.4	99.6	7.9	150	6.1	55
1/30/23 16:00	12.4	99.6	7.9	150	6.1	58
1/30/23 16:15	12.4	99.6	7.9	150	6.1	48
1/30/23 16:30	12.4	99.6	7.9	150	6.0	52
1/30/23 16:45	12.4	99.5	7.9	150	6.0	51
1/30/23 17:00	12.4	99.5	7.9	150	6.0	55
1/30/23 17:15	12.4	99.5	7.9	150	6.0	54
1/30/23 17:30	12.4	99.5	7.9	141	6.0	49
1/30/23 17:45	12.4	99.5	7.9	150	6.0	50

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 18:00	12.4	99.4	7.9	150	6.0	51
1/30/23 18:15	12.4	99.4	7.9	142	5.9	48
1/30/23 18:30	12.4	99.4	7.9	150	5.9	52
1/30/23 18:45	12.4	99.3	7.9	150	5.9	50
1/30/23 19:00	12.4	99.4	7.9	150	5.8	51
1/30/23 19:15	12.5	99.4	7.9	142	5.8	50
1/30/23 19:30	12.4	99.3	7.8	150	5.8	54
1/30/23 19:45	12.4	99.2	7.8	142	5.8	51
1/30/23 20:00	12.5	99.2	7.8	142	5.7	52
1/30/23 20:15	12.5	99.2	7.8	151	5.7	47
1/30/23 20:30	12.5	99.2	7.8	142	5.6	51
1/30/23 20:45	12.5	99.2	7.8	151	5.6	53
1/30/23 21:00	12.5	99.1	7.9	142	5.6	50
1/30/23 21:15	12.5	99.1	7.8	142	5.6	48
1/30/23 21:30	12.5	99.1	7.9	151	5.5	48
1/30/23 21:45	12.5	99.0	7.8	142	5.5	51
1/30/23 22:00	12.5	99.1	7.8	142	5.5	48
1/30/23 22:15	12.5	99.0	7.8	142	5.4	53
1/30/23 22:30	12.5	98.9	7.8	151	5.4	48
1/30/23 22:45	12.5	99.0	7.8	142	5.4	50
1/30/23 23:00	12.5	98.9	7.8	142	5.3	47
1/30/23 23:15	12.6	98.9	7.8	151	5.3	48
1/30/23 23:30	12.6	98.9	7.8	151	5.3	46
1/30/23 23:45	12.6	98.8	7.8	142	5.3	47
1/31/23 0:00	12.6	98.8	7.9	151	5.2	49
1/31/23 0:15	12.6	98.8	7.9	142	5.2	44
1/31/23 0:30	12.6	98.7	7.9	142	5.2	51
1/31/23 0:45	12.6	98.8	7.8	142	5.2	48
1/31/23 1:00	12.6	98.8	7.9	142	5.2	49
1/31/23 1:15	12.6	98.7	7.9	142	5.2	49
1/31/23 1:30	12.6	98.7	7.9	142	5.1	46
1/31/23 1:45	12.6	98.7	7.9	142	5.1	48
1/31/23 2:00	12.6	98.7	7.9	142	5.1	46
1/31/23 2:15	12.6	98.7	7.9	142	5.1	46
1/31/23 2:30	12.6	98.6	7.9	142	5.1	49
1/31/23 2:45	12.6	98.7	7.9	142	5.1	47
1/31/23 3:00	12.6	98.7	7.9	142	5.1	46
1/31/23 3:15	12.6	98.6	7.9	142	5.1	48
1/31/23 3:30	12.6	98.7	7.9	142	5.1	43
1/31/23 3:45	12.6	98.7	7.9	142	5.1	44
1/31/23 4:00	12.6	98.7	7.9	142	5.1	48
1/31/23 4:15	12.6	98.6	7.9	142	5.1	44

Klamath River at Klamath, CA
(11530500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/31/23 4:30	12.6	98.7	7.9	142	5.1	46
1/31/23 4:45	12.6	98.7	7.9	142	5.1	47
1/31/23 5:00	12.6	98.7	7.9	142	5.1	49
1/31/23 5:15	12.6	98.7	7.9	142	5.1	50
1/31/23 5:30	12.6	98.6	7.9	142	5.1	55
1/31/23 5:45	12.6	98.7	7.9	142	5.1	54
1/31/23 6:00	12.6	98.6	7.9	142	5.1	59
1/31/23 6:15	12.6	98.7	7.9	142	5.1	65
1/31/23 6:30	12.6	98.7	7.9	142	5.1	69
1/31/23 6:45	12.6	98.6	7.9	142	5.1	73
1/31/23 7:00	12.6	98.6	7.9	142	5.1	79
1/31/23 7:15	12.6	98.6	7.9	142	5.0	86
1/31/23 7:30	12.6	98.7	7.9	142	5.0	78
1/31/23 7:45	12.6	98.7	7.9	142	5.0	84
1/31/23 8:00	12.6	98.6	7.9	142	5.0	90
1/31/23 8:15	12.6	98.6	7.9	151	5.0	80
1/31/23 8:30	12.6	98.6	7.9	142	5.0	79
1/31/23 8:45	12.6	98.7	7.9	142	5.0	85
1/31/23 9:00	12.6	98.7	7.9	142	5.0	73
1/31/23 9:15	12.6	98.7	7.9	142	5.0	80
1/31/23 9:30	12.6	98.8	7.9	142	5.0	74
1/31/23 9:45	12.6	98.7	7.9	151	5.0	68
1/31/23 10:00	12.7	98.8	7.9	142	5.0	68
1/31/23 10:15	12.7	98.9	7.9	142	5.0	66
1/31/23 10:30	12.7	98.9	7.9	142	5.0	64
1/31/23 10:45	12.7	99.0	7.9	142	5.0	61
1/31/23 11:00	12.7	99.0	7.9	142	5.0	56
1/31/23 11:15	12.7	99.0	7.9	142	5.0	59
1/31/23 11:30	12.7	99.2	7.9	142	5.0	55
1/31/23 11:45	12.7	99.3	7.9	151	5.0	52
1/31/23 12:00	12.6	99.6			5.1	57
1/31/23 12:15	12.7	99.4	7.9	143	5.1	59
1/31/23 12:30	12.7	99.5	7.9	143	5.1	59
1/31/23 12:45	12.7	99.6	7.9	151	5.2	57
1/31/23 13:00	12.7	99.6	7.9	151	5.2	52
1/31/23 13:15	12.7	99.7	7.9	142	5.2	48
1/31/23 13:30	12.7	99.8	7.9	143	5.2	51
1/31/23 13:45	12.7	99.9	7.9	143	5.3	49
1/31/23 14:00	12.7	100.0	7.9	143	5.3	50
1/31/23 14:15	12.7	100.0	7.9	143	5.3	54
1/31/23 14:30	12.7	100.1	7.9	151	5.3	52
1/31/23 14:45	12.7	100.1	7.9	143	5.3	51

**Klamath River at Klamath, CA
(11530500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/31/23 15:00	12.7	100.2	7.9	151	5.3	50
1/31/23 15:15	12.7	100.2	7.9	151	5.3	52
1/31/23 15:30	12.7	100.3	7.9	151	5.4	48
1/31/23 15:45	12.7	100.3	7.9	151	5.4	50
1/31/23 16:00	12.7	100.3	7.9	151	5.4	47
1/31/23 16:15	12.7	100.3	7.9	151	5.4	53
1/31/23 16:30	12.7	100.3	7.9	151	5.4	48
1/31/23 16:45	12.7	100.3	7.9	151	5.4	46
1/31/23 17:00	12.7	100.3	7.9	151	5.4	51
1/31/23 17:15	12.7	100.3	7.9	143	5.3	50
1/31/23 17:30	12.7	100.2	7.9	151	5.3	45
1/31/23 17:45	12.7	100.2	7.9	143	5.3	53
1/31/23 18:00	12.7	100.2	7.9	143	5.3	48
1/31/23 18:15	12.7	100.1	7.9	142	5.3	57
1/31/23 18:30	12.7	100.2	7.9	143	5.2	49
1/31/23 18:45	12.7	100.1	7.9	143	5.2	47
1/31/23 19:00	12.7	100.1	7.9	152	5.2	45
1/31/23 19:15	12.7	100.1	7.9	152	5.2	46
1/31/23 19:30	12.7	100.1	7.9	152	5.2	48
1/31/23 19:45	12.7	99.9	7.8	143	5.1	46
1/31/23 20:00	12.8	100.0	7.8	143	5.1	50
1/31/23 20:15	12.8	99.9	7.8	143	5.1	48
1/31/23 20:30	12.8	99.9	7.8	143	5.0	47
1/31/23 20:45	12.8	99.8	7.8	152	5.0	50
1/31/23 21:00	12.8	99.8	7.8	152	5.0	46
1/31/23 21:15	12.8	99.8	7.8	152	5.0	53
1/31/23 21:30	12.8	99.8	7.8	152	5.0	45
1/31/23 21:45	12.8	99.7	7.8	152	4.9	45
1/31/23 22:00	12.8	99.7	7.8	143	4.9	46
1/31/23 22:15	12.8	99.7	7.8	152	4.9	42
1/31/23 22:30	12.8	99.6	7.8	143	4.9	44
1/31/23 22:45	12.8	99.6	7.8	143	4.8	46
1/31/23 23:00	12.8	99.6	7.8	143	4.8	43
1/31/23 23:15	12.8	99.6	7.8	143	4.8	48
1/31/23 23:30	12.8	99.5	7.8	143	4.8	46
1/31/23 23:45	12.8	99.4	7.8	152	4.8	47



Klamath River at Orleans, CA (USGS 11523000)

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/1/23 0:00	12.7	106.5	7.8	88	7.7	55
1/1/23 0:15	12.7	106.5	7.8	89	7.7	59
1/1/23 0:30	12.7	106.4	7.8	89	7.7	52
1/1/23 0:45	12.7	106.5	7.8	89	7.7	54
1/1/23 1:00	12.7	106.5	7.8	89	7.7	55
1/1/23 1:15	12.7	106.5	7.8	89	7.6	57
1/1/23 1:30	12.7	106.5	7.8	89	7.6	52
1/1/23 1:45	12.7	106.4	7.8	89	7.6	54
1/1/23 2:00	12.7	106.4	7.8	89	7.6	50
1/1/23 2:15	12.7	106.4	7.8	89	7.6	51
1/1/23 2:30	12.7	106.4	7.8	89	7.6	52
1/1/23 2:45	12.7	106.4	7.8	90	7.6	52
1/1/23 3:00	12.7	106.4	7.8	90	7.5	51
1/1/23 3:15	12.8	106.4	7.8	90	7.5	49
1/1/23 3:30	12.8	106.4	7.8	90	7.5	49
1/1/23 3:45	12.8	106.4	7.8	90	7.5	50
1/1/23 4:00	12.8	106.4	7.8	90	7.4	48
1/1/23 4:15	12.8	106.4	7.8	90	7.4	45
1/1/23 4:30	12.8	106.4	7.8	91	7.4	45
1/1/23 4:45	12.8	106.4	7.8	91	7.4	47
1/1/23 5:00	12.8	106.4	7.8	91	7.4	48
1/1/23 5:15	12.8	106.3	7.8	91	7.4	45
1/1/23 5:30	12.8	106.4	7.8	91	7.3	47
1/1/23 5:45	12.8	106.3	7.8	91	7.3	45
1/1/23 6:00	12.8	106.4	7.8	91	7.3	46
1/1/23 6:15	12.8	106.3	7.8	92	7.3	44
1/1/23 6:30	12.8	106.3	7.8	92	7.3	44
1/1/23 6:45	12.8	106.2	7.8	92	7.2	45
1/1/23 7:00	12.8	106.3	7.8	92	7.2	41
1/1/23 7:15	12.8	106.2	7.8	92	7.2	48
1/1/23 7:30	12.8	106.3	7.8	92	7.2	41
1/1/23 7:45	12.8	106.3	7.8	92	7.2	40
1/1/23 8:00	12.8	106.3	7.8	92	7.2	38
1/1/23 8:15	12.9	106.2	7.8	92	7.1	42
1/1/23 8:30	12.9	106.3	7.8	93	7.1	39
1/1/23 8:45	12.9	106.2	7.8	93	7.1	40
1/1/23 9:00	12.9	106.3	7.8	93	7.1	39
1/1/23 9:15	12.9	106.3	7.8	93	7.1	40
1/1/23 9:30	12.9	106.2	7.8	93	7.1	39
1/1/23 9:45	12.9	106.2	7.8	93	7.0	38
1/1/23 10:00	12.9	106.3	7.8	93	7.0	37
1/1/23 10:15	12.9	106.2	7.8	93	7.0	38

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/1/23 10:30	12.9	106.2	7.8	93	7.0	38
1/1/23 10:45	12.9	106.2	7.8	93	7.0	33
1/1/23 11:00	12.9	106.2	7.8	93	7.0	35
1/1/23 11:15	12.9	106.2	7.8	94	7.0	37
1/1/23 11:30	12.9	106.2	7.8	94	7.0	33
1/1/23 11:45	12.9	106.2	7.8	94	7.0	35
1/1/23 12:00	12.9	106.2	7.8	94	7.0	36
1/1/23 12:15	12.9	106.1	7.8	94	7.0	36
1/1/23 12:30	12.9	106.2	7.8	94	7.0	34
1/1/23 12:45	12.9	106.1	7.8	94	7.0	35
1/1/23 13:00	12.9	106.1	7.8	94	7.0	43
1/1/23 13:15	12.9	106.1	7.8	94	7.0	31
1/1/23 13:30	12.9	106.0	7.8	94	7.0	36
1/1/23 13:45	12.9	106.0	7.8	95	7.0	
1/1/23 14:00	12.9	106.0	7.8	95	7.0	32
1/1/23 14:15	12.8	106.0	7.8	95	7.0	30
1/1/23 14:30	12.8	105.9	7.8	95	7.0	32
1/1/23 14:45	12.8	105.8	7.8	95	7.0	31
1/1/23 15:00	12.8	105.8	7.8	95	7.0	33
1/1/23 15:15	12.8	105.8	7.8	95	7.0	32
1/1/23 15:30	12.8	105.7	7.8	95	7.0	28
1/1/23 15:45	12.8	105.6	7.8	96	7.0	31
1/1/23 16:00	12.8	105.5	7.8	96	7.0	29
1/1/23 16:15	12.8	105.6	7.8	96	6.9	30
1/1/23 16:30	12.8	105.5	7.8	96	6.9	29
1/1/23 16:45	12.8	105.5	7.8	96	6.9	28
1/1/23 17:00	12.8	105.4	7.8	96	6.9	28
1/1/23 17:15	12.8	105.4	7.8	96	6.9	27
1/1/23 17:30	12.8	105.3	7.8	96	6.9	27
1/1/23 17:45	12.8	105.3	7.8	97	6.9	27
1/1/23 18:00	12.8	105.3	7.8	97	6.9	27
1/1/23 18:15	12.8	105.3	7.8	97	6.8	26
1/1/23 18:30	12.8	105.3	7.8	97	6.8	27
1/1/23 18:45	12.8	105.3	7.8	97	6.8	25
1/1/23 19:00	12.8	105.3	7.8	97	6.8	26
1/1/23 19:15	12.8	105.3	7.8	97	6.8	21
1/1/23 19:30	12.8	105.3	7.8	97	6.8	25
1/1/23 19:45	12.8	105.2	7.8	98	6.8	25
1/1/23 20:00	12.8	105.2	7.8	98	6.8	25
1/1/23 20:15	12.8	105.2	7.8	98	6.8	23
1/1/23 20:30	12.9	105.2	7.8	98	6.8	26
1/1/23 20:45	12.8	105.2	7.8	98	6.8	25

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 21:00	12.9	105.2	7.8	98	6.8	24
1/1/23 21:15	12.9	105.2	7.8	98	6.8	24
1/1/23 21:30	12.9	105.2	7.8	99	6.7	23
1/1/23 21:45	12.9	105.2	7.8	99	6.7	24
1/1/23 22:00	12.9	105.1	7.8	99	6.7	24
1/1/23 22:15	12.9	105.1	7.8	99	6.7	21
1/1/23 22:30	12.9	105.2	7.8	99	6.7	23
1/1/23 22:45	12.9	105.1	7.8	99	6.7	23
1/1/23 23:00	12.9	105.1	7.8	99	6.7	22
1/1/23 23:15	12.9	105.1	7.8	100	6.7	22
1/1/23 23:30	12.9	105.0	7.9	100	6.6	23
1/1/23 23:45	12.9	105.0	7.8	100	6.6	21
1/2/23 0:00	12.9	105.0	7.8	100	6.6	22
1/2/23 0:15	12.9	104.9	7.8	100	6.6	22
1/2/23 0:30	12.9	105.0	7.8	100	6.6	21
1/2/23 0:45	12.9	104.9	7.8	100	6.6	22
1/2/23 1:00	12.9	104.9	7.8	101	6.6	20
1/2/23 1:15	12.9	104.9	7.8	101	6.6	21
1/2/23 1:30	12.9	104.9	7.8	101	6.6	20
1/2/23 1:45	12.9	104.8	7.9	101	6.6	21
1/2/23 2:00	12.9	104.8	7.8	101	6.6	20
1/2/23 2:15	12.9	104.8	7.9	101	6.5	23
1/2/23 2:30	12.9	104.8	7.9	101	6.5	19
1/2/23 2:45	12.9	104.7	7.8	102	6.5	20
1/2/23 3:00	12.9	104.8	7.8	102	6.5	20
1/2/23 3:15	12.9	104.8	7.9	102	6.5	20
1/2/23 3:30	12.9	104.7	7.9	102	6.5	20
1/2/23 3:45	12.9	104.6	7.9	102	6.5	20
1/2/23 4:00	12.9	104.6	7.8	102	6.5	20
1/2/23 4:15	12.9	104.6	7.9	102	6.5	18
1/2/23 4:30	12.9	104.5	7.9	103	6.5	19
1/2/23 4:45	12.9	104.5	7.9	103	6.4	18
1/2/23 5:00	12.9	104.4	7.9	103	6.4	19
1/2/23 5:15	12.9	104.4	7.9	103	6.4	19
1/2/23 5:30	12.8	104.4	7.9	103	6.4	18
1/2/23 5:45	12.8	104.4	7.9	103	6.4	18
1/2/23 6:00	12.9	104.4	7.9	103	6.4	18
1/2/23 6:15	12.9	104.2	7.9	104	6.4	18
1/2/23 6:30	12.9	104.2	7.9	104	6.4	19
1/2/23 6:45	12.9	104.3	7.9	104	6.4	18
1/2/23 7:00	12.9	104.3	7.9	104	6.3	18
1/2/23 7:15	12.9	104.2	7.9	104	6.3	16

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 7:30	12.9	104.2	7.9	104	6.3	17
1/2/23 7:45	12.9	104.2	7.9	105	6.3	17
1/2/23 8:00	12.9	104.3	7.9	105	6.3	18
1/2/23 8:15	12.9	104.1	7.9	105	6.3	17
1/2/23 8:30	12.9	104.1	7.9	105	6.3	16
1/2/23 8:45	12.9	104.1	7.9	105	6.3	18
1/2/23 9:00	12.9	104.1	7.9	105	6.2	17
1/2/23 9:15	12.9	104.1	7.9	105	6.2	17
1/2/23 9:30	12.9	104.1	7.9	105	6.2	15
1/2/23 9:45	12.9	104.1	7.9	106	6.2	16
1/2/23 10:00	12.9	104.1	7.9	106	6.2	17
1/2/23 10:15	12.9	104.0	7.9	106	6.2	16
1/2/23 10:30	12.9	103.9	7.9	106	6.2	16
1/2/23 10:45	12.9	104.1	7.9	106	6.2	16
1/2/23 11:00	12.9	103.9	7.9	106	6.2	17
1/2/23 11:15	12.9	103.9	7.9	106	6.2	16
1/2/23 11:30	12.9	103.9	7.9	106	6.2	17
1/2/23 11:45	12.9	104.0	7.9	107	6.1	16
1/2/23 12:00	12.9	103.9	7.9	107	6.1	15
1/2/23 12:15	12.9	103.9	7.9	107	6.1	16
1/2/23 12:30	12.9	104.0	7.9	107	6.1	15
1/2/23 12:45	12.9	104.0	7.9	107	6.1	15
1/2/23 13:00	12.9	103.9	7.9	107	6.1	12
1/2/23 13:15	12.9	103.9	7.9	107	6.1	15
1/2/23 13:30	12.9	103.9	7.9	107	6.1	14
1/2/23 13:45	12.9	103.9	7.9	107	6.1	15
1/2/23 14:00	12.9	103.9	7.9	107	6.1	15
1/2/23 14:15	12.9	103.9	7.9	107	6.0	15
1/2/23 14:30	12.9	103.9	7.9	108	6.0	15
1/2/23 14:45	12.9	103.8	7.9	108	6.0	14
1/2/23 15:00	12.9	103.7	7.9	108	6.0	15
1/2/23 15:15	12.9	103.7	7.9	108	6.0	13
1/2/23 15:30	12.9	103.8	7.9	108	6.0	15
1/2/23 15:45	12.9	103.8	7.9	108	6.0	14
1/2/23 16:00	12.9	103.8	7.9	108	6.0	15
1/2/23 16:15	12.9	103.7	7.9	108	6.0	14
1/2/23 16:30	12.9	103.8	7.9	108	6.0	15
1/2/23 16:45	12.9	103.7	7.9	108	6.0	14
1/2/23 17:00	12.9	103.7	7.9	108	6.0	13
1/2/23 17:15	12.9	103.6	7.9	108	6.0	13
1/2/23 17:30	12.9	103.6	7.9	108	6.0	14
1/2/23 17:45	12.9	103.8	7.9	108	5.9	14

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 18:00	12.9	103.7	7.9	108	5.9	14
1/2/23 18:15	12.9	103.7	7.9	108	5.9	14
1/2/23 18:30	13.0	103.7	7.9	108	5.9	14
1/2/23 18:45	12.9	103.7	7.9	108	5.9	13
1/2/23 19:00	13.0	103.8	7.9	109	5.9	13
1/2/23 19:15	13.0	103.6	7.9	109	5.9	13
1/2/23 19:30	13.0	103.6	7.9	109	5.9	14
1/2/23 19:45	13.0	103.7	7.9	109	5.9	13
1/2/23 20:00	13.0	103.7	7.9	109	5.8	13
1/2/23 20:15	13.0	103.8	7.9	109	5.8	12
1/2/23 20:30	13.0	103.7	7.9	109	5.8	14
1/2/23 20:45	13.0	103.7	7.9	109	5.8	13
1/2/23 21:00	13.0	103.7	7.9	109	5.8	13
1/2/23 21:15	13.0	103.8	7.9	109	5.8	13
1/2/23 21:30	13.0	103.8	7.9	109	5.8	12
1/2/23 21:45	13.0	103.7	7.9	109	5.8	13
1/2/23 22:00	13.0	103.8	7.9	109	5.8	13
1/2/23 22:15	13.0	103.7	7.9	109	5.8	13
1/2/23 22:30	13.0	103.8	7.9	109	5.8	14
1/2/23 22:45	13.0	103.7	7.9	109	5.8	13
1/2/23 23:00	13.0	103.8	7.9	109	5.8	12
1/2/23 23:15	13.0	103.7	7.9	110	5.8	12
1/2/23 23:30	13.0	103.7	7.9	110	5.8	12
1/2/23 23:45	13.0	103.8	7.9	110	5.8	12
1/3/23 0:00	13.0	103.8	7.9	110	5.8	12
1/3/23 0:15	13.0	103.8	7.9	110	5.8	13
1/3/23 0:30	13.0	103.8	7.9	110	5.8	12
1/3/23 0:45	13.0	103.8	7.9	110	5.8	12
1/3/23 1:00	13.0	103.7	7.9	110	5.8	12
1/3/23 1:15	13.0	103.7	7.9	110	5.8	12
1/3/23 1:30	13.0	103.7	7.9	110	5.8	14
1/3/23 1:45	13.0	103.7	7.9	110	5.8	13
1/3/23 2:00	13.0	103.7	7.9	110	5.8	13
1/3/23 2:15	13.0	103.8	7.9	110	5.7	12
1/3/23 2:30	13.0	103.7	7.9	110	5.7	12
1/3/23 2:45	13.0	103.8	7.9	110	5.7	11
1/3/23 3:00	13.0	103.8	7.9	110	5.7	11
1/3/23 3:15	13.0	103.7	7.9	111	5.7	12
1/3/23 3:30	13.0	103.8	7.9	111	5.7	12
1/3/23 3:45	13.0	103.7	7.9	111	5.7	11
1/3/23 4:00	13.0	103.8	7.9	111	5.7	11
1/3/23 4:15	13.0	103.8	7.9	111	5.7	10

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 4:30	13.0	103.7	7.9	111	5.7	11
1/3/23 4:45	13.0	103.7	7.9	111	5.7	11
1/3/23 5:00	13.0	103.7	7.9	111	5.7	11
1/3/23 5:15	13.0	103.7	7.9	111	5.7	11
1/3/23 5:30	13.0	103.7	7.9	111	5.7	11
1/3/23 5:45	13.0	103.7	7.9	111	5.7	12
1/3/23 6:00	13.0	103.6	7.9	111	5.7	11
1/3/23 6:15	13.0	103.6	7.9	112	5.7	11
1/3/23 6:30	13.0	103.6	7.9	112	5.7	11
1/3/23 6:45	13.0	103.7	7.9	112	5.7	11
1/3/23 7:00	13.0	103.6	7.9	112	5.7	11
1/3/23 7:15	13.0	103.6	7.9	112	5.7	10
1/3/23 7:30	13.0	103.5	7.9	112	5.7	11
1/3/23 7:45	13.0	103.6	7.9	112	5.7	10
1/3/23 8:00	13.0	103.6	7.9	112	5.7	11
1/3/23 8:15	13.0	103.6	7.9	112	5.7	11
1/3/23 8:30	13.0	103.7	7.9	112	5.7	11
1/3/23 8:45	13.0	103.7	7.9	112	5.7	11
1/3/23 9:00	13.0	103.7	7.9	113	5.7	11
1/3/23 9:15	13.0	103.7	7.9	113	5.7	10
1/3/23 9:30	13.0	103.7	7.9	113	5.8	12
1/3/23 9:45	13.0	103.6	7.9	113	5.8	11
1/3/23 10:00	13.0	103.7	7.9	113	5.8	11
1/3/23 10:15	13.0	103.7	7.9	113	5.8	11
1/3/23 10:30	13.0	103.6	7.9	113	5.8	11
1/3/23 10:45	13.0	103.7	7.9	113	5.8	11
1/3/23 11:00	13.0	103.6	7.9	113	5.8	10
1/3/23 11:15	13.0	103.6	7.9	113	5.8	10
1/3/23 11:30	13.0	103.6	7.9	113	5.8	11
1/3/23 11:45	13.0	103.7	7.9	114	5.8	11
1/3/23 12:00	13.0	103.6	7.9	114	5.8	10
1/3/23 12:15	13.0	103.6	7.9	114	5.8	11
1/3/23 12:30	13.0	103.7	7.9	114	5.8	11
1/3/23 12:45	13.0	103.7	7.9	114	5.8	9
1/3/23 13:00	12.9	103.6	7.9	114	5.8	11
1/3/23 13:15	13.0	103.6	7.9	114	5.9	10
1/3/23 13:30	13.0	103.8	7.9	114	5.9	10
1/3/23 13:45	13.0	103.6	7.9	114	5.9	10
1/3/23 14:00	12.9	103.6	7.9	114	5.9	10
1/3/23 14:15	12.9	103.6	7.9	114	5.9	10
1/3/23 14:30	12.9	103.6	7.9	114	5.9	10
1/3/23 14:45	12.9	103.5	7.9	115	5.9	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 15:00	12.9	103.6	7.9	115	5.9	9
1/3/23 15:15	12.9	103.6	7.9	115	5.9	10
1/3/23 15:30	12.9	103.6	7.9	115	5.9	10
1/3/23 15:45	12.9	103.6	7.9	115	5.9	10
1/3/23 16:00	12.9	103.6	7.9	115	5.9	9
1/3/23 16:15	12.9	103.4	7.9	115	5.9	10
1/3/23 16:30	12.9	103.3	7.9	115	5.9	10
1/3/23 16:45	12.9	103.5	7.9	115	5.9	10
1/3/23 17:00	12.9	103.5	7.9	115	5.9	10
1/3/23 17:15	12.9	103.4	7.9	115	5.9	9
1/3/23 17:30	12.9	103.4	7.9	115	5.9	9
1/3/23 17:45	12.9	103.4	7.9	115	5.9	9
1/3/23 18:00	12.9	103.3	7.9	115	5.9	9
1/3/23 18:15	12.9	103.4	7.9	115	5.9	9
1/3/23 18:30	12.9	103.4	7.9	116	5.9	10
1/3/23 18:45	12.9	103.4	7.9	116	5.9	9
1/3/23 19:00	12.9	103.3	7.9	116	5.9	9
1/3/23 19:15	12.9	103.4	7.9	116	5.9	9
1/3/23 19:30	12.9	103.3	7.9	116	5.9	9
1/3/23 19:45	12.9	103.3	7.9	116	5.9	9
1/3/23 20:00	12.9	103.4	7.9	116	5.9	9
1/3/23 20:15	12.9	103.4	7.9	116	5.9	9
1/3/23 20:30	12.9	103.5	7.9	116	5.9	9
1/3/23 20:45	12.9	103.3	7.9	116	5.9	9
1/3/23 21:00	12.9	103.3	7.9	116	5.9	9
1/3/23 21:15	12.9	103.3	7.9	116	5.9	9
1/3/23 21:30	12.9	103.4	7.9	116	5.9	9
1/3/23 21:45	12.9	103.3	7.9	116	5.9	10
1/3/23 22:00	12.9	103.4	7.9	116	5.9	9
1/3/23 22:15	12.9	103.4	7.9	116	5.9	9
1/3/23 22:30	12.9	103.3	7.9	116	5.9	9
1/3/23 22:45	12.9	103.4	7.9	116	5.9	9
1/3/23 23:00	12.9	103.3	7.9	116	5.9	9
1/3/23 23:15	12.9	103.3	7.9	116	5.9	9
1/3/23 23:30	12.9	103.3	7.9	116	5.9	8
1/3/23 23:45	12.9	103.4	7.9	116	5.9	9
1/4/23 0:00	12.9	103.4	7.9	116	5.9	9
1/4/23 0:15	12.9	103.4	7.9	117	5.9	9
1/4/23 0:30	12.9	103.3	7.9	117	5.9	8
1/4/23 0:45	12.9	103.2	7.9	117	5.9	8
1/4/23 1:00	12.9	103.3	7.9	117	5.9	9
1/4/23 1:15	12.9	103.2	7.9	117	5.9	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 1:30	12.9	103.3	7.9	117	5.9	8
1/4/23 1:45	12.9	103.2	7.9	117	5.9	9
1/4/23 2:00	12.9	103.2	7.9	117	5.9	8
1/4/23 2:15	12.9	103.1	7.9	117	5.9	9
1/4/23 2:30	12.8	103.2	7.9	117	5.9	8
1/4/23 2:45	12.8	103.2	7.9	117	5.9	9
1/4/23 3:00	12.8	103.0	7.9	117	5.9	8
1/4/23 3:15	12.8	103.0	7.9	117	5.9	8
1/4/23 3:30	12.8	103.0	7.9	117	5.9	8
1/4/23 3:45	12.8	102.9	7.9	117	5.9	8
1/4/23 4:00	12.8	102.9	7.9	117	5.9	8
1/4/23 4:15	12.8	103.0	7.9	117	5.9	8
1/4/23 4:30	12.8	102.9	7.9	117	5.9	8
1/4/23 4:45	12.8	102.9	7.9	117	5.9	9
1/4/23 5:00	12.8	102.7	7.9	117	5.9	8
1/4/23 5:15	12.8	102.6	7.9	117	5.9	8
1/4/23 5:30	12.8	102.8	7.9	117	5.9	8
1/4/23 5:45	12.8	102.7	7.9	118	5.9	8
1/4/23 6:00	12.8	102.7	7.9	118	5.9	8
1/4/23 6:15	12.8	102.7	7.9	118	5.9	8
1/4/23 6:30	12.8	102.7	7.9	118	5.9	8
1/4/23 6:45	12.8	102.6	7.9	118	5.9	8
1/4/23 7:00	12.8	102.5	7.9	118	5.9	8
1/4/23 7:15	12.8	102.4	7.9	118	5.9	8
1/4/23 7:30	12.8	102.4	7.9	118	5.9	8
1/4/23 7:45	12.8	102.5	7.9	118	5.8	8
1/4/23 8:00	12.8	102.4	7.9	118	5.8	9
1/4/23 8:15	12.8	102.4	7.9	118	5.8	8
1/4/23 8:30	12.8	102.4	7.9	118	5.8	7
1/4/23 8:45	12.8	102.3	7.9	118	5.8	8
1/4/23 9:00	12.8	102.3	7.9	118	5.8	8
1/4/23 9:15	12.8	102.2	7.9	118	5.8	8
1/4/23 9:30	12.8	102.1	7.9	118	5.8	8
1/4/23 9:45	12.8	102.1	7.9	118	5.8	8
1/4/23 10:00	12.8	102.2	7.9	118	5.8	8
1/4/23 10:15	12.8	102.1	7.9	118	5.8	8
1/4/23 10:30	12.8	102.3	7.9	118	5.8	8
1/4/23 10:45	12.8	102.1	7.9	118	5.8	9
1/4/23 11:00	12.8	102.1	7.9	118	5.8	7
1/4/23 11:15	12.8	102.0	7.9	119	5.8	8
1/4/23 11:30	12.8	102.0	7.9	119	5.9	8
1/4/23 11:45	12.8	102.1	7.9	119	5.9	8

Klamath River at Orleans (11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 12:00	12.8	102.0	7.9	119	5.9	8
1/4/23 12:15	12.7	102.1	7.9	119	5.9	7
1/4/23 12:30	12.7	101.9	7.9	119	5.9	8
1/4/23 12:45	12.7	102.0	7.9	119	5.9	8
1/4/23 13:00	12.7	101.8	7.9	119	5.9	8
1/4/23 13:15	12.7	101.9	7.9	119	5.9	8
1/4/23 13:30	12.7	101.9	7.9	119	6.0	8
1/4/23 13:45	12.7	102.1	7.9	119	6.0	7
1/4/23 14:00	12.7	101.9	7.9	119	6.0	8
1/4/23 14:15	12.7	101.9	7.9	119	6.0	7
1/4/23 14:30	12.6	101.6	7.9	119	6.0	7
1/4/23 14:45	12.7	101.8	7.9	119	6.0	8
1/4/23 15:00	12.7	101.7	7.9	119	6.0	8
1/4/23 15:15	12.6	101.6	7.9	119	6.0	8
1/4/23 15:30	12.6	101.6	7.9	120	6.1	7
1/4/23 15:45	12.6	101.6	7.9	120	6.1	7
1/4/23 16:00	12.6	101.6	7.9	120	6.1	7
1/4/23 16:15	12.6	101.5	7.9	120	6.1	7
1/4/23 16:30	12.6	101.4	7.9	120	6.1	7
1/4/23 16:45	12.6	101.4	8.0	120	6.1	8
1/4/23 17:00	12.6	101.5	7.9	120	6.1	8
1/4/23 17:15	12.6	101.4	7.9	120	6.2	7
1/4/23 17:30	12.5	101.4	7.9	120	6.2	7
1/4/23 17:45	12.6	101.3	8.0	120	6.2	7
1/4/23 18:00	12.5	101.3	7.9	120	6.2	8
1/4/23 18:15	12.5	101.3	7.9	120	6.2	7
1/4/23 18:30	12.5	101.2	7.9	120	6.2	7
1/4/23 18:45	12.5	101.2	7.9	120	6.2	7
1/4/23 19:00	12.5	101.1	8.0	120	6.2	7
1/4/23 19:15	12.5	101.0	7.9	120	6.2	7
1/4/23 19:30	12.5	101.1	7.9	120	6.2	7
1/4/23 19:45	12.5	101.1	7.9	120	6.2	7
1/4/23 20:00	12.5	100.9	7.9	120	6.3	7
1/4/23 20:15	12.5	100.9	8.0	120	6.3	7
1/4/23 20:30	12.5	101.0	8.0	120	6.3	7
1/4/23 20:45	12.5	100.9	7.9	120	6.3	7
1/4/23 21:00	12.5	101.0	8.0	120	6.3	7
1/4/23 21:15	12.5	101.0	8.0	120	6.3	7
1/4/23 21:30	12.5	101.0	7.9	120	6.3	7
1/4/23 21:45	12.5	100.7	7.9	120	6.3	7
1/4/23 22:00	12.5	100.9	8.0	121	6.3	7
1/4/23 22:15	12.5	100.9	7.9	121	6.3	7

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 22:30	12.4	100.8	7.9	121	6.4	7
1/4/23 22:45	12.4	101.0	7.9	121	6.4	7
1/4/23 23:00	12.4	100.9	7.9	121	6.4	7
1/4/23 23:15	12.4	100.9	7.9	121	6.4	7
1/4/23 23:30	12.4	100.9	7.9	121	6.4	6
1/4/23 23:45	12.4	101.0	7.9	121	6.4	7
1/5/23 0:00	12.4	100.9	7.9	121	6.4	7
1/5/23 0:15	12.4	100.9	7.9	121	6.4	7
1/5/23 0:30	12.4	101.0	7.9	121	6.4	7
1/5/23 0:45	12.4	100.9	7.9	121	6.4	6
1/5/23 1:00	12.4	101.0	7.9	121	6.4	7
1/5/23 1:15	12.4	100.8	7.9	121	6.5	6
1/5/23 1:30	12.4	101.0	7.9	121	6.5	7
1/5/23 1:45	12.4	101.0	7.9	121	6.5	7
1/5/23 2:00	12.4	100.9	7.9	120	6.5	6
1/5/23 2:15	12.4	100.9	7.9	120	6.5	7
1/5/23 2:30	12.4	100.8	7.9	120	6.5	7
1/5/23 2:45	12.4	100.9	7.9	120	6.5	7
1/5/23 3:00	12.4	101.0	7.9	120	6.5	7
1/5/23 3:15	12.4	101.1	7.9	120	6.5	6
1/5/23 3:30	12.4	101.0	7.9	120	6.6	7
1/5/23 3:45	12.4	101.0	7.9	120	6.6	6
1/5/23 4:00	12.4	100.9	7.9	120	6.6	7
1/5/23 4:15	12.4	101.0	7.9	120	6.6	7
1/5/23 4:30	12.4	101.1	7.9	120	6.6	7
1/5/23 4:45	12.4	101.2	7.9	120	6.6	7
1/5/23 5:00	12.4	101.2	7.9	119	6.6	7
1/5/23 5:15	12.4	101.2	7.9	119	6.6	7
1/5/23 5:30	12.4	101.1	7.9	119	6.6	7
1/5/23 5:45	12.4	101.1	7.9	119	6.7	6
1/5/23 6:00	12.4	101.1	7.9	119	6.7	7
1/5/23 6:15	12.4	101.1	7.9	119	6.7	7
1/5/23 6:30	12.4	101.2	7.9	118	6.7	7
1/5/23 6:45	12.4	101.1	7.9	118	6.7	6
1/5/23 7:00	12.4	101.1	7.9	118	6.7	7
1/5/23 7:15	12.4	101.3	7.9	118	6.7	7
1/5/23 7:30	12.4	101.3	7.9	118	6.8	7
1/5/23 7:45	12.4	101.3	7.9	118	6.8	7
1/5/23 8:00	12.4	101.4	7.9	118	6.8	7
1/5/23 8:15	12.4	101.6	7.9	118	6.8	6
1/5/23 8:30	12.4	101.5	7.9	118	6.8	7
1/5/23 8:45	12.4	101.5	7.9	118	6.8	7

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 9:00	12.4	101.7	7.9	118	6.8	7
1/5/23 9:15	12.4	101.7	7.9	118	6.8	7
1/5/23 9:30	12.4	101.7	7.9	118	6.8	6
1/5/23 9:45	12.4	101.8	7.9	118	6.9	7
1/5/23 10:00	12.4	101.8	7.9	117	6.9	7
1/5/23 10:15	12.4	102.0	7.9	117	6.9	7
1/5/23 10:30	12.4	101.9	7.9	117	6.9	7
1/5/23 10:45	12.4	102.0	7.9	117	6.9	7
1/5/23 11:00	12.4	102.1	7.9	117	6.9	7
1/5/23 11:15	12.4	102.1	7.9	117	6.9	7
1/5/23 11:30	12.4	102.0	7.9	117	6.9	7
1/5/23 11:45	12.4	102.3	7.9	117	7.0	8
1/5/23 12:00	12.4	102.2	7.9	117	7.0	7
1/5/23 12:15	12.4	102.3	7.9	117	7.0	7
1/5/23 12:30	12.4	102.4	7.9	117	7.0	7
1/5/23 12:45	12.4	102.3	7.9	117	7.0	7
1/5/23 13:00	12.4	102.4	7.9	117	7.0	7
1/5/23 13:15	12.4	102.4	7.9	116	7.0	7
1/5/23 13:30	12.4	102.4	7.9	116	7.0	7
1/5/23 13:45	12.4	102.6	7.9	116	7.1	8
1/5/23 14:00	12.4	102.6	7.9	116	7.1	8
1/5/23 14:15	12.4	102.6	7.9	116	7.1	8
1/5/23 14:30	12.4	102.6	7.9	116	7.1	8
1/5/23 14:45	12.4	102.6	7.9	115	7.1	8
1/5/23 15:00	12.4	102.6	7.9	115	7.2	8
1/5/23 15:15	12.4	102.6	7.9	115	7.2	8
1/5/23 15:30	12.4	102.7	7.9	115	7.2	8
1/5/23 15:45	12.4	102.6	7.9	114	7.2	8
1/5/23 16:00	12.4	102.6	7.9	114	7.2	8
1/5/23 16:15	12.4	102.7	7.9	114	7.2	8
1/5/23 16:30	12.4	102.7	8.0	114	7.2	8
1/5/23 16:45	12.4	102.8	7.9	114	7.2	8
1/5/23 17:00	12.4	102.8	7.9	113	7.3	8
1/5/23 17:15	12.4	102.8	7.9	113	7.3	9
1/5/23 17:30	12.4	103.0	7.9	113	7.3	8
1/5/23 17:45	12.4	102.9	7.9	113	7.3	8
1/5/23 18:00	12.4	102.8	7.9	113	7.3	8
1/5/23 18:15	12.4	103.0	7.9	113	7.3	8
1/5/23 18:30	12.4	103.0	8.0	113	7.3	9
1/5/23 18:45	12.4	103.1	8.0	113	7.3	9
1/5/23 19:00	12.4	103.2	7.9	113	7.3	8
1/5/23 19:15	12.4	103.0	7.9	113	7.3	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 19:30	12.4	103.2	7.9	113	7.3	9
1/5/23 19:45	12.4	103.1	7.9	113	7.3	9
1/5/23 20:00	12.4	103.2	7.9	113	7.3	8
1/5/23 20:15	12.4	103.3	8.0	112	7.3	9
1/5/23 20:30	12.5	103.3	7.9	112	7.3	9
1/5/23 20:45	12.4	103.4	7.9	112	7.4	9
1/5/23 21:00	12.4	103.6	7.9	112	7.4	8
1/5/23 21:15	12.4	103.6	7.9	112	7.4	9
1/5/23 21:30	12.5	103.4	7.9	112	7.4	9
1/5/23 21:45	12.4	103.5	7.9	112	7.4	9
1/5/23 22:00	12.5	103.5	7.9	112	7.4	8
1/5/23 22:15	12.5	103.7	7.9	111	7.4	9
1/5/23 22:30	12.5	103.5	7.9	111	7.4	8
1/5/23 22:45	12.5	103.6	7.9	111	7.4	8
1/5/23 23:00	12.5	103.7	7.9	111	7.4	8
1/5/23 23:15	12.5	103.6	7.9	111	7.4	8
1/5/23 23:30	12.5	103.6	7.9	111	7.4	8
1/5/23 23:45	12.5	103.8	7.9	111	7.4	8
1/6/23 0:00	12.5	103.7	7.9	110	7.4	9
1/6/23 0:15	12.5	104.0	7.9	110	7.4	8
1/6/23 0:30	12.5	103.9	7.9	110	7.4	9
1/6/23 0:45	12.5	103.7	7.9	110	7.4	9
1/6/23 1:00	12.5	104.0	7.9	110	7.4	9
1/6/23 1:15	12.5	103.9	7.9	110	7.4	9
1/6/23 1:30	12.5	103.9	7.9	110	7.4	10
1/6/23 1:45	12.5	103.9	7.9	110	7.4	10
1/6/23 2:00	12.5	104.1	7.9	110	7.4	9
1/6/23 2:15	12.5	104.0	7.9	110	7.4	10
1/6/23 2:30	12.5	104.1	7.9	110	7.4	9
1/6/23 2:45	12.5	104.0	7.9	110	7.4	9
1/6/23 3:00	12.5	104.0	7.9	110	7.4	9
1/6/23 3:15	12.5	104.0	7.9	110	7.4	9
1/6/23 3:30	12.5	104.1	7.9	110	7.4	9
1/6/23 3:45	12.5	104.1	7.9	110	7.3	10
1/6/23 4:00	12.5	104.0	7.9	110	7.3	9
1/6/23 4:15	12.5	104.0	7.9	110	7.3	9
1/6/23 4:30	12.5	103.9	7.9	110	7.3	9
1/6/23 4:45	12.5	104.1	7.9	110	7.3	9
1/6/23 5:00	12.5	104.0	7.9	110	7.3	9
1/6/23 5:15	12.5	104.1	7.9	110	7.3	8
1/6/23 5:30	12.5	104.1	7.9	110	7.3	9
1/6/23 5:45	12.5	104.0	7.9	110	7.3	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 6:00	12.5	104.1	7.9	110	7.3	8
1/6/23 6:15	12.5	104.0	7.9	110	7.3	9
1/6/23 6:30	12.5	104.0	7.9	110	7.3	8
1/6/23 6:45	12.5	104.1	7.9	110	7.3	9
1/6/23 7:00	12.5	104.1	7.9	110	7.3	9
1/6/23 7:15	12.6	104.1	7.9	110	7.3	9
1/6/23 7:30	12.5	104.1	7.9	110	7.3	8
1/6/23 7:45	12.6	104.1	7.9	110	7.3	12
1/6/23 8:00	12.5	104.2	7.9	110	7.3	9
1/6/23 8:15	12.6	104.1	7.9	110	7.2	9
1/6/23 8:30	12.6	104.2	7.9	110	7.2	9
1/6/23 8:45	12.6	104.2	7.9	110	7.2	9
1/6/23 9:00	12.6	104.2	7.9	110	7.2	9
1/6/23 9:15	12.6	104.2	7.9	110	7.2	9
1/6/23 9:30	12.6	104.2	7.9	111	7.2	9
1/6/23 9:45	12.6	104.1	7.9	111	7.2	9
1/6/23 10:00	12.6	104.3	7.9	111	7.2	9
1/6/23 10:15	12.6	104.3	7.9	111	7.2	9
1/6/23 10:30	12.6	104.3	7.9	111	7.2	10
1/6/23 10:45	12.6	104.3	7.9	111	7.2	9
1/6/23 11:00	12.6	104.2	7.9	111	7.2	9
1/6/23 11:15	12.6	104.3	7.9	111	7.2	10
1/6/23 11:30	12.6	104.4	7.9	112	7.2	10
1/6/23 11:45	12.6	104.3	7.9	112	7.2	10
1/6/23 12:00	12.6	104.3	7.9	112	7.2	10
1/6/23 12:15	12.6	104.4	7.9	112	7.2	10
1/6/23 12:30	12.6	104.3	7.9	112	7.2	10
1/6/23 12:45	12.6	104.4	7.9	113	7.2	10
1/6/23 13:00	12.6	104.4	7.9	113	7.2	11
1/6/23 13:15	12.6	104.3	7.9	113	7.2	11
1/6/23 13:30	12.6	104.2	7.9	113	7.2	12
1/6/23 13:45	12.6	104.3	7.9	114	7.2	12
1/6/23 14:00	12.6	104.3	7.9	114	7.2	12
1/6/23 14:15	12.6	104.2	7.9	114	7.2	12
1/6/23 14:30	12.6	104.2	7.9	114	7.2	13
1/6/23 14:45	12.6	104.3	7.9	115	7.2	12
1/6/23 15:00	12.6	104.2	7.9	115	7.2	12
1/6/23 15:15	12.6	104.1	7.9	115	7.2	11
1/6/23 15:30	12.6	104.2	7.9	115	7.2	11
1/6/23 15:45	12.6	104.1	7.9	115	7.2	12
1/6/23 16:00	12.6	104.0	7.9	115	7.2	10
1/6/23 16:15	12.6	104.1	7.9	115	7.2	11

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 16:30	12.6	104.0	7.9	116	7.2	10
1/6/23 16:45	12.5	103.8	7.9	116	7.2	10
1/6/23 17:00	12.6	103.9	8.0	116	7.2	10
1/6/23 17:15	12.6	103.9	7.9	116	7.2	10
1/6/23 17:30	12.5	103.9	7.9	116	7.2	11
1/6/23 17:45	12.6	103.8	8.0	116	7.2	10
1/6/23 18:00	12.5	103.8	7.9	116	7.2	11
1/6/23 18:15	12.5	103.8	7.9	116	7.2	11
1/6/23 18:30	12.5	103.8	8.0	116	7.2	12
1/6/23 18:45	12.5	103.7	7.9	117	7.2	13
1/6/23 19:00	12.5	103.8	7.9	117	7.2	14
1/6/23 19:15	12.5	103.7	8.0	117	7.2	15
1/6/23 19:30	12.5	103.7	7.9	117	7.2	17
1/6/23 19:45	12.5	103.8	7.9	117	7.2	16
1/6/23 20:00	12.5	103.9	7.9	117	7.2	18
1/6/23 20:15	12.5	103.6	7.9	117	7.2	18
1/6/23 20:30	12.5	103.7	7.9	117	7.3	18
1/6/23 20:45	12.5	103.6	7.9	116	7.3	17
1/6/23 21:00	12.5	103.7	7.9	116	7.3	18
1/6/23 21:15	12.5	103.6	7.9	116	7.3	17
1/6/23 21:30	12.5	103.7	7.9	116	7.3	17
1/6/23 21:45	12.5	103.7	7.9	116	7.3	15
1/6/23 22:00	12.5	103.7	7.9	116	7.3	15
1/6/23 22:15	12.5	103.6	7.9	116	7.3	14
1/6/23 22:30	12.5	103.6	7.9	116	7.3	13
1/6/23 22:45	12.5	103.5	7.9	116	7.3	12
1/6/23 23:00	12.5	103.4	7.9	116	7.3	11
1/6/23 23:15	12.4	103.4	7.9	116	7.3	11
1/6/23 23:30	12.5	103.4	7.9	116	7.3	11
1/6/23 23:45	12.5	103.6	7.9	116	7.3	11
1/7/23 0:00	12.5	103.4	7.9	116	7.4	11
1/7/23 0:15	12.5	103.4	7.9	116	7.4	10
1/7/23 0:30	12.4	103.4	7.9	115	7.4	10
1/7/23 0:45	12.4	103.4	7.9	116	7.4	10
1/7/23 1:00	12.4	103.4	7.9	116	7.4	10
1/7/23 1:15	12.4	103.3	7.9	116	7.4	10
1/7/23 1:30	12.4	103.3	7.9	116	7.4	10
1/7/23 1:45	12.4	103.3	7.9	116	7.4	10
1/7/23 2:00	12.4	103.4	7.9	116	7.4	11
1/7/23 2:15	12.4	103.4	7.9	116	7.4	10
1/7/23 2:30	12.4	103.3	7.9	116	7.4	10
1/7/23 2:45	12.4	103.3	7.9	116	7.4	11

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 3:00	12.4	103.1	7.9	117	7.4	11
1/7/23 3:15	12.4	103.2	7.9	117	7.4	11
1/7/23 3:30	12.4	103.2	7.9	117	7.4	10
1/7/23 3:45	12.4	103.2	7.9	117	7.4	11
1/7/23 4:00	12.4	103.2	7.9	117	7.4	10
1/7/23 4:15	12.4	103.0	7.9	117	7.4	10
1/7/23 4:30	12.4	103.1	7.9	117	7.4	12
1/7/23 4:45	12.4	103.2	7.9	117	7.4	11
1/7/23 5:00	12.4	103.2	7.9	117	7.5	11
1/7/23 5:15	12.4	103.2	7.9	117	7.5	11
1/7/23 5:30	12.4	103.1	7.9	117	7.5	11
1/7/23 5:45	12.4	103.2	7.9	117	7.5	11
1/7/23 6:00	12.4	103.1	7.9	117	7.5	11
1/7/23 6:15	12.4	103.2	7.9	117	7.5	11
1/7/23 6:30	12.4	103.0	7.9	117	7.5	11
1/7/23 6:45	12.4	103.1	7.9	117	7.5	10
1/7/23 7:00	12.4	103.1	7.9	117	7.5	11
1/7/23 7:15	12.4	103.2	7.9	117	7.5	11
1/7/23 7:30	12.4	103.1	7.9	117	7.5	10
1/7/23 7:45	12.4	103.1	7.9	117	7.5	12
1/7/23 8:00	12.4	103.2	7.9	117	7.5	11
1/7/23 8:15	12.4	103.3	7.9	117	7.5	10
1/7/23 8:30	12.4	103.3	7.9	117	7.5	11
1/7/23 8:45	12.4	103.2	7.9	118	7.5	11
1/7/23 9:00	12.4	103.3	7.9	118	7.5	10
1/7/23 9:15	12.4	103.1	7.9	118	7.5	10
1/7/23 9:30	12.4	103.1	7.9	118	7.5	10
1/7/23 9:45	12.4	103.2	7.9	118	7.5	10
1/7/23 10:00	12.4	103.2	8.0	118	7.5	10
1/7/23 10:15	12.4	103.2	7.9	118	7.5	10
1/7/23 10:30	12.4	103.2	7.9	118	7.5	10
1/7/23 10:45	12.4	103.2	7.9	118	7.5	10
1/7/23 11:00	12.4	103.3	8.0	118	7.5	10
1/7/23 11:15	12.4	103.3	8.0	118	7.5	9
1/7/23 11:30	12.4	103.4	8.0	119	7.5	9
1/7/23 11:45	12.4	103.2	8.0	119	7.5	10
1/7/23 12:00	12.4	103.3	8.0	119	7.5	9
1/7/23 12:15	12.4	103.4	8.0	119	7.5	9
1/7/23 12:30	12.4	103.4	8.0	119	7.5	9
1/7/23 12:45	12.4	103.3	7.9	119	7.5	9
1/7/23 13:00	12.4	103.4	8.0	119	7.5	9
1/7/23 13:15	12.4	103.3	8.0	119	7.5	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 13:30	12.4	103.3	8.0	119	7.5	9
1/7/23 13:45	12.4	103.3	8.0	119	7.5	9
1/7/23 14:00	12.4	103.4	8.0	119	7.5	9
1/7/23 14:15	12.4	103.4	8.0	119	7.5	10
1/7/23 14:30	12.4	103.3	8.0	119	7.5	9
1/7/23 14:45	12.4	103.3	8.0	119	7.5	9
1/7/23 15:00	12.4	103.3	8.0	119	7.6	9
1/7/23 15:15	12.4	103.4	8.0	119	7.6	9
1/7/23 15:30	12.4	103.2	8.0	119	7.5	9
1/7/23 15:45	12.4	103.2	8.0	119	7.5	10
1/7/23 16:00	12.4	103.2	8.0	119	7.5	9
1/7/23 16:15	12.3	103.2	8.0	119	7.5	8
1/7/23 16:30	12.3	103.2	8.0	118	7.5	8
1/7/23 16:45	12.4	103.3	8.0	118	7.5	9
1/7/23 17:00	12.4	103.1	8.0	118	7.5	9
1/7/23 17:15	12.4	103.1	8.0	118	7.5	9
1/7/23 17:30	12.4	103.1	8.0	118	7.5	9
1/7/23 17:45	12.4	103.2	8.0	118	7.5	9
1/7/23 18:00	12.4	103.2	8.0	118	7.5	9
1/7/23 18:15	12.4	103.1	8.0	118	7.5	9
1/7/23 18:30	12.4	103.1	8.0	118	7.5	9
1/7/23 18:45	12.4	103.1	8.0	118	7.5	9
1/7/23 19:00	12.4	103.1	8.0	118	7.5	9
1/7/23 19:15	12.4	103.0	8.0	118	7.5	9
1/7/23 19:30	12.4	103.0	8.0	118	7.5	9
1/7/23 19:45	12.4	103.1	8.0	118	7.4	9
1/7/23 20:00	12.4	103.1	8.0	118	7.4	9
1/7/23 20:15	12.4	103.0	8.0	118	7.4	9
1/7/23 20:30	12.4	103.0	8.0	118	7.4	9
1/7/23 20:45	12.4	103.0	8.0	118	7.4	9
1/7/23 21:00	12.4	103.1	8.0	118	7.4	9
1/7/23 21:15	12.4	103.0	8.0	117	7.4	10
1/7/23 21:30	12.4	103.0	8.0	117	7.4	9
1/7/23 21:45	12.4	103.0	8.0	117	7.4	9
1/7/23 22:00	12.4	103.0	8.0	117	7.4	9
1/7/23 22:15	12.4	102.9	8.0	117	7.4	9
1/7/23 22:30	12.4	103.0	8.0	116	7.4	9
1/7/23 22:45	12.4	102.9	8.0	116	7.4	9
1/7/23 23:00	12.4	103.0	8.0	116	7.4	9
1/7/23 23:15	12.4	102.9	8.0	116	7.4	9
1/7/23 23:30	12.4	102.8	8.0	115	7.4	9
1/7/23 23:45	12.4	102.8	7.9	115	7.4	10

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 0:00	12.4	102.8	8.0	115	7.4	10
1/8/23 0:15	12.4	102.7	7.9	115	7.4	10
1/8/23 0:30	12.4	102.8	7.9	114	7.4	10
1/8/23 0:45	12.4	102.8	7.9	114	7.4	11
1/8/23 1:00	12.4	102.9	8.0	114	7.4	10
1/8/23 1:15	12.4	102.8	7.9	114	7.4	10
1/8/23 1:30	12.4	102.8	8.0	114	7.4	11
1/8/23 1:45	12.4	102.8	8.0	113	7.4	11
1/8/23 2:00	12.4	102.8	7.9	113	7.3	11
1/8/23 2:15	12.4	102.8	7.9	113	7.3	11
1/8/23 2:30	12.4	102.9	8.0	113	7.3	11
1/8/23 2:45	12.4	102.9	8.0	113	7.3	11
1/8/23 3:00	12.4	102.9	7.9	113	7.3	12
1/8/23 3:15	12.4	102.9	8.0	113	7.3	11
1/8/23 3:30	12.4	102.9	7.9	113	7.3	12
1/8/23 3:45	12.4	102.9	7.9	112	7.3	10
1/8/23 4:00	12.4	102.9	7.9	112	7.3	11
1/8/23 4:15	12.4	102.9	7.9	112	7.3	11
1/8/23 4:30	12.4	103.0	7.9	112	7.3	11
1/8/23 4:45	12.4	102.9	7.9	112	7.3	10
1/8/23 5:00	12.4	103.0	7.9	112	7.3	12
1/8/23 5:15	12.4	103.0	7.9	112	7.3	11
1/8/23 5:30	12.4	103.0	7.9	111	7.3	11
1/8/23 5:45	12.4	103.0	7.9	111	7.2	11
1/8/23 6:00	12.4	103.0	7.9	111	7.2	11
1/8/23 6:15	12.4	103.1	7.9	111	7.2	11
1/8/23 6:30	12.4	103.0	7.9	111	7.2	12
1/8/23 6:45	12.4	103.1	7.9	111	7.2	12
1/8/23 7:00	12.5	103.1	7.9	111	7.2	12
1/8/23 7:15	12.5	103.2	7.9	111	7.2	12
1/8/23 7:30	12.5	103.3	7.9	110	7.2	13
1/8/23 7:45	12.5	103.3	7.9	110	7.2	13
1/8/23 8:00	12.5	103.4	7.9	110	7.2	12
1/8/23 8:15	12.5	103.5	7.9	110	7.2	12
1/8/23 8:30	12.5	103.5	7.9	109	7.2	12
1/8/23 8:45	12.5	103.7	7.9	109	7.2	13
1/8/23 9:00	12.5	103.8	7.9	109	7.2	14
1/8/23 9:15	12.5	103.8	7.9	109	7.2	14
1/8/23 9:30	12.5	103.8	7.9	109	7.2	14
1/8/23 9:45	12.5	103.9	7.9	109	7.2	14
1/8/23 10:00	12.6	104.0	7.9	109	7.2	13
1/8/23 10:15	12.6	104.1	7.9	109	7.2	15

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 10:30	12.6	104.0	7.9	109	7.2	15
1/8/23 10:45	12.6	104.1	7.9	109	7.2	14
1/8/23 11:00	12.6	104.1	7.9	109	7.2	14
1/8/23 11:15	12.6	104.4	7.9	109	7.2	15
1/8/23 11:30	12.6	104.3	7.9	109	7.2	15
1/8/23 11:45	12.6	104.5	7.9	109	7.2	15
1/8/23 12:00	12.6	104.5	7.9	109	7.2	15
1/8/23 12:15	12.6	104.6	7.9	109	7.2	16
1/8/23 12:30	12.6	104.6	7.9	109	7.3	16
1/8/23 12:45	12.6	104.6	7.9	109	7.3	16
1/8/23 13:00	12.6	104.6	7.9	108	7.3	16
1/8/23 13:15	12.6	104.6	7.9	108	7.3	16
1/8/23 13:30	12.6	104.6	7.9	108	7.3	15
1/8/23 13:45	12.6	104.6	7.9	108	7.3	14
1/8/23 14:00	12.6	104.6	7.9	108	7.3	15
1/8/23 14:15	12.6	104.7	7.9	108	7.4	15
1/8/23 14:30	12.6	104.7	7.9	108	7.4	15
1/8/23 14:45	12.6	104.6	7.9	108	7.4	16
1/8/23 15:00	12.6	104.5	7.9	108	7.4	15
1/8/23 15:15	12.6	104.7	7.9	108	7.4	15
1/8/23 15:30	12.6	104.5	7.9	108	7.4	16
1/8/23 15:45	12.6	104.6	7.9	108	7.4	16
1/8/23 16:00	12.5	104.5	7.9	108	7.4	16
1/8/23 16:15	12.6	104.6	7.9	108	7.4	16
1/8/23 16:30	12.5	104.5	7.9	108	7.4	16
1/8/23 16:45	12.5	104.4	7.9	108	7.5	15
1/8/23 17:00	12.5	104.5	7.9	108	7.5	15
1/8/23 17:15	12.5	104.5	7.9	108	7.5	
1/8/23 17:30	12.5	104.3	7.9	108	7.5	16
1/8/23 17:45	12.5	104.4	7.9	108	7.5	15
1/8/23 18:00	12.5	104.4	7.9	108	7.5	16
1/8/23 18:15	12.5	104.3	7.9	108	7.5	16
1/8/23 18:30	12.5	104.3	7.9	108	7.5	16
1/8/23 18:45	12.5	104.3	7.9	108	7.5	14
1/8/23 19:00	12.5	104.3	7.9	108	7.5	15
1/8/23 19:15	12.5	104.4	7.9	108	7.5	14
1/8/23 19:30	12.5	104.3	7.9	109	7.5	15
1/8/23 19:45	12.5	104.2	7.9	109	7.5	14
1/8/23 20:00	12.5	104.1	7.9	109	7.5	14
1/8/23 20:15	12.5	104.2	7.9	109	7.5	14
1/8/23 20:30	12.5	104.2	7.9	109	7.5	15
1/8/23 20:45	12.5	104.2	7.9	109	7.5	13

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 21:00	12.5	104.1	7.9	109	7.5	14
1/8/23 21:15	12.5	104.1	7.9	109	7.5	13
1/8/23 21:30	12.5	104.1	7.9	109	7.5	13
1/8/23 21:45	12.5	104.0	7.9	109	7.5	14
1/8/23 22:00	12.5	103.9	7.9	109	7.5	14
1/8/23 22:15	12.4	103.9	7.9	109	7.5	14
1/8/23 22:30	12.5	103.9	7.9	110	7.5	13
1/8/23 22:45	12.4	103.9	7.9	110	7.5	13
1/8/23 23:00	12.4	103.8	7.9	110	7.5	13
1/8/23 23:15	12.4	103.8	7.9	110	7.5	12
1/8/23 23:30	12.4	103.7	7.9	110	7.5	13
1/8/23 23:45	12.4	103.7	7.9	110	7.5	12
1/9/23 0:00	12.4	103.6	7.9	110	7.5	13
1/9/23 0:15	12.4	103.5	7.9	111	7.5	13
1/9/23 0:30	12.4	103.5	7.9	111	7.5	12
1/9/23 0:45	12.4	103.4	7.9	111	7.5	12
1/9/23 1:00	12.4	103.4	7.9	111	7.5	12
1/9/23 1:15	12.4	103.4	7.9	111	7.5	11
1/9/23 1:30	12.4	103.3	7.9	111	7.5	12
1/9/23 1:45	12.4	103.3	7.9	111	7.5	11
1/9/23 2:00	12.4	103.3	7.9	111	7.5	11
1/9/23 2:15	12.4	103.1	7.9	111	7.5	12
1/9/23 2:30	12.3	103.0	7.9	111	7.5	12
1/9/23 2:45	12.3	103.1	7.9	111	7.5	11
1/9/23 3:00	12.3	103.0	7.9	112	7.5	12
1/9/23 3:15	12.3	103.0	7.9	112	7.5	11
1/9/23 3:30	12.3	102.8	7.9	112	7.5	12
1/9/23 3:45	12.3	102.9	7.9	112	7.5	11
1/9/23 4:00	12.3	102.8	7.9	112	7.5	11
1/9/23 4:15	12.3	102.8	7.9	112	7.5	12
1/9/23 4:30	12.3	102.7	7.9	112	7.5	11
1/9/23 4:45	12.3	102.8	7.9	112	7.5	11
1/9/23 5:00	12.3	102.7	8.0	112	7.5	11
1/9/23 5:15	12.3	102.6	8.0	112	7.5	11
1/9/23 5:30	12.3	102.7	8.0	112	7.5	11
1/9/23 5:45	12.3	102.7	7.9	112	7.5	11
1/9/23 6:00	12.3	102.6	7.9	112	7.5	12
1/9/23 6:15	12.3	102.7	7.9	112	7.5	10
1/9/23 6:30	12.3	102.7	7.9	112	7.5	11
1/9/23 6:45	12.3	102.7	7.9	112	7.5	11
1/9/23 7:00	12.3	102.7	7.9	113	7.5	11
1/9/23 7:15	12.3	102.8	7.9	113	7.5	10

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 7:30	12.3	102.8	7.9	113	7.5	10
1/9/23 7:45	12.3	102.8	7.9	113	7.5	10
1/9/23 8:00	12.3	102.8	7.9	113	7.5	10
1/9/23 8:15	12.3	102.8	7.9	113	7.5	11
1/9/23 8:30	12.3	102.8	7.9	113	7.5	10
1/9/23 8:45	12.3	102.9	7.9	113	7.5	10
1/9/23 9:00	12.4	103.0	7.9	113	7.5	10
1/9/23 9:15	12.4	102.9	7.9	113	7.5	10
1/9/23 9:30	12.4	103.0	7.9	113	7.5	10
1/9/23 9:45	12.4	103.0	7.9	113	7.5	12
1/9/23 10:00	12.4	103.1	7.9	113	7.5	11
1/9/23 10:15	12.4	103.1	7.9	113	7.5	12
1/9/23 10:30	12.4	103.1	7.9	113	7.5	12
1/9/23 10:45	12.4	103.3	7.9	113	7.5	12
1/9/23 11:00	12.4	103.4	7.9	113	7.6	12
1/9/23 11:15	12.4	103.4	7.9	113	7.6	13
1/9/23 11:30	12.4	103.5	7.9	113	7.6	13
1/9/23 11:45	12.4	103.6	7.9	112	7.6	14
1/9/23 12:00	12.4	103.6	7.9	112	7.6	15
1/9/23 12:15	12.4	103.7	7.9	112	7.6	15
1/9/23 12:30	12.4	103.9	7.9	112	7.6	16
1/9/23 12:45	12.4	103.9	7.9	112	7.7	17
1/9/23 13:00	12.4	103.9	7.9	112	7.7	18
1/9/23 13:15	12.4	104.0	7.9	112	7.7	18
1/9/23 13:30	12.4	104.1	7.9	112	7.7	19
1/9/23 13:45	12.4	104.0	7.9	112	7.7	19
1/9/23 14:00	12.4	104.0	7.9	112	7.8	21
1/9/23 14:15	12.4	104.0	7.9	112	7.8	16
1/9/23 14:30	12.4	104.0	7.9	112	7.8	18
1/9/23 14:45	12.4	104.0	7.9	112	7.8	16
1/9/23 15:00	12.4	104.1	7.9	111	7.8	15
1/9/23 15:15	12.4	104.0	7.9	111	7.8	16
1/9/23 15:30	12.4	104.0	8.0	111	7.8	16
1/9/23 15:45	12.4	104.0	7.9	111	7.8	15
1/9/23 16:00	12.4	103.9	8.0	111	7.8	14
1/9/23 16:15	12.4	103.9	7.9	111	7.8	15
1/9/23 16:30	12.3	103.9	7.9	111	7.8	14
1/9/23 16:45	12.3	103.9	7.9	111	7.8	13
1/9/23 17:00	12.4	103.9	7.9	110	7.8	14
1/9/23 17:15	12.3	103.9	7.9	110	7.8	14
1/9/23 17:30	12.4	103.9	7.9	110	7.8	15
1/9/23 17:45	12.4	103.8	7.9	110	7.8	14

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 18:00	12.4	103.8	7.9	110	7.8	14
1/9/23 18:15	12.4	103.8	7.9	110	7.8	15
1/9/23 18:30	12.4	103.8	7.9	110	7.8	14
1/9/23 18:45	12.4	103.9	7.9	109	7.8	15
1/9/23 19:00	12.4	103.8	8.0	109	7.8	14
1/9/23 19:15	12.4	103.8	7.9	109	7.8	15
1/9/23 19:30	12.4	103.9	7.9	109	7.8	15
1/9/23 19:45	12.4	103.8	7.9	109	7.8	16
1/9/23 20:00	12.4	103.8	7.9	109	7.8	15
1/9/23 20:15	12.4	103.8	7.9	109	7.8	16
1/9/23 20:30	12.4	103.8	7.9	108	7.7	16
1/9/23 20:45	12.4	103.8	7.9	108	7.7	15
1/9/23 21:00	12.4	103.8	7.9	108	7.7	15
1/9/23 21:15	12.4	103.8	7.9	108	7.7	16
1/9/23 21:30	12.4	103.7	7.9	108	7.7	16
1/9/23 21:45	12.4	103.7	7.9	108	7.7	16
1/9/23 22:00	12.4	103.8	7.9	108	7.7	15
1/9/23 22:15	12.4	103.7	7.9	108	7.7	16
1/9/23 22:30	12.4	103.7	7.9	108	7.7	17
1/9/23 22:45	12.4	103.7	7.9	108	7.7	16
1/9/23 23:00	12.4	103.7	7.9	108	7.6	16
1/9/23 23:15	12.4	103.7	7.9	108	7.6	16
1/9/23 23:30	12.4	103.6	7.9	108	7.6	15
1/9/23 23:45	12.4	103.6	7.9	108	7.6	16
1/10/23 0:00	12.4	103.7	7.9	108	7.6	15
1/10/23 0:15	12.4	103.5	7.9	108	7.6	15
1/10/23 0:30	12.4	103.6	7.9	108	7.6	14
1/10/23 0:45	12.4	103.5	7.9	108	7.6	14
1/10/23 1:00	12.4	103.5	7.9	109	7.6	14
1/10/23 1:15	12.4	103.4	7.9	109	7.6	15
1/10/23 1:30	12.4	103.4	7.9	109	7.6	13
1/10/23 1:45	12.4	103.3	7.9	109	7.6	14
1/10/23 2:00	12.4	103.3	7.9	109	7.5	13
1/10/23 2:15	12.4	103.4	7.9	109	7.5	13
1/10/23 2:30	12.4	103.3	7.9	109	7.5	14
1/10/23 2:45	12.4	103.2	7.9	109	7.5	13
1/10/23 3:00	12.4	103.3	7.9	109	7.5	13
1/10/23 3:15	12.4	103.1	7.9	109	7.5	13
1/10/23 3:30	12.4	103.1	7.9	109	7.5	12
1/10/23 3:45	12.3	103.1	7.9	110	7.5	12
1/10/23 4:00	12.4	103.1	7.9	110	7.5	13
1/10/23 4:15	12.4	103.1	7.9	110	7.4	12

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 4:30	12.4	103.0	7.9	110	7.4	12
1/10/23 4:45	12.4	103.1	7.9	110	7.4	12
1/10/23 5:00	12.4	103.0	7.9	110	7.4	12
1/10/23 5:15	12.4	102.9	7.9	110	7.4	12
1/10/23 5:30	12.4	102.9	7.9	110	7.4	12
1/10/23 5:45	12.4	102.8	7.9	110	7.4	12
1/10/23 6:00	12.4	102.8	7.9	110	7.3	11
1/10/23 6:15	12.4	102.7	7.9	111	7.3	11
1/10/23 6:30	12.4	102.7	7.9	111	7.3	11
1/10/23 6:45	12.4	102.7	7.9	111	7.3	12
1/10/23 7:00	12.4	102.6	7.9	111	7.3	12
1/10/23 7:15	12.4	102.7	7.9	111	7.3	11
1/10/23 7:30	12.4	102.7	7.9	111	7.2	10
1/10/23 7:45	12.4	102.6	7.9	111	7.2	11
1/10/23 8:00	12.4	102.6	7.9	111	7.2	11
1/10/23 8:15	12.4	102.6	7.9	111	7.2	12
1/10/23 8:30	12.4	102.6	7.9	111	7.2	11
1/10/23 8:45	12.4	102.6	7.9	111	7.2	11
1/10/23 9:00	12.4	102.6	7.9	112	7.2	10
1/10/23 9:15	12.4	102.6	7.9	112	7.2	11
1/10/23 9:30	12.4	102.6	7.9	112	7.1	11
1/10/23 9:45	12.4	102.6	7.9	112	7.1	11
1/10/23 10:00	12.4	102.7	7.9	112	7.1	11
1/10/23 10:15	12.4	102.8	7.9	112	7.1	10
1/10/23 10:30	12.4	102.7	7.9	112	7.1	10
1/10/23 10:45	12.4	102.7	7.9	112	7.1	11
1/10/23 11:00	12.4	102.8	7.9	113	7.1	11
1/10/23 11:15	12.5	102.9	7.9	113	7.1	10
1/10/23 11:30	12.5	102.9	7.9	113	7.1	10
1/10/23 11:45	12.5	102.8	7.9	113	7.1	10
1/10/23 12:00	12.5	102.8	7.9	113	7.1	11
1/10/23 12:15	12.5	102.8	7.9	113	7.1	11
1/10/23 12:30	12.5	102.9	7.9	114	7.1	11
1/10/23 12:45	12.5	103.1	7.9	114	7.1	10
1/10/23 13:00	12.5	103.0	7.9	114	7.1	10
1/10/23 13:15	12.5	103.1	7.9	114	7.1	11
1/10/23 13:30	12.5	103.2	7.9	114	7.1	10
1/10/23 13:45	12.5	103.1	7.9	114	7.1	11
1/10/23 14:00	12.5	103.1	7.9	115	7.1	11
1/10/23 14:15	12.5	103.1	7.9	115	7.1	11
1/10/23 14:30	12.5	103.3	7.9	115	7.1	13
1/10/23 14:45	12.5	103.2	7.9	115	7.1	15

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 15:00	12.5	103.2	7.9	115	7.2	20
1/10/23 15:15	12.5	103.2	8.0	116	7.2	24
1/10/23 15:30	12.5	103.2	8.0	116	7.2	28
1/10/23 15:45	12.5	103.2	7.9	116	7.2	33
1/10/23 16:00	12.5	103.3	8.0	116	7.2	37
1/10/23 16:15	12.5	103.4	8.0	116	7.2	45
1/10/23 16:30	12.5	103.3	8.0	117	7.2	46
1/10/23 16:45	12.5	103.3	8.0	117	7.2	45
1/10/23 17:00	12.5	103.3	7.9	117	7.2	45
1/10/23 17:15	12.5	103.4	8.0	117	7.2	40
1/10/23 17:30	12.5	103.3	8.0	117	7.2	38
1/10/23 17:45	12.5	103.4	7.9	118	7.2	41
1/10/23 18:00	12.5	103.3	8.0	118	7.2	32
1/10/23 18:15	12.5	103.3	8.0	118	7.2	30
1/10/23 18:30	12.5	103.4	8.0	118	7.3	27
1/10/23 18:45	12.5	103.5	8.0	119	7.3	25
1/10/23 19:00	12.5	103.4	8.0	119	7.3	22
1/10/23 19:15	12.5	103.5	8.0	119	7.3	20
1/10/23 19:30	12.5	103.6	8.0	119	7.3	19
1/10/23 19:45	12.5	103.5	8.0	119	7.3	19
1/10/23 20:00	12.5	103.5	8.0	119	7.3	17
1/10/23 20:15	12.5	103.5	8.0	119	7.3	16
1/10/23 20:30	12.5	103.6	8.0	120	7.3	16
1/10/23 20:45	12.5	103.5	8.0	120	7.3	16
1/10/23 21:00	12.5	103.6	8.0	120	7.3	15
1/10/23 21:15	12.5	103.6	8.0	120	7.3	17
1/10/23 21:30	12.5	103.7	8.0	120	7.3	15
1/10/23 21:45	12.5	103.7	8.0	120	7.3	16
1/10/23 22:00	12.5	103.6	8.0	120	7.3	17
1/10/23 22:15	12.5	103.7	8.0	120	7.3	18
1/10/23 22:30	12.5	103.7	8.0	120	7.3	20
1/10/23 22:45	12.5	103.8	8.0	120	7.3	23
1/10/23 23:00	12.5	103.8	8.0	120	7.3	24
1/10/23 23:15	12.5	103.8	8.0	120	7.3	29
1/10/23 23:30	12.5	103.8	8.0	120	7.3	28
1/10/23 23:45	12.5	103.8	8.0	120	7.3	31
1/11/23 0:00	12.5	103.8	8.0	120	7.3	32
1/11/23 0:15	12.5	103.9	8.0	119	7.3	32
1/11/23 0:30	12.5	103.8	8.0	119	7.4	34
1/11/23 0:45	12.5	103.9	8.0	119	7.4	31
1/11/23 1:00	12.5	103.9	8.0	119	7.4	30
1/11/23 1:15	12.5	103.8	8.0	119	7.4	31

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 1:30	12.5	103.9	8.0	119	7.4	29
1/11/23 1:45	12.5	103.9	8.0	119	7.4	26
1/11/23 2:00	12.5	103.9	8.0	119	7.4	24
1/11/23 2:15	12.5	103.9	8.0	119	7.4	23
1/11/23 2:30	12.5	103.9	8.0	119	7.4	22
1/11/23 2:45	12.5	103.9	8.0	119	7.4	22
1/11/23 3:00	12.5	103.8	8.0	119	7.4	19
1/11/23 3:15	12.5	103.8	8.0	118	7.4	19
1/11/23 3:30	12.5	103.8	8.0	118	7.4	18
1/11/23 3:45	12.5	104.0	8.0	118	7.4	18
1/11/23 4:00	12.5	103.8	8.0	118	7.4	18
1/11/23 4:15	12.5	104.0	8.0	117	7.4	17
1/11/23 4:30	12.5	103.8	8.0	117	7.4	18
1/11/23 4:45	12.5	103.8	7.9	117	7.4	18
1/11/23 5:00	12.5	103.9	8.0	117	7.4	17
1/11/23 5:15	12.5	103.8	8.0	117	7.4	17
1/11/23 5:30	12.5	103.9	8.0	116	7.4	18
1/11/23 5:45	12.5	103.9	8.0	116	7.4	19
1/11/23 6:00	12.5	103.9	7.9	116	7.4	19
1/11/23 6:15	12.5	103.9	7.9	116	7.4	18
1/11/23 6:30	12.5	103.7	7.9	116	7.4	17
1/11/23 6:45	12.5	103.8	7.9	116	7.4	17
1/11/23 7:00	12.5	103.7	7.9	116	7.4	17
1/11/23 7:15	12.5	103.7	7.9	116	7.4	17
1/11/23 7:30	12.5	103.8	7.9	116	7.4	17
1/11/23 7:45	12.5	103.8	7.9	116	7.4	17
1/11/23 8:00	12.5	103.7	7.9	116	7.4	16
1/11/23 8:15	12.5	103.8	7.9	116	7.4	16
1/11/23 8:30	12.5	103.7	7.9	116	7.4	16
1/11/23 8:45	12.5	103.8	7.9	116	7.4	17
1/11/23 9:00	12.5	103.7	7.9	117	7.4	15
1/11/23 9:15	12.5	103.8	7.9	117	7.4	15
1/11/23 9:30	12.5	103.8	7.9	117	7.4	14
1/11/23 9:45	12.5	103.7	7.9	117	7.4	15
1/11/23 10:00	12.5	103.8	7.9	117	7.4	14
1/11/23 10:15	12.5	103.7	7.9	117	7.4	14
1/11/23 10:30	12.5	103.8	7.9	117	7.4	13
1/11/23 10:45	12.5	103.8	7.9	117	7.4	14
1/11/23 11:00	12.5	103.9	7.9	117	7.4	14
1/11/23 11:15	12.5	103.9	7.9	118	7.4	14
1/11/23 11:30	12.5	103.8	7.9	118	7.4	13
1/11/23 11:45	12.5	103.8	7.9	118	7.4	13

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 12:00	12.5	103.8	7.9	118	7.4	13
1/11/23 12:15	12.5	103.8	7.9	118	7.4	14
1/11/23 12:30	12.5	103.9	8.0	118	7.4	14
1/11/23 12:45	12.5	103.6	8.0	118	7.4	15
1/11/23 13:00	12.5	103.8	8.0	118	7.4	13
1/11/23 13:15	12.5	103.8	8.0	119	7.4	13
1/11/23 13:30	12.5	103.8	8.0	119	7.4	13
1/11/23 13:45	12.5	103.7	8.0	119	7.4	13
1/11/23 14:00	12.5	103.8	8.0	119	7.4	12
1/11/23 14:15	12.5	103.7	8.0	119	7.4	12
1/11/23 14:30	12.5	103.6	7.9	119	7.4	12
1/11/23 14:45	12.5	103.6	8.0	119	7.4	12
1/11/23 15:00	12.5	103.6	8.0	119	7.4	12
1/11/23 15:15	12.4	103.7	8.0	119	7.4	12
1/11/23 15:30	12.4	103.7	8.0	119	7.4	12
1/11/23 15:45	12.5	103.7	8.0	119	7.4	12
1/11/23 16:00	12.4	103.6	8.0	120	7.4	11
1/11/23 16:15	12.5	103.6	8.0	120	7.4	12
1/11/23 16:30	12.4	103.6	8.0	120	7.4	11
1/11/23 16:45	12.4	103.7	8.0	120	7.4	11
1/11/23 17:00	12.4	103.7	8.0	120	7.4	11
1/11/23 17:15	12.4	103.7	8.0	120	7.4	11
1/11/23 17:30	12.5	103.7	8.0	120	7.4	11
1/11/23 17:45	12.5	103.7	8.0	120	7.4	11
1/11/23 18:00	12.5	103.8	8.0	120	7.4	11
1/11/23 18:15	12.5	103.7	8.0	120	7.4	10
1/11/23 18:30	12.5	103.8	8.0	120	7.4	10
1/11/23 18:45	12.5	103.8	8.0	120	7.4	11
1/11/23 19:00	12.5	103.8	8.0	120	7.4	11
1/11/23 19:15	12.5	103.9	8.0	120	7.4	10
1/11/23 19:30	12.5	103.8	8.0	120	7.4	10
1/11/23 19:45	12.5	103.8	8.0	120	7.4	10
1/11/23 20:00	12.5	104.0	8.0	120	7.4	10
1/11/23 20:15	12.5	103.9	8.0	120	7.4	10
1/11/23 20:30	12.5	103.9	8.0	120	7.4	11
1/11/23 20:45	12.5	104.0	8.0	120	7.4	11
1/11/23 21:00	12.5	104.0	8.0	120	7.4	11
1/11/23 21:15	12.5	104.1	8.0	120	7.4	11
1/11/23 21:30	12.5	104.1	8.0	120	7.4	10
1/11/23 21:45	12.5	104.1	8.0	120	7.4	11
1/11/23 22:00	12.5	104.1	8.0	119	7.4	10
1/11/23 22:15	12.5	104.1	8.0	119	7.4	11

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	12.5	104.2	8.0	119	7.4	11
1/11/23 22:45	12.5	104.2	7.9	119	7.4	11
1/11/23 23:00	12.5	104.3	8.0	119	7.4	11
1/11/23 23:15	12.5	104.3	8.0	118	7.4	11
1/11/23 23:30	12.5	104.3	7.9	118	7.4	12
1/11/23 23:45	12.5	104.3	8.0	118	7.4	12
1/12/23 0:00	12.5	104.4	7.9	117	7.4	13
1/12/23 0:15	12.5	104.4	7.9	117	7.4	12
1/12/23 0:30	12.6	104.6	7.9	117	7.4	13
1/12/23 0:45	12.5	104.5	7.9	117	7.4	11
1/12/23 1:00	12.6	104.6	8.0	117	7.5	13
1/12/23 1:15	12.6	104.6	8.0	116	7.5	12
1/12/23 1:30	12.6	104.7	7.9	116	7.5	13
1/12/23 1:45	12.6	104.8	7.9	116	7.5	13
1/12/23 2:00	12.6	104.6	7.9	116	7.5	13
1/12/23 2:15	12.6	104.6	7.9	115	7.5	14
1/12/23 2:30	12.6	104.7	7.9	115	7.5	13
1/12/23 2:45	12.6	104.6	7.9	115	7.5	13
1/12/23 3:00	12.6	104.7	7.9	115	7.5	13
1/12/23 3:15	12.6	104.8	7.9	114	7.5	14
1/12/23 3:30	12.6	104.8	7.9	114	7.5	14
1/12/23 3:45	12.6	104.8	7.9	114	7.5	13
1/12/23 4:00	12.6	104.9	7.9	114	7.5	12
1/12/23 4:15	12.6	104.8	7.9	114	7.5	14
1/12/23 4:30	12.6	104.7	7.9	113	7.5	13
1/12/23 4:45	12.6	104.7	7.9	113	7.5	14
1/12/23 5:00	12.6	104.8	7.9	113	7.5	13
1/12/23 5:15	12.6	104.8	7.9	113	7.5	14
1/12/23 5:30	12.6	104.9	7.9	113	7.5	13
1/12/23 5:45	12.6	104.9	7.9	113	7.5	14
1/12/23 6:00	12.6	104.9	7.9	113	7.5	13
1/12/23 6:15	12.6	104.9	7.9	112	7.5	14
1/12/23 6:30	12.6	105.0	7.9	112	7.5	14
1/12/23 6:45	12.6	104.7	7.9	112	7.5	14
1/12/23 7:00	12.6	104.9	7.9	112	7.5	14
1/12/23 7:15	12.6	104.8	7.9	112	7.5	15
1/12/23 7:30	12.6	104.9	7.9	112	7.5	14
1/12/23 7:45	12.6	104.9	7.9	112	7.5	14
1/12/23 8:00	12.6	104.9	7.9	112	7.5	16
1/12/23 8:15	12.6	104.9	7.9	112	7.5	14
1/12/23 8:30	12.6	104.9	7.9	111	7.5	15
1/12/23 8:45	12.6	105.0	7.9	111	7.5	16

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 9:00	12.6	105.0	7.9	111	7.5	18
1/12/23 9:15	12.6	105.1	7.9	111	7.5	14
1/12/23 9:30	12.6	105.0	7.9	111	7.5	14
1/12/23 9:45	12.6	105.0	7.9	111	7.5	14
1/12/23 10:00	12.6	105.0	7.9	111	7.5	16
1/12/23 10:15	12.6	105.0	7.9	111	7.5	15
1/12/23 10:30	12.6	104.9	7.9	111	7.5	15
1/12/23 10:45	12.6	105.0	7.9	111	7.6	16
1/12/23 11:00	12.6	104.9	7.9	111	7.6	15
1/12/23 11:15	12.6	105.0	7.9	111	7.6	14
1/12/23 11:30	12.6	105.1	7.9	110	7.6	15
1/12/23 11:45	12.6	105.2	7.9	110	7.6	15
1/12/23 12:00	12.6	105.1	7.9	110	7.6	16
1/12/23 12:15	12.6	105.2	7.9	110	7.6	16
1/12/23 12:30	12.6	105.1	7.9	110	7.6	17
1/12/23 12:45	12.6	105.2	7.9	110	7.7	17
1/12/23 13:00	12.6	105.2	7.9	110	7.7	17
1/12/23 13:15	12.6	105.3	7.9	110	7.7	17
1/12/23 13:30	12.5	105.1	7.9	110	7.7	16
1/12/23 13:45	12.5	105.2	7.9	109	7.7	16
1/12/23 14:00	12.5	105.2	7.9	109	7.7	16
1/12/23 14:15	12.5	105.1	7.9	109	7.8	15
1/12/23 14:30	12.5	105.2	7.9	109	7.8	16
1/12/23 14:45	12.5	105.1	7.9	109	7.8	15
1/12/23 15:00	12.5	105.1	7.9	109	7.8	15
1/12/23 15:15	12.5	105.0	7.9	109	7.8	16
1/12/23 15:30	12.5	105.0	7.9	108	7.8	15
1/12/23 15:45	12.5	105.1	7.9	108	7.9	15
1/12/23 16:00	12.5	105.0	7.9	108	7.9	16
1/12/23 16:15	12.5	105.0	7.9	108	7.9	17
1/12/23 16:30	12.5	104.9	7.9	108	7.9	16
1/12/23 16:45	12.5	105.0	7.9	107	7.9	17
1/12/23 17:00	12.4	104.9	7.9	107	7.9	17
1/12/23 17:15	12.4	104.9	7.9	107	8.0	17
1/12/23 17:30	12.4	104.9	7.9	107	8.0	16
1/12/23 17:45	12.4	104.8	7.9	107	8.0	16
1/12/23 18:00	12.4	104.8	7.9	107	8.0	16
1/12/23 18:15	12.4	104.9	7.9	107	8.0	16
1/12/23 18:30	12.4	104.8	7.9	107	8.0	16
1/12/23 18:45	12.4	104.8	7.9	107	8.0	17
1/12/23 19:00	12.4	104.8	7.9	107	8.0	17
1/12/23 19:15	12.4	104.8	7.9	107	8.1	16

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	12.4	104.8	7.9	107	8.1	17
1/12/23 19:45	12.4	104.8	7.9	107	8.1	15
1/12/23 20:00	12.4	104.8	7.9	107	8.1	17
1/12/23 20:15	12.4	104.8	7.9	107	8.1	16
1/12/23 20:30	12.4	104.7	7.9	107	8.1	16
1/12/23 20:45	12.4	104.7	7.9	107	8.1	19
1/12/23 21:00	12.3	104.8	7.9	107	8.2	14
1/12/23 21:15	12.3	104.7	7.9	107	8.2	15
1/12/23 21:30	12.3	104.7	7.9	107	8.2	15
1/12/23 21:45	12.3	104.7	7.9	107	8.2	14
1/12/23 22:00	12.3	104.6	7.9	107	8.2	15
1/12/23 22:15	12.3	104.7	7.9	107	8.2	14
1/12/23 22:30	12.3	104.7	7.9	107	8.2	13
1/12/23 22:45	12.3	104.7	7.9	107	8.2	14
1/12/23 23:00	12.3	104.7	7.9	107	8.2	14
1/12/23 23:15	12.3	104.8	7.9	107	8.3	13
1/12/23 23:30	12.3	104.8	7.9	107	8.3	13
1/12/23 23:45	12.3	104.8	7.9	107	8.3	12
1/13/23 0:00	12.3	104.8	7.9	107	8.3	13
1/13/23 0:15	12.3	104.8	7.9	107	8.3	14
1/13/23 0:30	12.3	104.8	7.9	107	8.3	14
1/13/23 0:45	12.3	104.8	7.9	107	8.3	13
1/13/23 1:00	12.3	104.9	7.9	107	8.3	13
1/13/23 1:15	12.3	104.9	7.9	107	8.4	14
1/13/23 1:30	12.3	104.6	7.9	107	8.4	13
1/13/23 1:45	12.3	104.7	7.9	107	8.4	13
1/13/23 2:00	12.3	104.7	7.9	108	8.4	13
1/13/23 2:15	12.3	104.6	7.9	108	8.4	13
1/13/23 2:30	12.3	104.7	7.9	108	8.4	13
1/13/23 2:45	12.3	104.6	7.9	108	8.4	14
1/13/23 3:00	12.3	104.6	7.9	108	8.4	13
1/13/23 3:15	12.3	104.7	7.9	108	8.4	12
1/13/23 3:30	12.3	104.6	7.9	108	8.4	13
1/13/23 3:45	12.3	104.7	7.9	108	8.4	12
1/13/23 4:00	12.3	104.7	7.9	108	8.4	12
1/13/23 4:15	12.3	104.6	7.9	108	8.4	12
1/13/23 4:30	12.3	104.6	7.9	108	8.4	12
1/13/23 4:45	12.2	104.6	7.9	108	8.4	12
1/13/23 5:00	12.2	104.6	7.9	108	8.4	12
1/13/23 5:15	12.3	104.5	7.9	108	8.4	12
1/13/23 5:30	12.2	104.5	7.9	108	8.4	11
1/13/23 5:45	12.2	104.5	7.9	108	8.4	12

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 6:00	12.3	104.5	7.9	108	8.4	12
1/13/23 6:15	12.2	104.5	7.9	108	8.4	12
1/13/23 6:30	12.2	104.5	7.9	108	8.4	12
1/13/23 6:45	12.2	104.5	7.9	108	8.4	11
1/13/23 7:00	12.2	104.4	7.9	108	8.4	12
1/13/23 7:15	12.2	104.5	7.9	108	8.4	11
1/13/23 7:30	12.2	104.5	7.9	108	8.4	12
1/13/23 7:45	12.2	104.5	7.9	108	8.4	12
1/13/23 8:00	12.2	104.5	7.9	108	8.4	12
1/13/23 8:15	12.2	104.4	7.9	108	8.4	12
1/13/23 8:30	12.2	104.4	7.9	108	8.4	11
1/13/23 8:45	12.3	104.5	7.9	108	8.4	12
1/13/23 9:00	12.3	104.4	7.9	108	8.4	13
1/13/23 9:15	12.3	104.5	7.9	108	8.4	11
1/13/23 9:30	12.3	104.5	7.9	108	8.4	11
1/13/23 9:45	12.3	104.5	7.9	107	8.4	12
1/13/23 10:00	12.3	104.6	7.9	107	8.4	12
1/13/23 10:15	12.3	104.6	7.9	107	8.4	11
1/13/23 10:30	12.3	104.6	7.9	107	8.4	11
1/13/23 10:45	12.3	104.7	7.9	107	8.4	11
1/13/23 11:00	12.3	104.6	7.9	107	8.4	11
1/13/23 11:15	12.3	104.7	7.9	107	8.4	12
1/13/23 11:30	12.3	104.7	7.9	107	8.4	12
1/13/23 11:45	12.3	104.8	7.9	107	8.4	12
1/13/23 12:00	12.3	104.9	7.9	107	8.4	13
1/13/23 12:15	12.3	104.9	7.9	106	8.4	12
1/13/23 12:30	12.3	105.0	7.9	106	8.4	13
1/13/23 12:45	12.3	104.9	7.9	106	8.4	13
1/13/23 13:00	12.3	105.1	7.9	105	8.4	12
1/13/23 13:15	12.3	105.1	7.9	105	8.4	13
1/13/23 13:30	12.3	105.2	7.9	105	8.4	14
1/13/23 13:45	12.3	105.2	7.9	104	8.4	16
1/13/23 14:00	12.4	105.2	7.9	104	8.4	16
1/13/23 14:15	12.4	105.3	7.9	104	8.4	16
1/13/23 14:30	12.4	105.4	7.9	103	8.4	17
1/13/23 14:45	12.4	105.4	7.9	103	8.4	18
1/13/23 15:00	12.4	105.4	7.9	102	8.4	20
1/13/23 15:15	12.4	105.5	7.9	102	8.4	27
1/13/23 15:30	12.4	105.6	7.9	101	8.3	20
1/13/23 15:45	12.4	105.5	7.9	101	8.3	22
1/13/23 16:00	12.4	105.7	7.9	101	8.3	21
1/13/23 16:15	12.4	105.7	7.8	100	8.3	22

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 16:30	12.4	105.7	7.8	100	8.3	22
1/13/23 16:45	12.4	105.8	7.9	99	8.3	26
1/13/23 17:00	12.4	105.9	7.9	99	8.3	23
1/13/23 17:15	12.4	105.8	7.9	99	8.3	24
1/13/23 17:30	12.5	105.9	7.9	98	8.3	25
1/13/23 17:45	12.5	105.9	7.9	98	8.2	25
1/13/23 18:00	12.5	105.9	7.9	98	8.2	24
1/13/23 18:15	12.5	105.9	7.9	97	8.2	28
1/13/23 18:30	12.5	105.9	7.9	97	8.2	29
1/13/23 18:45	12.5	106.0	7.9	97	8.2	24
1/13/23 19:00	12.5	105.9	7.9	96	8.2	26
1/13/23 19:15	12.5	105.9	7.9	96	8.2	27
1/13/23 19:30	12.5	106.0	7.9	96	8.2	27
1/13/23 19:45	12.5	105.9	7.9	96	8.2	28
1/13/23 20:00	12.5	105.9	7.9	95	8.2	27
1/13/23 20:15	12.5	105.9	7.9	95	8.1	30
1/13/23 20:30	12.5	105.8	7.9	95	8.1	29
1/13/23 20:45	12.5	105.9	7.9	95	8.1	30
1/13/23 21:00	12.5	105.8	7.9	95	8.1	32
1/13/23 21:15	12.5	105.8	7.9	95	8.1	34
1/13/23 21:30	12.5	105.8	7.9	95	8.1	33
1/13/23 21:45	12.5	105.8	7.9	94	8.1	33
1/13/23 22:00	12.5	105.7	7.9	94	8.1	37
1/13/23 22:15	12.5	105.8	7.9	94	8.1	40
1/13/23 22:30	12.5	105.7	7.9	94	8.1	37
1/13/23 22:45	12.5	105.7	7.9	94	8.1	37
1/13/23 23:00	12.5	105.6	7.9	94	8.1	36
1/13/23 23:15	12.5	105.6	7.9	95	8.1	34
1/13/23 23:30	12.5	105.7	7.9	95	8.1	35
1/13/23 23:45	12.5	105.7	7.9	95	8.1	33
1/14/23 0:00	12.5	105.6	7.9	95	8.1	34
1/14/23 0:15	12.5	105.5	7.9	95	8.1	35
1/14/23 0:30	12.5	105.5	7.9	95	8.1	33
1/14/23 0:45	12.5	105.5	7.9	95	8.1	36
1/14/23 1:00	12.5	105.5	7.9	95	8.1	31
1/14/23 1:15	12.5	105.4	7.9	95	8.1	31
1/14/23 1:30	12.4	105.4	7.9	96	8.1	30
1/14/23 1:45	12.4	105.3	7.9	96	8.1	30
1/14/23 2:00	12.4	105.3	7.9	96	8.1	30
1/14/23 2:15	12.4	105.3	7.9	96	8.1	30
1/14/23 2:30	12.4	105.2	7.9	96	8.1	32
1/14/23 2:45	12.4	105.2	7.9	96	8.1	29

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	12.4	105.1	7.9	96	8.1	30
1/14/23 3:15	12.4	105.1	7.9	97	8.1	27
1/14/23 3:30	12.4	105.0	7.9	97	8.1	28
1/14/23 3:45	12.4	105.0	7.9	97	8.1	26
1/14/23 4:00	12.4	105.0	7.9	97	8.1	26
1/14/23 4:15	12.4	105.0	7.9	97	8.1	27
1/14/23 4:30	12.4	104.9	7.9	97	8.1	26
1/14/23 4:45	12.4	104.8	7.9	97	8.1	25
1/14/23 5:00	12.4	104.8	7.9	97	8.1	24
1/14/23 5:15	12.4	104.7	7.9	97	8.1	23
1/14/23 5:30	12.4	104.6	7.9	97	8.1	23
1/14/23 5:45	12.3	104.6	7.9	98	8.1	24
1/14/23 6:00	12.3	104.6	7.9	98	8.1	25
1/14/23 6:15	12.3	104.5	7.9	98	8.1	21
1/14/23 6:30	12.3	104.5	7.9	98	8.1	22
1/14/23 6:45	12.3	104.4	7.9	98	8.1	22
1/14/23 7:00	12.3	104.3	7.9	98	8.1	22
1/14/23 7:15	12.3	104.3	7.9	98	8.1	23
1/14/23 7:30	12.3	104.2	7.9	98	8.1	26
1/14/23 7:45	12.3	104.2	7.9	98	8.1	24
1/14/23 8:00	12.3	104.1	7.9	98	8.1	24
1/14/23 8:15	12.3	104.1	7.9	98	8.1	26
1/14/23 8:30	12.3	104.1	7.9	98	8.1	24
1/14/23 8:45	12.3	104.0	7.9	98	8.1	25
1/14/23 9:00	12.3	103.9	7.9	98	8.1	25
1/14/23 9:15	12.3	104.0	7.9	98	8.1	27
1/14/23 9:30	12.3	104.0	7.9	99	8.1	26
1/14/23 9:45	12.3	104.0	7.9	99	8.1	25
1/14/23 10:00	12.3	103.9	7.9	99	8.1	26
1/14/23 10:15	12.3	103.9	7.9	99	8.2	26
1/14/23 10:30	12.3	103.9	7.9	99	8.2	24
1/14/23 10:45	12.3	103.9	7.9	99	8.2	24
1/14/23 11:00	12.3	103.9	7.9	99	8.2	23
1/14/23 11:15	12.3	103.8	7.9	99	8.2	22
1/14/23 11:30	12.2	103.8	7.9	99	8.2	22
1/14/23 11:45	12.2	103.9	7.9	100	8.2	23
1/14/23 12:00	12.2	103.8	7.9	100	8.2	23
1/14/23 12:15	12.2	103.7	7.9	100	8.2	21
1/14/23 12:30	12.2	103.8	7.9	100	8.2	20
1/14/23 12:45	12.2	103.8	7.9	100	8.2	20
1/14/23 13:00	12.2	103.8	7.9	100	8.2	20
1/14/23 13:15	12.2	103.9	7.9	100	8.2	20

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 13:30	12.2	103.9	7.9	100	8.2	20
1/14/23 13:45	12.2	103.8	7.9	100	8.2	20
1/14/23 14:00	12.2	104.0	7.9	100	8.2	20
1/14/23 14:15	12.2	103.9	7.9	100	8.2	20
1/14/23 14:30	12.2	104.0	7.9	100	8.2	20
1/14/23 14:45	12.2	104.0	7.9	100	8.2	20
1/14/23 15:00	12.2	104.0	7.9	101	8.2	20
1/14/23 15:15	12.3	104.0	7.9	100	8.2	18
1/14/23 15:30	12.3	104.0	7.9	100	8.2	19
1/14/23 15:45	12.3	104.1	7.9	100	8.2	20
1/14/23 16:00	12.3	104.1	7.9	100	8.2	22
1/14/23 16:15	12.3	104.1	7.9	101	8.2	23
1/14/23 16:30	12.3	104.2	7.9	101	8.2	20
1/14/23 16:45	12.3	104.2	7.9	101	8.2	20
1/14/23 17:00	12.3	104.3	7.9	101	8.2	21
1/14/23 17:15	12.3	104.3	7.9	101	8.2	22
1/14/23 17:30	12.3	104.3	7.9	101	8.2	21
1/14/23 17:45	12.3	104.3	7.9	101	8.2	23
1/14/23 18:00	12.3	104.5	7.9	101	8.2	22
1/14/23 18:15	12.3	104.5	7.9	101	8.2	23
1/14/23 18:30	12.3	104.5	7.9	101	8.2	21
1/14/23 18:45	12.3	104.6	7.9	101	8.2	22
1/14/23 19:00	12.3	104.6	7.9	100	8.2	23
1/14/23 19:15	12.3	104.6	7.9	100	8.2	25
1/14/23 19:30	12.3	104.7	7.9	100	8.2	24
1/14/23 19:45	12.4	104.6	7.9	100	8.2	25
1/14/23 20:00	12.4	104.7	7.9	100	8.2	24
1/14/23 20:15	12.4	104.8	7.9	100	8.2	24
1/14/23 20:30	12.4	104.8	7.9	100	8.2	24
1/14/23 20:45	12.4	104.8	7.9	100	8.1	27
1/14/23 21:00	12.4	104.8	7.9	100	8.1	24
1/14/23 21:15	12.4	104.9	7.9	100	8.1	25
1/14/23 21:30	12.4	104.9	7.9	100	8.1	25
1/14/23 21:45	12.4	104.9	7.9	100	8.1	25
1/14/23 22:00	12.4	104.9	7.9	100	8.1	28
1/14/23 22:15	12.4	104.9	7.9	100	8.1	26
1/14/23 22:30	12.4	104.9	7.9	100	8.1	27
1/14/23 22:45	12.4	104.9	7.9	100	8.1	30
1/14/23 23:00	12.4	104.9	7.9	100	8.0	27
1/14/23 23:15	12.4	104.9	7.9	100	8.0	27
1/14/23 23:30	12.4	105.0	7.9	100	8.0	27
1/14/23 23:45	12.4	104.9	7.9	100	8.0	35

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 0:00	12.4	105.0	7.9	100	8.0	27
1/15/23 0:15	12.4	105.0	7.9	99	8.0	28
1/15/23 0:30	12.4	105.0	7.9	99	8.0	27
1/15/23 0:45	12.4	105.0	7.9	99	8.0	27
1/15/23 1:00	12.4	104.9	7.9	99	8.0	29
1/15/23 1:15	12.4	105.0	7.9	99	8.0	30
1/15/23 1:30	12.4	104.9	7.9	99	8.0	28
1/15/23 1:45	12.4	104.9	7.9	99	8.0	29
1/15/23 2:00	12.5	105.0	7.9	99	7.9	28
1/15/23 2:15	12.4	105.0	7.9	98	7.9	28
1/15/23 2:30	12.4	104.9	7.9	98	7.9	29
1/15/23 2:45	12.5	104.9	7.9	98	7.9	29
1/15/23 3:00	12.5	104.9	7.9	98	7.9	28
1/15/23 3:15	12.5	104.9	7.9	98	7.9	30
1/15/23 3:30	12.5	104.9	7.9	98	7.9	29
1/15/23 3:45	12.5	104.9	7.9	98	7.9	30
1/15/23 4:00	12.5	105.0	7.9	98	7.9	30
1/15/23 4:15	12.5	104.9	7.9	98	7.8	28
1/15/23 4:30	12.5	104.9	7.9	98	7.8	29
1/15/23 4:45	12.5	105.0	7.9	98	7.8	28
1/15/23 5:00	12.5	105.0	7.9	98	7.8	31
1/15/23 5:15	12.5	105.0	7.9	98	7.8	30
1/15/23 5:30	12.5	104.9	7.9	98	7.8	31
1/15/23 5:45	12.5	104.9	7.9	98	7.8	27
1/15/23 6:00	12.5	105.0	7.9	98	7.8	29
1/15/23 6:15	12.5	104.9	7.9	98	7.8	28
1/15/23 6:30	12.5	105.0	7.9	98	7.8	29
1/15/23 6:45	12.5	105.0	7.9	98	7.8	29
1/15/23 7:00	12.5	105.0	7.9	98	7.8	28
1/15/23 7:15	12.5	105.0	7.9	98	7.8	27
1/15/23 7:30	12.5	105.0	7.9	98	7.8	28
1/15/23 7:45	12.5	104.9	7.9	99	7.7	27
1/15/23 8:00	12.5	105.0	7.9	99	7.7	27
1/15/23 8:15	12.5	105.0	7.9	99	7.7	28
1/15/23 8:30	12.5	105.0	7.9	99	7.7	27
1/15/23 8:45	12.5	105.0	7.9	99	7.7	27
1/15/23 9:00	12.5	105.0	7.9	99	7.7	25
1/15/23 9:15	12.5	104.9	7.9	99	7.7	25
1/15/23 9:30	12.5	105.0	7.9	99	7.7	25
1/15/23 9:45	12.5	105.0	7.9	99	7.7	28
1/15/23 10:00	12.5	105.0	7.9	100	7.7	25
1/15/23 10:15	12.5	105.0	7.9	100	7.7	23

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 10:30	12.5	105.0	7.9	100	7.7	25
1/15/23 10:45	12.5	105.0	7.9	100	7.7	23
1/15/23 11:00	12.5	105.0	7.9	100	7.7	24
1/15/23 11:15	12.5	105.0	7.9	100	7.7	24
1/15/23 11:30	12.5	105.0	7.9	100	7.7	23
1/15/23 11:45	12.5	105.0	7.9	100	7.7	23
1/15/23 12:00	12.5	105.1	7.9	100	7.7	23
1/15/23 12:15	12.5	105.1	7.9	101	7.7	23
1/15/23 12:30	12.5	105.2	7.9	101	7.7	26
1/15/23 12:45	12.5	105.1	7.9	101	7.7	23
1/15/23 13:00	12.5	105.1	7.9	101	7.7	26
1/15/23 13:15	12.5	105.1	7.9	101	7.7	22
1/15/23 13:30	12.5	105.1	7.9	101	7.7	24
1/15/23 13:45	12.5	105.2	7.9	101	7.8	22
1/15/23 14:00	12.5	105.2	7.9	101	7.8	22
1/15/23 14:15	12.5	105.1	7.9	101	7.8	23
1/15/23 14:30	12.5	105.1	7.9	102	7.8	22
1/15/23 14:45	12.5	105.2	7.9	102	7.8	21
1/15/23 15:00	12.5	105.1	7.9	102	7.8	21
1/15/23 15:15	12.5	105.1	7.9	102	7.8	21
1/15/23 15:30	12.5	105.1	7.9	102	7.8	22
1/15/23 15:45	12.5	105.0	7.9	102	7.8	23
1/15/23 16:00	12.5	105.0	7.9	102	7.8	20
1/15/23 16:15	12.5	104.9	7.9	103	7.8	21
1/15/23 16:30	12.5	104.9	7.9	103	7.8	21
1/15/23 16:45	12.5	104.9	7.9	103	7.7	21
1/15/23 17:00	12.5	104.8	7.9	103	7.7	21
1/15/23 17:15	12.5	104.8	7.9	103	7.7	22
1/15/23 17:30	12.5	104.9	7.9	103	7.7	22
1/15/23 17:45	12.5	104.8	7.9	104	7.7	21
1/15/23 18:00	12.5	104.8	7.9	104	7.7	22
1/15/23 18:15	12.5	104.7	7.9	104	7.7	20
1/15/23 18:30	12.5	104.8	7.9	104	7.7	20
1/15/23 18:45	12.5	104.8	7.9	104	7.6	22
1/15/23 19:00	12.5	104.8	7.9	104	7.6	21
1/15/23 19:15	12.5	104.8	7.9	105	7.6	20
1/15/23 19:30	12.5	104.7	7.9	105	7.6	22
1/15/23 19:45	12.5	104.7	7.9	105	7.6	20
1/15/23 20:00	12.5	104.7	7.9	105	7.6	21
1/15/23 20:15	12.5	104.7	7.9	105	7.6	20
1/15/23 20:30	12.5	104.7	7.9	105	7.6	20
1/15/23 20:45	12.5	104.7	7.9	105	7.6	21

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	12.5	104.7	7.9	106	7.6	21
1/15/23 21:15	12.5	104.6	7.9	106	7.6	21
1/15/23 21:30	12.5	104.7	7.9	106	7.6	20
1/15/23 21:45	12.5	104.7	7.9	106	7.6	19
1/15/23 22:00	12.5	104.7	7.9	107	7.6	22
1/15/23 22:15	12.5	104.6	7.9	106	7.6	20
1/15/23 22:30	12.5	104.7	7.9	106	7.6	21
1/15/23 22:45	12.5	104.6	7.9	106	7.6	21
1/15/23 23:00	12.5	104.6	7.9	106	7.6	20
1/15/23 23:15	12.5	104.6	7.9	106	7.6	21
1/15/23 23:30	12.5	104.6	7.9	106	7.6	20
1/15/23 23:45	12.5	104.6	7.9	106	7.6	19
1/16/23 0:00	12.5	104.5	7.9	107	7.6	19
1/16/23 0:15	12.5	104.5	7.9	107	7.6	20
1/16/23 0:30	12.5	104.5	7.9	107	7.6	22
1/16/23 0:45	12.5	104.5	7.9	107	7.6	22
1/16/23 1:00	12.5	104.5	7.9	107	7.6	24
1/16/23 1:15	12.5	104.4	7.9	107	7.6	25
1/16/23 1:30	12.5	104.5	7.9	107	7.6	31
1/16/23 1:45	12.5	104.4	7.9	107	7.6	31
1/16/23 2:00	12.5	104.3	7.9	107	7.6	32
1/16/23 2:15	12.5	104.3	7.9	107	7.6	31
1/16/23 2:30	12.5	104.4	7.9	107	7.6	30
1/16/23 2:45	12.5	104.3	7.9	107	7.6	30
1/16/23 3:00	12.5	104.3	7.9	107	7.6	28
1/16/23 3:15	12.5	104.3	7.9	107	7.6	27
1/16/23 3:30	12.5	104.3	7.9	106	7.6	25
1/16/23 3:45	12.5	104.2	7.9	106	7.6	26
1/16/23 4:00	12.5	104.2	7.9	106	7.6	24
1/16/23 4:15	12.5	104.2	7.9	106	7.6	23
1/16/23 4:30	12.5	104.2	7.9	106	7.6	24
1/16/23 4:45	12.5	104.2	7.9	106	7.6	22
1/16/23 5:00	12.5	104.2	7.9	106	7.6	22
1/16/23 5:15	12.5	104.2	7.9	106	7.6	25
1/16/23 5:30	12.5	104.2	7.9	106	7.6	22
1/16/23 5:45	12.5	104.1	7.9	106	7.5	22
1/16/23 6:00	12.5	104.2	7.9	107	7.5	21
1/16/23 6:15	12.5	104.1	7.9	107	7.5	21
1/16/23 6:30	12.5	104.1	7.9	107	7.5	21
1/16/23 6:45	12.5	104.2	7.9	107	7.5	21
1/16/23 7:00	12.5	104.1	7.9	107	7.5	21
1/16/23 7:15	12.5	104.0	7.9	107	7.5	21

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	12.5	104.1	7.9	107	7.5	20
1/16/23 7:45	12.5	104.0	7.9	107	7.5	20
1/16/23 8:00	12.5	104.1	7.9	107	7.5	19
1/16/23 8:15	12.5	104.1	7.9	107	7.5	19
1/16/23 8:30	12.5	104.1	7.9	108	7.4	19
1/16/23 8:45	12.5	104.0	7.9	108	7.4	18
1/16/23 9:00	12.5	104.1	7.9	108	7.4	18
1/16/23 9:15	12.5	104.1	7.9	108	7.4	18
1/16/23 9:30	12.5	104.1	7.9	108	7.4	18
1/16/23 9:45	12.5	104.1	7.9	108	7.4	18
1/16/23 10:00	12.5	104.0	7.9	108	7.4	17
1/16/23 10:15	12.5	104.1	7.9	108	7.4	17
1/16/23 10:30	12.5	104.0	7.9	108	7.4	17
1/16/23 10:45	12.5	104.1	7.9	109	7.4	16
1/16/23 11:00	12.5	104.1	7.9	109	7.4	15
1/16/23 11:15	12.5	104.1	7.9	109	7.4	16
1/16/23 11:30	12.5	104.1	7.9	109	7.4	16
1/16/23 11:45	12.5	104.1	7.9	109	7.4	16
1/16/23 12:00	12.5	104.2	7.9	109	7.4	16
1/16/23 12:15	12.5	104.2	7.9	109	7.4	16
1/16/23 12:30	12.5	104.3	7.9	109	7.4	16
1/16/23 12:45	12.5	104.3	7.9	110	7.5	16
1/16/23 13:00	12.5	104.3	7.9	110	7.5	15
1/16/23 13:15	12.5	104.3	7.9	110	7.5	15
1/16/23 13:30	12.5	104.3	7.9	110	7.5	15
1/16/23 13:45	12.5	104.2	7.9	110	7.5	15
1/16/23 14:00	12.5	104.3	7.9	110	7.5	15
1/16/23 14:15	12.5	104.3	7.9	110	7.5	15
1/16/23 14:30	12.5	104.3	7.9	110	7.5	14
1/16/23 14:45	12.5	104.2	7.9	111	7.6	15
1/16/23 15:00	12.5	104.2	7.9	111	7.6	14
1/16/23 15:15	12.5	104.2	7.9	111	7.6	14
1/16/23 15:30	12.5	104.2	7.9	111	7.6	14
1/16/23 15:45	12.5	104.1	7.9	111	7.6	14
1/16/23 16:00	12.5	104.2	7.9	111	7.6	14
1/16/23 16:15	12.5	104.0	7.9	111	7.6	14
1/16/23 16:30	12.5	104.1	7.9	111	7.6	14
1/16/23 16:45	12.5	104.1	7.9	111	7.5	14
1/16/23 17:00	12.5	104.1	7.9	111	7.5	15
1/16/23 17:15	12.5	104.1	8.0	112	7.5	13
1/16/23 17:30	12.5	104.0	7.9	112	7.5	13
1/16/23 17:45	12.5	104.0	7.9	112	7.5	13

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 18:00	12.5	104.1	7.9	112	7.5	13
1/16/23 18:15	12.5	104.0	7.9	112	7.5	13
1/16/23 18:30	12.5	104.0	7.9	112	7.5	13
1/16/23 18:45	12.5	104.0	7.9	112	7.5	13
1/16/23 19:00	12.5	104.0	7.9	112	7.5	13
1/16/23 19:15	12.5	104.1	7.9	112	7.5	13
1/16/23 19:30	12.5	104.0	7.9	112	7.5	12
1/16/23 19:45	12.5	104.1	7.9	113	7.5	13
1/16/23 20:00	12.5	104.1	7.9	113	7.5	12
1/16/23 20:15	12.5	104.1	7.9	113	7.4	14
1/16/23 20:30	12.5	104.2	7.9	113	7.4	12
1/16/23 20:45	12.5	104.1	7.9	113	7.4	12
1/16/23 21:00	12.5	104.1	7.9	113	7.4	13
1/16/23 21:15	12.5	104.2	7.9	113	7.4	12
1/16/23 21:30	12.5	104.2	7.9	113	7.4	13
1/16/23 21:45	12.5	104.2	7.9	113	7.4	13
1/16/23 22:00	12.5	104.2	7.9	113	7.4	12
1/16/23 22:15	12.5	104.2	7.9	114	7.4	12
1/16/23 22:30	12.5	104.2	7.9	114	7.4	13
1/16/23 22:45	12.5	104.2	7.9	114	7.4	13
1/16/23 23:00	12.5	104.2	7.9	114	7.4	12
1/16/23 23:15	12.5	104.1	8.0	114	7.4	13
1/16/23 23:30	12.5	104.2	7.9	114	7.4	11
1/16/23 23:45	12.5	104.3	7.9	114	7.4	11
1/17/23 0:00	12.5	104.3	7.9	114	7.4	12
1/17/23 0:15	12.5	104.3	8.0	114	7.4	12
1/17/23 0:30	12.6	104.3	7.9	114	7.3	12
1/17/23 0:45	12.6	104.3	7.9	114	7.3	12
1/17/23 1:00	12.6	104.3	7.9	114	7.3	11
1/17/23 1:15	12.6	104.3	7.9	115	7.3	12
1/17/23 1:30	12.6	104.3	7.9	115	7.3	12
1/17/23 1:45	12.6	104.3	7.9	115	7.3	11
1/17/23 2:00	12.6	104.4	7.9	115	7.3	11
1/17/23 2:15	12.6	104.4	8.0	115	7.3	11
1/17/23 2:30	12.6	104.4	7.9	115	7.3	11
1/17/23 2:45	12.6	104.3	7.9	115	7.3	12
1/17/23 3:00	12.6	104.3	7.9	115	7.3	11
1/17/23 3:15	12.6	104.4	7.9	115	7.3	11
1/17/23 3:30	12.6	104.3	7.9	115	7.2	11
1/17/23 3:45	12.6	104.3	7.9	115	7.2	10
1/17/23 4:00	12.6	104.3	7.9	116	7.2	10
1/17/23 4:15	12.6	104.4	7.9	116	7.2	11

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 4:30	12.6	104.3	7.9	116	7.2	11
1/17/23 4:45	12.6	104.3	8.0	116	7.2	11
1/17/23 5:00	12.6	104.3	7.9	116	7.2	12
1/17/23 5:15	12.6	104.3	8.0	116	7.2	12
1/17/23 5:30	12.6	104.4	7.9	116	7.2	10
1/17/23 5:45	12.6	104.4	7.9	116	7.2	11
1/17/23 6:00	12.6	104.4	7.9	116	7.2	11
1/17/23 6:15	12.6	104.3	7.9	116	7.1	10
1/17/23 6:30	12.6	104.4	7.9	116	7.1	10
1/17/23 6:45	12.6	104.3	8.0	116	7.1	10
1/17/23 7:00	12.6	104.4	8.0	117	7.1	10
1/17/23 7:15	12.6	104.3	7.9	117	7.1	11
1/17/23 7:30	12.6	104.3	8.0	117	7.1	11
1/17/23 7:45	12.7	104.3	8.0	117	7.1	11
1/17/23 8:00	12.7	104.3	8.0	117	7.0	11
1/17/23 8:15	12.7	104.5	7.9	117	7.0	10
1/17/23 8:30	12.7	104.4	7.9	117	7.0	10
1/17/23 8:45	12.7	104.4	8.0	117	7.0	10
1/17/23 9:00	12.7	104.4	8.0	117	7.0	11
1/17/23 9:15	12.7	104.4	8.0	117	7.0	10
1/17/23 9:30	12.7	104.4	8.0	117	7.0	10
1/17/23 9:45	12.7	104.4	8.0	117	7.0	10
1/17/23 10:00	12.7	104.5	8.0	118	6.9	10
1/17/23 10:15	12.7	104.4	8.0	118	6.9	10
1/17/23 10:30	12.7	104.5	8.0	118	6.9	10
1/17/23 10:45	12.7	104.5	8.0	118	6.9	10
1/17/23 11:00	12.7	104.5	8.0	118	6.9	10
1/17/23 11:15	12.7	104.6	8.0	118	6.9	10
1/17/23 11:30	12.7	104.6	8.0	118	6.9	10
1/17/23 11:45	12.7	104.6	8.0	118	7.0	10
1/17/23 12:00	12.7	104.6	8.0	118	7.0	9
1/17/23 12:15	12.7	104.7	8.0	118	7.0	10
1/17/23 12:30	12.7	104.6	7.9	118	7.0	10
1/17/23 12:45	12.7	104.7	8.0	118	7.0	10
1/17/23 13:00	12.7	104.6	8.0	119	7.0	9
1/17/23 13:15	12.7	104.6	8.0	119	7.0	10
1/17/23 13:30	12.7	104.7	8.0	119	7.0	9
1/17/23 13:45	12.7	104.7	8.0	119	7.0	10
1/17/23 14:00	12.7	104.6	8.0	119	7.0	10
1/17/23 14:15	12.7	104.6	8.0	119	7.1	10
1/17/23 14:30	12.7	104.6	8.0	119	7.1	9
1/17/23 14:45	12.7	104.7	8.0	119	7.1	10

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 15:00	12.7	104.5	8.0	119	7.1	9
1/17/23 15:15	12.6	104.5	8.0	119	7.1	10
1/17/23 15:30	12.7	104.5	8.0	119	7.1	9
1/17/23 15:45	12.6	104.4	8.0	119	7.1	9
1/17/23 16:00	12.6	104.4	8.0	120	7.1	9
1/17/23 16:15	12.6	104.4	8.0	120	7.1	9
1/17/23 16:30	12.6	104.3	8.0	120	7.1	9
1/17/23 16:45	12.6	104.3	8.0	120	7.1	10
1/17/23 17:00	12.6	104.4	8.0	120	7.1	9
1/17/23 17:15	12.6	104.3	8.0	120	7.1	9
1/17/23 17:30	12.6	104.3	8.0	120	7.1	10
1/17/23 17:45	12.6	104.3	8.0	120	7.0	9
1/17/23 18:00	12.6	104.3	8.0	120	7.0	9
1/17/23 18:15	12.6	104.3	8.0	120	7.0	9
1/17/23 18:30	12.6	104.3	8.0	120	7.0	8
1/17/23 18:45	12.6	104.1	8.0	120	7.0	9
1/17/23 19:00	12.6	104.1	8.0	121	7.0	9
1/17/23 19:15	12.6	104.1	8.0	121	7.0	9
1/17/23 19:30	12.6	104.0	8.0	121	7.0	9
1/17/23 19:45	12.6	104.1	8.0	121	7.0	9
1/17/23 20:00	12.6	104.2	8.0	121	7.0	8
1/17/23 20:15	12.6	104.3	8.0	121	7.0	9
1/17/23 20:30	12.6	104.1	8.0	121	7.0	9
1/17/23 20:45	12.6	104.1	8.0	121	7.0	9
1/17/23 21:00	12.7	104.2	8.0	121	7.0	9
1/17/23 21:15	12.7	104.1	8.0	121	6.9	9
1/17/23 21:30	12.7	104.2	8.0	121	6.9	8
1/17/23 21:45	12.7	104.1	8.0	121	6.9	9
1/17/23 22:00	12.7	104.0	8.0	121	6.9	9
1/17/23 22:15	12.7	104.1	8.0	122	6.9	9
1/17/23 22:30	12.7	104.1	8.0	122	6.9	9
1/17/23 22:45	12.7	104.1	8.0	122	6.9	9
1/17/23 23:00	12.7	104.1	8.0	122	6.9	9
1/17/23 23:15	12.7	104.2	8.0	122	6.9	9
1/17/23 23:30	12.7	104.0	8.0	122	6.9	9
1/17/23 23:45	12.7	104.1	8.0	122	6.9	9
1/18/23 0:00	12.7	104.1	8.0	122	6.9	9
1/18/23 0:15	12.7	104.1	8.0	122	6.9	9
1/18/23 0:30	12.7	104.1	8.0	122	6.9	9
1/18/23 0:45	12.7	104.1	8.0	122	6.9	8
1/18/23 1:00	12.7	104.0	8.0	122	6.8	9
1/18/23 1:15	12.7	104.0	8.0	122	6.8	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	12.7	104.0	8.0	122	6.8	9
1/18/23 1:45	12.7	104.0	8.0	122	6.8	8
1/18/23 2:00	12.7	104.0	8.0	123	6.8	9
1/18/23 2:15	12.7	104.0	8.0	123	6.8	8
1/18/23 2:30	12.7	104.0	8.0	123	6.8	9
1/18/23 2:45	12.7	104.1	8.0	123	6.8	9
1/18/23 3:00	12.7	104.1	8.0	123	6.8	9
1/18/23 3:15	12.7	104.1	8.0	123	6.8	8
1/18/23 3:30	12.7	104.1	8.0	123	6.8	8
1/18/23 3:45	12.7	104.0	8.0	123	6.8	8
1/18/23 4:00	12.7	104.0	8.0	123	6.8	9
1/18/23 4:15	12.7	104.1	8.0	123	6.8	9
1/18/23 4:30	12.7	104.0	8.0	123	6.8	9
1/18/23 4:45	12.7	103.9	8.0	123	6.8	8
1/18/23 5:00	12.7	104.0	8.0	123	6.8	8
1/18/23 5:15	12.7	104.0	8.0	123	6.8	8
1/18/23 5:30	12.7	104.0	8.0	123	6.8	8
1/18/23 5:45	12.7	104.1	8.0	123	6.8	8
1/18/23 6:00	12.7	104.0	8.0	123	6.8	9
1/18/23 6:15	12.7	104.0	8.0	123	6.8	8
1/18/23 6:30	12.7	104.1	8.0	123	6.7	8
1/18/23 6:45	12.7	104.0	8.0	123	6.7	8
1/18/23 7:00	12.7	104.0	8.0	124	6.7	8
1/18/23 7:15	12.7	104.0	8.0	124	6.7	8
1/18/23 7:30	12.7	104.0	8.0	124	6.7	8
1/18/23 7:45	12.7	104.1	8.0	124	6.7	8
1/18/23 8:00	12.7	104.0	8.0	124	6.7	8
1/18/23 8:15	12.7	104.1	8.0	124	6.7	8
1/18/23 8:30	12.7	104.1	8.0	124	6.7	8
1/18/23 8:45	12.7	104.1	8.0	124	6.7	8
1/18/23 9:00	12.7	104.0	8.0	124	6.7	8
1/18/23 9:15	12.7	104.0	8.0	124	6.7	8
1/18/23 9:30	12.7	104.0	8.0	124	6.7	8
1/18/23 9:45	12.7	104.0	8.0	124	6.7	8
1/18/23 10:00	12.7	104.0	8.0	124	6.7	9
1/18/23 10:15	12.7	103.9	8.0	124	6.7	8
1/18/23 10:30	12.7	104.1	8.0	124	6.6	8
1/18/23 10:45	12.7	103.9	8.0	124	6.6	8
1/18/23 11:00	12.7	103.9	8.0	124	6.6	8
1/18/23 11:15	12.7	104.0	8.0	124	6.6	8
1/18/23 11:30	12.7	103.9	8.0	125	6.6	8
1/18/23 11:45	12.7	103.9	8.0	125	6.6	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 12:00	12.7	103.9	8.0	125	6.6	8
1/18/23 12:15	12.7	103.8	8.0	125	6.6	8
1/18/23 12:30	12.7	103.8	8.0	125	6.6	8
1/18/23 12:45	12.7	103.8	8.0	125	6.6	8
1/18/23 13:00	12.7	103.8	8.0	125	6.6	8
1/18/23 13:15	12.7	103.7	8.0	125	6.6	8
1/18/23 13:30	12.7	103.8	8.0	125	6.6	8
1/18/23 13:45	12.7	103.6	8.0	125	6.6	8
1/18/23 14:00	12.7	103.7	8.0	125	6.6	8
1/18/23 14:15	12.7	103.6	8.0	125	6.6	8
1/18/23 14:30	12.7	103.6	8.0	125	6.6	8
1/18/23 14:45	12.7	103.6	8.0	125	6.6	7
1/18/23 15:00	12.7	103.5	8.0	125	6.6	8
1/18/23 15:15	12.7	103.6	8.0	125	6.6	8
1/18/23 15:30	12.7	103.5	8.0	125	6.6	8
1/18/23 15:45	12.7	103.6	8.0	125	6.6	7
1/18/23 16:00	12.7	103.6	8.0	125	6.6	7
1/18/23 16:15	12.7	103.7	8.0	125	6.6	7
1/18/23 16:30	12.7	103.6	8.0	125	6.6	8
1/18/23 16:45	12.7	103.7	8.0	125	6.6	8
1/18/23 17:00	12.7	103.7	8.0	125	6.6	7
1/18/23 17:15	12.7	103.8	8.0	125	6.6	7
1/18/23 17:30	12.7	103.7	8.0	125	6.6	7
1/18/23 17:45	12.7	103.7	8.0	125	6.6	8
1/18/23 18:00	12.7	103.7	8.0	125	6.6	7
1/18/23 18:15	12.7	103.8	8.0	125	6.6	8
1/18/23 18:30	12.7	103.6	8.0	125	6.6	7
1/18/23 18:45	12.7	103.8	8.0	125	6.6	7
1/18/23 19:00	12.7	103.9	8.0	125	6.6	7
1/18/23 19:15	12.7	103.8	8.0	124	6.6	7
1/18/23 19:30	12.8	103.8	8.0	124	6.6	8
1/18/23 19:45	12.7	103.8	8.0	124	6.6	8
1/18/23 20:00	12.7	103.9	8.0	124	6.6	7
1/18/23 20:15	12.7	103.8	8.0	124	6.6	8
1/18/23 20:30	12.8	103.8	8.0	124	6.6	7
1/18/23 20:45	12.8	103.8	8.0	124	6.5	8
1/18/23 21:00	12.8	103.8	8.0	124	6.5	8
1/18/23 21:15	12.8	103.9	8.0	124	6.5	7
1/18/23 21:30	12.8	103.8	8.0	124	6.5	7
1/18/23 21:45	12.8	103.8	8.0	124	6.5	7
1/18/23 22:00	12.8	103.9	8.0	124	6.5	7
1/18/23 22:15	12.8	103.9	8.0	124	6.5	7

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 22:30	12.8	103.9	8.0	124	6.5	8
1/18/23 22:45	12.8	103.9	8.0	125	6.5	7
1/18/23 23:00	12.8	104.0	8.0	124	6.4	7
1/18/23 23:15	12.8	103.9	8.0	125	6.4	7
1/18/23 23:30	12.8	104.0	8.0	125	6.4	8
1/18/23 23:45	12.8	104.0	8.0	125	6.4	7
1/19/23 0:00	12.8	104.1	8.0	125	6.4	7
1/19/23 0:15	12.8	104.0	8.0	125	6.4	7
1/19/23 0:30	12.8	104.1	8.0	125	6.4	7
1/19/23 0:45	12.8	104.1	8.0	125	6.4	7
1/19/23 1:00	12.8	104.0	8.0	125	6.4	7
1/19/23 1:15	12.9	104.2	8.0	125	6.4	7
1/19/23 1:30	12.9	104.1	8.0	125	6.3	7
1/19/23 1:45	12.8	104.1	8.0	125	6.3	7
1/19/23 2:00	12.8	104.1	8.0	125	6.3	7
1/19/23 2:15	12.8	104.1	8.0	125	6.3	7
1/19/23 2:30	12.8	104.0	8.0	125	6.3	7
1/19/23 2:45	12.9	104.1	8.0	125	6.3	7
1/19/23 3:00	12.9	104.2	8.0	125	6.3	7
1/19/23 3:15	12.9	104.1	8.0	125	6.3	7
1/19/23 3:30	12.9	104.1	8.0	125	6.3	7
1/19/23 3:45	12.9	104.2	8.0	125	6.3	7
1/19/23 4:00	12.9	104.3	8.0	125	6.3	7
1/19/23 4:15	12.9	104.1	8.0	125	6.3	7
1/19/23 4:30	12.9	104.2	8.0	125	6.3	7
1/19/23 4:45	12.9	104.3	8.0	125	6.3	7
1/19/23 5:00	12.9	104.3	8.0	125	6.3	7
1/19/23 5:15	12.9	104.3	8.0	125	6.3	8
1/19/23 5:30	12.9	104.2	8.0	125	6.3	7
1/19/23 5:45	12.9	104.0	8.0	125	6.3	7
1/19/23 6:00	12.9	104.3	8.0	125	6.2	7
1/19/23 6:15	12.9	104.2	8.0	125	6.2	7
1/19/23 6:30	12.9	104.3	8.0	125	6.2	7
1/19/23 6:45	12.9	104.3	8.0	125	6.2	7
1/19/23 7:00	12.9	104.3	8.0	125	6.2	7
1/19/23 7:15	12.9	104.2	8.0	126	6.2	7
1/19/23 7:30	12.9	104.3	8.0	126	6.2	7
1/19/23 7:45	12.9	104.4	8.0	126	6.1	7
1/19/23 8:00	12.9	104.3	8.0	126	6.1	6
1/19/23 8:15	12.9	104.4	8.0	126	6.1	6
1/19/23 8:30	13.0	104.3	8.0	126	6.1	7
1/19/23 8:45	12.9	104.3	8.0	126	6.1	7

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 9:00	13.0	104.4	8.0	126	6.1	7
1/19/23 9:15	13.0	104.3	8.0	126	6.1	7
1/19/23 9:30	13.0	104.3	8.0	126	6.1	7
1/19/23 9:45	13.0	104.3	8.0	126	6.1	6
1/19/23 10:00	13.0	104.4	8.0	126	6.1	7
1/19/23 10:15	13.0	104.5	8.0	126	6.1	7
1/19/23 10:30	13.0	104.4	8.0	127	6.1	7
1/19/23 10:45	13.0	104.5	8.0	127	6.1	6
1/19/23 11:00	13.0	104.5	8.0	127	6.1	7
1/19/23 11:15	13.0	104.6	8.0	127	6.1	7
1/19/23 11:30	13.0	104.6	8.0	127	6.1	6
1/19/23 11:45	13.0	104.7	8.0	127	6.1	6
1/19/23 12:00	13.0	104.7	8.0	127	6.1	7
1/19/23 12:15	13.0	104.7	8.0	127	6.1	7
1/19/23 12:30	13.0	104.7	8.0	127	6.1	7
1/19/23 12:45	13.0	104.8	8.0	127	6.1	7
1/19/23 13:00	13.0	104.7	8.0	127	6.1	7
1/19/23 13:15	13.0	104.8	8.0	127	6.1	7
1/19/23 13:30	13.0	104.6	8.0	127	6.2	7
1/19/23 13:45	13.0	104.7	8.0	127	6.2	7
1/19/23 14:00	13.0	104.7	8.0	127	6.2	7
1/19/23 14:15	13.0	104.7	8.0	127	6.2	6
1/19/23 14:30	12.9	104.8	8.0	127	6.2	7
1/19/23 14:45	12.9	104.7	8.0	127	6.3	6
1/19/23 15:00	12.9	104.6	8.0	127	6.3	6
1/19/23 15:15	12.9	104.7	8.0	127	6.3	7
1/19/23 15:30	12.9	104.8	8.0	127	6.3	6
1/19/23 15:45	12.9	104.5	8.0	127	6.3	6
1/19/23 16:00	12.9	104.6	8.0	127	6.3	7
1/19/23 16:15	12.9	104.6	8.0	128	6.3	6
1/19/23 16:30	12.9	104.4	8.0	128	6.3	6
1/19/23 16:45	12.9	104.5	8.0	128	6.3	6
1/19/23 17:00	12.9	104.5	8.0	128	6.3	6
1/19/23 17:15	12.9	104.3	8.0	128	6.3	6
1/19/23 17:30	12.9	104.3	8.0	128	6.3	7
1/19/23 17:45	12.9	104.3	8.0	128	6.3	6
1/19/23 18:00	12.9	104.4	8.0	128	6.3	7
1/19/23 18:15	12.9	104.4	8.0	128	6.3	6
1/19/23 18:30	12.9	104.3	8.0	128	6.3	7
1/19/23 18:45	12.9	104.3	8.0	128	6.3	6
1/19/23 19:00	12.9	104.1	8.0	128	6.3	6
1/19/23 19:15	12.9	104.3	8.0	128	6.3	7

Klamath River at Orleans (11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 19:30	12.9	104.4	8.0	128	6.3	6
1/19/23 19:45	12.9	104.1	8.0	128	6.3	6
1/19/23 20:00	12.9	104.2	8.0	128	6.3	6
1/19/23 20:15	12.9	104.3	8.0	129	6.3	6
1/19/23 20:30	12.9	104.2	8.0	128	6.3	6
1/19/23 20:45	12.9	104.2	8.0	129	6.3	6
1/19/23 21:00	12.9	104.3	8.0	129	6.3	6
1/19/23 21:15	12.9	104.4	8.0	128	6.2	7
1/19/23 21:30	12.9	104.3	8.0	129	6.2	6
1/19/23 21:45	12.9	104.3	8.0	129	6.2	6
1/19/23 22:00	12.9	104.3	8.0	129	6.2	6
1/19/23 22:15	12.9	104.3	8.0	129	6.2	6
1/19/23 22:30	12.9	104.3	8.0	129	6.2	6
1/19/23 22:45	12.9	104.3	8.0	129	6.2	6
1/19/23 23:00	12.9	104.4	8.0	129	6.2	6
1/19/23 23:15	13.0	104.5	8.0	129	6.2	6
1/19/23 23:30	12.9	104.4	8.0	129	6.1	6
1/19/23 23:45	12.9	104.4	8.0	129	6.1	6
1/20/23 0:00	12.9	104.3	8.0	129	6.1	6
1/20/23 0:15	13.0	104.4	8.0	129	6.1	6
1/20/23 0:30	13.0	104.3	8.0	129	6.1	6
1/20/23 0:45	12.9	104.3	8.0	129	6.1	6
1/20/23 1:00	13.0	104.4	8.0	129	6.1	6
1/20/23 1:15	13.0	104.5	8.0	129	6.1	6
1/20/23 1:30	13.0	104.5	8.0	129	6.1	6
1/20/23 1:45	13.0	104.4	8.0	129	6.1	6
1/20/23 2:00	13.0	104.4	8.0	129	6.0	6
1/20/23 2:15	13.0	104.4	8.0	129	6.1	6
1/20/23 2:30	13.0	104.5	8.0	129	6.0	6
1/20/23 2:45	13.0	104.5	8.0	129	6.0	6
1/20/23 3:00	13.0	104.3	8.0	130	6.0	6
1/20/23 3:15	13.0	104.5	8.0	130	6.0	6
1/20/23 3:30	13.0	104.3	8.0	129	6.0	6
1/20/23 3:45	13.0	104.5	8.0	130	6.0	6
1/20/23 4:00	13.0	104.4	8.0	130	6.0	5
1/20/23 4:15	13.0	104.5	8.0	130	6.0	6
1/20/23 4:30	13.0	104.3	8.0	130	6.0	6
1/20/23 4:45	13.0	104.5	8.0	130	6.0	6
1/20/23 5:00	13.0	104.3	8.0	130	6.0	6
1/20/23 5:15	13.0	104.4	8.0	130	6.0	6
1/20/23 5:30	13.0	104.3	8.0	130	6.0	6
1/20/23 5:45	13.0	104.3	8.0	130	6.0	6

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 6:00	13.0	104.3	8.0	130	6.0	6
1/20/23 6:15	13.0	104.3	8.0	130	6.0	6
1/20/23 6:30	13.0	104.3	8.0	130	6.0	6
1/20/23 6:45	13.0	104.3	8.0	130	6.0	6
1/20/23 7:00	13.0	104.3	8.0	130	5.9	6
1/20/23 7:15	13.0	104.2	8.0	130	6.0	6
1/20/23 7:30	13.0	104.3	8.0	130	5.9	6
1/20/23 7:45	13.0	104.3	8.0	130	5.9	5
1/20/23 8:00	13.0	104.4	8.0	130	5.9	6
1/20/23 8:15	13.0	104.2	8.0	130	5.9	6
1/20/23 8:30	13.0	104.3	8.0	130	5.9	6
1/20/23 8:45	13.0	104.3	8.0	130	5.9	6
1/20/23 9:00	13.0	104.3	8.0	130	5.9	6
1/20/23 9:15	13.0	104.3	8.0	130	5.9	6
1/20/23 9:30	13.0	104.1	8.0	130	5.9	6
1/20/23 9:45	13.0	104.3	8.0	131	5.9	6
1/20/23 10:00	13.0	104.3	8.0	131	5.9	6
1/20/23 10:15	13.0	104.4	8.0	131	5.9	6
1/20/23 10:30	13.0	104.4	8.0	131	5.9	6
1/20/23 10:45	13.1	104.5	8.0	131	5.9	6
1/20/23 11:00	13.1	104.6	8.0	131	5.9	6
1/20/23 11:15	13.1	104.5	8.0	131	5.9	6
1/20/23 11:30	13.1	104.6	8.0	131	5.9	6
1/20/23 11:45	13.1	104.7	8.0	131	5.9	6
1/20/23 12:00	13.0	104.6	8.0	131	5.9	6
1/20/23 12:15	13.1	104.6	8.0	131	5.9	6
1/20/23 12:30	13.0	104.7	8.0	131	5.9	6
1/20/23 12:45	13.1	104.6	8.0	131	5.9	6
1/20/23 13:00	13.1	104.8	8.0	131	6.0	6
1/20/23 13:15	13.0	104.7	8.0	131	6.0	6
1/20/23 13:30	13.0	104.9	8.0	131	6.0	6
1/20/23 13:45	13.0	104.8	8.0	131	6.0	6
1/20/23 14:00	13.0	104.8	8.0	131	6.0	6
1/20/23 14:15	13.0	104.8	8.0	131	6.1	6
1/20/23 14:30	13.0	104.7	8.0	131	6.1	6
1/20/23 14:45	13.0	104.5	8.0	131	6.1	6
1/20/23 15:00	13.0	104.6	8.0	131	6.1	6
1/20/23 15:15	13.0	104.5	8.0	131	6.1	6
1/20/23 15:30	13.0	104.6	8.0	131	6.1	6
1/20/23 15:45	13.0	104.5	8.0	131	6.1	6
1/20/23 16:00	12.9	104.4	8.0	131	6.1	6
1/20/23 16:15	12.9	104.4	8.0	131	6.1	6

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	13.0	104.3	8.0	131	6.1	6
1/20/23 16:45	12.9	104.4	8.0	131	6.1	6
1/20/23 17:00	12.9	104.2	8.0	131	6.1	5
1/20/23 17:15	13.0	104.2	8.0	131	6.0	6
1/20/23 17:30	13.0	104.2	8.0	131	6.0	6
1/20/23 17:45	12.9	104.2	8.0	131	6.0	6
1/20/23 18:00	13.0	104.2	8.0	131	6.0	6
1/20/23 18:15	13.0	104.2	8.0	132	6.0	6
1/20/23 18:30	13.0	104.1	8.0	132	6.0	6
1/20/23 18:45	13.0	104.0	8.0	131	5.9	6
1/20/23 19:00	13.0	104.0	8.0	131	5.9	6
1/20/23 19:15	13.0	104.1	8.0	132	5.9	6
1/20/23 19:30	13.0	104.2	8.0	132	5.9	6
1/20/23 19:45	13.0	104.2	8.0	132	5.9	6
1/20/23 20:00	13.0	104.0	8.0	131	5.9	6
1/20/23 20:15	13.0	104.2	8.0	132	5.8	6
1/20/23 20:30	13.0	104.0	8.0	132	5.8	6
1/20/23 20:45	13.0	104.0	8.0	132	5.8	6
1/20/23 21:00	13.0	104.2	8.0	132	5.8	6
1/20/23 21:15	13.0	104.0	8.0	132	5.8	6
1/20/23 21:30	13.0	103.9	8.0	132	5.8	6
1/20/23 21:45	13.0	104.1	8.0	132	5.8	6
1/20/23 22:00	13.0	104.1	8.0	132	5.7	6
1/20/23 22:15	13.0	104.1	8.0	132	5.7	5
1/20/23 22:30	13.1	104.2	8.0	132	5.7	6
1/20/23 22:45	13.0	104.0	8.0	132	5.7	5
1/20/23 23:00	13.1	104.1	8.0	132	5.7	6
1/20/23 23:15	13.0	104.1	8.0	132	5.7	6
1/20/23 23:30	13.1	104.3	8.0	132	5.6	6
1/20/23 23:45	13.1	104.1	8.0	132	5.6	5
1/21/23 0:00	13.1	104.3	8.0	132	5.6	5
1/21/23 0:15	13.1	104.3	8.0	132	5.6	5
1/21/23 0:30	13.1	104.3	8.0	132	5.6	5
1/21/23 0:45	13.1	104.2	8.0	132	5.6	6
1/21/23 1:00	13.1	104.1	8.0	132	5.6	5
1/21/23 1:15	13.1	104.1	8.0	132	5.6	6
1/21/23 1:30	13.1	104.0	8.0	132	5.6	6
1/21/23 1:45	13.1	104.1	8.0	132	5.6	5
1/21/23 2:00	13.1	104.2	8.0	132	5.6	6
1/21/23 2:15	13.1	104.4	8.0	132	5.6	6
1/21/23 2:30	13.1	104.3	8.0	132	5.5	6
1/21/23 2:45	13.1	104.3	8.0	133	5.5	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 3:00	13.1	104.2	8.0	133	5.5	6
1/21/23 3:15	13.1	104.3	8.0	133	5.5	6
1/21/23 3:30	13.2	104.4	8.0	133	5.5	6
1/21/23 3:45	13.2	104.3	8.0	133	5.5	6
1/21/23 4:00	13.2	104.3	8.0	133	5.5	5
1/21/23 4:15	13.2	104.2	8.0	133	5.5	6
1/21/23 4:30	13.2	104.3	8.0	133	5.5	6
1/21/23 4:45	13.2	104.3	8.0	133	5.5	6
1/21/23 5:00	13.2	104.2	8.0	133	5.5	6
1/21/23 5:15	13.1	104.3	8.0	133	5.5	5
1/21/23 5:30	13.2	104.2	8.0	133	5.5	6
1/21/23 5:45	13.2	104.3	8.0	133	5.4	6
1/21/23 6:00	13.2	104.1	8.0	133	5.5	6
1/21/23 6:15	13.1	104.3	8.0	133	5.4	5
1/21/23 6:30	13.1	104.3	8.0	133	5.5	5
1/21/23 6:45	13.2	104.3	8.0	133	5.5	6
1/21/23 7:00	13.2	104.3	8.0	133	5.5	6
1/21/23 7:15	13.2	104.2	8.0	134	5.5	5
1/21/23 7:30	13.1	104.3	8.0	134	5.5	6
1/21/23 7:45	13.2	104.2	8.0	133	5.5	6
1/21/23 8:00	13.2	104.2	8.0	134	5.5	6
1/21/23 8:15	13.2	104.3	8.0	134	5.5	6
1/21/23 8:30	13.2	104.2	8.0	134	5.5	5
1/21/23 8:45	13.2	104.3	8.0	134	5.5	6
1/21/23 9:00	13.2	104.2	8.0	134	5.4	6
1/21/23 9:15	13.2	104.3	8.0	134	5.4	5
1/21/23 9:30	13.2	104.3	8.0	134	5.4	6
1/21/23 9:45	13.2	104.3	8.0	134	5.4	5
1/21/23 10:00	13.2	104.3	8.0	134	5.4	6
1/21/23 10:15	13.2	104.3	8.0	134	5.4	6
1/21/23 10:30	13.2	104.4	8.0	134	5.5	6
1/21/23 10:45	13.2	104.3	8.0	134	5.5	5
1/21/23 11:00	13.2	104.5	8.0	134	5.5	6
1/21/23 11:15	13.2	104.6	8.0	134	5.5	6
1/21/23 11:30	13.2	104.5	8.0	134	5.5	5
1/21/23 11:45	13.2	104.4	8.0	134	5.5	5
1/21/23 12:00	13.2	104.5	8.0	134	5.5	5
1/21/23 12:15	13.2	104.5	8.0	134	5.5	6
1/21/23 12:30	13.2	104.7	8.0	134	5.5	6
1/21/23 12:45	13.2	104.6	8.0	134	5.5	5
1/21/23 13:00	13.2	104.6	8.0	134	5.5	5
1/21/23 13:15	13.2	104.6	8.0	134	5.6	6

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 13:30	13.2	104.9	8.0	134	5.6	5
1/21/23 13:45	13.1	104.6	8.0	134	5.6	5
1/21/23 14:00	13.1	104.9	8.0	134	5.6	6
1/21/23 14:15	13.2	104.8	8.0	134	5.6	5
1/21/23 14:30	13.1	104.4	8.0	135	5.7	5
1/21/23 14:45	13.1	104.8	8.0	135	5.7	5
1/21/23 15:00	13.1	104.6	8.0	135	5.7	6
1/21/23 15:15	13.1	104.5	8.0	135	5.7	5
1/21/23 15:30	13.1	104.3	8.0	134	5.7	5
1/21/23 15:45	13.1	104.5	8.0	135	5.7	5
1/21/23 16:00	13.1	104.1	8.0	135	5.8	6
1/21/23 16:15	13.1	104.3	8.0	135	5.8	5
1/21/23 16:30	13.0	104.1	8.0	135	5.8	5
1/21/23 16:45	13.0	104.1	8.0	135	5.8	5
1/21/23 17:00	13.1	104.0	8.0	135	5.8	5
1/21/23 17:15	13.0	104.2	8.0	135	5.8	5
1/21/23 17:30	13.0	104.1	8.0	135	5.8	6
1/21/23 17:45	13.0	104.1	8.0	135	5.8	5
1/21/23 18:00	13.0	104.0	8.0	135	5.8	5
1/21/23 18:15	13.0	103.9	8.0	135	5.8	5
1/21/23 18:30	13.0	104.1	8.0	135	5.8	5
1/21/23 18:45	13.0	103.9	8.0	135	5.8	5
1/21/23 19:00	13.0	103.8	8.0	135	5.8	5
1/21/23 19:15	13.0	103.9	8.0	135	5.8	5
1/21/23 19:30	13.0	103.9	8.0	135	5.8	6
1/21/23 19:45	13.0	103.9	8.0	135	5.8	5
1/21/23 20:00	13.0	103.8	8.0	135	5.8	5
1/21/23 20:15	13.0	103.4	8.0	135	5.8	5
1/21/23 20:30	13.0	103.9	8.0	135	5.8	5
1/21/23 20:45	13.0	103.7	8.0	135	5.8	6
1/21/23 21:00	13.0	103.8	8.0	135	5.8	5
1/21/23 21:15	13.0	103.9	8.0	135	5.8	5
1/21/23 21:30	13.0	103.9	8.0	135	5.8	5
1/21/23 21:45	13.0	103.8	8.0	135	5.8	6
1/21/23 22:00	13.0	103.9	8.0	135	5.8	5
1/21/23 22:15	13.0	103.8	8.0	135	5.8	5
1/21/23 22:30	13.0	103.5	8.0	135	5.8	5
1/21/23 22:45	13.0	103.7	8.0	135	5.8	5
1/21/23 23:00	13.0	103.6	8.0	135	5.8	5
1/21/23 23:15	13.0	103.6	8.0	135	5.8	5
1/21/23 23:30	13.0	103.6	8.0	135	5.8	5
1/21/23 23:45	13.0	103.9	8.0	135	5.8	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 0:00	13.0	103.6	8.0	135	5.8	5
1/22/23 0:15	13.0	103.6	8.0	135	5.8	5
1/22/23 0:30	13.0	103.6	8.0	135	5.7	5
1/22/23 0:45	13.0	103.7	8.0	135	5.7	5
1/22/23 1:00	13.0	103.7	8.0	135	5.7	5
1/22/23 1:15	13.0	103.9	8.0	135	5.7	5
1/22/23 1:30	13.0	103.5	8.0	135	5.7	5
1/22/23 1:45	13.0	103.5	8.0	135	5.7	5
1/22/23 2:00	13.0	103.7	8.0	135	5.7	5
1/22/23 2:15	13.0	103.8	8.0	135	5.7	5
1/22/23 2:30	13.0	103.8	8.0	136	5.7	5
1/22/23 2:45	13.0	103.4	8.0	135	5.7	5
1/22/23 3:00	13.0	103.6	8.0	136	5.7	5
1/22/23 3:15	13.0	103.8	8.0	135	5.7	5
1/22/23 3:30	13.0	103.7	8.0	136	5.7	5
1/22/23 3:45	13.0	103.7	8.0	136	5.7	5
1/22/23 4:00	13.0	103.6	8.0	136	5.7	5
1/22/23 4:15	13.0	103.4	8.0	136	5.6	5
1/22/23 4:30	13.0	103.4	8.0	136	5.6	5
1/22/23 4:45	13.0	103.8	8.0	136	5.6	5
1/22/23 5:00	13.0	103.5	8.0	136	5.6	5
1/22/23 5:15	13.0	103.8	8.0	136	5.6	5
1/22/23 5:30	13.0	103.6	8.0	136	5.6	5
1/22/23 5:45	13.0	103.7	8.0	136	5.6	5
1/22/23 6:00	13.0	103.8	8.0	136	5.6	5
1/22/23 6:15	13.0	103.8	8.0	136	5.6	5
1/22/23 6:30	13.0	103.5	8.0	136	5.6	5
1/22/23 6:45	13.0	103.8	8.0	136	5.7	5
1/22/23 7:00	13.0	103.7	8.0	136	5.7	5
1/22/23 7:15	13.0	103.7	8.0	136	5.7	5
1/22/23 7:30	13.0	103.7	8.0	136	5.7	5
1/22/23 7:45	13.0	103.3	8.0	136	5.7	5
1/22/23 8:00	13.0	103.5	8.0	136	5.7	5
1/22/23 8:15	13.0	103.6	8.0	136	5.7	5
1/22/23 8:30	13.0	103.5	8.0	136	5.7	5
1/22/23 8:45	13.0	103.4	8.0	136	5.7	5
1/22/23 9:00	13.0	103.7	8.0	136	5.7	5
1/22/23 9:15	13.0	103.6	8.0	136	5.7	5
1/22/23 9:30	13.0	103.8	8.0	136	5.7	5
1/22/23 9:45	13.0	103.8	8.0	136	5.7	5
1/22/23 10:00	13.0	103.7	8.0	136	5.7	5
1/22/23 10:15	13.0	103.9	8.0	137	5.7	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 10:30	13.0	103.5	8.0	137	5.7	5
1/22/23 10:45	13.0	103.9	8.0	137	5.7	5
1/22/23 11:00	13.0	103.9	8.0	137	5.7	5
1/22/23 11:15	13.0	104.0	8.0	136	5.7	5
1/22/23 11:30	13.0	103.6	8.0	137	5.7	5
1/22/23 11:45	13.0	104.0	8.0	137	5.8	5
1/22/23 12:00	13.0	103.8	8.0	137	5.8	5
1/22/23 12:15	13.0	104.0	8.0	137	5.8	5
1/22/23 12:30	13.0	104.0	8.0	137	5.8	5
1/22/23 12:45	13.0	104.0	8.0	137	5.8	5
1/22/23 13:00	13.0	104.1	8.0	137	5.8	5
1/22/23 13:15	13.0	104.1	8.0	137	5.8	5
1/22/23 13:30	13.0	104.1	8.0	137	5.9	5
1/22/23 13:45	13.0	104.0	8.0	137	5.9	5
1/22/23 14:00	13.0	104.1	8.0	137	5.9	5
1/22/23 14:15	13.0	104.0	8.0	137	5.9	5
1/22/23 14:30	13.0	104.0	8.0	137	6.0	5
1/22/23 14:45	12.9	103.9	8.0	137	6.0	5
1/22/23 15:00	12.9	103.8	8.0	137	6.0	5
1/22/23 15:15	12.9	103.9	8.0	137	6.0	5
1/22/23 15:30	12.9	103.9	8.0	137	6.0	5
1/22/23 15:45	12.9	103.8	8.0	137	6.0	5
1/22/23 16:00	12.9	103.8	8.0	137	6.0	5
1/22/23 16:15	12.9	103.8	8.0	137	6.0	5
1/22/23 16:30	12.9	103.3	8.0	137	6.0	5
1/22/23 16:45	12.9	103.5	8.0	137	6.0	5
1/22/23 17:00	12.9	103.3	8.0	137	6.0	5
1/22/23 17:15	12.9	103.5	8.0	137	6.0	5
1/22/23 17:30	12.8	103.4	8.0	137	6.0	5
1/22/23 17:45	12.9	103.4	8.0	137	6.0	5
1/22/23 18:00	12.9	103.4	8.0	137	6.0	5
1/22/23 18:15	12.8	103.2	8.0	137	6.0	5
1/22/23 18:30	12.9	103.4	8.0	137	6.0	5
1/22/23 18:45	12.9	103.4	8.0	137	6.0	5
1/22/23 19:00	12.9	103.1	8.0	137	6.0	5
1/22/23 19:15	12.9	103.4	8.0	137	6.0	5
1/22/23 19:30	12.8	103.4	8.0	137	6.0	5
1/22/23 19:45	12.8	103.3	8.0	138	6.0	5
1/22/23 20:00	12.9	103.1	8.0	137	6.0	5
1/22/23 20:15	12.8	103.2	8.0	138	6.0	5
1/22/23 20:30	12.8	103.1	8.0	138	6.0	5
1/22/23 20:45	12.9	103.1	8.0	138	5.9	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	12.9	103.0	8.0	138	5.9	5
1/22/23 21:15	12.9	103.3	8.0	137	5.9	5
1/22/23 21:30	12.9	103.1	8.0	137	5.9	5
1/22/23 21:45	12.9	103.3	8.0	138	5.9	5
1/22/23 22:00	12.8	103.3	8.0	138	5.9	5
1/22/23 22:15	12.9	102.9	8.0	138	5.9	5
1/22/23 22:30	12.9	103.3	8.0	138	5.9	5
1/22/23 22:45	12.9	103.1	8.0	138	5.9	5
1/22/23 23:00	12.8	103.2	8.0	138	5.9	5
1/22/23 23:15	12.9	102.8	8.0	138	5.8	5
1/22/23 23:30	12.9	103.2	8.0	138	5.8	5
1/22/23 23:45	12.9	102.9	8.0	138	5.8	5
1/23/23 0:00	12.9	103.1	8.0	138	5.8	5
1/23/23 0:15	12.9	103.3	8.0	138	5.8	5
1/23/23 0:30	12.9	103.2	8.0	138	5.8	5
1/23/23 0:45	12.9	102.9	8.0	138	5.8	5
1/23/23 1:00	12.9	103.1	8.0	138	5.8	5
1/23/23 1:15	12.9	103.1	8.0	138	5.8	5
1/23/23 1:30	12.9	103.0	8.0	138	5.8	5
1/23/23 1:45	12.9	102.9	8.0	138	5.8	5
1/23/23 2:00	12.9	102.9	8.0	138	5.8	5
1/23/23 2:15	12.9	103.0	8.0	138	5.8	5
1/23/23 2:30	12.9	102.8	8.0	138	5.8	5
1/23/23 2:45	12.9	103.0	8.0	138	5.7	5
1/23/23 3:00	12.9	103.1	8.0	138	5.7	5
1/23/23 3:15	12.9	103.1	8.0	138	5.7	5
1/23/23 3:30	12.9	103.0	8.0	138	5.7	5
1/23/23 3:45	12.9	103.0	8.0	138	5.7	5
1/23/23 4:00	12.9	102.9	8.0	138	5.7	5
1/23/23 4:15	12.9	103.2	8.0	138	5.6	5
1/23/23 4:30	12.9	102.9	8.0	138	5.6	5
1/23/23 4:45	12.9	103.2	8.0	138	5.6	5
1/23/23 5:00	12.9	102.8	8.0	138	5.6	5
1/23/23 5:15	13.0	103.2	8.0	138	5.6	5
1/23/23 5:30	13.0	102.9	8.0	138	5.6	5
1/23/23 5:45	12.9	103.1	8.0	139	5.6	5
1/23/23 6:00	13.0	103.0	8.0	139	5.5	5
1/23/23 6:15	13.0	103.1	8.0	139	5.5	4
1/23/23 6:30	13.0	103.0	8.0	139	5.5	5
1/23/23 6:45	13.0	103.0	8.0	139	5.5	5
1/23/23 7:00	13.0	103.1	8.0	139	5.5	5
1/23/23 7:15	13.0	102.9	8.0	139	5.5	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 7:30	13.0	102.8	8.0	139	5.5	5
1/23/23 7:45	13.0	103.0	8.0	139	5.5	5
1/23/23 8:00	13.0	103.1	8.0	139	5.5	5
1/23/23 8:15	13.0	103.1	8.0	139	5.5	5
1/23/23 8:30	13.0	103.1	8.0	139	5.5	5
1/23/23 8:45	13.0	102.8	8.0	139	5.4	5
1/23/23 9:00	13.0	103.0	8.0	139	5.4	5
1/23/23 9:15	13.0	103.0	8.0	139	5.4	5
1/23/23 9:30	13.0	102.9	8.0	139	5.4	5
1/23/23 9:45	13.0	102.6	8.0	139	5.4	5
1/23/23 10:00	13.0	103.3	8.0	139	5.4	5
1/23/23 10:15	13.0	103.3	8.0	139	5.4	5
1/23/23 10:30	13.0	103.0	8.0	139	5.5	5
1/23/23 10:45	13.1	103.3	8.0	139	5.5	5
1/23/23 11:00	13.1	103.2	8.0	139	5.5	5
1/23/23 11:15	13.0	103.4	8.0	139	5.5	5
1/23/23 11:30	13.0	103.4	8.0	139	5.5	5
1/23/23 11:45	13.1	103.3	8.0	139	5.5	5
1/23/23 12:00	13.1	103.6	8.0	139	5.5	5
1/23/23 12:15	13.1	103.4	8.0	139	5.5	5
1/23/23 12:30	13.1	103.6	8.0	139	5.5	5
1/23/23 12:45	13.0	103.8	8.0	139	5.5	5
1/23/23 13:00	13.1	103.7	8.0	139	5.5	5
1/23/23 13:15	13.1	103.6	8.0	139	5.6	5
1/23/23 13:30	13.1	103.8	8.0	139	5.6	5
1/23/23 13:45	13.1	103.7	8.0	139	5.6	5
1/23/23 14:00	13.0	103.9	8.0	139	5.6	5
1/23/23 14:15	13.0	103.6	8.0	139	5.6	5
1/23/23 14:30	13.0	103.7	8.0	139	5.7	5
1/23/23 14:45	13.0	103.8	8.0	139	5.7	5
1/23/23 15:00	13.0	103.8	8.0	139	5.7	5
1/23/23 15:15	13.0	103.5	8.0	139	5.7	5
1/23/23 15:30	13.0	103.7	8.0	139	5.7	5
1/23/23 15:45	13.0	103.5	8.0	139	5.8	5
1/23/23 16:00	13.0	103.6	8.0	139	5.8	5
1/23/23 16:15	12.9	103.2	8.0	139	5.8	5
1/23/23 16:30	12.9	103.1	8.0	139	5.8	5
1/23/23 16:45	12.9	103.2	8.0	139	5.8	5
1/23/23 17:00	12.9	103.0	8.0	139	5.8	5
1/23/23 17:15	12.9	103.1	8.0	139	5.7	5
1/23/23 17:30	12.9	102.9	8.0	139	5.7	5
1/23/23 17:45	12.9	103.0	8.0	140	5.7	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 18:00	12.9	103.2	8.0	140	5.7	5
1/23/23 18:15	12.9	102.8	8.0	140	5.7	5
1/23/23 18:30	12.9	103.2	8.0	140	5.7	5
1/23/23 18:45	12.9	103.0	8.0	139	5.7	5
1/23/23 19:00	12.9	103.0	8.0	139	5.7	5
1/23/23 19:15	12.9	103.1	8.0	140	5.7	5
1/23/23 19:30	12.9	102.9	8.0	140	5.7	5
1/23/23 19:45	12.9	102.7	8.0	140	5.6	4
1/23/23 20:00	12.9	103.1	8.0	139	5.6	5
1/23/23 20:15	12.9	103.1	8.0	140	5.6	5
1/23/23 20:30	12.9	102.9	8.0	139	5.6	5
1/23/23 20:45	12.9	102.9	8.0	140	5.6	5
1/23/23 21:00	13.0	102.7	8.0	140	5.6	5
1/23/23 21:15	13.0	102.8	8.0	140	5.6	5
1/23/23 21:30	12.9	103.1	8.0	140	5.6	5
1/23/23 21:45	13.0	103.1	8.0	140	5.6	5
1/23/23 22:00	13.0	102.8	8.0	140	5.6	5
1/23/23 22:15	13.0	103.1	8.0	140	5.6	5
1/23/23 22:30	13.0	103.1	8.0	140	5.6	5
1/23/23 22:45	12.9	102.9	8.0	140	5.6	5
1/23/23 23:00	13.0	102.7	8.0	140	5.6	5
1/23/23 23:15	12.9	103.1	8.0	140	5.6	5
1/23/23 23:30	13.0	103.2	8.0	140	5.6	5
1/23/23 23:45	13.0	103.2	8.0	140	5.5	5
1/24/23 0:00	13.0	103.1	8.0	140	5.5	5
1/24/23 0:15	13.0	103.3	8.0	140	5.5	5
1/24/23 0:30	13.0	102.8	8.0	140	5.5	5
1/24/23 0:45	13.0	103.3	8.0	140	5.5	5
1/24/23 1:00	13.0	103.1	8.0	140	5.5	5
1/24/23 1:15	13.0	103.2	8.0	140	5.5	5
1/24/23 1:30	13.0	103.3	8.0	140	5.5	5
1/24/23 1:45	13.0	103.0	8.0	140	5.5	5
1/24/23 2:00	13.0	103.2	8.0	140	5.5	5
1/24/23 2:15	13.0	103.2	8.0	140	5.5	4
1/24/23 2:30	13.0	103.5	8.0	140	5.5	5
1/24/23 2:45	13.0	103.4	8.0	140	5.5	5
1/24/23 3:00	13.0	103.3	8.0	140	5.5	5
1/24/23 3:15	13.1	103.3	8.0	140	5.5	5
1/24/23 3:30	13.0	103.4	8.0	140	5.5	5
1/24/23 3:45	13.1	103.3	8.0	140	5.5	5
1/24/23 4:00	13.1	102.9	8.0	140	5.4	5
1/24/23 4:15	13.1	103.4	8.0	140	5.4	5

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 4:30	13.0	103.4	8.0	140	5.4	5
1/24/23 4:45	13.0	103.4	8.0	140	5.4	5
1/24/23 5:00	13.1	103.6	8.0	140	5.4	5
1/24/23 5:15	13.1	103.2	8.0	140	5.4	4
1/24/23 5:30	13.1	103.5	8.0	140	5.4	5
1/24/23 5:45	13.1	103.4	8.0	140	5.4	5
1/24/23 6:00	13.1	103.3	8.0	140	5.4	5
1/24/23 6:15	13.1	103.5	8.0	140	5.3	5
1/24/23 6:30	13.1	103.4	8.0	140	5.3	5
1/24/23 6:45	13.1	103.3	8.0	140	5.3	5
1/24/23 7:00	13.1	103.5	8.0	140	5.3	5
1/24/23 7:15	13.1	103.5	8.0	140	5.3	5
1/24/23 7:30	13.1	103.5	8.0	140	5.3	5
1/24/23 7:45	13.1	103.5	8.0	140	5.3	5
1/24/23 8:00	13.1	103.6	8.0	140	5.3	5
1/24/23 8:15	13.1	103.6	8.0	140	5.3	5
1/24/23 8:30	13.1	103.5	8.0	140	5.3	5
1/24/23 8:45	13.1	103.5	8.0	140	5.3	5
1/24/23 9:00	13.1	103.5	8.0	140	5.3	5
1/24/23 9:15	13.1	103.4	8.0	140	5.3	5
1/24/23 9:30	13.1	103.6	8.0	140	5.3	5
1/24/23 9:45	13.1	103.7	8.0	140	5.3	5
1/24/23 10:00	13.1	103.7	8.0	140	5.3	5
1/24/23 10:15	13.1	103.9	8.0	140	5.4	5
1/24/23 10:30	13.1	103.7	8.0	140	5.4	5
1/24/23 10:45	13.1	103.8	8.0	140	5.4	4
1/24/23 11:00	13.1	103.8	8.0	140	5.4	4
1/24/23 11:15	13.2	104.1	8.0	140	5.4	4
1/24/23 11:30	13.2	104.2	8.0	140	5.4	4
1/24/23 11:45	13.2	104.2			5.4	4
1/24/23 12:00					5.4	
1/24/23 12:15		67.4	7.0		5.4	
1/24/23 12:30	8.5				5.5	49
1/24/23 12:45	12.5			139	5.5	304
1/24/23 13:00	13.0		7.8	139	5.5	200
1/24/23 13:15	13.2	104.4	7.8	139	5.5	64
1/24/23 13:30	13.2	104.4	7.8	139	5.6	44
1/24/23 13:45	13.2	104.5	7.9	139	5.6	46
1/24/23 14:00	13.2	104.7	7.9	139	5.6	16
1/24/23 14:15	13.2	104.6	7.9	139	5.6	13
1/24/23 14:30	13.2	104.9	7.9	139	5.6	15
1/24/23 14:45	13.1	104.6	7.9	139	5.6	14

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 15:00	13.2	104.9	7.9	139	5.7	12
1/24/23 15:15	13.1	104.7	7.9	139	5.7	15
1/24/23 15:30	13.1	104.6	7.9	139	5.7	10
1/24/23 15:45	13.1	104.6	7.9	140	5.7	11
1/24/23 16:00	13.1	104.6	7.9	140	5.7	10
1/24/23 16:15	13.1	104.5	7.9	140	5.7	10
1/24/23 16:30	13.1	104.5	7.9	140	5.7	11
1/24/23 16:45	13.1	104.5	7.9	140	5.7	11
1/24/23 17:00	13.1	104.3	7.9	140	5.7	9
1/24/23 17:15	13.1	104.5	7.9	140	5.7	9
1/24/23 17:30	13.1	104.3	7.9	140	5.7	11
1/24/23 17:45	13.1	104.2	7.9	140	5.7	9
1/24/23 18:00	13.1	104.1	7.9	140	5.7	10
1/24/23 18:15	13.1	104.0	7.9	140	5.7	9
1/24/23 18:30	13.1	104.1	7.9	140	5.6	9
1/24/23 18:45	13.1	104.1	7.9	140	5.6	9
1/24/23 19:00	13.1	104.1	7.9	140	5.6	10
1/24/23 19:15	13.1	104.0	7.9	140	5.6	10
1/24/23 19:30	13.1	104.1	7.9	140	5.6	9
1/24/23 19:45	13.1	104.2	7.9	140	5.6	9
1/24/23 20:00	13.1	104.1	7.9	140	5.6	9
1/24/23 20:15	13.1	104.2	7.9	140	5.6	9
1/24/23 20:30	13.1	104.1	7.9	140	5.6	9
1/24/23 20:45	13.1	104.0	7.9	140	5.6	10
1/24/23 21:00	13.1	104.1	7.9	140	5.6	9
1/24/23 21:15	13.1	104.1	7.9	140	5.6	10
1/24/23 21:30	13.1	104.1	7.9	140	5.6	9
1/24/23 21:45	13.1	104.1	7.9	140	5.6	10
1/24/23 22:00	13.1	104.1	7.9	140	5.6	10
1/24/23 22:15	13.1	104.1	7.9	140	5.6	10
1/24/23 22:30	13.1	104.1	7.9	140	5.6	12
1/24/23 22:45	13.1	104.0	7.9	140	5.6	10
1/24/23 23:00	13.1	104.0	7.9	140	5.6	9
1/24/23 23:15	13.1	104.1	7.9	140	5.5	9
1/24/23 23:30	13.1	104.2	7.9	140	5.5	10
1/24/23 23:45	13.1	104.2	7.9	140	5.5	9
1/25/23 0:00	13.1	104.2	7.9	140	5.5	9
1/25/23 0:15	13.1	104.1	7.9	140	5.5	10
1/25/23 0:30	13.1	104.1	7.9	140	5.5	10
1/25/23 0:45	13.1	104.2	7.9	140	5.5	9
1/25/23 1:00	13.1	104.3	7.9	140	5.5	10
1/25/23 1:15	13.1	104.2	7.9	140	5.5	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 1:30	13.1	104.2	7.9	140	5.5	10
1/25/23 1:45	13.1	104.2	7.9	140	5.5	9
1/25/23 2:00	13.1	104.1	7.9	140	5.5	9
1/25/23 2:15	13.1	104.1	7.9	140	5.5	8
1/25/23 2:30	13.1	104.2	7.9	140	5.5	8
1/25/23 2:45	13.1	104.2	7.9	140	5.5	9
1/25/23 3:00	13.2	104.4	7.9	140	5.5	8
1/25/23 3:15	13.1	104.2	7.9	140	5.5	9
1/25/23 3:30	13.1	104.2	7.9	140	5.5	10
1/25/23 3:45	13.1	104.3	7.9	140	5.5	8
1/25/23 4:00	13.1	104.2	7.9	140	5.5	9
1/25/23 4:15	13.1	104.3	7.9	141	5.5	11
1/25/23 4:30	13.1	104.2	7.9	140	5.5	10
1/25/23 4:45	13.1	104.2	7.9	141	5.5	9
1/25/23 5:00	13.1	104.2	7.9	141	5.4	9
1/25/23 5:15	13.1	104.1	7.9	141	5.4	9
1/25/23 5:30	13.2	104.3	7.9	141	5.4	9
1/25/23 5:45	13.2	104.2	7.9	140	5.4	8
1/25/23 6:00	13.2	104.3	7.9	141	5.4	9
1/25/23 6:15	13.2	104.2	7.9	141	5.4	9
1/25/23 6:30	13.2	104.3	7.9	141	5.4	8
1/25/23 6:45	13.2	104.3	7.9	141	5.4	8
1/25/23 7:00	13.2	104.3	7.9	141	5.4	9
1/25/23 7:15	13.2	104.2	7.9	141	5.3	8
1/25/23 7:30	13.2	104.2	7.9	141	5.3	9
1/25/23 7:45	13.2	104.3	7.9	141	5.3	9
1/25/23 8:00	13.2	104.3	7.9	141	5.3	9
1/25/23 8:15	13.2	104.3	7.9	141	5.3	8
1/25/23 8:30	13.2	104.3	7.9	141	5.3	8
1/25/23 8:45	13.2	104.3	7.9	141	5.3	8
1/25/23 9:00	13.2	104.3	7.9	141	5.3	8
1/25/23 9:15	13.2	104.4	7.9	141	5.3	8
1/25/23 9:30	13.2	104.4	7.9	141	5.3	8
1/25/23 9:45	13.2	104.3	7.9	141	5.3	8
1/25/23 10:00	13.2	104.4	7.9	141	5.3	8
1/25/23 10:15	13.2	104.6	7.9	141	5.3	8
1/25/23 10:30	13.2	104.6	7.9	141	5.4	8
1/25/23 10:45	13.2	104.6	7.9	141	5.4	9
1/25/23 11:00	13.2	104.6	7.9	141	5.4	8
1/25/23 11:15	13.2	104.7	7.9	141	5.4	8
1/25/23 11:30	13.2	104.7	7.9	141	5.4	8
1/25/23 11:45	13.2	104.8	7.9	141	5.4	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 12:00	13.2	104.9	7.9	141	5.4	8
1/25/23 12:15	13.2	104.9	7.9	141	5.5	8
1/25/23 12:30	13.2	104.8	7.9	141	5.5	8
1/25/23 12:45	13.2	105.0	7.9	141	5.5	8
1/25/23 13:00	13.2	104.9	7.9	141	5.5	9
1/25/23 13:15	13.2	105.1	7.9	141	5.6	9
1/25/23 13:30	13.2	105.1	7.9	141	5.6	8
1/25/23 13:45	13.2	105.1	7.9	141	5.6	9
1/25/23 14:00	13.2	105.1	7.9	141	5.6	8
1/25/23 14:15	13.2	105.1	7.9	141	5.6	9
1/25/23 14:30	13.2	105.1	7.9	141	5.6	9
1/25/23 14:45	13.2	105.0	7.9	141	5.6	8
1/25/23 15:00	13.2	105.0	7.9	141	5.7	9
1/25/23 15:15	13.2	104.9	7.9	141	5.7	8
1/25/23 15:30	13.2	105.0	7.9	141	5.7	8
1/25/23 15:45	13.2	104.9	7.9	140	5.7	8
1/25/23 16:00	13.1	104.8	7.9	141	5.7	8
1/25/23 16:15	13.1	104.7	7.9	141	5.7	8
1/25/23 16:30	13.1	104.6	7.9	140	5.7	8
1/25/23 16:45	13.1	104.5	7.9	141	5.7	8
1/25/23 17:00	13.1	104.5	7.9	140	5.7	8
1/25/23 17:15	13.1	104.4	7.9	140	5.7	8
1/25/23 17:30	13.1	104.4	7.9	140	5.6	8
1/25/23 17:45	13.1	104.4	7.9	140	5.6	7
1/25/23 18:00	13.1	104.3	7.9	141	5.6	7
1/25/23 18:15	13.1	104.3	7.9	141	5.6	9
1/25/23 18:30	13.1	104.3	7.9	140	5.6	8
1/25/23 18:45	13.1	104.2	7.9	140	5.6	8
1/25/23 19:00	13.1	104.2	7.9	140	5.6	9
1/25/23 19:15	13.1	104.2	7.9	140	5.6	9
1/25/23 19:30	13.1	104.2	7.9	140	5.6	8
1/25/23 19:45	13.1	104.2	7.9	140	5.6	9
1/25/23 20:00	13.1	104.1	7.9	140	5.6	7
1/25/23 20:15	13.1	104.2	7.9	141	5.6	7
1/25/23 20:30	13.1	104.2	7.9	141	5.6	8
1/25/23 20:45	13.1	104.2	7.9	141	5.6	8
1/25/23 21:00	13.1	104.2	7.9	141	5.6	8
1/25/23 21:15	13.1	104.1	7.9	141	5.6	7
1/25/23 21:30	13.1	104.1	7.9	141	5.6	9
1/25/23 21:45	13.1	104.2	7.9	140	5.6	8
1/25/23 22:00	13.1	104.2	7.9	140	5.6	8
1/25/23 22:15	13.1	104.2	7.9	141	5.6	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 22:30	13.1	104.2	7.9	141	5.6	8
1/25/23 22:45	13.1	104.2	7.9	141	5.6	9
1/25/23 23:00	13.1	104.2	7.9	141	5.5	8
1/25/23 23:15	13.1	104.2	7.9	141	5.5	9
1/25/23 23:30	13.1	104.2	7.9	140	5.5	8
1/25/23 23:45	13.1	104.2	7.9	141	5.5	8
1/26/23 0:00	13.1	104.3	7.9	140	5.5	9
1/26/23 0:15	13.1	104.3	7.9	141	5.5	8
1/26/23 0:30	13.1	104.3	7.9	141	5.5	8
1/26/23 0:45	13.1	104.3	7.9	141	5.5	8
1/26/23 1:00	13.1	104.3	7.9	141	5.5	8
1/26/23 1:15	13.1	104.3	7.9	141	5.5	8
1/26/23 1:30	13.1	104.3	7.9	141	5.5	9
1/26/23 1:45	13.2	104.4	7.9	141	5.5	8
1/26/23 2:00	13.1	104.3	7.9	141	5.5	9
1/26/23 2:15	13.1	104.3	7.9	141	5.5	8
1/26/23 2:30	13.1	104.3	7.9	141	5.5	9
1/26/23 2:45	13.1	104.2	7.9	141	5.5	8
1/26/23 3:00	13.1	104.3	7.9	141	5.5	8
1/26/23 3:15	13.1	104.2	7.9	141	5.5	8
1/26/23 3:30	13.1	104.3	7.9	141	5.5	9
1/26/23 3:45	13.1	104.2	7.9	141	5.5	8
1/26/23 4:00	13.2	104.4	7.9	141	5.5	8
1/26/23 4:15	13.2	104.3	7.9	141	5.5	9
1/26/23 4:30	13.2	104.3	7.9	141	5.4	8
1/26/23 4:45	13.2	104.3	7.9	141	5.4	8
1/26/23 5:00	13.2	104.3	7.9	141	5.4	8
1/26/23 5:15	13.2	104.3	7.9	141	5.4	8
1/26/23 5:30	13.2	104.4	7.9	141	5.4	8
1/26/23 5:45	13.2	104.3	7.9	141	5.4	8
1/26/23 6:00	13.2	104.3	7.9	141	5.4	8
1/26/23 6:15	13.2	104.4	7.9	141	5.4	8
1/26/23 6:30	13.2	104.4	7.9	141	5.4	8
1/26/23 6:45	13.2	104.4	7.9	141	5.3	8
1/26/23 7:00	13.2	104.3	7.9	141	5.3	8
1/26/23 7:15	13.2	104.4	7.9	141	5.3	8
1/26/23 7:30	13.2	104.3	7.9	141	5.3	8
1/26/23 7:45	13.2	104.4	7.9	141	5.3	8
1/26/23 8:00	13.2	104.4	7.9	141	5.3	9
1/26/23 8:15	13.2	104.4	7.9	141	5.3	9
1/26/23 8:30	13.2	104.4	7.9	141	5.3	8
1/26/23 8:45	13.2	104.4	7.9	141	5.3	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 9:00	13.2	104.4	7.9	141	5.3	9
1/26/23 9:15	13.2	104.4	7.9	141	5.3	8
1/26/23 9:30	13.2	104.5	7.9	141	5.3	8
1/26/23 9:45	13.2	104.4	7.9	141	5.3	8
1/26/23 10:00	13.2	104.3	7.9	141	5.3	8
1/26/23 10:15	13.2	104.6	7.9	141	5.3	8
1/26/23 10:30	13.3	104.7	7.9	141	5.3	8
1/26/23 10:45	13.2	104.6	7.9	141	5.4	8
1/26/23 11:00	13.2	104.7	7.9	141	5.4	8
1/26/23 11:15	13.2	104.7	7.9	141	5.4	8
1/26/23 11:30	13.2	104.8	7.9	141	5.4	8
1/26/23 11:45	13.3	104.9	7.9	141	5.4	8
1/26/23 12:00	13.3	104.9	7.9	141	5.4	8
1/26/23 12:15	13.2	104.9	7.9	141	5.4	11
1/26/23 12:30	13.2	105.0	7.9	141	5.5	8
1/26/23 12:45	13.2	105.0	7.9	141	5.5	11
1/26/23 13:00	13.2	105.1	7.9	141	5.5	9
1/26/23 13:15	13.2	105.0	7.9	141	5.6	8
1/26/23 13:30	13.2	105.0	7.9	141	5.6	8
1/26/23 13:45	13.2	105.1	7.9	141	5.6	8
1/26/23 14:00	13.2	105.0	7.9	141	5.6	11
1/26/23 14:15	13.2	105.1	7.9	141	5.7	9
1/26/23 14:30	13.2	105.1	7.9	141	5.7	9
1/26/23 14:45	13.2	105.1	7.9	141	5.7	10
1/26/23 15:00	13.2	104.9	7.9	141	5.7	9
1/26/23 15:15	13.2	104.9	7.9	141	5.7	9
1/26/23 15:30	13.1	104.9	7.9	141	5.8	8
1/26/23 15:45	13.1	104.8	7.9	141	5.8	8
1/26/23 16:00	13.1	104.7	7.9	141	5.8	11
1/26/23 16:15	13.1	104.6	7.9	141	5.8	12
1/26/23 16:30	13.1	104.6	7.9	141	5.8	9
1/26/23 16:45	13.1	104.5	7.9	141	5.8	9
1/26/23 17:00	13.1	104.5	7.9	141	5.8	11
1/26/23 17:15	13.1	104.4	7.9	141	5.7	8
1/26/23 17:30	13.1	104.3	7.9	141	5.7	8
1/26/23 17:45	13.1	104.2	7.9	141	5.7	9
1/26/23 18:00	13.1	104.2	7.9	141	5.7	8
1/26/23 18:15	13.1	104.2	7.9	141	5.7	9
1/26/23 18:30	13.0	104.0	7.9	141	5.7	10
1/26/23 18:45	13.1	104.1	7.9	141	5.7	9
1/26/23 19:00	13.0	104.0	7.9	141	5.7	8
1/26/23 19:15	13.0	104.0	7.9	141	5.7	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 19:30	13.1	104.0	7.9	141	5.7	9
1/26/23 19:45	13.1	104.0	7.9	141	5.7	9
1/26/23 20:00	13.1	104.1	7.9	141	5.7	8
1/26/23 20:15	13.1	104.0	7.9	141	5.7	9
1/26/23 20:30	13.1	104.0	7.9	141	5.7	8
1/26/23 20:45	13.1	104.0	7.9	141	5.7	9
1/26/23 21:00	13.1	104.0	7.9	141	5.6	9
1/26/23 21:15	13.0	103.9	7.9	141	5.6	10
1/26/23 21:30	13.0	103.9	7.9	141	5.6	9
1/26/23 21:45	13.0	103.9	7.9	142	5.6	8
1/26/23 22:00	13.0	103.9	7.9	141	5.6	8
1/26/23 22:15	13.1	104.0	7.9	141	5.6	8
1/26/23 22:30	13.0	103.8	7.9	141	5.6	9
1/26/23 22:45	13.1	103.9	7.9	141	5.6	8
1/26/23 23:00	13.0	103.8	7.9	141	5.6	8
1/26/23 23:15	13.1	103.9	7.9	141	5.6	8
1/26/23 23:30	13.1	103.9	7.9	141	5.6	9
1/26/23 23:45	13.1	103.9	7.9	141	5.6	8
1/27/23 0:00	13.1	103.9	7.9	141	5.6	7
1/27/23 0:15	13.1	103.9	7.9	141	5.6	10
1/27/23 0:30	13.1	103.9	7.9	141	5.6	9
1/27/23 0:45	13.1	103.9	7.9	141	5.6	8
1/27/23 1:00	13.1	103.9	7.9	141	5.6	8
1/27/23 1:15	13.1	103.9	7.9	141	5.6	8
1/27/23 1:30	13.1	103.9	7.9	141	5.6	9
1/27/23 1:45	13.1	104.0	7.9	141	5.6	10
1/27/23 2:00	13.1	103.9	7.9	141	5.6	9
1/27/23 2:15	13.1	103.9	7.9	141	5.6	9
1/27/23 2:30	13.1	104.0	7.9	141	5.6	8
1/27/23 2:45	13.1	103.9	7.9	141	5.6	8
1/27/23 3:00	13.1	103.9	7.9	141	5.6	9
1/27/23 3:15	13.1	103.9	7.9	141	5.6	9
1/27/23 3:30	13.1	103.9	7.9	141	5.6	8
1/27/23 3:45	13.1	104.0	7.9	141	5.6	8
1/27/23 4:00	13.1	103.9	7.9	141	5.6	9
1/27/23 4:15	13.1	103.9	7.9	141	5.6	8
1/27/23 4:30	13.1	103.9	7.9	141	5.6	9
1/27/23 4:45	13.1	103.9	7.9	141	5.6	9
1/27/23 5:00	13.1	103.9	7.9	141	5.5	8
1/27/23 5:15	13.1	103.8	7.9	141	5.5	9
1/27/23 5:30	13.1	103.9	7.9	141	5.5	8
1/27/23 5:45	13.1	103.9	7.9	141	5.5	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 6:00	13.1	103.8	7.9	141	5.5	8
1/27/23 6:15	13.1	103.9	7.9	141	5.5	7
1/27/23 6:30	13.1	103.8	7.9	141	5.5	8
1/27/23 6:45	13.1	103.8	7.9	141	5.5	8
1/27/23 7:00	13.1	103.8	7.9	141	5.5	9
1/27/23 7:15	13.1	103.8	7.9	141	5.5	9
1/27/23 7:30	13.1	103.8	7.9	141	5.4	9
1/27/23 7:45	13.1	103.8	7.9	141	5.4	9
1/27/23 8:00	13.1	103.8	7.9	141	5.4	8
1/27/23 8:15	13.1	103.9	7.9	141	5.4	9
1/27/23 8:30	13.1	103.8	7.9	142	5.4	9
1/27/23 8:45	13.1	103.8	7.9	141	5.4	8
1/27/23 9:00	13.1	103.7	7.9	141	5.4	8
1/27/23 9:15	13.1	103.8	7.9	142	5.4	8
1/27/23 9:30	13.1	103.8	7.9	142	5.4	9
1/27/23 9:45	13.1	103.8	7.9	142	5.4	9
1/27/23 10:00	13.1	103.8	7.9	142	5.5	9
1/27/23 10:15	13.1	103.9	7.9	142	5.5	9
1/27/23 10:30	13.1	103.9	7.9	142	5.5	10
1/27/23 10:45	13.1	103.9	7.9	142	5.5	8
1/27/23 11:00	13.1	104.0	7.9	142	5.5	8
1/27/23 11:15	13.1	103.9	7.9	142	5.6	8
1/27/23 11:30	13.1	104.1	7.9	142	5.6	9
1/27/23 11:45	13.1	104.0	7.9	142	5.6	9
1/27/23 12:00	13.1	104.1	7.9	142	5.6	9
1/27/23 12:15	13.1	104.1	7.9	142	5.7	8
1/27/23 12:30	13.1	104.1	7.9	142	5.7	7
1/27/23 12:45	13.1	104.2	7.9	142	5.7	8
1/27/23 13:00	13.1	104.2	7.9	142	5.7	8
1/27/23 13:15	13.0	104.1	7.9	142	5.7	9
1/27/23 13:30	13.0	104.1	7.9	142	5.8	8
1/27/23 13:45	13.0	104.2	7.9	142	5.8	9
1/27/23 14:00	13.0	104.1	7.9	142	5.8	8
1/27/23 14:15	13.0	104.1	7.9	142	5.8	8
1/27/23 14:30	13.0	104.1	7.9	142	5.9	8
1/27/23 14:45	13.0	104.1	7.9	142	5.9	8
1/27/23 15:00	13.0	104.0	7.9	142	5.9	9
1/27/23 15:15	13.0	104.1	7.9	142	5.9	9
1/27/23 15:30	13.0	104.0	7.9	142	5.9	8
1/27/23 15:45	13.0	103.8	7.9	142	5.9	9
1/27/23 16:00	13.0	103.8	7.9	142	5.9	8
1/27/23 16:15	12.9	103.6	7.9	142	5.9	8

Klamath River at Orleans (11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 16:30	12.9	103.5	7.9	142	5.9	9
1/27/23 16:45	12.9	103.4	7.9	142	5.9	8
1/27/23 17:00	12.9	103.5	7.9	142	5.9	8
1/27/23 17:15	12.9	103.3	7.9	142	5.9	8
1/27/23 17:30	12.9	103.3	7.9	142	5.9	8
1/27/23 17:45	12.9	103.2	7.9	141	5.9	8
1/27/23 18:00	12.9	103.2	7.9	141	5.8	9
1/27/23 18:15	12.9	103.0	7.9	142	5.8	8
1/27/23 18:30	12.9	103.0	7.9	141	5.8	8
1/27/23 18:45	12.9	103.0	7.9	141	5.8	8
1/27/23 19:00	12.9	103.0	7.9	141	5.8	8
1/27/23 19:15	12.9	102.9	7.9	141	5.8	8
1/27/23 19:30	12.9	102.9	7.9	141	5.8	8
1/27/23 19:45	12.9	102.9	7.9	141	5.8	9
1/27/23 20:00	12.9	102.9	7.9	141	5.8	8
1/27/23 20:15	12.9	103.0	7.9	141	5.8	9
1/27/23 20:30	12.9	102.9	7.9	141	5.8	8
1/27/23 20:45	12.9	102.9	7.9	141	5.8	8
1/27/23 21:00	12.9	102.9	7.9	141	5.8	8
1/27/23 21:15	12.9	102.8	7.9	141	5.8	8
1/27/23 21:30	12.9	102.8	7.9	141	5.8	8
1/27/23 21:45	12.9	102.8	7.9	141	5.8	10
1/27/23 22:00	12.9	102.9	7.9	141	5.8	8
1/27/23 22:15	12.9	102.9	7.9	141	5.8	9
1/27/23 22:30	12.9	102.9	7.9	141	5.8	8
1/27/23 22:45	12.9	102.9	7.9	141	5.8	9
1/27/23 23:00	12.9	102.9	7.9	141	5.8	8
1/27/23 23:15	12.9	102.9	7.9	141	5.8	8
1/27/23 23:30	12.9	102.9	7.9	141	5.8	8
1/27/23 23:45	12.9	102.9	7.9	141	5.8	8
1/28/23 0:00	12.9	102.9	7.9	141	5.8	9
1/28/23 0:15	12.9	102.9	7.9	141	5.7	8
1/28/23 0:30	12.9	102.8	7.9	141	5.7	9
1/28/23 0:45	12.9	102.8	7.9	141	5.7	8
1/28/23 1:00	12.9	102.9	7.9	141	5.7	8
1/28/23 1:15	12.9	102.9	7.9	141	5.7	9
1/28/23 1:30	12.9	102.9	7.9	141	5.7	9
1/28/23 1:45	12.9	102.9	7.9	141	5.7	9
1/28/23 2:00	12.9	102.8	7.9	141	5.7	8
1/28/23 2:15	12.9	102.8	7.9	141	5.7	8
1/28/23 2:30	12.9	102.8	7.9	141	5.6	8
1/28/23 2:45	12.9	102.8	7.9	141	5.6	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 3:00	12.9	102.9	7.9	141	5.6	8
1/28/23 3:15	12.9	102.9	7.9	141	5.6	8
1/28/23 3:30	12.9	102.9	7.9	141	5.6	8
1/28/23 3:45	12.9	102.9	7.9	141	5.6	8
1/28/23 4:00	12.9	102.9	7.9	141	5.6	8
1/28/23 4:15	12.9	102.8	7.9	141	5.6	8
1/28/23 4:30	12.9	102.8	7.9	141	5.6	8
1/28/23 4:45	12.9	102.8	7.9	141	5.6	9
1/28/23 5:00	12.9	102.8	7.9	141	5.6	7
1/28/23 5:15	12.9	102.8	7.9	141	5.6	8
1/28/23 5:30	12.9	102.9	7.9	141	5.6	8
1/28/23 5:45	12.9	102.7	7.9	141	5.6	9
1/28/23 6:00	12.9	102.8	7.9	141	5.6	8
1/28/23 6:15	12.9	102.8	7.9	141	5.6	8
1/28/23 6:30	12.9	102.8	7.9	141	5.6	8
1/28/23 6:45	12.9	102.9	7.9	141	5.6	8
1/28/23 7:00	13.0	102.9	7.9	141	5.6	8
1/28/23 7:15	13.0	102.9	7.9	141	5.5	8
1/28/23 7:30	12.9	102.8	7.9	141	5.5	8
1/28/23 7:45	13.0	102.9	7.9	141	5.5	8
1/28/23 8:00	12.9	102.7	7.9	141	5.5	8
1/28/23 8:15	13.0	102.9	7.9	141	5.5	8
1/28/23 8:30	13.0	102.8	7.9	141	5.5	9
1/28/23 8:45	13.0	102.8	7.9	141	5.5	8
1/28/23 9:00	13.0	102.7	7.9	141	5.4	7
1/28/23 9:15	13.0	102.9	7.9	141	5.4	9
1/28/23 9:30	13.0	102.8	7.9	141	5.4	7
1/28/23 9:45	13.0	102.7	7.9	141	5.4	8
1/28/23 10:00	13.0	102.8	7.9	141	5.5	9
1/28/23 10:15	13.0	102.8	7.9	141	5.5	7
1/28/23 10:30	13.0	102.9	7.9	141	5.5	7
1/28/23 10:45	13.0	103.1	7.9	141	5.5	9
1/28/23 11:00	13.0	103.1	7.9	141	5.5	8
1/28/23 11:15	13.0	103.1	7.9	141	5.5	7
1/28/23 11:30	13.0	103.2	7.9	141	5.5	8
1/28/23 11:45	13.0	103.2	7.9	141	5.5	8
1/28/23 12:00	13.0	103.2	7.9	141	5.6	8
1/28/23 12:15	13.0	103.2	7.9	141	5.6	8
1/28/23 12:30	13.0	103.3	7.9	141	5.6	8
1/28/23 12:45	13.0	103.2	7.9	141	5.6	8
1/28/23 13:00	13.0	103.3	7.9	141	5.6	8
1/28/23 13:15	13.0	103.4	7.9	141	5.7	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 13:30	13.0	103.3	7.9	141	5.7	9
1/28/23 13:45	13.0	103.3	7.9	141	5.7	8
1/28/23 14:00	13.0	103.3	7.9	141	5.7	8
1/28/23 14:15	12.9	103.3	7.9	141	5.8	8
1/28/23 14:30	12.9	103.3	7.9	141	5.8	7
1/28/23 14:45	12.9	103.3	7.9	141	5.8	8
1/28/23 15:00	12.9	103.2	8.0	141	5.8	8
1/28/23 15:15	12.9	103.2	8.0	141	5.8	8
1/28/23 15:30	12.9	103.2	8.0	141	5.8	8
1/28/23 15:45	12.9	103.2	8.0	141	5.8	8
1/28/23 16:00	12.9	103.1	8.0	141	5.8	8
1/28/23 16:15	12.9	103.0	8.0	141	5.8	8
1/28/23 16:30	12.9	103.0	8.0	141	5.8	8
1/28/23 16:45	12.9	102.9	8.0	141	5.8	9
1/28/23 17:00	12.9	102.9	8.0	141	5.8	8
1/28/23 17:15	12.8	102.7	8.0	141	5.8	8
1/28/23 17:30	12.8	102.7	8.0	141	5.8	9
1/28/23 17:45	12.8	102.6	8.0	141	5.8	8
1/28/23 18:00	12.8	102.5	8.0	141	5.7	8
1/28/23 18:15	12.8	102.5	8.0	141	5.7	8
1/28/23 18:30	12.8	102.5	8.0	141	5.7	9
1/28/23 18:45	12.8	102.4	8.0	141	5.7	15
1/28/23 19:00	12.8	102.5	8.0	141	5.7	8
1/28/23 19:15	12.9	102.5	8.0	141	5.7	8
1/28/23 19:30	12.9	102.4	8.0	141	5.7	9
1/28/23 19:45	12.9	102.4	8.0	141	5.7	9
1/28/23 20:00	12.9	102.5	8.0	141	5.6	9
1/28/23 20:15	12.9	102.4	8.0	141	5.6	8
1/28/23 20:30	12.9	102.4	8.0	141	5.6	8
1/28/23 20:45	12.9	102.5	8.0	141	5.6	8
1/28/23 21:00	12.9	102.4	8.0	141	5.6	8
1/28/23 21:15	12.9	102.4	8.0	141	5.6	9
1/28/23 21:30	12.9	102.4	8.0	141	5.6	9
1/28/23 21:45	12.9	102.4	8.0	141	5.6	9
1/28/23 22:00	12.9	102.3	8.0	141	5.6	8
1/28/23 22:15	12.9	102.4	8.0	141	5.5	8
1/28/23 22:30	12.9	102.4	8.0	141	5.5	8
1/28/23 22:45	12.9	102.3	8.0	141	5.5	8
1/28/23 23:00	12.9	102.3	8.0	141	5.5	9
1/28/23 23:15	12.9	102.3	8.0	141	5.5	8
1/28/23 23:30	12.9	102.4	7.9	141	5.5	8
1/28/23 23:45	12.9	102.3	7.9	141	5.4	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	12.9	102.3	8.0	141	5.4	8
1/29/23 0:15	12.9	102.4	7.9	141	5.4	8
1/29/23 0:30	12.9	102.4	7.9	141	5.4	8
1/29/23 0:45	12.9	102.3	7.9	141	5.4	9
1/29/23 1:00	12.9	102.3	7.9	141	5.4	8
1/29/23 1:15	12.9	102.3	7.9	141	5.4	9
1/29/23 1:30	12.9	102.3	7.9	141	5.4	8
1/29/23 1:45	12.9	102.3	7.9	141	5.3	9
1/29/23 2:00	12.9	102.3	7.9	141	5.3	8
1/29/23 2:15	12.9	102.2	7.9	141	5.3	8
1/29/23 2:30	12.9	102.2	7.9	141	5.3	8
1/29/23 2:45	12.9	102.2	7.9	141	5.3	9
1/29/23 3:00	12.9	102.2	7.9	141	5.3	8
1/29/23 3:15	12.9	102.2	7.9	141	5.3	8
1/29/23 3:30	12.9	102.2	7.9	141	5.3	7
1/29/23 3:45	12.9	102.1	7.9	141	5.3	8
1/29/23 4:00	12.9	102.1	7.9	141	5.3	8
1/29/23 4:15	12.9	102.1	7.9	141	5.3	9
1/29/23 4:30	12.9	102.1	7.9	141	5.3	8
1/29/23 4:45	12.9	102.1	7.9	141	5.3	8
1/29/23 5:00	12.9	102.1	7.9	141	5.3	7
1/29/23 5:15	12.9	102.1	7.9	141	5.3	8
1/29/23 5:30	12.9	102.1	7.9	141	5.3	7
1/29/23 5:45	13.0	102.2	7.9	141	5.3	7
1/29/23 6:00	12.9	102.1	7.9	141	5.2	8
1/29/23 6:15	12.9	102.1	7.9	141	5.2	8
1/29/23 6:30	13.0	102.2	7.9	141	5.2	8
1/29/23 6:45	13.0	102.1	7.9	141	5.2	9
1/29/23 7:00	13.0	102.1	7.9	141	5.2	8
1/29/23 7:15	13.0	102.1	7.9	141	5.2	8
1/29/23 7:30	13.0	102.1	7.9	141	5.2	8
1/29/23 7:45	13.0	102.0	7.9	141	5.2	8
1/29/23 8:00	13.0	102.0	7.9	141	5.2	9
1/29/23 8:15	13.0	102.0	7.9	141	5.1	7
1/29/23 8:30	13.0	102.1	7.9	142	5.1	8
1/29/23 8:45	13.0	102.1	7.9	142	5.1	8
1/29/23 9:00	13.0	102.1	7.9	141	5.1	9
1/29/23 9:15	13.0	102.1	7.9	142	5.1	8
1/29/23 9:30	13.0	102.0	7.9	142	5.1	8
1/29/23 9:45	13.0	102.1	7.9	142	5.1	8
1/29/23 10:00	13.0	102.2	7.9	142	5.1	8
1/29/23 10:15	13.0	102.2	7.9	142	5.1	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 10:30	13.0	102.3	7.9	142	5.1	9
1/29/23 10:45	13.0	102.4	7.9	142	5.2	8
1/29/23 11:00	13.0	102.4	7.9	142	5.2	8
1/29/23 11:15	13.0	102.4	7.9	142	5.2	8
1/29/23 11:30	13.0	102.4	7.9	142	5.2	8
1/29/23 11:45	13.0	102.6	7.9	142	5.2	8
1/29/23 12:00	13.0	102.6	7.9	142	5.2	8
1/29/23 12:15	13.0	102.6	7.9	142	5.2	9
1/29/23 12:30	13.0	102.6	7.9	142	5.3	8
1/29/23 12:45	13.0	102.7	7.9	142	5.3	8
1/29/23 13:00	13.0	102.6	7.9	142	5.3	8
1/29/23 13:15	13.0	102.7	7.9	142	5.4	8
1/29/23 13:30	13.0	102.7	7.9	142	5.4	9
1/29/23 13:45	13.0	102.8	8.0	142	5.4	9
1/29/23 14:00	13.0	102.8	8.0	142	5.4	13
1/29/23 14:15	13.0	102.8	8.0	142	5.4	8
1/29/23 14:30	13.0	102.8	8.0	142	5.4	9
1/29/23 14:45	13.0	102.8	8.0	142	5.5	8
1/29/23 15:00	13.0	102.7	8.0	142	5.5	9
1/29/23 15:15	12.9	102.6	8.0	142	5.5	8
1/29/23 15:30	12.9	102.7	8.0	142	5.5	8
1/29/23 15:45	12.9	102.6	8.0	142	5.5	8
1/29/23 16:00	12.9	102.6	8.0	142	5.5	8
1/29/23 16:15	12.9	102.6	8.0	142	5.5	9
1/29/23 16:30	12.9	102.5	8.0	142	5.5	8
1/29/23 16:45	12.9	102.5	8.0	142	5.5	8
1/29/23 17:00	12.9	102.4	8.0	142	5.4	8
1/29/23 17:15	12.9	102.3	8.0	142	5.4	9
1/29/23 17:30	12.9	102.2	8.0	142	5.4	8
1/29/23 17:45	12.9	102.3	8.0	142	5.4	8
1/29/23 18:00	12.9	102.2	8.0	142	5.3	8
1/29/23 18:15	12.9	102.2	8.0	142	5.3	8
1/29/23 18:30	12.9	102.1	8.0	142	5.3	8
1/29/23 18:45	12.9	102.2	8.0	142	5.3	8
1/29/23 19:00	13.0	102.2	8.0	142	5.3	9
1/29/23 19:15	13.0	102.2	8.0	142	5.2	8
1/29/23 19:30	13.0	102.1	8.0	142	5.2	8
1/29/23 19:45	13.0	102.2	8.0	142	5.2	8
1/29/23 20:00	13.0	102.3	8.0	142	5.2	7
1/29/23 20:15	13.0	102.1	8.0	142	5.2	8
1/29/23 20:30	13.0	102.2	8.0	142	5.1	8
1/29/23 20:45	13.0	102.2	8.0	142	5.1	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	13.0	102.2	8.0	142	5.1	9
1/29/23 21:15	13.0	102.2	8.0	142	5.1	8
1/29/23 21:30	13.0	102.2	8.0	142	5.1	8
1/29/23 21:45	13.0	102.2	8.0	142	5.1	9
1/29/23 22:00	13.0	102.3	8.0	142	5.1	8
1/29/23 22:15	13.0	102.3	7.9	142	5.0	8
1/29/23 22:30	13.0	102.2	8.0	142	5.0	7
1/29/23 22:45	13.1	102.3	7.9	142	5.0	8
1/29/23 23:00	13.1	102.3	8.0	142	5.0	8
1/29/23 23:15	13.1	102.4	8.0	142	5.0	8
1/29/23 23:30	13.1	102.4	8.0	142	4.9	10
1/29/23 23:45	13.1	102.4	8.0	142	4.9	8
1/30/23 0:00	13.1	102.4	8.0	142	4.9	8
1/30/23 0:15	13.1	102.4	7.9	142	4.9	8
1/30/23 0:30	13.1	102.5	7.9	142	4.8	9
1/30/23 0:45	13.1	102.4	7.9	142	4.8	9
1/30/23 1:00	13.1	102.5	7.9	143	4.8	8
1/30/23 1:15	13.2	102.6	7.9	143	4.8	8
1/30/23 1:30	13.2	102.5	7.9	143	4.8	9
1/30/23 1:45	13.2	102.5	7.9	143	4.7	9
1/30/23 2:00	13.2	102.4	7.9	143	4.7	8
1/30/23 2:15	13.2	102.5	7.9	143	4.7	7
1/30/23 2:30	13.2	102.6	7.9	143	4.7	8
1/30/23 2:45	13.2	102.5	7.9	143	4.7	9
1/30/23 3:00	13.2	102.6	7.9	143	4.6	8
1/30/23 3:15	13.2	102.6	7.9	143	4.6	8
1/30/23 3:30	13.2	102.6	7.9	143	4.6	8
1/30/23 3:45	13.2	102.6	7.9	143	4.6	9
1/30/23 4:00	13.2	102.6	7.9	143	4.6	8
1/30/23 4:15	13.2	102.5	7.9	143	4.6	8
1/30/23 4:30	13.2	102.6	7.9	143	4.6	8
1/30/23 4:45	13.2	102.5	7.9	143	4.6	8
1/30/23 5:00	13.3	102.6	7.9	143	4.5	8
1/30/23 5:15	13.3	102.6	7.9	143	4.5	8
1/30/23 5:30	13.3	102.6	7.9	143	4.5	9
1/30/23 5:45	13.3	102.7	7.9	143	4.5	9
1/30/23 6:00	13.3	102.6	7.9	143	4.4	8
1/30/23 6:15	13.3	102.6	7.9	143	4.4	7
1/30/23 6:30	13.3	102.6	7.9	143	4.4	8
1/30/23 6:45	13.3	102.7	7.9	143	4.4	8
1/30/23 7:00	13.3	102.7	7.9	143	4.4	8
1/30/23 7:15	13.3	102.7	7.9	143	4.4	9

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 7:30	13.3	102.7	7.9	143	4.3	8
1/30/23 7:45	13.4	102.7	7.9	143	4.3	8
1/30/23 8:00	13.4	102.8	7.9	143	4.3	8
1/30/23 8:15	13.4	102.8	7.9	143	4.3	8
1/30/23 8:30	13.4	102.8	7.9	143	4.2	9
1/30/23 8:45	13.4	102.8	7.9	143	4.2	8
1/30/23 9:00	13.4	102.8	7.9	143	4.2	9
1/30/23 9:15	13.4	102.8	7.9	143	4.2	8
1/30/23 9:30	13.4	102.8	7.9	143	4.2	8
1/30/23 9:45	13.4	102.8	7.9	143	4.2	8
1/30/23 10:00	13.4	102.8	7.9	143	4.2	8
1/30/23 10:15	13.4	102.9	7.9	143	4.2	8
1/30/23 10:30	13.4	103.1	7.9	143	4.2	9
1/30/23 10:45	13.4	103.0	7.9	143	4.2	8
1/30/23 11:00	13.4	103.1	7.9	143	4.2	8
1/30/23 11:15	13.4	103.1	7.9	143	4.2	8
1/30/23 11:30	13.5	103.3	7.9	143	4.2	8
1/30/23 11:45	13.5	103.3	7.9	143	4.2	9
1/30/23 12:00	13.5	103.3	7.9	143	4.3	8
1/30/23 12:15	13.4	103.2	7.9	143	4.3	8
1/30/23 12:30	13.5	103.3	7.9	143	4.3	8
1/30/23 12:45	13.4	103.3	7.9	143	4.3	7
1/30/23 13:00	13.5	103.4	7.9	143	4.3	8
1/30/23 13:15	13.4	103.5	7.9	143	4.4	8
1/30/23 13:30	13.5	103.6	7.9	143	4.4	9
1/30/23 13:45	13.4	103.6	7.9	143	4.4	8
1/30/23 14:00	13.4	103.7	8.0	143	4.4	8
1/30/23 14:15	13.4	103.7	8.0	143	4.4	8
1/30/23 14:30	13.4	103.7	8.0	143	4.5	8
1/30/23 14:45	13.4	103.8	8.0	143	4.5	8
1/30/23 15:00	13.4	103.8	8.0	143	4.5	10
1/30/23 15:15	13.4	103.7	8.0	143	4.5	8
1/30/23 15:30	13.4	103.7	8.0	143	4.5	8
1/30/23 15:45	13.4	103.6	8.0	143	4.5	8
1/30/23 16:00	13.4	103.5	8.0	143	4.5	8
1/30/23 16:15	13.4	103.6	8.0	143	4.5	8
1/30/23 16:30	13.4	103.4	8.0	143	4.5	8
1/30/23 16:45	13.4	103.4	8.0	143	4.5	8
1/30/23 17:00	13.4	103.3	8.0	143	4.5	8
1/30/23 17:15	13.4	103.3	8.0	143	4.5	8
1/30/23 17:30	13.4	103.3	8.0	143	4.5	8
1/30/23 17:45	13.3	103.2	8.0	143	4.5	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 18:00	13.4	103.2	8.0	143	4.4	8
1/30/23 18:15	13.4	103.1	8.0	143	4.4	8
1/30/23 18:30	13.3	103.0	8.0	143	4.4	8
1/30/23 18:45	13.4	103.0	8.0	143	4.4	8
1/30/23 19:00	13.4	103.0	8.0	143	4.3	8
1/30/23 19:15	13.4	103.0	8.0	143	4.3	8
1/30/23 19:30	13.4	103.0	8.0	143	4.3	8
1/30/23 19:45	13.4	103.1	8.0	143	4.2	9
1/30/23 20:00	13.4	103.0	8.0	143	4.2	8
1/30/23 20:15	13.4	103.0	8.0	143	4.2	9
1/30/23 20:30	13.4	103.0	7.9	143	4.2	8
1/30/23 20:45	13.4	103.0	7.9	143	4.2	8
1/30/23 21:00	13.4	103.0	8.0	143	4.2	8
1/30/23 21:15	13.5	103.1	7.9	143	4.1	9
1/30/23 21:30	13.4	103.0	7.9	143	4.1	8
1/30/23 21:45	13.5	103.0	7.9	143	4.1	7
1/30/23 22:00	13.5	103.0	7.9	143	4.1	8
1/30/23 22:15	13.5	103.1	7.9	143	4.1	8
1/30/23 22:30	13.5	103.1	7.9	143	4.0	9
1/30/23 22:45	13.5	103.1	7.9	143	4.0	9
1/30/23 23:00	13.5	103.1	7.9	143	4.0	8
1/30/23 23:15	13.5	103.1	7.9	143	4.0	8
1/30/23 23:30	13.5	103.1	7.9	143	4.0	8
1/30/23 23:45	13.5	103.1	7.9	143	3.9	8
1/31/23 0:00	13.5	103.1	7.9	144	3.9	8
1/31/23 0:15	13.5	103.1	7.9	144	3.9	8
1/31/23 0:30	13.5	103.1	7.9	144	3.9	8
1/31/23 0:45	13.6	103.1	7.9	144	3.9	9
1/31/23 1:00	13.6	103.1	7.9	144	3.8	8
1/31/23 1:15	13.6	103.1	7.9	144	3.8	9
1/31/23 1:30	13.6	103.1	7.9	144	3.8	8
1/31/23 1:45	13.6	103.1	7.9	144	3.8	8
1/31/23 2:00	13.6	103.2	7.9	144	3.8	8
1/31/23 2:15	13.6	103.2	7.9	144	3.8	8
1/31/23 2:30	13.6	103.1	7.9	144	3.8	8
1/31/23 2:45	13.6	103.2	7.9	144	3.7	9
1/31/23 3:00	13.6	103.2	7.9	144	3.7	8
1/31/23 3:15	13.6	103.2	7.9	144	3.7	8
1/31/23 3:30	13.6	103.2	7.9	144	3.7	8
1/31/23 3:45	13.6	103.2	7.9	144	3.7	8
1/31/23 4:00	13.6	103.2	7.9	144	3.7	8
1/31/23 4:15	13.6	103.2	7.9	144	3.7	8

Klamath River at Orleans
(11523000)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/31/23 4:30	13.6	103.3	7.9	144	3.7	8
1/31/23 4:45	13.6	103.2	7.9	144	3.7	8
1/31/23 5:00	13.7	103.3	7.9	144	3.6	8
1/31/23 5:15	13.6	103.2	7.9	144	3.6	8
1/31/23 5:30	13.7	103.3	7.9	144	3.6	9
1/31/23 5:45	13.7	103.3	7.9	144	3.6	9
1/31/23 6:00	13.7	103.3	7.9	144	3.6	9
1/31/23 6:15	13.7	103.3	7.9	144	3.6	8
1/31/23 6:30	13.7	103.2	7.9	144	3.6	9
1/31/23 6:45	13.7	103.3	7.9	144	3.5	8
1/31/23 7:00	13.7	103.2	7.9	144	3.5	8
1/31/23 7:15	13.7	103.3	7.9	144	3.5	9
1/31/23 7:30	13.7	103.3	7.9	144	3.5	9
1/31/23 7:45	13.7	103.3	7.9	144	3.5	9
1/31/23 8:00	13.7	103.3	7.9	144	3.5	8
1/31/23 8:15	13.7	103.3	7.9	144	3.5	8
1/31/23 8:30	13.7	103.4	7.9	144	3.4	8
1/31/23 8:45	13.8	103.4	7.9	144	3.4	9
1/31/23 9:00	13.7	103.4	7.9	144	3.4	7
1/31/23 9:15	13.8	103.4	7.9	144	3.4	8
1/31/23 9:30	13.8	103.5	7.9	144	3.4	9
1/31/23 9:45	13.8	103.6	7.9	144	3.4	8
1/31/23 10:00	13.8	103.6	7.9	144	3.4	8
1/31/23 10:15	13.8	103.6	7.9	144	3.5	8
1/31/23 10:30	13.8	103.7	7.9	144	3.5	8
1/31/23 10:45	13.8	103.8	7.9	144	3.5	8
1/31/23 11:00	13.8	103.8	7.9	144	3.5	8
1/31/23 11:15	13.8	103.9	7.9	144	3.5	9
1/31/23 11:30	13.8	103.9	7.9	144	3.5	8
1/31/23 11:45	13.8	103.9	7.9	144	3.6	8
1/31/23 12:00	13.8	104.0	7.9	144	3.6	9
1/31/23 12:15	13.8	104.0	7.9	144	3.6	10
1/31/23 12:30	13.8	104.0	7.9	144	3.7	9
1/31/23 12:45	13.8	104.1	7.9	144	3.7	8
1/31/23 13:00	13.8	104.1	7.9	144	3.7	9
1/31/23 13:15	13.7	104.1	7.9	144	3.8	9
1/31/23 13:30	13.7	104.1	7.9	144	3.8	9
1/31/23 13:45	13.7	104.1	7.9	144	3.8	8
1/31/23 14:00	13.7	104.2	7.9	144	3.9	8
1/31/23 14:15	13.7	104.2	7.9	144	3.9	9
1/31/23 14:30	13.7	104.1	7.9	144	3.9	8
1/31/23 14:45	13.7	104.2	7.9	144	3.9	9

**Klamath River at Orleans
(11523000)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/31/23 15:00	13.7	104.1	8.0	144	4.0	8
1/31/23 15:15	13.7	104.1	8.0	144	4.0	9
1/31/23 15:30	13.6	104.0	8.0	144	4.0	8
1/31/23 15:45	13.6	104.0	8.0	144	4.0	8
1/31/23 16:00	13.6	103.9	8.0	144	4.0	9
1/31/23 16:15	13.6	103.8	8.0	144	4.0	9
1/31/23 16:30	13.6	103.8	8.0	144	4.0	9
1/31/23 16:45	13.6	103.7	8.0	144	4.0	8
1/31/23 17:00	13.6	103.6	8.0	144	4.0	8
1/31/23 17:15	13.6	103.6	8.0	144	4.0	8
1/31/23 17:30	13.5	103.4	8.0	144	4.0	9
1/31/23 17:45	13.5	103.4	8.0	144	4.0	9
1/31/23 18:00	13.5	103.3	8.0	144	4.0	8
1/31/23 18:15	13.5	103.2	8.0	144	4.0	8
1/31/23 18:30	13.5	103.2	8.0	144	4.0	8
1/31/23 18:45	13.5	103.2	8.0	144	4.0	9
1/31/23 19:00	13.5	103.1	8.0	144	4.0	8
1/31/23 19:15	13.5	103.1	8.0	144	4.0	10
1/31/23 19:30	13.5	103.1	8.0	144	4.0	9
1/31/23 19:45	13.5	103.0	8.0	144	4.0	9
1/31/23 20:00	13.5	103.0	8.0	144	4.0	9
1/31/23 20:15	13.5	103.0	8.0	144	4.0	8
1/31/23 20:30	13.5	102.9	8.0	144	4.0	9
1/31/23 20:45	13.5	103.0	8.0	144	4.0	9
1/31/23 21:00	13.5	103.0	8.0	144	4.0	9
1/31/23 21:15	13.5	102.9	8.0	144	4.0	9
1/31/23 21:30	13.5	103.0	8.0	144	3.9	9
1/31/23 21:45	13.5	103.0	8.0	144	3.9	8
1/31/23 22:00	13.5	103.0	8.0	144	3.9	8
1/31/23 22:15	13.5	103.0	8.0	144	3.9	9
1/31/23 22:30	13.5	103.0	8.0	144	3.9	9
1/31/23 22:45	13.5	103.0	7.9	144	3.9	8
1/31/23 23:00	13.5	103.0	8.0	144	3.9	9
1/31/23 23:15	13.5	103.0	7.9	144	3.9	8
1/31/23 23:30	13.5	103.0	7.9	144	3.8	8
1/31/23 23:45	13.5	103.0	7.9	144	3.8	8



Klamath River near Seiad Valley, CA (USGS 11520500)

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 0:00	11.7	93.9	7.9	124	6.1	44
1/1/23 0:15	11.7	93.9	7.9	125	6.1	46
1/1/23 0:30	11.7	93.9	7.9	125	6.0	43
1/1/23 0:45	11.7	93.9	7.9	125	6.0	44
1/1/23 1:00	11.7	93.9	7.9	126	6.0	43
1/1/23 1:15	11.7	93.9	7.9	126	6.0	43
1/1/23 1:30	11.7	93.9	7.9	126	6.0	41
1/1/23 1:45	11.7	94.0	7.9	126	6.0	43
1/1/23 2:00	11.7	93.9	7.9	127	5.9	42
1/1/23 2:15	11.7	94.0	7.9	127	5.9	41
1/1/23 2:30	11.7	94.0	7.9	127	5.9	36
1/1/23 2:45	11.7	93.9	7.9	128	5.9	40
1/1/23 3:00	11.7	93.9	7.9	128	5.8	39
1/1/23 3:15	11.8	93.9	7.9	129	5.8	40
1/1/23 3:30	11.8	94.0	7.9	129	5.8	36
1/1/23 3:45	11.8	94.0	7.9	129	5.8	37
1/1/23 4:00	11.8	93.9	7.9	130	5.7	36
1/1/23 4:15	11.8	94.0	7.9	130	5.7	36
1/1/23 4:30	11.8	94.0	7.9	130	5.7	36
1/1/23 4:45	11.8	94.0	7.9	131	5.7	36
1/1/23 5:00	11.8	94.0	7.9	131	5.7	38
1/1/23 5:15	11.8	94.0	7.9	131	5.7	35
1/1/23 5:30	11.8	94.0	7.9	132	5.7	36
1/1/23 5:45	11.8	94.1	7.9	132	5.7	34
1/1/23 6:00	11.8	94.1	7.9	132	5.7	31
1/1/23 6:15	11.8	94.1	7.9	133	5.7	34
1/1/23 6:30	11.8	94.1	7.9	133	5.6	35
1/1/23 6:45	11.8	94.1	7.9	133	5.6	35
1/1/23 7:00	11.8	94.1	7.9	134	5.6	32
1/1/23 7:15	11.8	94.1	7.9	134	5.6	33
1/1/23 7:30	11.8	94.1	7.9	134	5.6	32
1/1/23 7:45	11.9	94.1	7.9	135	5.6	62
1/1/23 8:00	11.9	94.2	7.9	135	5.5	36
1/1/23 8:15	11.9	94.2	7.9	135	5.5	34
1/1/23 8:30	11.9	94.2	7.9	136	5.5	
1/1/23 8:45	11.9	94.2	7.9	136	5.5	31
1/1/23 9:00	11.9	94.2	7.9	136	5.5	30
1/1/23 9:15	11.9	94.2	7.9	137	5.5	31
1/1/23 9:30	11.9	94.2	7.9	137	5.5	30
1/1/23 9:45	11.9	94.3	7.9	137	5.5	33
1/1/23 10:00	11.9	94.3	7.9	138	5.5	29
1/1/23 10:15	11.9	94.4	7.9	138	5.5	30

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 10:30	11.9	94.4	7.9	139	5.5	30
1/1/23 10:45	11.9	94.4	7.9	139	5.5	33
1/1/23 11:00	11.9	94.5	7.9	139	5.5	29
1/1/23 11:15	11.9	94.5	7.9	140	5.5	27
1/1/23 11:30	11.9	94.6	7.9	140	5.5	30
1/1/23 11:45	11.9	94.6	7.9	140	5.5	30
1/1/23 12:00	11.9	94.7	7.9	141	5.5	25
1/1/23 12:15	11.9	94.7	7.9	141	5.5	27
1/1/23 12:30	11.9	94.7	7.9	141	5.5	27
1/1/23 12:45	11.9	94.8	7.9	141	5.5	28
1/1/23 13:00	11.9	94.8	7.9	142	5.5	24
1/1/23 13:15	11.9	94.7	7.9	142	5.5	26
1/1/23 13:30	11.9	94.7	7.9	142	5.5	28
1/1/23 13:45	11.9	94.8	7.9	143	5.5	26
1/1/23 14:00	11.9	94.8	7.9	143	5.5	24
1/1/23 14:15	11.9	94.8	7.9	143	5.5	26
1/1/23 14:30	12.0	94.8	7.9	144	5.5	25
1/1/23 14:45	11.9	94.8	7.9	144	5.5	26
1/1/23 15:00	11.9	94.7	7.9	144	5.5	27
1/1/23 15:15	12.0	94.7	7.9	145	5.5	25
1/1/23 15:30	12.0	94.7	7.9	145	5.4	25
1/1/23 15:45	12.0	94.6	7.9	145	5.4	25
1/1/23 16:00	12.0	94.6	7.9	145	5.4	25
1/1/23 16:15	12.0	94.6	7.9	145	5.4	24
1/1/23 16:30	12.0	94.5	7.9	145	5.4	25
1/1/23 16:45	12.0	94.5	8.0	146	5.3	23
1/1/23 17:00	12.0	94.5	8.0	146	5.3	24
1/1/23 17:15	12.0	94.4	8.0	146	5.3	19
1/1/23 17:30	12.0	94.4	8.0	146	5.3	24
1/1/23 17:45	12.0	94.3	7.9	146	5.2	24
1/1/23 18:00	12.0	94.3	8.0	146	5.2	24
1/1/23 18:15	12.0	94.3	8.0	146	5.2	23
1/1/23 18:30	12.0	94.3	8.0	146	5.1	23
1/1/23 18:45	12.0	94.3	7.9	147	5.1	24
1/1/23 19:00	12.0	94.2	7.9	147	5.1	23
1/1/23 19:15	12.0	94.2	7.9	147	5.1	24
1/1/23 19:30	12.0	94.2	7.9	147	5.0	24
1/1/23 19:45	12.0	94.2	8.0	147	5.0	25
1/1/23 20:00	12.0	94.2	7.9	147	5.0	24
1/1/23 20:15	12.0	94.2	7.9	147	5.0	26
1/1/23 20:30	12.0	94.1	7.9	147	5.0	23
1/1/23 20:45	12.0	94.2	7.9	148	5.0	23

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 21:00	12.0	94.2	8.0	148	4.9	24
1/1/23 21:15	12.1	94.2	8.0	148	4.9	22
1/1/23 21:30	12.1	94.1	8.0	148	4.9	23
1/1/23 21:45	12.1	94.2	8.0	148	4.9	22
1/1/23 22:00	12.1	94.1	8.0	148	4.9	24
1/1/23 22:15	12.1	94.1	8.0	148	4.9	18
1/1/23 22:30	12.1	94.1	7.9	148	4.8	23
1/1/23 22:45	12.1	94.1	7.9	149	4.8	24
1/1/23 23:00	12.1	94.1	7.9	149	4.8	22
1/1/23 23:15	12.1	94.1	8.0	149	4.8	24
1/1/23 23:30	12.1	94.1	8.0	149	4.8	22
1/1/23 23:45	12.1	94.1	8.0	149	4.8	21
1/2/23 0:00	12.1	94.1	8.0	149	4.7	21
1/2/23 0:15	12.1	94.1	8.0	149	4.7	22
1/2/23 0:30	12.1	94.1	7.9	149	4.7	22
1/2/23 0:45	12.1	94.1	8.0	149	4.7	21
1/2/23 1:00	12.1	94.0	8.0	149	4.7	20
1/2/23 1:15	12.1	94.0	7.9	149	4.7	22
1/2/23 1:30	12.1	94.0	8.0	149	4.7	21
1/2/23 1:45	12.1	94.0	8.0	149	4.6	21
1/2/23 2:00	12.1	94.0	7.9	150	4.6	19
1/2/23 2:15	12.1	94.0	7.9	150	4.6	21
1/2/23 2:30	12.1	94.0	7.9	150	4.6	21
1/2/23 2:45	12.1	94.0	7.9	150	4.6	20
1/2/23 3:00	12.1	94.0	8.0	150	4.6	21
1/2/23 3:15	12.1	93.9	8.0	150	4.6	21
1/2/23 3:30	12.1	93.9	8.0	150	4.6	19
1/2/23 3:45	12.1	93.9	8.0	150	4.6	20
1/2/23 4:00	12.1	93.9	8.0	150	4.6	21
1/2/23 4:15	12.1	93.9	8.0	150	4.6	20
1/2/23 4:30	12.1	93.9	8.0	151	4.6	20
1/2/23 4:45	12.1	93.9	8.0	151	4.6	19
1/2/23 5:00	12.1	93.8	8.0	151	4.6	17
1/2/23 5:15	12.1	93.8	8.0	151	4.6	20
1/2/23 5:30	12.1	93.8	8.0	151	4.6	20
1/2/23 5:45	12.1	93.8	8.0	151	4.5	20
1/2/23 6:00	12.1	93.8	8.0	151	4.5	20
1/2/23 6:15	12.1	93.8	8.0	151	4.5	19
1/2/23 6:30	12.1	93.8	8.0	152	4.5	19
1/2/23 6:45	12.1	93.8	8.0	152	4.5	18
1/2/23 7:00	12.1	93.7	8.0	152	4.5	18
1/2/23 7:15	12.1	93.7	8.0	152	4.5	17

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 7:30	12.1	93.7	8.0	152	4.5	18
1/2/23 7:45	12.1	93.7	8.0	152	4.5	18
1/2/23 8:00	12.1	93.7	8.0	153	4.5	18
1/2/23 8:15	12.1	93.7	8.0	153	4.4	20
1/2/23 8:30	12.1	93.7	8.0	153	4.4	18
1/2/23 8:45	12.1	93.7	8.0	153	4.4	18
1/2/23 9:00	12.1	93.7	8.0	153	4.5	19
1/2/23 9:15	12.1	93.7	8.0	153	4.5	21
1/2/23 9:30	12.1	93.7	8.0	153	4.5	18
1/2/23 9:45	12.1	93.7	8.0	154	4.5	31
1/2/23 10:00	12.1	93.8	8.0	154	4.5	18
1/2/23 10:15	12.1	93.8	8.0	154	4.5	19
1/2/23 10:30	12.1	93.8	8.0	154	4.6	17
1/2/23 10:45	12.1	93.8	8.0	154	4.6	21
1/2/23 11:00	12.1	93.9	8.0	154	4.6	
1/2/23 11:15	12.1	93.9	8.0	155	4.6	16
1/2/23 11:30	12.1	93.8	8.0	155	4.6	17
1/2/23 11:45	12.1	93.8	8.0	155	4.6	17
1/2/23 12:00	12.1	93.8	8.0	155	4.6	15
1/2/23 12:15	12.1	93.7	8.0	155	4.6	20
1/2/23 12:30	12.1	93.7	8.0	155	4.6	15
1/2/23 12:45	12.1	93.7	8.0	155	4.6	17
1/2/23 13:00	12.1	93.7	8.0	155	4.6	19
1/2/23 13:15	12.1	93.7	8.0	155	4.6	17
1/2/23 13:30	12.1	93.7	8.0	156	4.6	16
1/2/23 13:45	12.1	93.8	8.0	156	4.6	16
1/2/23 14:00	12.1	93.8	8.0	156	4.6	15
1/2/23 14:15	12.1	93.7	8.0	156	4.6	16
1/2/23 14:30	12.1	93.8	8.0	156	4.7	16
1/2/23 14:45	12.1	93.8	8.0	156	4.7	16
1/2/23 15:00	12.1	93.8	8.0	156	4.7	17
1/2/23 15:15	12.1	93.8	8.0	156	4.7	16
1/2/23 15:30	12.1	93.8	8.0	156	4.7	16
1/2/23 15:45	12.1	93.9	8.0	157	4.7	16
1/2/23 16:00	12.1	93.9	8.0	157	4.7	15
1/2/23 16:15	12.1	93.9	8.0	157	4.7	21
1/2/23 16:30	12.1	93.9	8.0	157	4.7	15
1/2/23 16:45	12.1	93.9	8.0	157	4.7	15
1/2/23 17:00	12.1	93.9	8.0	157	4.7	15
1/2/23 17:15	12.1	93.9	8.0	157	4.6	15
1/2/23 17:30	12.1	93.8	8.0	157	4.6	16
1/2/23 17:45	12.1	93.8	8.0	157	4.6	15

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 18:00	12.1	93.9	8.0	157	4.6	16
1/2/23 18:15	12.1	93.8	8.0	158	4.6	16
1/2/23 18:30	12.1	93.8	8.0	158	4.6	14
1/2/23 18:45	12.1	93.8	8.0	158	4.6	15
1/2/23 19:00	12.1	93.8	8.0	158	4.6	15
1/2/23 19:15	12.1	93.8	8.0	158	4.6	14
1/2/23 19:30	12.1	93.8	8.0	158	4.6	15
1/2/23 19:45	12.1	93.8	8.0	158	4.6	13
1/2/23 20:00	12.1	93.8	8.0	158	4.6	15
1/2/23 20:15	12.1	93.8	8.0	158	4.6	15
1/2/23 20:30	12.1	93.8	8.0	158	4.6	14
1/2/23 20:45	12.1	93.9	8.0	158	4.6	15
1/2/23 21:00	12.1	93.8	8.0	159	4.6	15
1/2/23 21:15	12.1	93.8	8.0	159	4.6	15
1/2/23 21:30	12.1	93.8	8.0	159	4.6	14
1/2/23 21:45	12.1	93.8	8.0	159	4.6	14
1/2/23 22:00	12.1	93.9	8.0	159	4.6	14
1/2/23 22:15	12.1	93.8	8.0	159	4.6	16
1/2/23 22:30	12.1	93.8	8.0	159	4.6	15
1/2/23 22:45	12.1	93.9	8.0	159	4.6	14
1/2/23 23:00	12.1	93.9	8.0	159	4.5	14
1/2/23 23:15	12.1	93.9	8.0	159	4.5	14
1/2/23 23:30	12.1	93.8	8.0	159	4.5	14
1/2/23 23:45	12.1	93.9	8.0	159	4.5	14
1/3/23 0:00	12.1	93.9	8.0	160	4.5	16
1/3/23 0:15	12.1	93.9	8.0	160	4.5	15
1/3/23 0:30	12.1	93.9	8.0	160	4.5	14
1/3/23 0:45	12.1	93.9	8.0	160	4.5	14
1/3/23 1:00	12.1	93.9	8.0	160	4.5	14
1/3/23 1:15	12.1	93.9	8.0	160	4.5	16
1/3/23 1:30	12.1	93.9	8.0	160	4.5	14
1/3/23 1:45	12.1	93.9	8.0	160	4.5	14
1/3/23 2:00	12.1	93.9	8.0	160	4.5	14
1/3/23 2:15	12.1	93.9	8.0	160	4.5	14
1/3/23 2:30	12.1	93.9	8.0	160	4.5	14
1/3/23 2:45	12.1	93.9	8.0	160	4.5	14
1/3/23 3:00	12.1	93.9	8.0	160	4.5	14
1/3/23 3:15	12.2	93.9	8.0	160	4.5	15
1/3/23 3:30	12.2	93.9	8.0	160	4.5	14
1/3/23 3:45	12.2	93.9	8.0	160	4.5	15
1/3/23 4:00	12.2	93.9	8.0	160	4.5	14
1/3/23 4:15	12.2	93.9	8.0	161	4.5	15

Klamath River below Seiad Valley
(11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 4:30	12.2	93.9	8.0	161	4.4	14
1/3/23 4:45	12.2	93.9	8.0	161	4.4	13
1/3/23 5:00	12.2	93.9	8.0	161	4.4	14
1/3/23 5:15	12.2	93.9	8.0	161	4.4	13
1/3/23 5:30	12.2	93.9	8.0	161	4.4	15
1/3/23 5:45	12.2	93.9	8.0	161	4.4	14
1/3/23 6:00	12.2	93.9	8.0	161	4.4	14
1/3/23 6:15	12.2	93.9	8.0	161	4.4	14
1/3/23 6:30	12.2	93.8	8.0	161	4.4	13
1/3/23 6:45	12.2	93.9	8.0	161	4.4	13
1/3/23 7:00	12.2	93.8	8.0	161	4.4	13
1/3/23 7:15	12.2	93.9	8.0	161	4.4	13
1/3/23 7:30	12.2	93.9	8.0	161	4.4	14
1/3/23 7:45	12.2	93.9	8.0	161	4.4	14
1/3/23 8:00	12.2	93.9	8.0	161	4.4	13
1/3/23 8:15	12.2	93.9	8.0	161	4.4	14
1/3/23 8:30	12.2	93.9	8.0	161	4.4	15
1/3/23 8:45	12.2	93.9	8.0	162	4.4	13
1/3/23 9:00	12.2	93.9	8.0	162	4.4	13
1/3/23 9:15	12.2	93.9	8.0	162	4.4	12
1/3/23 9:30	12.2	93.9	8.0	162	4.4	13
1/3/23 9:45	12.2	94.0	8.0	162	4.4	13
1/3/23 10:00	12.2	94.0	8.0	162	4.4	13
1/3/23 10:15	12.2	94.1	8.0	162	4.5	12
1/3/23 10:30	12.2	94.2	8.0	162	4.5	12
1/3/23 10:45	12.2	94.2	8.0	162	4.5	12
1/3/23 11:00	12.2	94.3	8.0	163	4.5	13
1/3/23 11:15	12.2	94.3	8.0	163	4.5	12
1/3/23 11:30	12.2	94.3	8.0	163	4.5	13
1/3/23 11:45	12.2	94.3	8.0	163	4.5	13
1/3/23 12:00	12.2	94.4	8.0	163	4.5	12
1/3/23 12:15	12.2	94.4	8.0	163	4.5	12
1/3/23 12:30	12.2	94.4	8.0	163	4.6	14
1/3/23 12:45	12.2	94.4	8.0	163	4.6	12
1/3/23 13:00	12.2	94.5	8.0	163	4.6	12
1/3/23 13:15	12.2	94.5	8.0	163	4.6	12
1/3/23 13:30	12.2	94.4	8.0	163	4.6	13
1/3/23 13:45	12.2	94.5	8.0	163	4.6	13
1/3/23 14:00	12.2	94.5	8.0	164	4.6	13
1/3/23 14:15	12.2	94.5	8.0	164	4.6	12
1/3/23 14:30	12.2	94.5	8.0	164	4.6	11
1/3/23 14:45	12.2	94.5	8.0	164	4.6	12

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 15:00	12.2	94.5	8.0	164	4.6	12
1/3/23 15:15	12.2	94.5	8.0	164	4.6	12
1/3/23 15:30	12.2	94.5	8.0	164	4.6	12
1/3/23 15:45	12.2	94.5	8.0	164	4.6	11
1/3/23 16:00	12.2	94.4	8.0	164	4.6	12
1/3/23 16:15	12.2	94.4	8.0	164	4.6	12
1/3/23 16:30	12.2	94.4	8.0	164	4.6	11
1/3/23 16:45	12.2	94.4	8.0	164	4.6	11
1/3/23 17:00	12.2	94.3	8.0	165	4.6	11
1/3/23 17:15	12.2	94.4	8.0	165	4.6	11
1/3/23 17:30	12.2	94.3	8.0	165	4.6	11
1/3/23 17:45	12.2	94.3	8.0	165	4.6	12
1/3/23 18:00	12.2	94.3	8.0	165	4.6	11
1/3/23 18:15	12.2	94.2	8.0	165	4.6	12
1/3/23 18:30	12.2	94.2	8.0	165	4.6	11
1/3/23 18:45	12.2	94.2	8.0	165	4.6	11
1/3/23 19:00	12.2	94.2	8.0	165	4.6	12
1/3/23 19:15	12.2	94.1	8.0	165	4.6	12
1/3/23 19:30	12.1	94.2	8.0	165	4.6	11
1/3/23 19:45	12.2	94.1	8.0	165	4.6	12
1/3/23 20:00	12.2	94.2	8.0	165	4.6	13
1/3/23 20:15	12.2	94.1	8.0	165	4.6	12
1/3/23 20:30	12.2	94.1	8.0	165	4.6	11
1/3/23 20:45	12.1	94.1	8.0	166	4.6	14
1/3/23 21:00	12.1	94.1	8.0	166	4.6	11
1/3/23 21:15	12.1	94.1	8.0	166	4.6	11
1/3/23 21:30	12.1	94.1	8.0	166	4.6	11
1/3/23 21:45	12.1	94.1	8.0	166	4.6	11
1/3/23 22:00	12.1	94.1	8.0	166	4.6	11
1/3/23 22:15	12.1	94.1	8.0	166	4.6	12
1/3/23 22:30	12.1	94.1	8.0	166	4.6	11
1/3/23 22:45	12.1	94.0	8.0	166	4.6	11
1/3/23 23:00	12.1	94.1	8.0	166	4.6	11
1/3/23 23:15	12.1	94.1	8.0	166	4.6	11
1/3/23 23:30	12.1	94.0	8.0	166	4.6	11
1/3/23 23:45	12.1	94.1	8.0	166	4.6	11
1/4/23 0:00	12.1	94.0	8.0	166	4.6	11
1/4/23 0:15	12.1	94.0	8.0	166	4.6	11
1/4/23 0:30	12.1	94.0	8.0	166	4.6	11
1/4/23 0:45	12.1	94.1	8.0	166	4.6	11
1/4/23 1:00	12.1	94.0	8.0	166	4.6	11
1/4/23 1:15	12.1	94.0	8.0	166	4.6	11

Klamath River below Seiad Valley
(11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 1:30	12.1	94.0	8.0	166	4.6	11
1/4/23 1:45	12.1	93.9	8.0	166	4.6	11
1/4/23 2:00	12.1	94.0	8.0	167	4.6	12
1/4/23 2:15	12.1	93.9	8.0	167	4.6	11
1/4/23 2:30	12.1	93.9	8.0	167	4.6	12
1/4/23 2:45	12.1	93.9	8.0	167	4.6	12
1/4/23 3:00	12.1	93.9	8.0	167	4.6	12
1/4/23 3:15	12.1	93.8	8.0	167	4.6	11
1/4/23 3:30	12.1	93.8	8.0	167	4.6	12
1/4/23 3:45	12.1	93.8	8.0	167	4.6	12
1/4/23 4:00	12.1	93.8	8.0	167	4.6	12
1/4/23 4:15	12.1	93.7	8.0	167	4.6	11
1/4/23 4:30	12.1	93.8	8.0	167	4.6	11
1/4/23 4:45	12.1	93.7	8.0	167	4.6	11
1/4/23 5:00	12.1	93.7	8.0	167	4.6	11
1/4/23 5:15	12.1	93.7	8.0	167	4.6	11
1/4/23 5:30	12.1	93.6	8.0	167	4.6	11
1/4/23 5:45	12.1	93.7	8.0	167	4.6	11
1/4/23 6:00	12.1	93.6	8.0	167	4.5	12
1/4/23 6:15	12.1	93.6	8.0	167	4.5	12
1/4/23 6:30	12.1	93.6	8.0	167	4.5	11
1/4/23 6:45	12.1	93.6	8.0	167	4.5	11
1/4/23 7:00	12.1	93.5	8.0	167	4.5	12
1/4/23 7:15	12.1	93.6	8.0	167	4.6	11
1/4/23 7:30	12.1	93.5	8.0	167	4.6	11
1/4/23 7:45	12.1	93.5	8.0	167	4.6	13
1/4/23 8:00	12.1	93.5	8.0	167	4.6	13
1/4/23 8:15	12.1	93.5	8.0	167	4.6	13
1/4/23 8:30	12.1	93.5	8.0	167	4.6	12
1/4/23 8:45	12.1	93.5	8.0	167	4.6	11
1/4/23 9:00	12.1	93.5	8.0	168	4.6	12
1/4/23 9:15	12.0	93.5	8.0	168	4.7	11
1/4/23 9:30	12.0	93.6	8.0	168	4.7	11
1/4/23 9:45	12.0	93.5	8.0	168	4.7	12
1/4/23 10:00	12.0	93.6	8.0	168	4.7	11
1/4/23 10:15	12.0	93.6	8.0	168	4.8	11
1/4/23 10:30	12.0	93.6	8.0	168	4.8	12
1/4/23 10:45	12.0	93.6	8.0	168	4.8	12
1/4/23 11:00	12.0	93.7	8.0	168	4.8	12
1/4/23 11:15	12.0	93.7	8.0	168	4.9	11
1/4/23 11:30	12.0	93.8	8.0	168	4.9	11
1/4/23 11:45	12.0	93.8	8.0	168	4.9	11

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 12:00	12.0	93.8	8.0	168	4.9	11
1/4/23 12:15	12.0	93.8	8.0	168	4.9	11
1/4/23 12:30	12.0	93.8	8.0	168	5.0	11
1/4/23 12:45	12.0	93.8	8.0	168	5.0	11
1/4/23 13:00	12.0	93.9	8.0	168	5.0	11
1/4/23 13:15	12.0	93.9	8.1	168	5.1	12
1/4/23 13:30	12.0	93.9	8.1	169	5.1	11
1/4/23 13:45	12.0	93.9	8.1	169	5.1	11
1/4/23 14:00	11.9	93.9	8.1	169	5.2	10
1/4/23 14:15	11.9	93.9	8.1	169	5.2	10
1/4/23 14:30	11.9	94.0	8.1	169	5.2	10
1/4/23 14:45	11.9	94.0	8.1	169	5.3	10
1/4/23 15:00	11.9	94.0	8.1	169	5.3	10
1/4/23 15:15	11.9	94.0	8.1	169	5.3	10
1/4/23 15:30	11.9	93.9	8.1	169	5.4	10
1/4/23 15:45	11.9	93.9	8.1	169	5.4	10
1/4/23 16:00	11.9	93.8	8.1	169	5.4	10
1/4/23 16:15	11.8	93.8	8.1	169	5.4	10
1/4/23 16:30	11.8	93.7	8.1	169	5.4	10
1/4/23 16:45	11.8	93.6	8.1	169	5.4	10
1/4/23 17:00	11.8	93.5	8.1	169	5.4	10
1/4/23 17:15	11.8	93.4	8.1	170	5.5	10
1/4/23 17:30	11.8	93.4	8.1	170	5.5	10
1/4/23 17:45	11.8	93.3	8.1	170	5.5	11
1/4/23 18:00	11.8	93.2	8.1	170	5.5	10
1/4/23 18:15	11.7	93.1	8.1	170	5.5	10
1/4/23 18:30	11.7	93.1	8.1	170	5.5	9
1/4/23 18:45	11.7	93.0	8.1	170	5.5	10
1/4/23 19:00	11.7	93.0	8.1	170	5.5	10
1/4/23 19:15	11.7	92.9	8.1	170	5.5	9
1/4/23 19:30	11.7	92.9	8.1	170	5.5	9
1/4/23 19:45	11.7	92.8	8.1	170	5.5	10
1/4/23 20:00	11.7	92.8	8.1	170	5.5	10
1/4/23 20:15	11.7	92.8	8.1	170	5.5	10
1/4/23 20:30	11.7	92.8	8.1	170	5.5	11
1/4/23 20:45	11.7	92.7	8.1	170	5.5	10
1/4/23 21:00	11.7	92.7	8.0	170	5.5	10
1/4/23 21:15	11.7	92.7	8.1	170	5.6	10
1/4/23 21:30	11.7	92.7	8.1	170	5.6	10
1/4/23 21:45	11.7	92.6	8.1	170	5.6	10
1/4/23 22:00	11.7	92.6	8.1	170	5.6	10
1/4/23 22:15	11.6	92.6	8.1	170	5.6	10

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 22:30	11.6	92.6	8.1	170	5.6	10
1/4/23 22:45	11.6	92.6	8.1	170	5.6	10
1/4/23 23:00	11.6	92.5	8.1	170	5.6	10
1/4/23 23:15	11.6	92.5	8.0	170	5.6	10
1/4/23 23:30	11.6	92.5	8.0	170	5.6	10
1/4/23 23:45	11.6	92.5	8.0	170	5.6	9
1/5/23 0:00	11.6	92.5	8.0	170	5.7	10
1/5/23 0:15	11.6	92.5	8.1	170	5.7	9
1/5/23 0:30	11.6	92.5	8.0	170	5.7	10
1/5/23 0:45	11.6	92.5	8.1	170	5.6	10
1/5/23 1:00	11.6	92.4	8.0	170	5.6	10
1/5/23 1:15	11.6	92.5	8.0	170	5.6	9
1/5/23 1:30	11.6	92.4	8.0	170	5.6	9
1/5/23 1:45	11.6	92.4	8.0	170	5.7	10
1/5/23 2:00	11.6	92.4	8.0	170	5.7	9
1/5/23 2:15	11.6	92.4	8.0	170	5.7	9
1/5/23 2:30	11.6	92.4	8.0	170	5.7	9
1/5/23 2:45	11.6	92.4	8.0	170	5.7	9
1/5/23 3:00	11.6	92.4	8.0	170	5.7	9
1/5/23 3:15	11.6	92.4	8.0	170	5.7	9
1/5/23 3:30	11.6	92.4	8.0	170	5.7	9
1/5/23 3:45	11.6	92.4	8.0	170	5.7	9
1/5/23 4:00	11.6	92.4	8.0	170	5.7	9
1/5/23 4:15	11.6	92.4	8.0	170	5.7	10
1/5/23 4:30	11.6	92.4	8.0	170	5.7	10
1/5/23 4:45	11.6	92.4	8.0	169	5.7	10
1/5/23 5:00	11.6	92.4	8.0	169	5.7	9
1/5/23 5:15	11.6	92.4	8.0	169	5.7	9
1/5/23 5:30	11.6	92.4	8.0	169	5.7	10
1/5/23 5:45	11.6	92.4	8.0	169	5.7	9
1/5/23 6:00	11.6	92.4	8.0	169	5.7	9
1/5/23 6:15	11.6	92.4	8.0	169	5.7	9
1/5/23 6:30	11.6	92.4	8.0	169	5.7	9
1/5/23 6:45	11.6	92.4	8.0	169	5.7	9
1/5/23 7:00	11.6	92.4	8.0	169	5.7	9
1/5/23 7:15	11.6	92.5	8.0	169	5.7	9
1/5/23 7:30	11.6	92.5	8.0	169	5.7	9
1/5/23 7:45	11.6	92.5	8.0	169	5.7	9
1/5/23 8:00	11.6	92.5	8.0	169	5.7	9
1/5/23 8:15	11.6	92.6	8.0	169	5.7	9
1/5/23 8:30	11.6	92.6	8.0	169	5.7	9
1/5/23 8:45	11.6	92.6	8.1	169	5.7	10

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 9:00	11.6	92.6	8.1	169	5.7	10
1/5/23 9:15	11.6	92.7	8.1	169	5.7	12
1/5/23 9:30	11.6	92.8	8.1	170	5.7	16
1/5/23 9:45	11.6	92.9	8.1	170	5.8	19
1/5/23 10:00	11.6	92.9	8.1	170	5.8	17
1/5/23 10:15	11.6	93.0	8.1	170	5.8	16
1/5/23 10:30	11.6	93.1	8.1	170	5.9	16
1/5/23 10:45	11.7	93.2	8.1	170	5.9	15
1/5/23 11:00	11.7	93.3	8.1	169	5.9	14
1/5/23 11:15	11.6	93.3	8.1	169	5.9	13
1/5/23 11:30	11.7	93.4	8.1	169	5.9	12
1/5/23 11:45	11.7	93.5	8.1	169	5.9	11
1/5/23 12:00	11.7	93.6	8.1	169	5.9	11
1/5/23 12:15	11.7	93.6	8.1	169	6.0	11
1/5/23 12:30	11.7	93.6	8.1	169	6.0	14
1/5/23 12:45	11.7	93.6	8.1	169	6.0	17
1/5/23 13:00	11.6	93.5	8.1	170	6.0	22
1/5/23 13:15	11.6	93.5	8.1	170	6.0	31
1/5/23 13:30	11.6	93.4	8.1	170	6.0	35
1/5/23 13:45	11.6	93.4	8.1	170	6.1	38
1/5/23 14:00	11.6	93.4	8.1	170	6.1	37
1/5/23 14:15	11.6	93.5	8.1	170	6.1	36
1/5/23 14:30	11.6	93.6	8.1	170	6.2	34
1/5/23 14:45	11.6	93.6	8.1	170	6.2	29
1/5/23 15:00	11.6	93.6	8.1	170	6.2	25
1/5/23 15:15	11.6	93.7	8.1	170	6.2	23
1/5/23 15:30	11.6	93.7	8.1	170	6.2	25
1/5/23 15:45	11.6	93.7	8.1	170	6.3	20
1/5/23 16:00	11.6	93.7	8.1	170	6.3	20
1/5/23 16:15	11.6	93.7	8.1	170	6.3	17
1/5/23 16:30	11.6	93.7	8.1	170	6.3	18
1/5/23 16:45	11.6	93.7	8.1	170	6.3	18
1/5/23 17:00	11.6	93.7	8.1	170	6.3	16
1/5/23 17:15	11.6	93.7	8.1	170	6.3	16
1/5/23 17:30	11.6	93.7	8.1	170	6.3	16
1/5/23 17:45	11.6	93.7	8.1	170	6.3	15
1/5/23 18:00	11.6	93.7	8.1	169	6.3	15
1/5/23 18:15	11.6	93.7	8.1	169	6.4	15
1/5/23 18:30	11.6	93.8	8.1	169	6.4	15
1/5/23 18:45	11.6	93.7	8.1	169	6.4	15
1/5/23 19:00	11.6	93.8	8.1	169	6.4	21
1/5/23 19:15	11.6	93.8	8.1	170	6.4	25

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 19:30	11.6	93.8	8.1	170	6.3	34
1/5/23 19:45	11.6	93.7	8.1	170	6.3	48
1/5/23 20:00	11.6	93.7	8.1	169	6.3	65
1/5/23 20:15	11.6	93.7	8.1	169	6.3	76
1/5/23 20:30	11.6	93.7	8.1	168	6.3	82
1/5/23 20:45	11.6	93.7	8.1	167	6.3	83
1/5/23 21:00	11.6	93.8	8.1	166	6.3	81
1/5/23 21:15	11.6	93.8	8.1	165	6.3	71
1/5/23 21:30	11.6	93.7	8.1	165	6.3	64
1/5/23 21:45	11.6	93.8	8.1	164	6.3	55
1/5/23 22:00	11.6	93.8	8.1	163	6.3	49
1/5/23 22:15	11.6	93.8	8.1	163	6.3	41
1/5/23 22:30	11.6	93.9	8.1	162	6.3	42
1/5/23 22:45	11.6	93.8	8.1	162	6.3	32
1/5/23 23:00	11.6	93.9	8.1	161	6.3	32
1/5/23 23:15	11.6	93.9	8.1	161	6.3	29
1/5/23 23:30	11.6	94.0	8.1	160	6.3	27
1/5/23 23:45	11.6	94.0	8.0	160	6.3	25
1/6/23 0:00	11.6	93.9	8.0	160	6.3	25
1/6/23 0:15	11.6	94.0	8.0	159	6.3	27
1/6/23 0:30	11.6	94.1	8.0	159	6.3	30
1/6/23 0:45	11.6	94.0	8.0	159	6.2	25
1/6/23 1:00	11.7	94.1	8.0	159	6.2	26
1/6/23 1:15	11.7	94.1	8.0	159	6.2	27
1/6/23 1:30	11.7	94.2	8.0	159	6.2	24
1/6/23 1:45	11.7	94.2	8.0	160	6.1	26
1/6/23 2:00	11.7	94.2	8.0	161	6.1	25
1/6/23 2:15	11.7	94.2	8.0	161	6.1	23
1/6/23 2:30	11.7	94.2	8.0	162	6.1	21
1/6/23 2:45	11.7	94.3	8.0	162	6.1	26
1/6/23 3:00	11.7	94.3	8.0	163	6.1	27
1/6/23 3:15	11.7	94.3	8.0	163	6.1	28
1/6/23 3:30	11.7	94.4	8.0	162	6.1	27
1/6/23 3:45	11.7	94.4	8.0	162	6.0	29
1/6/23 4:00	11.7	94.4	8.0	162	6.0	28
1/6/23 4:15	11.8	94.5	8.0	161	6.0	38
1/6/23 4:30	11.8	94.4	8.0	161	6.0	27
1/6/23 4:45	11.8	94.5	8.0	161	6.0	30
1/6/23 5:00	11.8	94.5	8.0	160	6.0	30
1/6/23 5:15	11.8	94.5	8.0	160	6.0	29
1/6/23 5:30	11.8	94.5	8.0	160	5.9	28
1/6/23 5:45	11.8	94.5	8.0	160	5.9	30

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 6:00	11.8	94.5	8.0	160	5.9	27
1/6/23 6:15	11.8	94.5	8.0	161	5.9	28
1/6/23 6:30	11.8	94.6	8.0	161	5.9	27
1/6/23 6:45	11.8	94.6	8.0	161	5.9	26
1/6/23 7:00	11.8	94.6	8.0	161	5.8	27
1/6/23 7:15	11.8	94.6	8.0	162	5.8	25
1/6/23 7:30	11.8	94.6	8.0	162	5.8	26
1/6/23 7:45	11.8	94.6	8.0	162	5.8	28
1/6/23 8:00	11.8	94.6	8.0	162	5.8	26
1/6/23 8:15	11.9	94.6	8.0	163	5.7	27
1/6/23 8:30	11.9	94.6	8.0	163	5.7	25
1/6/23 8:45	11.9	94.6	8.0	164	5.7	25
1/6/23 9:00	11.9	94.6	8.0	164	5.7	24
1/6/23 9:15	11.9	94.6	8.0	165	5.7	24
1/6/23 9:30	11.9	94.7	8.0	165	5.7	24
1/6/23 9:45	11.9	94.7	8.0	166	5.7	24
1/6/23 10:00	11.9	94.7	8.0	167	5.7	22
1/6/23 10:15	11.9	94.7	8.0	167	5.7	21
1/6/23 10:30	11.9	94.8	8.0	168	5.7	21
1/6/23 10:45	11.9	94.9	8.0	168	5.7	21
1/6/23 11:00	11.9	94.9	8.0	168	5.7	22
1/6/23 11:15	11.9	94.9	8.0	169	5.7	37
1/6/23 11:30	11.9	95.0	8.0	169	5.8	19
1/6/23 11:45	11.9	95.0	8.1	170	5.8	19
1/6/23 12:00	11.9	95.0	8.0	170	5.8	18
1/6/23 12:15	11.9	95.1	8.1	170	5.8	20
1/6/23 12:30	11.9	95.2	8.1	171	5.9	18
1/6/23 12:45	11.9	95.2	8.1	171	5.9	18
1/6/23 13:00	11.9	95.2	8.1	172	5.9	18
1/6/23 13:15	11.9	95.3	8.1	172	6.0	18
1/6/23 13:30	11.9	95.3	8.1	172	6.0	18
1/6/23 13:45	11.9	95.3	8.1	173	6.0	20
1/6/23 14:00	11.9	95.3	8.1	173	6.1	19
1/6/23 14:15	11.8	95.3	8.1	174	6.1	17
1/6/23 14:30	11.8	95.3	8.1	174	6.1	18
1/6/23 14:45	11.8	95.3	8.1	174	6.1	17
1/6/23 15:00	11.8	95.2	8.1	175	6.1	17
1/6/23 15:15	11.8	95.3	8.1	175	6.1	16
1/6/23 15:30	11.8	95.2	8.1	175	6.1	15
1/6/23 15:45	11.8	95.2	8.1	175	6.1	16
1/6/23 16:00	11.8	95.2	8.1	176	6.1	16
1/6/23 16:15	11.8	95.1	8.1	176	6.1	16

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 16:30	11.8	95.0	8.1	176	6.1	16
1/6/23 16:45	11.8	95.0	8.1	176	6.1	16
1/6/23 17:00	11.8	95.0	8.1	176	6.1	17
1/6/23 17:15	11.8	94.9	8.1	176	6.1	16
1/6/23 17:30	11.8	94.8	8.1	177	6.1	16
1/6/23 17:45	11.8	94.8	8.1	177	6.1	15
1/6/23 18:00	11.8	94.8	8.1	177	6.1	15
1/6/23 18:15	11.8	94.8	8.1	177	6.1	22
1/6/23 18:30	11.8	94.7	8.1	177	6.1	15
1/6/23 18:45	11.8	94.7	8.1	177	6.1	15
1/6/23 19:00	11.8	94.6	8.1	178	6.1	15
1/6/23 19:15	11.8	94.6	8.1	178	6.1	15
1/6/23 19:30	11.8	94.6	8.1	178	6.1	14
1/6/23 19:45	11.8	94.5	8.1	178	6.0	15
1/6/23 20:00	11.8	94.6	8.1	178	6.0	14
1/6/23 20:15	11.8	94.5	8.1	178	6.0	14
1/6/23 20:30	11.8	94.5	8.1	178	6.0	14
1/6/23 20:45	11.8	94.5	8.1	178	6.0	13
1/6/23 21:00	11.8	94.4	8.1	178	6.0	15
1/6/23 21:15	11.8	94.4	8.1	178	5.9	14
1/6/23 21:30	11.8	94.4	8.1	179	5.9	15
1/6/23 21:45	11.8	94.4	8.1	179	5.9	14
1/6/23 22:00	11.8	94.4	8.1	179	5.9	15
1/6/23 22:15	11.8	94.4	8.1	179	5.9	14
1/6/23 22:30	11.8	94.3	8.1	178	5.8	14
1/6/23 22:45	11.8	94.3	8.1	178	5.8	14
1/6/23 23:00	11.8	94.3	8.1	178	5.8	13
1/6/23 23:15	11.8	94.3	8.1	178	5.8	13
1/6/23 23:30	11.8	94.3	8.1	178	5.8	13
1/6/23 23:45	11.8	94.3	8.1	178	5.8	13
1/7/23 0:00	11.8	94.3	8.1	178	5.8	13
1/7/23 0:15	11.8	94.2	8.1	178	5.8	13
1/7/23 0:30	11.8	94.3	8.1	178	5.8	13
1/7/23 0:45	11.8	94.2	8.1	178	5.8	13
1/7/23 1:00	11.8	94.2	8.1	178	5.8	13
1/7/23 1:15	11.8	94.2	8.1	178	5.8	13
1/7/23 1:30	11.8	94.2	8.1	178	5.7	13
1/7/23 1:45	11.8	94.2	8.1	178	5.7	13
1/7/23 2:00	11.8	94.2	8.1	178	5.7	12
1/7/23 2:15	11.8	94.2	8.1	179	5.7	12
1/7/23 2:30	11.8	94.2	8.1	179	5.7	12
1/7/23 2:45	11.8	94.2	8.1	179	5.7	12

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 3:00	11.8	94.1	8.1	179	5.7	12
1/7/23 3:15	11.8	94.1	8.1	179	5.7	12
1/7/23 3:30	11.8	94.1	8.1	179	5.7	12
1/7/23 3:45	11.8	94.1	8.1	179	5.7	12
1/7/23 4:00	11.8	94.1	8.1	179	5.6	12
1/7/23 4:15	11.8	94.0	8.1	179	5.6	12
1/7/23 4:30	11.8	94.0	8.1	180	5.6	12
1/7/23 4:45	11.8	94.1	8.1	180	5.6	12
1/7/23 5:00	11.8	94.0	8.1	180	5.6	12
1/7/23 5:15	11.8	94.0	8.1	180	5.6	12
1/7/23 5:30	11.8	94.0	8.1	180	5.6	12
1/7/23 5:45	11.8	94.0	8.1	180	5.7	12
1/7/23 6:00	11.8	94.0	8.1	180	5.7	12
1/7/23 6:15	11.8	94.0	8.1	180	5.7	12
1/7/23 6:30	11.8	94.0	8.1	180	5.7	12
1/7/23 6:45	11.8	94.0	8.1	180	5.7	12
1/7/23 7:00	11.8	94.0	8.1	180	5.7	12
1/7/23 7:15	11.8	94.0	8.1	180	5.7	12
1/7/23 7:30	11.8	94.0	8.1	180	5.7	11
1/7/23 7:45	11.8	94.0	8.1	180	5.7	12
1/7/23 8:00	11.8	94.0	8.1	180	5.7	12
1/7/23 8:15	11.8	94.0	8.1	180	5.7	14
1/7/23 8:30	11.8	94.0	8.1	181	5.8	12
1/7/23 8:45	11.8	94.0	8.1	181	5.8	12
1/7/23 9:00	11.8	94.0	8.1	181	5.8	12
1/7/23 9:15	11.8	93.9	8.1	181	5.8	12
1/7/23 9:30	11.8	94.0	8.1	181	5.8	12
1/7/23 9:45	11.8	94.0	8.1	181	5.8	12
1/7/23 10:00	11.8	94.0	8.1	181	5.8	12
1/7/23 10:15	11.8	94.0	8.1	182	5.8	11
1/7/23 10:30	11.8	94.1	8.1	182	5.9	11
1/7/23 10:45	11.8	94.1	8.1	182	5.9	12
1/7/23 11:00	11.8	94.1	8.1	182	5.9	12
1/7/23 11:15	11.8	94.2	8.1	182	5.9	11
1/7/23 11:30	11.8	94.2	8.1	182	5.9	12
1/7/23 11:45	11.8	94.3	8.1	182	6.0	12
1/7/23 12:00	11.8	94.3	8.1	183	6.0	12
1/7/23 12:15	11.7	94.4	8.1	183	6.0	11
1/7/23 12:30	11.7	94.4	8.1	183	6.0	12
1/7/23 12:45	11.7	94.4	8.1	183	6.0	11
1/7/23 13:00	11.7	94.4	8.1	183	6.1	11
1/7/23 13:15	11.7	94.4	8.1	183	6.1	11

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 13:30	11.7	94.4	8.1	183	6.1	12
1/7/23 13:45	11.7	94.4	8.1	183	6.1	11
1/7/23 14:00	11.7	94.4	8.1	184	6.1	11
1/7/23 14:15	11.7	94.4	8.1	184	6.1	11
1/7/23 14:30	11.7	94.3	8.1	184	6.2	11
1/7/23 14:45	11.7	94.3	8.1	184	6.2	12
1/7/23 15:00	11.7	94.4	8.1	184	6.2	11
1/7/23 15:15	11.7	94.4	8.1	184	6.2	11
1/7/23 15:30	11.7	94.3	8.1	184	6.2	11
1/7/23 15:45	11.7	94.3	8.1	184	6.2	11
1/7/23 16:00	11.7	94.3	8.1	184	6.2	11
1/7/23 16:15	11.7	94.2	8.1	184	6.2	11
1/7/23 16:30	11.6	94.2	8.1	184	6.2	11
1/7/23 16:45	11.6	94.2	8.1	184	6.2	11
1/7/23 17:00	11.6	94.1	8.1	184	6.3	11
1/7/23 17:15	11.6	94.0	8.1	184	6.3	11
1/7/23 17:30	11.6	94.0	8.1	184	6.3	11
1/7/23 17:45	11.6	93.9	8.1	184	6.3	11
1/7/23 18:00	11.6	93.9	8.1	184	6.3	11
1/7/23 18:15	11.6	93.9	8.1	184	6.2	11
1/7/23 18:30	11.6	93.8	8.1	184	6.2	11
1/7/23 18:45	11.6	93.8	8.1	184	6.2	11
1/7/23 19:00	11.6	93.7	8.1	184	6.2	11
1/7/23 19:15	11.6	93.7	8.1	184	6.2	11
1/7/23 19:30	11.6	93.7	8.1	184	6.2	11
1/7/23 19:45	11.6	93.7	8.1	184	6.2	11
1/7/23 20:00	11.6	93.6	8.1	184	6.2	11
1/7/23 20:15	11.6	93.6	8.1	184	6.2	11
1/7/23 20:30	11.6	93.5	8.1	184	6.2	11
1/7/23 20:45	11.6	93.5	8.1	184	6.2	11
1/7/23 21:00	11.6	93.5	8.1	184	6.2	11
1/7/23 21:15	11.6	93.4	8.1	184	6.2	12
1/7/23 21:30	11.6	93.5	8.1	184	6.2	12
1/7/23 21:45	11.6	93.5	8.1	184	6.2	12
1/7/23 22:00	11.6	93.5	8.1	184	6.2	12
1/7/23 22:15	11.6	93.4	8.1	184	6.2	11
1/7/23 22:30	11.6	93.4	8.1	184	6.1	11
1/7/23 22:45	11.6	93.3	8.1	184	6.1	11
1/7/23 23:00	11.6	93.4	8.1	184	6.1	11
1/7/23 23:15	11.6	93.3	8.1	184	6.1	12
1/7/23 23:30	11.6	93.3	8.1	185	6.1	11
1/7/23 23:45	11.6	93.2	8.1	185	6.1	12

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/8/23 0:00	11.6	93.3	8.1	185	6.1	11
1/8/23 0:15	11.6	93.2	8.1	184	6.1	11
1/8/23 0:30	11.6	93.2	8.1	184	6.1	11
1/8/23 0:45	11.6	93.2	8.1	184	6.1	11
1/8/23 1:00	11.6	93.3	8.1	184	6.1	11
1/8/23 1:15	11.6	93.2	8.1	184	6.1	11
1/8/23 1:30	11.6	93.2	8.1	184	6.1	11
1/8/23 1:45	11.6	93.2	8.1	184	6.1	11
1/8/23 2:00	11.6	93.2	8.1	184	6.1	11
1/8/23 2:15	11.6	93.2	8.1	184	6.0	11
1/8/23 2:30	11.6	93.2	8.1	184	6.0	11
1/8/23 2:45	11.6	93.2	8.1	184	6.0	11
1/8/23 3:00	11.6	93.2	8.1	184	6.0	11
1/8/23 3:15	11.6	93.2	8.1	183	6.0	11
1/8/23 3:30	11.6	93.1	8.1	183	6.0	11
1/8/23 3:45	11.6	93.1	8.1	183	6.0	10
1/8/23 4:00	11.6	93.2	8.1	183	6.0	11
1/8/23 4:15	11.6	93.1	8.1	183	6.0	11
1/8/23 4:30	11.6	93.1	8.1	182	5.9	11
1/8/23 4:45	11.6	93.1	8.1	182	5.9	11
1/8/23 5:00	11.6	93.1	8.1	182	5.9	11
1/8/23 5:15	11.6	93.1	8.1	182	5.9	452
1/8/23 5:30	11.6	93.1	8.1	182	5.9	11
1/8/23 5:45	11.6	93.1	8.1	182	5.9	11
1/8/23 6:00	11.6	93.1	8.1	182	5.9	11
1/8/23 6:15	11.6	93.1	8.1	182	5.9	11
1/8/23 6:30	11.6	93.1	8.1	181	5.9	10
1/8/23 6:45	11.6	93.1	8.1	181	5.9	11
1/8/23 7:00	11.6	93.1	8.1	181	5.9	11
1/8/23 7:15	11.6	93.2	8.1	181	5.8	11
1/8/23 7:30	11.6	93.2	8.1	181	5.8	11
1/8/23 7:45	11.7	93.2	8.1	181	5.8	11
1/8/23 8:00	11.7	93.2	8.1	181	5.8	11
1/8/23 8:15	11.7	93.2	8.1	180	5.8	11
1/8/23 8:30	11.7	93.3	8.1	180	5.8	11
1/8/23 8:45	11.7	93.3	8.1	180	5.8	12
1/8/23 9:00	11.7	93.4	8.1	180	5.8	11
1/8/23 9:15	11.7	93.4	8.1	180	5.8	14
1/8/23 9:30	11.7	93.4	8.1	180	5.8	11
1/8/23 9:45	11.7	93.5	8.1	180	5.8	11
1/8/23 10:00	11.7	93.5	8.1	180	5.8	11
1/8/23 10:15	11.7	93.6	8.1	180	5.8	11

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 10:30	11.7	93.6	8.1	180	5.8	11
1/8/23 10:45	11.7	93.7	8.1	180	5.9	11
1/8/23 11:00	11.7	93.8	8.1	180	5.9	11
1/8/23 11:15	11.7	94.0	8.1	180	5.9	13
1/8/23 11:30	11.7	94.1	8.1	180	6.0	17
1/8/23 11:45	11.7	94.2	8.1	180	6.0	26
1/8/23 12:00	11.7	94.1	8.1	180	6.0	23
1/8/23 12:15	11.7	94.1	8.1	180	6.0	25
1/8/23 12:30	11.7	94.2	8.1	180	6.0	26
1/8/23 12:45	11.7	94.2	8.1	180	6.1	23
1/8/23 13:00	11.7	94.3	8.1	181	6.1	24
1/8/23 13:15	11.7	94.4	8.1	181	6.1	25
1/8/23 13:30	11.7	94.4	8.1	181	6.1	22
1/8/23 13:45	11.7	94.4	8.1	181	6.2	26
1/8/23 14:00	11.7	94.5	8.1	181	6.2	35
1/8/23 14:15	11.7	94.4	8.1	181	6.2	43
1/8/23 14:30	11.7	94.4	8.1	181	6.2	56
1/8/23 14:45	11.7	94.4	8.1	181	6.2	66
1/8/23 15:00	11.7	94.3	8.1	181	6.2	77
1/8/23 15:15	11.7	94.3	8.1	181	6.2	80
1/8/23 15:30	11.7	94.2	8.1	181	6.2	81
1/8/23 15:45	11.7	94.2	8.1	181	6.2	73
1/8/23 16:00	11.7	94.3	8.1	181	6.2	67
1/8/23 16:15	11.7	94.2	8.1	181	6.1	61
1/8/23 16:30	11.7	94.2	8.1	181	6.1	52
1/8/23 16:45	11.7	94.1	8.1	181	6.1	46
1/8/23 17:00	11.7	94.0	8.1	180	6.1	39
1/8/23 17:15	11.7	94.1	8.1	180	6.1	32
1/8/23 17:30	11.7	94.0	8.1	180	6.1	30
1/8/23 17:45	11.7	94.0	8.1	180	6.1	26
1/8/23 18:00	11.7	94.0	8.1	180	6.1	24
1/8/23 18:15	11.7	94.0	8.1	180	6.0	22
1/8/23 18:30	11.7	93.9	8.1	180	6.0	20
1/8/23 18:45	11.7	93.9	8.1	179	6.0	19
1/8/23 19:00	11.7	93.9	8.1	179	6.0	17
1/8/23 19:15	11.7	93.9	8.1	179	6.0	17
1/8/23 19:30	11.7	93.9	8.1	179	6.0	16
1/8/23 19:45	11.7	93.9	8.1	179	6.0	16
1/8/23 20:00	11.7	93.9	8.1	179	6.0	15
1/8/23 20:15	11.7	93.9	8.1	179	6.0	16
1/8/23 20:30	11.7	93.9	8.1	179	6.0	23
1/8/23 20:45	11.7	93.9	8.1	179	6.0	15

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 21:00	11.7	93.9	8.1	179	6.0	15
1/8/23 21:15	11.7	93.9	8.1	179	6.0	15
1/8/23 21:30	11.7	93.8	8.1	179	5.9	19
1/8/23 21:45	11.7	93.8	8.1	178	5.9	14
1/8/23 22:00	11.7	93.8	8.1	178	5.9	15
1/8/23 22:15	11.7	93.8	8.1	178	5.9	14
1/8/23 22:30	11.7	93.8	8.1	178	5.9	15
1/8/23 22:45	11.7	93.7	8.1	178	5.8	16
1/8/23 23:00	11.7	93.7	8.1	178	5.8	
1/8/23 23:15	11.7	93.7	8.1	177	5.8	17
1/8/23 23:30	11.7	93.7	8.1	177	5.8	18
1/8/23 23:45	11.7	93.6	8.1	177	5.7	20
1/9/23 0:00	11.7	93.6	8.1	177	5.7	21
1/9/23 0:15	11.7	93.6	8.1	177	5.7	22
1/9/23 0:30	11.7	93.5	8.1	177	5.7	22
1/9/23 0:45	11.7	93.5	8.1	176	5.7	24
1/9/23 1:00	11.7	93.4	8.1	176	5.6	22
1/9/23 1:15	11.7	93.5	8.1	176	5.6	22
1/9/23 1:30	11.8	93.4	8.1	176	5.6	25
1/9/23 1:45	11.7	93.4	8.1	176	5.6	37
1/9/23 2:00	11.7	93.3	8.1	175	5.6	21
1/9/23 2:15	11.8	93.3	8.1	175	5.5	19
1/9/23 2:30	11.7	93.3	8.1	175	5.5	18
1/9/23 2:45	11.8	93.3	8.1	175	5.5	18
1/9/23 3:00	11.8	93.2	8.1	175	5.5	17
1/9/23 3:15	11.8	93.2	8.1	175	5.5	16
1/9/23 3:30	11.8	93.2	8.1	175	5.5	16
1/9/23 3:45	11.8	93.1	8.1	175	5.5	18
1/9/23 4:00	11.8	93.1	8.1	175	5.4	15
1/9/23 4:15	11.7	93.1	8.1	175	5.4	15
1/9/23 4:30	11.7	93.0	8.1	175	5.4	15
1/9/23 4:45	11.7	93.0	8.1	175	5.4	14
1/9/23 5:00	11.7	93.0	8.1	174	5.4	15
1/9/23 5:15	11.7	93.0	8.1	174	5.4	15
1/9/23 5:30	11.7	92.9	8.1	174	5.5	15
1/9/23 5:45	11.7	92.9	8.1	174	5.5	14
1/9/23 6:00	11.7	92.9	8.1	174	5.5	14
1/9/23 6:15	11.7	92.9	8.1	174	5.5	14
1/9/23 6:30	11.7	92.9	8.1	174	5.5	17
1/9/23 6:45	11.7	92.9	8.1	174	5.5	14
1/9/23 7:00	11.7	92.9	8.1	174	5.5	14
1/9/23 7:15	11.7	92.9	8.1	174	5.5	15

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 7:30	11.7	92.9	8.1	174	5.5	14
1/9/23 7:45	11.7	92.9	8.1	174	5.6	14
1/9/23 8:00	11.7	92.9	8.1	174	5.6	59
1/9/23 8:15	11.7	92.9	8.1	174	5.6	14
1/9/23 8:30	11.7	92.9	8.1	173	5.6	15
1/9/23 8:45	11.7	92.9	8.1	173	5.6	14
1/9/23 9:00	11.7	92.9	8.1	173	5.6	15
1/9/23 9:15	11.7	93.0	8.1	173	5.6	14
1/9/23 9:30	11.7	93.0	8.1	173	5.6	14
1/9/23 9:45	11.7	93.0	8.1	172	5.6	14
1/9/23 10:00	11.7	93.0	8.1	172	5.7	14
1/9/23 10:15	11.7	93.1	8.1	172	5.7	13
1/9/23 10:30	11.7	93.2	8.1	172	5.7	13
1/9/23 10:45	11.7	93.2	8.1	172	5.7	14
1/9/23 11:00	11.7	93.3	8.1	172	5.8	13
1/9/23 11:15	11.7	93.4	8.1	172	5.8	13
1/9/23 11:30	11.7	93.5	8.1	172	5.8	14
1/9/23 11:45	11.7	93.6	8.1	172	5.9	13
1/9/23 12:00	11.7	93.7	8.1	172	5.9	13
1/9/23 12:15	11.7	93.8	8.1	173	6.0	15
1/9/23 12:30	11.7	93.9	8.1	173	6.0	14
1/9/23 12:45	11.7	94.0	8.1	173	6.1	13
1/9/23 13:00	11.7	94.1	8.1	173	6.1	14
1/9/23 13:15	11.7	94.2	8.1	173	6.1	13
1/9/23 13:30	11.7	94.1	8.1	174	6.1	13
1/9/23 13:45	11.7	94.0	8.1	174	6.1	13
1/9/23 14:00	11.7	94.1	8.1	174	6.2	13
1/9/23 14:15	11.7	94.1	8.1	175	6.2	13
1/9/23 14:30	11.6	94.1	8.1	175	6.2	13
1/9/23 14:45	11.6	94.0	8.1	176	6.2	12
1/9/23 15:00	11.6	94.0	8.1	176	6.2	14
1/9/23 15:15	11.6	94.0	8.1	176	6.3	13
1/9/23 15:30	11.6	93.9	8.1	177	6.3	13
1/9/23 15:45	11.6	93.9	8.1	177	6.3	13
1/9/23 16:00	11.6	93.9	8.1	177	6.3	13
1/9/23 16:15	11.6	93.8	8.1	177	6.3	14
1/9/23 16:30	11.6	93.8	8.1	177	6.3	14
1/9/23 16:45	11.6	93.8	8.1	177	6.3	14
1/9/23 17:00	11.6	93.7	8.1	177	6.3	14
1/9/23 17:15	11.6	93.6	8.1	177	6.3	15
1/9/23 17:30	11.6	93.5	8.1	177	6.3	20
1/9/23 17:45	11.5	93.4	8.1	178	6.3	37

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 18:00	11.5	93.3	8.1	178	6.2	77
1/9/23 18:15	11.5	93.2	8.1	178	6.2	135
1/9/23 18:30	11.5	93.1	8.1	178	6.2	185
1/9/23 18:45	11.5	93.0	8.1	178	6.2	255
1/9/23 19:00	11.5	92.9	8.1	178	6.2	286
1/9/23 19:15	11.5	92.8	8.1	178	6.2	297
1/9/23 19:30	11.5	92.8	8.1	178	6.2	281
1/9/23 19:45	11.5	92.9	8.1	178	6.2	233
1/9/23 20:00	11.5	92.8	8.1	178	6.2	210
1/9/23 20:15	11.5	92.9	8.1	179	6.2	164
1/9/23 20:30	11.5	93.0	8.1	179	6.2	129
1/9/23 20:45	11.5	93.0	8.1	179	6.1	107
1/9/23 21:00	11.5	93.1	8.1	179	6.1	89
1/9/23 21:15	11.6	93.1	8.1	179	6.1	75
1/9/23 21:30	11.6	93.1	8.1	180	6.1	59
1/9/23 21:45	11.6	93.1	8.1	180	6.1	54
1/9/23 22:00	11.6	93.2	8.1	180	6.0	52
1/9/23 22:15	11.6	93.2	8.1	180	6.0	50
1/9/23 22:30	11.6	93.2	8.1	180	6.0	54
1/9/23 22:45	11.6	93.2	8.1	180	6.0	44
1/9/23 23:00	11.6	93.2	8.1	181	5.9	41
1/9/23 23:15	11.6	93.2	8.1	181	5.9	39
1/9/23 23:30	11.6	93.3	8.1	181	5.9	36
1/9/23 23:45	11.6	93.3	8.1	181	5.9	34
1/10/23 0:00	11.6	93.3	8.1	181	5.9	30
1/10/23 0:15	11.7	93.3	8.1	181	5.8	31
1/10/23 0:30	11.7	93.3	8.1	180	5.8	28
1/10/23 0:45	11.7	93.3	8.1	180	5.8	28
1/10/23 1:00	11.7	93.3	8.1	180	5.8	28
1/10/23 1:15	11.7	93.3	8.1	180	5.7	32
1/10/23 1:30	11.7	93.3	8.1	180	5.7	34
1/10/23 1:45	11.7	93.2	8.1	179	5.7	40
1/10/23 2:00	11.7	93.2	8.1	179	5.6	67
1/10/23 2:15	11.7	93.2	8.1	179	5.6	77
1/10/23 2:30	11.7	93.2	8.1	178	5.6	100
1/10/23 2:45	11.7	93.1	8.1	178	5.5	130
1/10/23 3:00	11.7	93.1	8.1	177	5.5	143
1/10/23 3:15	11.7	93.0	8.1	177	5.5	153
1/10/23 3:30	11.7	93.0	8.1	176	5.5	148
1/10/23 3:45	11.7	93.0	8.1	176	5.5	225
1/10/23 4:00	11.7	92.9	8.1	176	5.5	118
1/10/23 4:15	11.7	93.0	8.1	176	5.5	109

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 4:30	11.7	92.9	8.1	176	5.5	100
1/10/23 4:45	11.7	93.0	8.1	176	5.5	93
1/10/23 5:00	11.7	92.9	8.1	176	5.5	72
1/10/23 5:15	11.7	92.9	8.1	176	5.5	63
1/10/23 5:30	11.7	93.0	8.1	176	5.5	64
1/10/23 5:45	11.7	92.9	8.1	175	5.5	55
1/10/23 6:00	11.7	92.9	8.1	174	5.5	55
1/10/23 6:15	11.7	92.9	8.1	173	5.5	49
1/10/23 6:30	11.7	92.9	8.1	172	5.5	50
1/10/23 6:45	11.7	92.9	8.1	170	5.5	44
1/10/23 7:00	11.7	93.0	8.1	169	5.5	49
1/10/23 7:15	11.7	92.9	8.1	168	5.5	50
1/10/23 7:30	11.7	92.9	8.1	166	5.4	49
1/10/23 7:45	11.7	93.0	8.1	165	5.4	49
1/10/23 8:00	11.8	93.0	8.0	164	5.4	47
1/10/23 8:15	11.8	92.9	8.0	164	5.4	51
1/10/23 8:30	11.8	93.0	8.1	163	5.4	49
1/10/23 8:45	11.8	92.9	8.0	163	5.4	54
1/10/23 9:00	11.8	93.0	8.0	163	5.4	47
1/10/23 9:15	11.8	92.9	8.0	163	5.3	46
1/10/23 9:30	11.8	92.9	8.0	163	5.3	44
1/10/23 9:45	11.8	93.0	8.0	163	5.3	44
1/10/23 10:00	11.8	92.9	8.0	163	5.3	44
1/10/23 10:15	11.8	93.0	8.0	164	5.4	40
1/10/23 10:30	11.8	93.0	8.0	164	5.4	38
1/10/23 10:45	11.8	93.0	8.0	165	5.4	41
1/10/23 11:00	11.8	93.0	8.0	165	5.4	37
1/10/23 11:15	11.8	93.1	8.0	166	5.4	37
1/10/23 11:30	11.7	93.1	8.0	166	5.5	37
1/10/23 11:45	11.7	93.1	8.1	167	5.5	36
1/10/23 12:00	11.7	93.2	8.0	167	5.6	34
1/10/23 12:15	11.7	93.2	8.1	168	5.6	34
1/10/23 12:30	11.7	93.2	8.1	169	5.6	32
1/10/23 12:45	11.7	93.2	8.1	169	5.6	31
1/10/23 13:00	11.7	93.2	8.1	170	5.7	31
1/10/23 13:15	11.7	93.1	8.0	170	5.7	31
1/10/23 13:30	11.7	93.2	8.0	171	5.7	29
1/10/23 13:45	11.7	93.3	8.0	172	5.8	28
1/10/23 14:00	11.7	93.3	8.0	172	5.8	29
1/10/23 14:15	11.7	93.4	8.0	173	5.8	27
1/10/23 14:30	11.7	93.4	8.0	174	5.9	27
1/10/23 14:45	11.7	93.4	8.0	174	5.9	27

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 15:00	11.7	93.4	8.1	175	5.9	26
1/10/23 15:15	11.7	93.4	8.1	175	5.9	25
1/10/23 15:30	11.6	93.4	8.1	176	5.9	27
1/10/23 15:45	11.6	93.4	8.1	176	5.9	25
1/10/23 16:00	11.6	93.4	8.1	177	5.9	25
1/10/23 16:15	11.6	93.4	8.1	177	6.0	24
1/10/23 16:30	11.6	93.4	8.1	178	6.0	24
1/10/23 16:45	11.6	93.4	8.1	178	6.0	23
1/10/23 17:00	11.6	93.4	8.1	178	6.0	23
1/10/23 17:15	11.6	93.4	8.1	179	6.0	24
1/10/23 17:30	11.6	93.4	8.1	179	6.0	23
1/10/23 17:45	11.6	93.4	8.1	179	6.0	23
1/10/23 18:00	11.6	93.4	8.1	180	6.0	23
1/10/23 18:15	11.6	93.4	8.1	180	6.0	20
1/10/23 18:30	11.6	93.3	8.1	180	5.9	22
1/10/23 18:45	11.6	93.3	8.1	181	5.9	22
1/10/23 19:00	11.6	93.3	8.1	181	5.9	22
1/10/23 19:15	11.6	93.3	8.1	182	5.9	22
1/10/23 19:30	11.6	93.4	8.1	182	5.9	21
1/10/23 19:45	11.6	93.3	8.1	182	5.9	21
1/10/23 20:00	11.6	93.3	8.1	183	5.9	23
1/10/23 20:15	11.6	93.4	8.1	183	5.9	22
1/10/23 20:30	11.6	93.4	8.1	184	5.9	22
1/10/23 20:45	11.6	93.4	8.1	184	5.9	21
1/10/23 21:00	11.6	93.4	8.1	184	5.9	21
1/10/23 21:15	11.7	93.4	8.1	185	5.9	20
1/10/23 21:30	11.6	93.4	8.1	185	5.9	21
1/10/23 21:45	11.7	93.4	8.1	185	5.9	20
1/10/23 22:00	11.7	93.4	8.1	186	5.9	20
1/10/23 22:15	11.7	93.4	8.1	186	5.9	19
1/10/23 22:30	11.7	93.5	8.1	186	5.9	19
1/10/23 22:45	11.7	93.5	8.1	187	5.9	20
1/10/23 23:00	11.7	93.5	8.1	187	5.9	19
1/10/23 23:15	11.7	93.5	8.1	187	5.9	20
1/10/23 23:30	11.7	93.5	8.1	187	5.9	19
1/10/23 23:45	11.7	93.6	8.1	188	5.8	18
1/11/23 0:00	11.7	93.6	8.1	188	5.8	19
1/11/23 0:15	11.7	93.6	8.1	188	5.8	20
1/11/23 0:30	11.7	93.6	8.1	188	5.8	19
1/11/23 0:45	11.7	93.7	8.1	189	5.8	18
1/11/23 1:00	11.7	93.6	8.1	189	5.8	18
1/11/23 1:15	11.7	93.7	8.1	189	5.7	18

Klamath River below Seiad Valley
(11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 1:30	11.7	93.7	8.1	189	5.7	18
1/11/23 1:45	11.7	93.7	8.1	189	5.7	18
1/11/23 2:00	11.8	93.7	8.1	190	5.7	18
1/11/23 2:15	11.8	93.7	8.1	190	5.7	18
1/11/23 2:30	11.8	93.7	8.1	190	5.7	17
1/11/23 2:45	11.8	93.7	8.1	190	5.7	17
1/11/23 3:00	11.8	93.7	8.1	190	5.7	18
1/11/23 3:15	11.8	93.7	8.1	191	5.7	17
1/11/23 3:30	11.8	93.8	8.1	191	5.7	17
1/11/23 3:45	11.8	93.8	8.1	191	5.7	19
1/11/23 4:00	11.8	93.8	8.1	191	5.7	17
1/11/23 4:15	11.8	93.8	8.1	191	5.6	17
1/11/23 4:30	11.8	93.8	8.1	191	5.6	17
1/11/23 4:45	11.8	93.8	8.1	191	5.6	16
1/11/23 5:00	11.8	93.8	8.1	192	5.6	17
1/11/23 5:15	11.8	93.8	8.1	192	5.6	16
1/11/23 5:30	11.8	93.9	8.1	192	5.6	17
1/11/23 5:45	11.8	93.9	8.1	192	5.6	16
1/11/23 6:00	11.8	93.9	8.1	192	5.6	16
1/11/23 6:15	11.8	93.9	8.1	192	5.6	16
1/11/23 6:30	11.8	93.9	8.1	192	5.6	17
1/11/23 6:45	11.8	93.9	8.1	193	5.6	16
1/11/23 7:00	11.8	94.0	8.1	193	5.6	16
1/11/23 7:15	11.8	94.0	8.1	193	5.6	16
1/11/23 7:30	11.8	94.0	8.1	193	5.5	16
1/11/23 7:45	11.8	94.0	8.1	194	5.5	16
1/11/23 8:00	11.8	94.0	8.1	194	5.5	15
1/11/23 8:15	11.8	94.0	8.1	194	5.5	15
1/11/23 8:30	11.8	94.0	8.1	195	5.5	15
1/11/23 8:45	11.8	94.0	8.1	195	5.5	15
1/11/23 9:00	11.8	94.0	8.1	195	5.5	15
1/11/23 9:15	11.9	94.1	8.1	196	5.5	15
1/11/23 9:30	11.9	94.0	8.1	196	5.5	14
1/11/23 9:45	11.9	94.1	8.1	196	5.5	15
1/11/23 10:00	11.9	94.1	8.1	196	5.5	15
1/11/23 10:15	11.9	94.1	8.1	196	5.5	15
1/11/23 10:30	11.9	94.1	8.1	197	5.5	14
1/11/23 10:45	11.9	94.2	8.1	197	5.5	14
1/11/23 11:00	11.9	94.2	8.1	197	5.5	15
1/11/23 11:15	11.9	94.3	8.1	197	5.5	15
1/11/23 11:30	11.9	94.3	8.1	197	5.6	14
1/11/23 11:45	11.9	94.3	8.1	197	5.6	14

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 12:00	11.9	94.4	8.1	198	5.6	14
1/11/23 12:15	11.9	94.3	8.1	198	5.6	14
1/11/23 12:30	11.9	94.3	8.1	198	5.6	14
1/11/23 12:45	11.9	94.3	8.1	198	5.6	14
1/11/23 13:00	11.9	94.3	8.1	198	5.6	14
1/11/23 13:15	11.9	94.3	8.1	198	5.6	14
1/11/23 13:30	11.9	94.3	8.1	198	5.6	14
1/11/23 13:45	11.9	94.3	8.1	198	5.6	13
1/11/23 14:00	11.9	94.4	8.1	198	5.6	14
1/11/23 14:15	11.8	94.3	8.1	198	5.6	13
1/11/23 14:30	11.8	94.3	8.1	198	5.7	14
1/11/23 14:45	11.8	94.3	8.1	198	5.7	14
1/11/23 15:00	11.8	94.3	8.1	198	5.7	13
1/11/23 15:15	11.8	94.3	8.1	198	5.7	13
1/11/23 15:30	11.8	94.3	8.1	198	5.7	14
1/11/23 15:45	11.8	94.3	8.1	198	5.7	14
1/11/23 16:00	11.8	94.3	8.1	198	5.8	13
1/11/23 16:15	11.8	94.3	8.1	198	5.8	13
1/11/23 16:30	11.8	94.3	8.1	198	5.8	13
1/11/23 16:45	11.8	94.3	8.1	198	5.8	13
1/11/23 17:00	11.8	94.2	8.1	198	5.8	13
1/11/23 17:15	11.8	94.2	8.1	198	5.8	14
1/11/23 17:30	11.8	94.2	8.1	198	5.8	13
1/11/23 17:45	11.8	94.2	8.1	198	5.9	13
1/11/23 18:00	11.8	94.2	8.1	198	5.9	13
1/11/23 18:15	11.8	94.2	8.1	197	5.9	13
1/11/23 18:30	11.8	94.2	8.1	197	5.9	13
1/11/23 18:45	11.8	94.2	8.1	197	5.9	13
1/11/23 19:00	11.7	94.2	8.1	197	5.9	13
1/11/23 19:15	11.7	94.2	8.1	197	5.9	13
1/11/23 19:30	11.7	94.2	8.1	197	5.9	13
1/11/23 19:45	11.7	94.2	8.1	197	5.9	13
1/11/23 20:00	11.7	94.2	8.1	196	5.9	13
1/11/23 20:15	11.7	94.1	8.1	196	5.9	13
1/11/23 20:30	11.7	94.2	8.1	196	5.9	13
1/11/23 20:45	11.7	94.2	8.1	196	5.9	13
1/11/23 21:00	11.7	94.2	8.1	196	5.9	14
1/11/23 21:15	11.7	94.1	8.1	196	5.9	13
1/11/23 21:30	11.7	94.1	8.1	196	5.9	13
1/11/23 21:45	11.8	94.2	8.1	195	5.9	13
1/11/23 22:00	11.8	94.2	8.1	195	5.9	13
1/11/23 22:15	11.8	94.2	8.1	195	5.9	13

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	11.8	94.2	8.1	195	5.9	13
1/11/23 22:45	11.8	94.2	8.1	195	5.9	14
1/11/23 23:00	11.8	94.2	8.1	195	5.9	13
1/11/23 23:15	11.8	94.2	8.1	195	5.9	13
1/11/23 23:30	11.8	94.2	8.1	195	5.9	13
1/11/23 23:45	11.8	94.2	8.1	195	5.9	14
1/12/23 0:00	11.8	94.2	8.1	195	5.9	13
1/12/23 0:15	11.8	94.1	8.1	195	5.8	13
1/12/23 0:30	11.8	94.2	8.1	195	5.8	13
1/12/23 0:45	11.8	94.2	8.1	195	5.8	14
1/12/23 1:00	11.8	94.2	8.1	195	5.8	14
1/12/23 1:15	11.8	94.2	8.1	195	5.8	14
1/12/23 1:30	11.8	94.2	8.1	195	5.8	13
1/12/23 1:45	11.8	94.2	8.1	195	5.8	13
1/12/23 2:00	11.8	94.2	8.1	195	5.8	13
1/12/23 2:15	11.8	94.2	8.1	195	5.8	14
1/12/23 2:30	11.8	94.2	8.1	195	5.8	13
1/12/23 2:45	11.8	94.2	8.1	195	5.8	14
1/12/23 3:00	11.8	94.2	8.1	195	5.8	13
1/12/23 3:15	11.8	94.2	8.1	195	5.8	13
1/12/23 3:30	11.8	94.2	8.1	195	5.8	13
1/12/23 3:45	11.8	94.2	8.1	195	5.8	13
1/12/23 4:00	11.8	94.2	8.1	195	5.8	13
1/12/23 4:15	11.8	94.2	8.1	195	5.8	14
1/12/23 4:30	11.8	94.2	8.1	195	5.8	15
1/12/23 4:45	11.8	94.2	8.1	195	5.8	15
1/12/23 5:00	11.8	94.2	8.1	195	5.8	14
1/12/23 5:15	11.8	94.3	8.1	195	5.8	17
1/12/23 5:30	11.8	94.2	8.1	195	5.8	17
1/12/23 5:45	11.8	94.2	8.1	195	5.8	17
1/12/23 6:00	11.8	94.2	8.1	195	5.8	17
1/12/23 6:15	11.8	94.2	8.1	195	5.8	16
1/12/23 6:30	11.8	94.2	8.1	195	5.8	16
1/12/23 6:45	11.8	94.2	8.1	195	5.8	16
1/12/23 7:00	11.8	94.2	8.1	195	5.8	18
1/12/23 7:15	11.8	94.2	8.1	195	5.8	15
1/12/23 7:30	11.8	94.3	8.1	195	5.8	16
1/12/23 7:45	11.8	94.2	8.1	195	5.8	14
1/12/23 8:00	11.8	94.2	8.1	195	5.9	15
1/12/23 8:15	11.8	94.3	8.1	195	5.9	15
1/12/23 8:30	11.8	94.2	8.1	195	5.9	14
1/12/23 8:45	11.8	94.3	8.1	195	5.9	14

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 9:00	11.8	94.2	8.1	195	5.9	14
1/12/23 9:15	11.8	94.3	8.1	195	5.9	14
1/12/23 9:30	11.8	94.3	8.1	195	5.9	14
1/12/23 9:45	11.8	94.3	8.1	195	5.9	13
1/12/23 10:00	11.8	94.4	8.1	195	5.9	13
1/12/23 10:15	11.8	94.4	8.1	195	5.9	13
1/12/23 10:30	11.8	94.4	8.1	195	5.9	13
1/12/23 10:45	11.8	94.5	8.1	195	6.0	13
1/12/23 11:00	11.8	94.5	8.1	195	6.0	13
1/12/23 11:15	11.8	94.6	8.1	195	6.0	13
1/12/23 11:30	11.8	94.6	8.1	196	6.1	13
1/12/23 11:45	11.8	94.7	8.1	196	6.1	13
1/12/23 12:00	11.8	94.7	8.1	196	6.1	13
1/12/23 12:15	11.8	94.7	8.1	196	6.2	13
1/12/23 12:30	11.7	94.9	8.1	196	6.2	13
1/12/23 12:45	11.7	95.0	8.1	196	6.3	14
1/12/23 13:00	11.7	95.1	8.1	196	6.3	12
1/12/23 13:15	11.7	95.1	8.1	196	6.4	13
1/12/23 13:30	11.7	95.1	8.1	196	6.4	13
1/12/23 13:45	11.7	95.1	8.1	196	6.4	13
1/12/23 14:00	11.7	95.0	8.1	197	6.5	13
1/12/23 14:15	11.7	95.1	8.1	197	6.5	12
1/12/23 14:30	11.7	95.0	8.1	197	6.5	13
1/12/23 14:45	11.7	94.9	8.1	197	6.5	13
1/12/23 15:00	11.7	94.9	8.1	197	6.5	14
1/12/23 15:15	11.7	94.9	8.1	197	6.5	13
1/12/23 15:30	11.6	94.9	8.1	197	6.5	13
1/12/23 15:45	11.6	94.8	8.1	197	6.5	13
1/12/23 16:00	11.6	94.8	8.1	197	6.5	12
1/12/23 16:15	11.6	94.7	8.1	197	6.6	13
1/12/23 16:30	11.6	94.7	8.1	197	6.6	13
1/12/23 16:45	11.6	94.7	8.1	197	6.6	13
1/12/23 17:00	11.6	94.7	8.1	197	6.6	14
1/12/23 17:15	11.6	94.6	8.1	197	6.6	12
1/12/23 17:30	11.6	94.6	8.1	197	6.6	12
1/12/23 17:45	11.6	94.5	8.1	197	6.7	12
1/12/23 18:00	11.6	94.4	8.1	197	6.7	12
1/12/23 18:15	11.5	94.4	8.1	197	6.7	12
1/12/23 18:30	11.5	94.4	8.1	198	6.7	12
1/12/23 18:45	11.5	94.3	8.1	198	6.7	11
1/12/23 19:00	11.5	94.3	8.1	198	6.7	11
1/12/23 19:15	11.5	94.2	8.1	198	6.7	12

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	11.5	94.2	8.1	198	6.7	12
1/12/23 19:45	11.5	94.1	8.1	198	6.7	11
1/12/23 20:00	11.5	94.1	8.1	198	6.7	11
1/12/23 20:15	11.5	94.1	8.1	198	6.7	12
1/12/23 20:30	11.5	94.0	8.1	198	6.7	11
1/12/23 20:45	11.5	94.0	8.1	198	6.7	11
1/12/23 21:00	11.5	94.0	8.1	198	6.7	11
1/12/23 21:15	11.5	93.9	8.1	198	6.7	11
1/12/23 21:30	11.5	93.9	8.1	197	6.7	11
1/12/23 21:45	11.5	93.9	8.1	197	6.7	11
1/12/23 22:00	11.5	93.9	8.1	197	6.7	11
1/12/23 22:15	11.5	93.9	8.1	197	6.8	11
1/12/23 22:30	11.5	93.9	8.1	197	6.8	11
1/12/23 22:45	11.5	93.9	8.1	197	6.8	11
1/12/23 23:00	11.5	93.9	8.1	197	6.8	11
1/12/23 23:15	11.5	94.0	8.1	197	6.8	11
1/12/23 23:30	11.5	93.9	8.1	197	6.8	11
1/12/23 23:45	11.5	94.0	8.1	197	6.8	11
1/13/23 0:00	11.5	94.0	8.1	197	6.8	11
1/13/23 0:15	11.5	94.0	8.1	197	6.8	11
1/13/23 0:30	11.5	94.0	8.1	197	6.8	11
1/13/23 0:45	11.5	94.0	8.1	197	6.8	11
1/13/23 1:00	11.5	94.0	8.1	197	6.8	11
1/13/23 1:15	11.5	94.0	8.1	196	6.8	11
1/13/23 1:30	11.5	94.0	8.1	196	6.8	11
1/13/23 1:45	11.5	94.0	8.1	196	6.8	11
1/13/23 2:00	11.5	94.0	8.1	196	6.8	11
1/13/23 2:15	11.5	94.0	8.1	196	6.8	10
1/13/23 2:30	11.5	94.0	8.1	196	6.8	10
1/13/23 2:45	11.5	94.0	8.1	196	6.8	11
1/13/23 3:00	11.5	94.0	8.1	196	6.8	11
1/13/23 3:15	11.4	93.9	8.1	196	6.8	11
1/13/23 3:30	11.4	94.0	8.1	195	6.8	11
1/13/23 3:45	11.5	93.9	8.1	195	6.9	10
1/13/23 4:00	11.4	93.9	8.1	195	6.9	11
1/13/23 4:15	11.4	93.9	8.1	195	6.9	10
1/13/23 4:30	11.4	93.9	8.1	194	6.9	11
1/13/23 4:45	11.4	93.9	8.1	194	6.9	11
1/13/23 5:00	11.4	93.9	8.1	194	6.9	10
1/13/23 5:15	11.4	93.9	8.1	194	6.9	11
1/13/23 5:30	11.4	93.9	8.1	194	6.9	10
1/13/23 5:45	11.4	93.9	8.1	193	6.9	10

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 6:00	11.4	93.8	8.1	193	6.9	10
1/13/23 6:15	11.4	93.8	8.1	193	6.9	11
1/13/23 6:30	11.4	93.8	8.1	193	6.9	10
1/13/23 6:45	11.4	93.8	8.1	193	6.9	10
1/13/23 7:00	11.4	93.8	8.1	192	6.9	11
1/13/23 7:15	11.4	93.8	8.1	192	6.9	11
1/13/23 7:30	11.4	93.8	8.1	192	6.9	10
1/13/23 7:45	11.4	93.8	8.1	191	6.9	11
1/13/23 8:00	11.4	93.8	8.1	191	6.9	11
1/13/23 8:15	11.4	93.8	8.1	191	6.9	10
1/13/23 8:30	11.4	93.8	8.1	191	6.9	10
1/13/23 8:45	11.4	93.8	8.1	191	6.9	11
1/13/23 9:00	11.4	93.8	8.1	190	6.9	10
1/13/23 9:15	11.4	93.9	8.1	190	6.9	10
1/13/23 9:30	11.4	93.8	8.1	190	6.9	10
1/13/23 9:45	11.4	93.8	8.1	190	6.9	10
1/13/23 10:00	11.4	93.9	8.1	189	7.0	10
1/13/23 10:15	11.4	93.9	8.1	189	7.0	11
1/13/23 10:30	11.4	93.9	8.1	189	7.0	10
1/13/23 10:45	11.4	93.9	8.1	189	7.0	10
1/13/23 11:00	11.4	93.9	8.1	189	7.0	10
1/13/23 11:15	11.4	94.0	8.1	189	7.0	10
1/13/23 11:30	11.4	94.0	8.1	189	7.0	10
1/13/23 11:45	11.4	94.1	8.1	188	7.0	10
1/13/23 12:00	11.4	94.1	8.1	188	7.0	10
1/13/23 12:15	11.4	94.1	8.1	188	7.0	10
1/13/23 12:30	11.4	94.1	8.1	188	7.1	10
1/13/23 12:45	11.4	94.1	8.1	187	7.1	11
1/13/23 13:00	11.4	94.2	8.1	187	7.1	10
1/13/23 13:15	11.4	94.2	8.1	187	7.1	10
1/13/23 13:30	11.4	94.2	8.1	187	7.1	10
1/13/23 13:45	11.4	94.3	8.1	187	7.2	10
1/13/23 14:00	11.4	94.3	8.1	187	7.2	10
1/13/23 14:15	11.4	94.3	8.1	187	7.2	10
1/13/23 14:30	11.4	94.3	8.1	186	7.2	10
1/13/23 14:45	11.4	94.3	8.1	186	7.2	10
1/13/23 15:00	11.4	94.3	8.1	186	7.2	10
1/13/23 15:15	11.4	94.3	8.1	186	7.2	11
1/13/23 15:30	11.4	94.3	8.1	186	7.2	10
1/13/23 15:45	11.4	94.3	8.1	186	7.2	11
1/13/23 16:00	11.4	94.3	8.1	186	7.3	10
1/13/23 16:15	11.4	94.3	8.1	186	7.3	10

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/13/23 16:30	11.4	94.2	8.1	185	7.3	10
1/13/23 16:45	11.4	94.2	8.1	185	7.3	10
1/13/23 17:00	11.4	94.2	8.1	185	7.3	10
1/13/23 17:15	11.3	94.1	8.1	185	7.3	10
1/13/23 17:30	11.3	94.1	8.1	185	7.3	10
1/13/23 17:45	11.3	94.0	8.1	185	7.3	10
1/13/23 18:00	11.3	94.0	8.1	185	7.3	10
1/13/23 18:15	11.3	94.0	8.1	185	7.2	10
1/13/23 18:30	11.3	94.0	8.1	185	7.2	11
1/13/23 18:45	11.3	93.9	8.1	185	7.2	10
1/13/23 19:00	11.3	93.9	8.1	185	7.2	10
1/13/23 19:15	11.3	93.9	8.1	185	7.2	10
1/13/23 19:30	11.3	93.8	8.1	185	7.2	10
1/13/23 19:45	11.3	93.8	8.1	184	7.2	10
1/13/23 20:00	11.3	93.8	8.1	184	7.2	10
1/13/23 20:15	11.3	93.8	8.1	184	7.2	10
1/13/23 20:30	11.3	93.7	8.1	184	7.2	10
1/13/23 20:45	11.3	93.7	8.1	184	7.2	11
1/13/23 21:00	11.3	93.7	8.1	184	7.2	11
1/13/23 21:15	11.3	93.8	8.1	184	7.2	11
1/13/23 21:30	11.3	93.7	8.1	183	7.2	10
1/13/23 21:45	11.3	93.8	8.1	183	7.2	11
1/13/23 22:00	11.3	93.7	8.1	183	7.1	12
1/13/23 22:15	11.3	93.8	8.1	183	7.1	11
1/13/23 22:30	11.3	93.7	8.1	182	7.1	12
1/13/23 22:45	11.4	93.7	8.1	182	7.1	13
1/13/23 23:00	11.4	93.7	8.1	182	7.1	13
1/13/23 23:15	11.4	93.7	8.1	182	7.1	14
1/13/23 23:30	11.4	93.7	8.1	181	7.0	14
1/13/23 23:45	11.4	93.7	8.1	181	7.0	15
1/14/23 0:00	11.4	93.7	8.1	181	7.0	15
1/14/23 0:15	11.4	93.7	8.1	180	7.0	15
1/14/23 0:30	11.4	93.6	8.1	180	7.0	16
1/14/23 0:45	11.4	93.6	8.1	179	7.0	16
1/14/23 1:00	11.4	93.6	8.1	179	6.9	14
1/14/23 1:15	11.4	93.6	8.1	179	6.9	16
1/14/23 1:30	11.4	93.6	8.1	179	6.9	15
1/14/23 1:45	11.4	93.6	8.1	178	6.9	15
1/14/23 2:00	11.4	93.6	8.1	178	6.9	15
1/14/23 2:15	11.4	93.5	8.1	178	6.9	14
1/14/23 2:30	11.4	93.5	8.1	178	6.8	15
1/14/23 2:45	11.4	93.6	8.1	177	6.8	14

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	11.4	93.6	8.1	177	6.8	14
1/14/23 3:15	11.4	93.5	8.1	177	6.8	13
1/14/23 3:30	11.4	93.5	8.1	177	6.8	15
1/14/23 3:45	11.4	93.5	8.1	176	6.8	14
1/14/23 4:00	11.4	93.5	8.1	176	6.8	15
1/14/23 4:15	11.4	93.5	8.1	176	6.7	15
1/14/23 4:30	11.4	93.4	8.1	176	6.7	15
1/14/23 4:45	11.4	93.4	8.1	176	6.7	14
1/14/23 5:00	11.4	93.4	8.1	175	6.7	16
1/14/23 5:15	11.4	93.4	8.1	175	6.7	15
1/14/23 5:30	11.4	93.3	8.1	175	6.7	16
1/14/23 5:45	11.4	93.3	8.1	175	6.6	17
1/14/23 6:00	11.4	93.3	8.1	174	6.6	17
1/14/23 6:15	11.4	93.2	8.1	173	6.6	16
1/14/23 6:30	11.4	93.2	8.1	173	6.6	17
1/14/23 6:45	11.4	93.2	8.1	172	6.6	19
1/14/23 7:00	11.4	93.1	8.1	171	6.6	19
1/14/23 7:15	11.4	93.2	8.1	170	6.6	20
1/14/23 7:30	11.4	93.1	8.1	169	6.6	20
1/14/23 7:45	11.4	93.1	8.1	168	6.5	22
1/14/23 8:00	11.4	93.1	8.1	168	6.5	20
1/14/23 8:15	11.4	93.0	8.1	167	6.5	20
1/14/23 8:30	11.4	93.0	8.1	167	6.5	21
1/14/23 8:45	11.4	92.9	8.1	166	6.5	23
1/14/23 9:00	11.4	92.9	8.1	166	6.5	23
1/14/23 9:15	11.4	92.9	8.1	166	6.5	22
1/14/23 9:30	11.4	92.9	8.1	165	6.5	23
1/14/23 9:45	11.4	92.9	8.1	165	6.5	25
1/14/23 10:00	11.4	93.0	8.1	165	6.5	24
1/14/23 10:15	11.4	92.9	8.1	164	6.5	34
1/14/23 10:30	11.4	93.0	8.1	164	6.5	27
1/14/23 10:45	11.4	92.9	8.1	163	6.5	28
1/14/23 11:00	11.4	93.0	8.1	162	6.5	29
1/14/23 11:15	11.4	93.0	8.1	161	6.5	30
1/14/23 11:30	11.4	93.0	8.1	161	6.5	32
1/14/23 11:45	11.4	93.0	8.1	160	6.5	32
1/14/23 12:00	11.4		8.1	159	6.5	28
1/14/23 12:15	11.4		8.1	159	6.5	32
1/14/23 12:30	11.4		8.1	159	6.5	31
1/14/23 12:45	11.4		8.1	158	6.5	34
1/14/23 13:00	11.4	92.9	8.1	158	6.5	30
1/14/23 13:15	11.4	92.9	8.1	158	6.5	31

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 13:30	11.4	92.9	8.1	158	6.5	31
1/14/23 13:45	11.4	92.9	8.1	158	6.5	28
1/14/23 14:00	11.4	92.9	8.1	158	6.5	31
1/14/23 14:15	11.4	92.8	8.1	158	6.5	30
1/14/23 14:30	11.4	92.8	8.1	159	6.5	28
1/14/23 14:45	11.4	92.8	8.1	159	6.5	26
1/14/23 15:00	11.4	92.8	8.1	159	6.5	25
1/14/23 15:15	11.4	92.8	8.1	159	6.5	26
1/14/23 15:30	11.4	92.8	8.1	159	6.5	25
1/14/23 15:45	11.4	92.7	8.1	159	6.5	23
1/14/23 16:00	11.4	92.8	8.1	160	6.5	24
1/14/23 16:15	11.4	92.7	8.1	160	6.5	25
1/14/23 16:30	11.4	92.7	8.1	160	6.5	24
1/14/23 16:45	11.4	92.8	8.1	160	6.5	22
1/14/23 17:00	11.4	92.7	8.1	161	6.5	23
1/14/23 17:15	11.4	92.7	8.1	161	6.5	22
1/14/23 17:30	11.4	92.7	8.1	161	6.5	21
1/14/23 17:45	11.4	92.8	8.1	162	6.5	21
1/14/23 18:00	11.4	92.7	8.1	162	6.5	21
1/14/23 18:15	11.4	92.8	8.1	162	6.5	20
1/14/23 18:30	11.4	92.8	8.1	163	6.5	22
1/14/23 18:45	11.4	92.8	8.1	163	6.5	19
1/14/23 19:00	11.4	92.8	8.1	163	6.5	20
1/14/23 19:15	11.4	92.8	8.1	163	6.5	21
1/14/23 19:30	11.4	92.8	8.1	164	6.5	19
1/14/23 19:45	11.4	92.7	8.1	164	6.4	19
1/14/23 20:00	11.4	92.8	8.1	164	6.4	16
1/14/23 20:15	11.4	92.8	8.1	164	6.4	18
1/14/23 20:30	11.4	92.7	8.1	164	6.4	19
1/14/23 20:45	11.4	92.7	8.1	164	6.4	19
1/14/23 21:00	11.4	92.7	8.1	165	6.4	18
1/14/23 21:15	11.4	92.7	8.1	165	6.4	18
1/14/23 21:30	11.4	92.8	8.1	165	6.4	17
1/14/23 21:45	11.5	92.7	8.1	165	6.4	17
1/14/23 22:00	11.4	92.8	8.1	165	6.4	17
1/14/23 22:15	11.5	92.8	8.1	166	6.3	17
1/14/23 22:30	11.5	92.8	8.1	166	6.3	18
1/14/23 22:45	11.5	92.8	8.1	166	6.3	18
1/14/23 23:00	11.5	92.8	8.1	166	6.3	19
1/14/23 23:15	11.5	92.8	8.1	166	6.3	22
1/14/23 23:30	11.5	92.9	8.1	166	6.3	22
1/14/23 23:45	11.5	92.8	8.1	167	6.2	23

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 0:00	11.5	92.8	8.1	167	6.2	23
1/15/23 0:15	11.5	92.8	8.1	167	6.2	22
1/15/23 0:30	11.5	92.8	8.1	167	6.2	23
1/15/23 0:45	11.5	92.8	8.1	167	6.2	21
1/15/23 1:00	11.5	92.8	8.1	167	6.2	19
1/15/23 1:15	11.5	92.8	8.1	167	6.2	20
1/15/23 1:30	11.5	92.9	8.1	167	6.2	22
1/15/23 1:45	11.5	92.8	8.1	167	6.2	21
1/15/23 2:00	11.5	92.9	8.1	167	6.2	21
1/15/23 2:15	11.5	92.9	8.1	167	6.1	18
1/15/23 2:30	11.5	93.0	8.1	166	6.1	20
1/15/23 2:45	11.5	92.9	8.1	166	6.1	23
1/15/23 3:00	11.5	93.0	8.1	166	6.1	21
1/15/23 3:15	11.5	93.0	8.1	166	6.1	23
1/15/23 3:30	11.5	93.0	8.1	166	6.1	23
1/15/23 3:45	11.5	93.0	8.1	166	6.1	26
1/15/23 4:00	11.5	93.0	8.1	166	6.1	25
1/15/23 4:15	11.5	93.0	8.1	165	6.1	34
1/15/23 4:30	11.6	93.0	8.1	165	6.1	25
1/15/23 4:45	11.6	93.0	8.1	165	6.1	24
1/15/23 5:00	11.6	93.0	8.1	165	6.1	23
1/15/23 5:15	11.6	93.0	8.1	165	6.1	23
1/15/23 5:30	11.6	93.1	8.1	164	6.1	24
1/15/23 5:45	11.6	93.1	8.1	164	6.1	23
1/15/23 6:00	11.6	93.1	8.1	164	6.1	24
1/15/23 6:15	11.6	93.1	8.0	164	6.1	22
1/15/23 6:30	11.6	93.1	8.1	164	6.1	23
1/15/23 6:45	11.6	93.1	8.1	164	6.1	23
1/15/23 7:00	11.6	93.2	8.1	164	6.1	24
1/15/23 7:15	11.6	93.2	8.1	163	6.1	25
1/15/23 7:30	11.6	93.2	8.0	163	6.1	25
1/15/23 7:45	11.6	93.2	8.1	162	6.1	26
1/15/23 8:00	11.6	93.2	8.0	162	6.1	28
1/15/23 8:15	11.6	93.2	8.0	161	6.1	30
1/15/23 8:30	11.6	93.3	8.0	161	6.1	29
1/15/23 8:45	11.6	93.3	8.0	160	6.1	29
1/15/23 9:00	11.6	93.3	8.0	159	6.1	30
1/15/23 9:15	11.6	93.3	8.0	159	6.1	31
1/15/23 9:30	11.6	93.3	8.0	158	6.1	32
1/15/23 9:45	11.6	93.4	8.0	157	6.1	31
1/15/23 10:00	11.6	93.4	8.0	157	6.1	33
1/15/23 10:15	11.6	93.4	8.0	156	6.1	33

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 10:30	11.6	93.4	8.0	156	6.1	33
1/15/23 10:45	11.6	93.4	8.0	156	6.1	33
1/15/23 11:00	11.6	93.5	8.0	156	6.1	33
1/15/23 11:15	11.6	93.5	8.0	156	6.1	40
1/15/23 11:30	11.6	93.4	8.0	156	6.1	33
1/15/23 11:45	11.6	93.5	8.0	156	6.1	34
1/15/23 12:00	11.6	93.6	8.0	156	6.1	32
1/15/23 12:15	11.6	93.6	8.0	156	6.1	33
1/15/23 12:30	11.6	93.6	8.0	157	6.2	33
1/15/23 12:45	11.6	93.7	8.1	157	6.2	34
1/15/23 13:00	11.6	93.7	8.0	157	6.2	33
1/15/23 13:15	11.6	93.7	8.1	158	6.2	32
1/15/23 13:30	11.6	93.8	8.1	158	6.2	33
1/15/23 13:45	11.6	93.7	8.1	159	6.2	31
1/15/23 14:00	11.6	93.7	8.1	159	6.2	31
1/15/23 14:15	11.6	93.6	8.1	159	6.2	31
1/15/23 14:30	11.6	93.7	8.1	160	6.2	27
1/15/23 14:45	11.6	93.6	8.1	160	6.2	27
1/15/23 15:00	11.6	93.7	8.1	160	6.3	29
1/15/23 15:15	11.6	93.7	8.1	161	6.3	24
1/15/23 15:30	11.6	93.7	8.1	161	6.3	26
1/15/23 15:45	11.6	93.7	8.1	162	6.3	24
1/15/23 16:00	11.6	93.7	8.1	162	6.3	24
1/15/23 16:15	11.6	93.6	8.1	162	6.3	24
1/15/23 16:30	11.6	93.6	8.1	163	6.3	23
1/15/23 16:45	11.6	93.5	8.1	163	6.3	22
1/15/23 17:00	11.6	93.5	8.1	163	6.3	22
1/15/23 17:15	11.6	93.5	8.1	164	6.2	22
1/15/23 17:30	11.6	93.5	8.1	164	6.2	20
1/15/23 17:45	11.6	93.4	8.1	165	6.2	22
1/15/23 18:00	11.6	93.4	8.1	165	6.2	21
1/15/23 18:15	11.6	93.3	8.1	165	6.2	20
1/15/23 18:30	11.6	93.4	8.1	166	6.2	20
1/15/23 18:45	11.6	93.3	8.1	166	6.2	20
1/15/23 19:00	11.6	93.4	8.1	166	6.1	19
1/15/23 19:15	11.6	93.3	8.1	167	6.1	19
1/15/23 19:30	11.6	93.3	8.1	167	6.2	19
1/15/23 19:45	11.6	93.3	8.1	168	6.1	19
1/15/23 20:00	11.6	93.3	8.1	168	6.1	18
1/15/23 20:15	11.6	93.3	8.1	168	6.1	18
1/15/23 20:30	11.6	93.2	8.1	169	6.1	18
1/15/23 20:45	11.6	93.2	8.1	169	6.1	18

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	11.6	93.2	8.1	169	6.1	18
1/15/23 21:15	11.6	93.2	8.1	170	6.1	18
1/15/23 21:30	11.6	93.2	8.1	170	6.1	18
1/15/23 21:45	11.6	93.3	8.1	170	6.0	18
1/15/23 22:00	11.6	93.2	8.1	170	6.0	17
1/15/23 22:15	11.6	93.3	8.1	171	6.0	19
1/15/23 22:30	11.6	93.3	8.1	171	6.0	17
1/15/23 22:45	11.6	93.3	8.1	171	6.0	18
1/15/23 23:00	11.6	93.3	8.1	171	5.9	17
1/15/23 23:15	11.6	93.3	8.1	172	5.9	16
1/15/23 23:30	11.6	93.3	8.1	172	5.9	17
1/15/23 23:45	11.7	93.3	8.1	172	5.9	17
1/16/23 0:00	11.7	93.3	8.1	173	5.9	16
1/16/23 0:15	11.7	93.3	8.1	173	5.8	15
1/16/23 0:30	11.7	93.3	8.1	173	5.8	16
1/16/23 0:45	11.7	93.3	8.1	173	5.8	15
1/16/23 1:00	11.7	93.3	8.1	174	5.8	15
1/16/23 1:15	11.7	93.3	8.1	174	5.8	16
1/16/23 1:30	11.7	93.3	8.1	174	5.8	15
1/16/23 1:45	11.7	93.3	8.1	174	5.8	15
1/16/23 2:00	11.7	93.3	8.1	175	5.7	15
1/16/23 2:15	11.7	93.3	8.1	175	5.7	15
1/16/23 2:30	11.7	93.3	8.1	175	5.7	16
1/16/23 2:45	11.6	93.3	8.1		5.7	14
1/16/23 3:00	11.7	93.2	8.1	176	5.7	14
1/16/23 3:15	11.7	93.2	8.1	176	5.7	14
1/16/23 3:30	11.7	93.2	8.1	176	5.7	14
1/16/23 3:45	11.7	93.2	8.1	176	5.7	15
1/16/23 4:00	11.7	93.2	8.1	176	5.7	14
1/16/23 4:15	11.7	93.2	8.1	177	5.7	14
1/16/23 4:30	11.7	93.2	8.1	177	5.7	14
1/16/23 4:45	11.7	93.2	8.1	177	5.7	15
1/16/23 5:00	11.7	93.2	8.1	177	5.7	14
1/16/23 5:15	11.7	93.2	8.1	177	5.7	14
1/16/23 5:30	11.7	93.2	8.1	177	5.7	14
1/16/23 5:45	11.7	93.2	8.1	177	5.7	15
1/16/23 6:00	11.7	93.2	8.1	178	5.7	13
1/16/23 6:15	11.7	93.2	8.1	178	5.7	14
1/16/23 6:30	11.7	93.2	8.1	178	5.6	14
1/16/23 6:45	11.7	93.2	8.1	178	5.6	14
1/16/23 7:00	11.7	93.2	8.1	178	5.6	14
1/16/23 7:15	11.7	93.2	8.1	178	5.6	14

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	11.7	93.2	8.1	179	5.6	14
1/16/23 7:45	11.7	93.2	8.1	179	5.6	13
1/16/23 8:00	11.7	93.2	8.1	179	5.6	13
1/16/23 8:15	11.7	93.2	8.1	179	5.6	14
1/16/23 8:30	11.7	93.2	8.1	179	5.6	14
1/16/23 8:45	11.7	93.3	8.1	179	5.6	13
1/16/23 9:00	11.7	93.3	8.1	180	5.6	14
1/16/23 9:15	11.7	93.3	8.1	180	5.6	14
1/16/23 9:30	11.8	93.3	8.1	180	5.6	13
1/16/23 9:45	11.8	93.4	8.1	180	5.6	14
1/16/23 10:00	11.8	93.4	8.1	180	5.6	12
1/16/23 10:15	11.8	93.5	8.1	180	5.6	14
1/16/23 10:30	11.8	93.5	8.1	181	5.6	13
1/16/23 10:45	11.8	93.6	8.1	181	5.6	13
1/16/23 11:00	11.8	93.7	8.1	181	5.6	13
1/16/23 11:15	11.8	93.8	8.1	181	5.6	13
1/16/23 11:30	11.8	93.8	8.1	181	5.7	13
1/16/23 11:45	11.8	93.8	8.1	181	5.7	13
1/16/23 12:00	11.8	93.9	8.1	181	5.7	13
1/16/23 12:15	11.8	94.0	8.1	182	5.7	13
1/16/23 12:30	11.8	94.0	8.1	182	5.7	12
1/16/23 12:45	11.8	94.1	8.1	182	5.8	13
1/16/23 13:00	11.8	94.1	8.1	182	5.8	13
1/16/23 13:15	11.8	94.1	8.1	182	5.8	12
1/16/23 13:30	11.8	94.2	8.1	182	5.8	12
1/16/23 13:45	11.8	94.2	8.1	182	5.9	13
1/16/23 14:00	11.8	94.2	8.1	183	5.9	13
1/16/23 14:15	11.8	94.3	8.1	183	5.9	13
1/16/23 14:30	11.8	94.3	8.1	183	5.9	12
1/16/23 14:45	11.8	94.3	8.1	183	5.9	13
1/16/23 15:00	11.8	94.3	8.1	183	5.9	13
1/16/23 15:15	11.8	94.3	8.1	183	5.9	12
1/16/23 15:30	11.7	94.3	8.1	183	5.9	12
1/16/23 15:45	11.7	94.2	8.1	184	5.9	13
1/16/23 16:00	11.7	94.2	8.1	184	5.9	12
1/16/23 16:15	11.7	94.2	8.1	184	5.9	12
1/16/23 16:30	11.7	94.1	8.1	184	5.9	13
1/16/23 16:45	11.7	94.1	8.1	184	5.9	12
1/16/23 17:00	11.7	94.1	8.1	184	5.9	12
1/16/23 17:15	11.7	94.0	8.1	184	5.9	12
1/16/23 17:30	11.7	94.0	8.1	185	5.9	13
1/16/23 17:45	11.7	93.8	8.1	185	5.9	12

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 18:00	11.7	93.8	8.1	185	5.8	12
1/16/23 18:15	11.7	93.7	8.1	185	5.8	12
1/16/23 18:30	11.7	93.8	8.1	185	5.8	12
1/16/23 18:45	11.7	93.7	8.1	185	5.8	12
1/16/23 19:00	11.7	93.7	8.1	186	5.8	12
1/16/23 19:15	11.7	93.7	8.1	186	5.7	12
1/16/23 19:30	11.7	93.6	8.1	186	5.7	12
1/16/23 19:45	11.7	93.6	8.1	186	5.7	13
1/16/23 20:00	11.8	93.6	8.1	186	5.6	12
1/16/23 20:15	11.8	93.6	8.1	186	5.6	12
1/16/23 20:30	11.8	93.6	8.1	187	5.6	12
1/16/23 20:45	11.8	93.6	8.1	187	5.6	12
1/16/23 21:00	11.8	93.6	8.1	187	5.6	11
1/16/23 21:15	11.8	93.6	8.1	187	5.5	12
1/16/23 21:30	11.8	93.6	8.1	187	5.5	12
1/16/23 21:45	11.8	93.6	8.1	188	5.5	11
1/16/23 22:00	11.8	93.6	8.1	188	5.5	12
1/16/23 22:15	11.8	93.7	8.1	188	5.5	12
1/16/23 22:30	11.8	93.7	8.1	188	5.4	11
1/16/23 22:45	11.8	93.7	8.1	188	5.4	12
1/16/23 23:00	11.8	93.7	8.1	188	5.4	12
1/16/23 23:15	11.8	93.7	8.1	188	5.4	11
1/16/23 23:30	11.9	93.7	8.1	189	5.4	12
1/16/23 23:45	11.9	93.7	8.1	189	5.4	13
1/17/23 0:00	11.9	93.8	8.1	189	5.4	12
1/17/23 0:15	11.9	93.8	8.1	189	5.4	12
1/17/23 0:30	11.9	93.8	8.1	189	5.4	12
1/17/23 0:45	11.9	93.8	8.1	189	5.3	12
1/17/23 1:00	11.9	93.8	8.1	189	5.3	11
1/17/23 1:15	11.9	93.9	8.1	189	5.3	12
1/17/23 1:30	11.9	93.9	8.1	190	5.3	12
1/17/23 1:45	11.9	93.9	8.1	190	5.3	12
1/17/23 2:00	11.9	93.9	8.1	190	5.3	12
1/17/23 2:15	11.9	93.9	8.1	190	5.3	12
1/17/23 2:30	11.9	93.9	8.1	190	5.2	11
1/17/23 2:45	11.9	93.9	8.1	190	5.2	12
1/17/23 3:00	11.9	94.0	8.1	190	5.2	12
1/17/23 3:15	11.9	94.0	8.1	190	5.2	12
1/17/23 3:30	11.9	94.0	8.1	190	5.2	12
1/17/23 3:45	11.9	94.0	8.1	190	5.2	12
1/17/23 4:00	12.0	94.0	8.1	191	5.2	12
1/17/23 4:15	12.0	94.0	8.1	191	5.1	12

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 4:30	12.0	94.0	8.1	191	5.1	12
1/17/23 4:45	12.0	94.0	8.1	191	5.1	12
1/17/23 5:00	12.0	94.0	8.1	191	5.1	12
1/17/23 5:15	12.0	94.0	8.1	191	5.1	12
1/17/23 5:30	12.0	94.1	8.1	191	5.1	13
1/17/23 5:45	12.0	94.0	8.1	191	5.1	12
1/17/23 6:00	12.0	94.0	8.1	191	5.1	11
1/17/23 6:15	12.0	94.0	8.1	191	5.1	12
1/17/23 6:30	12.0	94.1	8.1	191	5.1	12
1/17/23 6:45	12.0	94.1	8.1	191	5.0	12
1/17/23 7:00	12.0	94.0	8.1	191	5.0	11
1/17/23 7:15	12.0	94.1	8.1	191	5.0	12
1/17/23 7:30	12.0	94.1	8.1	192	5.0	12
1/17/23 7:45	12.0	94.1	8.1	192	5.0	13
1/17/23 8:00	12.0	94.1	8.1	192	5.0	12
1/17/23 8:15	12.0	94.2	8.1	192	5.0	12
1/17/23 8:30	12.0	94.2	8.1	192	5.0	12
1/17/23 8:45	12.0	94.2	8.1	192	5.0	12
1/17/23 9:00	12.0	94.2	8.1	192	5.0	12
1/17/23 9:15	12.0	94.3	8.1	192	5.0	11
1/17/23 9:30	12.0	94.3	8.1	192	5.0	11
1/17/23 9:45	12.1	94.4	8.1	193	5.0	12
1/17/23 10:00	12.1	94.4	8.1	193	5.0	12
1/17/23 10:15	12.1	94.5	8.1	193	5.0	12
1/17/23 10:30	12.1	94.5	8.1	193	5.0	12
1/17/23 10:45	12.1	94.6	8.1	193	5.0	13
1/17/23 11:00	12.1	94.7	8.1	193	5.1	12
1/17/23 11:15	12.1	94.8	8.1	193	5.1	11
1/17/23 11:30	12.1	94.9	8.1	194	5.1	11
1/17/23 11:45	12.1	95.0	8.1	194	5.1	11
1/17/23 12:00	12.1	95.0	8.1	194	5.2	11
1/17/23 12:15	12.1	95.1	8.1	194	5.2	11
1/17/23 12:30	12.1	95.2	8.1	194	5.2	11
1/17/23 12:45	12.1	95.2	8.1	194	5.2	11
1/17/23 13:00	12.1	95.2	8.1	195	5.3	11
1/17/23 13:15	12.1	95.3	8.1	195	5.3	11
1/17/23 13:30	12.1	95.4	8.1	195	5.3	11
1/17/23 13:45	12.1	95.3	8.1	195	5.4	11
1/17/23 14:00	12.1	95.4	8.1	195	5.4	11
1/17/23 14:15	12.1	95.4	8.1	195	5.4	11
1/17/23 14:30	12.1	95.4	8.1	195	5.4	11
1/17/23 14:45	12.1	95.3	8.1	195	5.4	11

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 15:00	12.0	95.3	8.1	196	5.4	11
1/17/23 15:15	12.0	95.3	8.1	196	5.4	11
1/17/23 15:30	12.0	95.3	8.1	196	5.4	11
1/17/23 15:45	12.0	95.2	8.1	196	5.4	11
1/17/23 16:00	12.0	95.2	8.1	196	5.4	11
1/17/23 16:15	12.0	95.1	8.1	196	5.4	11
1/17/23 16:30	12.0	95.1	8.1	196	5.4	11
1/17/23 16:45	12.0	95.1	8.1	196	5.4	11
1/17/23 17:00	12.0	95.0	8.1	196	5.4	11
1/17/23 17:15	12.0	94.9	8.1	197	5.4	11
1/17/23 17:30	12.0	94.8	8.1	197	5.4	10
1/17/23 17:45	12.0	94.8	8.1	197	5.4	11
1/17/23 18:00	12.0	94.7	8.1	197	5.4	10
1/17/23 18:15	12.0	94.7	8.1	197	5.4	11
1/17/23 18:30	12.0	94.6	8.1	197	5.4	10
1/17/23 18:45	12.0	94.6	8.1	197	5.4	10
1/17/23 19:00	12.0	94.6	8.1	197	5.4	11
1/17/23 19:15	12.0	94.5	8.1	197	5.4	10
1/17/23 19:30	12.0	94.5	8.1	197	5.4	10
1/17/23 19:45	12.0	94.5	8.1	197	5.4	10
1/17/23 20:00	12.0	94.5	8.1	197	5.4	10
1/17/23 20:15	12.0	94.5	8.1	197	5.3	10
1/17/23 20:30	12.0	94.4	8.1	198	5.3	10
1/17/23 20:45	12.0	94.4	8.1	198	5.3	10
1/17/23 21:00	12.0	94.4	8.1	198	5.3	10
1/17/23 21:15	12.0	94.4	8.1	198	5.3	10
1/17/23 21:30	12.0	94.3	8.1	198	5.2	11
1/17/23 21:45	12.0	94.4	8.1	198	5.2	10
1/17/23 22:00	12.0	94.3	8.1	198	5.2	10
1/17/23 22:15	12.0	94.3	8.1	198	5.2	10
1/17/23 22:30	12.0	94.3	8.1	198	5.1	10
1/17/23 22:45	12.0	94.3	8.1	198	5.1	11
1/17/23 23:00	12.0	94.3	8.1	198	5.1	10
1/17/23 23:15	12.0	94.2	8.1	198	5.1	10
1/17/23 23:30	12.0	94.3	8.1	198	5.1	10
1/17/23 23:45	12.0	94.3	8.1	198	5.0	10
1/18/23 0:00	12.0	94.3	8.1	198	5.0	10
1/18/23 0:15	12.0	94.3	8.1	198	5.0	10
1/18/23 0:30	12.0	94.4	8.1	198	5.0	10
1/18/23 0:45	12.1	94.3	8.1	198	5.0	10
1/18/23 1:00	12.1	94.4	8.1	198	5.0	10
1/18/23 1:15	12.1	94.3	8.1	198	5.0	10

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	12.1	94.3	8.1	198	4.9	10
1/18/23 1:45	12.1	94.3	8.1	198	4.9	10
1/18/23 2:00	12.1	94.4	8.1	198	4.9	10
1/18/23 2:15	12.1	94.3	8.1	198	4.9	10
1/18/23 2:30	12.1	94.4	8.1	198	4.9	10
1/18/23 2:45	12.1	94.4	8.1	198	4.9	10
1/18/23 3:00	12.1	94.4	8.1	198	4.9	10
1/18/23 3:15	12.1	94.4	8.1	198	4.9	10
1/18/23 3:30	12.1	94.4	8.1	198	4.9	10
1/18/23 3:45	12.1	94.4	8.1	198	4.9	10
1/18/23 4:00	12.1	94.4	8.1	198	4.9	10
1/18/23 4:15	12.1	94.4	8.1	198	4.8	10
1/18/23 4:30	12.1	94.3	8.1	198	4.8	10
1/18/23 4:45	12.1	94.4	8.1	198	4.8	9
1/18/23 5:00	12.1	94.4	8.1	198	4.8	9
1/18/23 5:15	12.1	94.4	8.1	198	4.8	9
1/18/23 5:30	12.1	94.4	8.1	198	4.8	10
1/18/23 5:45	12.1	94.4	8.1	198	4.7	9
1/18/23 6:00	12.1	94.4	8.1	198	4.7	10
1/18/23 6:15	12.1	94.4	8.1	198	4.7	9
1/18/23 6:30	12.1	94.4	8.1	198	4.7	9
1/18/23 6:45	12.1	94.4	8.1	198	4.7	9
1/18/23 7:00	12.2	94.4	8.1	198	4.7	10
1/18/23 7:15	12.2	94.4	8.1	198	4.7	10
1/18/23 7:30	12.2	94.4	8.1	198	4.7	10
1/18/23 7:45	12.2	94.4	8.1	198	4.7	10
1/18/23 8:00	12.2	94.4	8.1	198	4.7	10
1/18/23 8:15	12.2	94.4	8.1	197	4.7	9
1/18/23 8:30	12.1	94.4	8.1	197	4.7	10
1/18/23 8:45	12.2	94.4	8.1	197	4.7	10
1/18/23 9:00	12.2	94.4	8.1	197	4.7	9
1/18/23 9:15	12.2	94.5	8.1	197	4.7	9
1/18/23 9:30	12.2	94.5	8.1	197	4.7	10
1/18/23 9:45	12.2	94.5	8.1	197	4.7	10
1/18/23 10:00	12.2	94.5	8.1	197	4.7	9
1/18/23 10:15	12.2	94.6	8.1	197	4.7	9
1/18/23 10:30	12.2	94.6	8.1	197	4.7	9
1/18/23 10:45	12.2	94.7	8.1	197	4.7	9
1/18/23 11:00	12.2		8.1	197	4.7	10
1/18/23 11:15	12.2		8.1	197	4.8	9
1/18/23 11:30	12.2		8.1	197	4.8	9
1/18/23 11:45	12.2		8.1	197	4.8	9

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 12:00	12.2		8.1	197	4.8	9
1/18/23 12:15	12.2		8.1	197	4.7	9
1/18/23 12:30	12.2		8.1	196	4.7	9
1/18/23 12:45	12.2		8.1	196	4.7	9
1/18/23 13:00	12.2		8.1	196	4.7	9
1/18/23 13:15	12.2		8.1	196	4.7	9
1/18/23 13:30	12.2		8.1	196	4.7	10
1/18/23 13:45	12.2		8.1	195	4.7	9
1/18/23 14:00	12.2		8.1	195	4.6	9
1/18/23 14:15	12.2		8.1	195	4.5	9
1/18/23 14:30	12.2		8.1	195	4.5	9
1/18/23 14:45	12.2		8.1	195	4.4	9
1/18/23 15:00	12.2		8.1	194	4.4	9
1/18/23 15:15	12.2		8.1	194	4.4	9
1/18/23 15:30	12.2		8.1	194	4.5	9
1/18/23 15:45	12.2		8.1	194	4.5	9
1/18/23 16:00	12.2		8.1	194	4.5	9
1/18/23 16:15	12.2		8.1	194	4.5	9
1/18/23 16:30	12.2		8.1	194	4.5	9
1/18/23 16:45	12.2		8.1	194	4.6	10
1/18/23 17:00	12.2		8.1	194	4.6	9
1/18/23 17:15	12.2		8.1	194	4.6	10
1/18/23 17:30	12.1		8.1	194	4.7	10
1/18/23 17:45	12.1		8.1	194	4.7	9
1/18/23 18:00	12.1		8.1	195	4.7	9
1/18/23 18:15	12.1		8.1	195	4.7	9
1/18/23 18:30	12.1		8.1	195	4.8	9
1/18/23 18:45	12.1		8.1	195	4.8	9
1/18/23 19:00	12.1		8.1	195	4.8	9
1/18/23 19:15	12.1		8.1	195	4.8	9
1/18/23 19:30	12.1		8.1	195	4.8	9
1/18/23 19:45	12.1		8.1	195	4.8	9
1/18/23 20:00	12.1		8.1	195	4.8	9
1/18/23 20:15	12.1		8.1	195	4.8	9
1/18/23 20:30	12.1		8.1	195	4.8	9
1/18/23 20:45	12.1		8.1	195	4.8	9
1/18/23 21:00	12.1		8.1	195	4.8	9
1/18/23 21:15	12.1		8.1	195	4.8	9
1/18/23 21:30	12.1		8.1	195	4.8	9
1/18/23 21:45	12.1		8.1	195	4.8	9
1/18/23 22:00	12.1		8.1	195	4.8	10
1/18/23 22:15	12.1		8.1	195	4.8	9

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 22:30	12.1		8.1	195	4.8	9
1/18/23 22:45	12.1		8.1	195	4.8	9
1/18/23 23:00	12.1		8.1	195	4.8	9
1/18/23 23:15	12.1		8.1	195	4.7	9
1/18/23 23:30	12.1		8.1	195	4.7	8
1/18/23 23:45	12.1		8.1	195	4.7	9
1/19/23 0:00	12.1		8.1	195	4.7	9
1/19/23 0:15	12.1		8.1	195	4.7	9
1/19/23 0:30	12.2		8.1	195	4.7	8
1/19/23 0:45	12.2		8.1	195	4.7	9
1/19/23 1:00	12.2		8.1	195	4.7	9
1/19/23 1:15	12.2		8.1	195	4.7	9
1/19/23 1:30	12.2		8.1	195	4.7	9
1/19/23 1:45	12.2		8.1	195	4.6	9
1/19/23 2:00	12.2		8.1	195	4.6	9
1/19/23 2:15	12.2		8.1	195	4.6	9
1/19/23 2:30	12.2		8.1	195	4.6	9
1/19/23 2:45	12.2		8.1	195	4.6	9
1/19/23 3:00	12.2		8.1	195	4.6	9
1/19/23 3:15	12.2		8.1	195	4.5	9
1/19/23 3:30	12.2		8.1	195	4.5	9
1/19/23 3:45	12.2		8.1	195	4.5	9
1/19/23 4:00	12.2		8.1	195	4.5	9
1/19/23 4:15	12.2		8.1	195	4.5	9
1/19/23 4:30	12.3		8.1	195	4.5	9
1/19/23 4:45	12.3		8.1	195	4.5	9
1/19/23 5:00	12.3		8.1	195	4.5	9
1/19/23 5:15	12.3		8.1	195	4.4	9
1/19/23 5:30	12.3		8.1	195	4.4	9
1/19/23 5:45	12.3		8.1	195	4.4	9
1/19/23 6:00	12.3		8.1	195	4.4	9
1/19/23 6:15	12.3		8.1	195	4.4	9
1/19/23 6:30	12.3		8.1	195	4.4	9
1/19/23 6:45	12.3		8.1	195	4.4	9
1/19/23 7:00	12.3	94.7	8.1	195	4.4	8
1/19/23 7:15	12.3	94.7	8.1	195	4.4	9
1/19/23 7:30	12.3	94.8	8.1	195	4.4	9
1/19/23 7:45	12.3	94.8	8.1	195	4.4	9
1/19/23 8:00	12.3	94.7	8.1	195	4.4	9
1/19/23 8:15	12.3	94.8	8.1	196	4.4	9
1/19/23 8:30	12.3	94.8	8.1	196	4.4	10
1/19/23 8:45	12.3	94.8	8.1	196	4.4	9

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 9:00	12.3	94.9	8.1	196	4.4	9
1/19/23 9:15	12.3	94.9	8.1	196	4.4	9
1/19/23 9:30	12.3	95.0	8.1	196	4.4	9
1/19/23 9:45	12.3	95.0	8.1	196	4.4	10
1/19/23 10:00	12.3	95.1	8.1	196	4.5	9
1/19/23 10:15	12.3	95.3	8.1	196	4.5	9
1/19/23 10:30	12.3	95.4	8.1	196	4.6	9
1/19/23 10:45	12.3	95.5	8.1	195	4.6	9
1/19/23 11:00	12.3	95.7	8.1	195	4.7	9
1/19/23 11:15	12.3	95.7	8.1	195	4.7	9
1/19/23 11:30	12.3	95.8	8.1	195	4.7	9
1/19/23 11:45	12.3	95.8	8.1	195	4.7	10
1/19/23 12:00	12.3	95.9	8.1	195	4.8	9
1/19/23 12:15	12.3	96.0	8.1	195	4.9	9
1/19/23 12:30	12.3	96.2	8.1	195	4.9	9
1/19/23 12:45	12.3	96.3	8.1	195	4.9	9
1/19/23 13:00	12.3	96.3	8.1	195	5.0	9
1/19/23 13:15	12.3	96.6	8.1	195	5.1	9
1/19/23 13:30	12.3	96.6	8.1	195	5.1	9
1/19/23 13:45	12.3	96.6	8.1	196	5.1	9
1/19/23 14:00	12.3	96.5	8.1	196	5.1	9
1/19/23 14:15	12.3	96.5	8.1	196	5.0	9
1/19/23 14:30	12.3	96.4	8.1	196	5.0	9
1/19/23 14:45	12.3	96.4	8.1	196	5.0	10
1/19/23 15:00	12.3	96.3	8.1	196	5.0	9
1/19/23 15:15	12.3	96.2	8.1	196	5.0	10
1/19/23 15:30	12.3	96.2	8.1	196	5.0	9
1/19/23 15:45	12.3	96.1	8.1	196	5.0	9
1/19/23 16:00	12.3	96.1	8.1	196	5.0	10
1/19/23 16:15	12.3	96.0	8.1	196	5.0	9
1/19/23 16:30	12.3	96.0	8.1	196	5.0	9
1/19/23 16:45	12.3	95.9	8.1	196	5.0	9
1/19/23 17:00	12.2	95.8	8.1	196	5.0	9
1/19/23 17:15	12.2	95.8	8.1	196	5.0	9
1/19/23 17:30	12.2	95.7	8.1	196	4.9	9
1/19/23 17:45	12.2	95.6	8.1	196	4.9	9
1/19/23 18:00	12.2	95.5	8.1	196	4.9	9
1/19/23 18:15	12.2	95.5	8.1	196	4.9	10
1/19/23 18:30	12.2	95.5	8.1	196	4.9	9
1/19/23 18:45	12.2	95.4	8.1	196	4.9	9
1/19/23 19:00	12.2	95.4	8.1	196	4.8	9
1/19/23 19:15	12.2	95.3	8.1	196	4.8	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 19:30	12.2	95.3	8.1	196	4.8	9
1/19/23 19:45	12.2	95.3	8.1	196	4.8	9
1/19/23 20:00	12.2	95.3	8.1	196	4.8	9
1/19/23 20:15	12.2	95.3	8.1	196	4.8	9
1/19/23 20:30	12.2	95.2	8.1	196	4.8	9
1/19/23 20:45	12.2	95.2	8.1	196	4.8	9
1/19/23 21:00	12.2	95.2	8.1	196	4.8	9
1/19/23 21:15	12.2	95.2	8.1	196	4.8	9
1/19/23 21:30	12.2	95.2	8.1	196	4.7	9
1/19/23 21:45	12.2	95.2	8.1	196	4.7	9
1/19/23 22:00	12.2	95.2	8.1	196	4.7	9
1/19/23 22:15	12.3	95.2	8.1	196	4.7	9
1/19/23 22:30	12.3	95.2	8.1	196	4.7	9
1/19/23 22:45	12.3	95.2	8.1	196	4.7	9
1/19/23 23:00	12.3	95.2	8.1	196	4.7	9
1/19/23 23:15	12.3	95.2	8.1	197	4.6	10
1/19/23 23:30	12.3	95.2	8.1	197	4.6	9
1/19/23 23:45	12.3	95.2	8.1	197	4.6	9
1/20/23 0:00	12.3	95.2	8.1	197	4.6	9
1/20/23 0:15	12.3	95.2	8.1	197	4.6	9
1/20/23 0:30	12.3	95.2	8.1	197	4.6	9
1/20/23 0:45	12.3	95.3	8.1	198	4.6	9
1/20/23 1:00	12.3	95.2	8.1	198	4.6	9
1/20/23 1:15	12.3	95.3	8.1	198	4.6	9
1/20/23 1:30	12.3	95.3	8.1	198	4.6	9
1/20/23 1:45	12.3	95.3	8.1	198	4.5	9
1/20/23 2:00	12.3	95.2	8.1	198	4.5	9
1/20/23 2:15	12.3	95.3	8.1	198	4.5	9
1/20/23 2:30	12.3	95.2	8.1	198	4.5	9
1/20/23 2:45	12.3	95.2	8.1	198	4.5	9
1/20/23 3:00	12.3	95.2	8.1	198	4.5	9
1/20/23 3:15	12.3	95.3	8.1	198	4.5	9
1/20/23 3:30	12.3	95.3	8.1	198	4.5	9
1/20/23 3:45	12.3	95.2	8.1	199	4.5	9
1/20/23 4:00	12.3	95.3	8.1	199	4.5	9
1/20/23 4:15	12.3	95.3	8.1	199	4.5	8
1/20/23 4:30	12.3	95.2	8.1	199	4.4	9
1/20/23 4:45	12.3	95.2	8.1	199	4.4	9
1/20/23 5:00	12.4	95.2	8.1	199	4.4	9
1/20/23 5:15	12.4	95.2	8.1	199	4.4	9
1/20/23 5:30	12.4	95.2	8.1	199	4.3	9
1/20/23 5:45	12.4	95.1	8.1	199	4.3	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 6:00	12.4	95.2	8.1	199	4.3	9
1/20/23 6:15	12.4	95.1	8.1	199	4.3	9
1/20/23 6:30	12.4	95.1	8.1	199	4.2	9
1/20/23 6:45	12.4	95.1	8.1	199	4.2	9
1/20/23 7:00	12.4	95.1	8.1	199	4.2	9
1/20/23 7:15	12.4	95.1	8.1	199	4.2	9
1/20/23 7:30	12.4	95.1	8.1	199	4.2	9
1/20/23 7:45	12.4	95.1	8.1	199	4.2	9
1/20/23 8:00	12.4	95.0	8.1	199	4.2	9
1/20/23 8:15	12.4	95.0	8.1	199	4.2	9
1/20/23 8:30	12.4	95.1	8.1	199	4.2	9
1/20/23 8:45	12.4	95.1	8.1	199	4.2	9
1/20/23 9:00	12.4	95.1	8.1	199	4.2	8
1/20/23 9:15	12.4	95.2	8.1	200	4.2	9
1/20/23 9:30	12.4	95.2	8.1	200	4.2	9
1/20/23 9:45	12.4	95.3	8.1	200	4.2	9
1/20/23 10:00	12.4	95.4	8.1	200	4.3	9
1/20/23 10:15	12.4	95.5	8.1	200	4.3	9
1/20/23 10:30	12.4	95.6	8.1	200	4.3	9
1/20/23 10:45	12.4	95.7	8.1	200	4.4	9
1/20/23 11:00	12.4	95.8	8.1	200	4.4	9
1/20/23 11:15	12.4	96.0	8.1	200	4.4	9
1/20/23 11:30	12.5	96.1	8.1	200	4.5	9
1/20/23 11:45	12.4	96.1	8.1	200	4.5	9
1/20/23 12:00	12.5	96.2	8.1	200	4.5	9
1/20/23 12:15	12.4	96.3	8.1	200	4.6	9
1/20/23 12:30	12.4	96.5	8.1	200	4.6	8
1/20/23 12:45	12.4	96.5	8.1	200	4.7	9
1/20/23 13:00	12.4	96.5	8.1	200	4.7	9
1/20/23 13:15	12.4	96.6	8.1	200	4.7	8
1/20/23 13:30	12.4	96.6	8.1	200	4.7	8
1/20/23 13:45	12.4	96.5	8.1	200	4.7	9
1/20/23 14:00	12.4	96.5	8.1	200	4.7	8
1/20/23 14:15	12.4	96.5	8.1	200	4.8	9
1/20/23 14:30	12.4	96.5	8.1	200	4.8	8
1/20/23 14:45	12.4	96.4	8.1	200	4.8	8
1/20/23 15:00	12.4	96.4	8.1	200	4.8	8
1/20/23 15:15	12.4	96.4	8.1	200	4.8	8
1/20/23 15:30	12.4	96.3	8.1	200	4.8	9
1/20/23 15:45	12.4	96.3	8.1	200	4.8	8
1/20/23 16:00	12.4	96.3	8.1	200	4.8	9
1/20/23 16:15	12.3	96.2	8.1	200	4.8	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	12.3	96.1	8.1	200	4.8	8
1/20/23 16:45	12.3	96.0	8.1	200	4.7	8
1/20/23 17:00	12.3	95.9	8.1	200	4.7	8
1/20/23 17:15	12.3	95.9	8.1	200	4.7	8
1/20/23 17:30	12.3	95.8	8.1	200	4.7	8
1/20/23 17:45	12.3	95.7	8.1	200	4.7	8
1/20/23 18:00	12.3	95.7	8.1	200	4.7	8
1/20/23 18:15	12.3	95.6	8.1	200	4.7	8
1/20/23 18:30	12.3	95.5	8.1	200	4.6	9
1/20/23 18:45	12.3	95.5	8.1	200	4.6	8
1/20/23 19:00	12.3	95.4	8.1	200	4.6	8
1/20/23 19:15	12.3	95.4	8.1	200	4.6	9
1/20/23 19:30	12.3	95.3	8.1	200	4.6	8
1/20/23 19:45	12.3	95.3	8.1	200	4.6	9
1/20/23 20:00	12.3	95.3	8.1	200	4.6	8
1/20/23 20:15	12.3	95.3	8.1	200	4.6	9
1/20/23 20:30	12.3	95.2	8.1	201	4.6	8
1/20/23 20:45	12.3	95.2	8.1	201	4.5	8
1/20/23 21:00	12.3	95.2	8.1	201	4.5	8
1/20/23 21:15	12.3	95.2	8.1	201	4.5	8
1/20/23 21:30	12.3	95.1	8.1	201	4.5	8
1/20/23 21:45	12.3	95.1	8.1	201	4.4	8
1/20/23 22:00	12.3	95.1	8.1	201	4.4	8
1/20/23 22:15	12.3	95.1	8.1	201	4.4	9
1/20/23 22:30	12.4	95.2	8.1	201	4.4	8
1/20/23 22:45	12.4	95.2	8.1	201	4.3	8
1/20/23 23:00	12.4	95.1	8.1	201	4.3	8
1/20/23 23:15	12.4	95.1	8.1	201	4.3	9
1/20/23 23:30	12.4	95.2	8.1	201	4.3	10
1/20/23 23:45	12.4	95.1	8.1	201	4.2	9
1/21/23 0:00	12.4	95.1	8.1	201	4.2	9
1/21/23 0:15	12.4	95.1	8.1	201	4.2	9
1/21/23 0:30	12.4	95.1	8.1	201	4.2	9
1/21/23 0:45	12.4	95.1	8.1	201	4.1	9
1/21/23 1:00	12.4	95.1	8.1	201	4.1	9
1/21/23 1:15	12.4	95.1	8.1	201	4.1	8
1/21/23 1:30	12.4	95.1	8.1	201	4.1	9
1/21/23 1:45	12.5	95.2	8.1	201	4.1	9
1/21/23 2:00	12.5	95.1	8.1	201	4.0	9
1/21/23 2:15	12.5	95.1	8.1	201	4.0	9
1/21/23 2:30	12.5	95.2	8.1	201	4.0	8
1/21/23 2:45	12.5	95.2	8.1	201	4.0	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 3:00	12.5	95.1	8.1	201	4.0	8
1/21/23 3:15	12.5	95.2	8.1	201	3.9	8
1/21/23 3:30	12.5	95.2	8.1	201	3.9	8
1/21/23 3:45	12.5	95.2	8.1	201	3.9	8
1/21/23 4:00	12.5	95.2	8.1	201	3.9	8
1/21/23 4:15	12.5	95.1	8.1	202	3.9	8
1/21/23 4:30	12.5	95.2	8.1	202	3.8	8
1/21/23 4:45	12.5	95.2	8.1	202	3.8	8
1/21/23 5:00	12.5	95.2	8.1	202	3.8	8
1/21/23 5:15	12.6	95.2	8.1	202	3.8	8
1/21/23 5:30	12.6	95.2	8.1	202	3.7	8
1/21/23 5:45	12.6	95.2	8.1	202	3.7	8
1/21/23 6:00	12.6	95.2	8.1	202	3.7	8
1/21/23 6:15	12.6	95.1	8.1	202	3.6	8
1/21/23 6:30	12.6	95.2	8.1	202	3.6	8
1/21/23 6:45	12.6	95.2	8.1	202	3.6	8
1/21/23 7:00	12.6	95.2	8.1	202	3.6	8
1/21/23 7:15	12.6	95.2	8.1	202	3.5	8
1/21/23 7:30	12.6	95.2	8.1	202	3.5	8
1/21/23 7:45	12.6	95.2	8.1	203	3.5	8
1/21/23 8:00	12.7	95.2	8.1	203	3.5	8
1/21/23 8:15	12.7	95.3	8.1	203	3.5	8
1/21/23 8:30	12.7	95.3	8.1	203	3.5	8
1/21/23 8:45	12.7	95.3	8.1	203	3.5	8
1/21/23 9:00	12.7	95.4	8.1	203	3.4	8
1/21/23 9:15	12.7	95.4	8.1	203	3.4	8
1/21/23 9:30	12.7	95.5	8.1	203	3.5	8
1/21/23 9:45	12.7	95.6	8.1	203	3.5	8
1/21/23 10:00	12.7	95.7	8.1	203	3.5	8
1/21/23 10:15	12.7	95.8	8.1	203	3.5	8
1/21/23 10:30	12.7	95.9	8.1	203	3.6	8
1/21/23 10:45	12.7	96.0	8.1	203	3.6	8
1/21/23 11:00	12.7	96.1	8.1	203	3.6	8
1/21/23 11:15	12.7	96.2	8.1	203	3.7	8
1/21/23 11:30	12.7	96.3	8.1	203	3.7	8
1/21/23 11:45	12.7	96.4	8.1	203	3.7	8
1/21/23 12:00	12.7	96.5	8.1	203	3.8	9
1/21/23 12:15	12.7	96.6	8.1	203	3.8	8
1/21/23 12:30	12.7	96.6	8.1	203	3.9	8
1/21/23 12:45	12.7	96.8	8.1	203	4.0	8
1/21/23 13:00	12.7	96.9	8.1	203	4.0	8
1/21/23 13:15	12.7	96.8	8.1	203	4.0	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 13:30	12.7	96.9	8.1	203	4.1	8
1/21/23 13:45	12.7	96.9	8.1	203	4.1	7
1/21/23 14:00	12.7	96.9	8.1	203	4.1	8
1/21/23 14:15	12.7	96.9	8.1	203	4.1	8
1/21/23 14:30	12.7	96.9	8.1	203	4.1	8
1/21/23 14:45	12.6	96.9	8.2	203	4.2	8
1/21/23 15:00	12.6	96.9	8.2	203	4.2	8
1/21/23 15:15	12.6	96.9	8.2	203	4.2	8
1/21/23 15:30	12.6	96.8	8.2	203	4.2	8
1/21/23 15:45	12.6	96.8	8.2	203	4.2	8
1/21/23 16:00	12.6	96.7	8.2	203	4.3	8
1/21/23 16:15	12.6	96.7	8.2	203	4.3	7
1/21/23 16:30	12.6	96.6	8.2	203	4.3	8
1/21/23 16:45	12.5	96.6	8.2	203	4.3	8
1/21/23 17:00	12.5	96.5	8.2	203	4.3	8
1/21/23 17:15	12.5	96.4	8.2	203	4.3	8
1/21/23 17:30	12.5	96.3	8.2	203	4.3	8
1/21/23 17:45	12.5	96.2	8.2	203	4.3	8
1/21/23 18:00	12.5	96.1	8.2	203	4.3	8
1/21/23 18:15	12.5	96.1	8.2	203	4.3	8
1/21/23 18:30	12.5	96.0	8.1	203	4.4	8
1/21/23 18:45	12.4	95.9	8.1	203	4.4	8
1/21/23 19:00	12.4	95.9	8.1	203	4.4	8
1/21/23 19:15	12.4	95.8	8.1	203	4.4	8
1/21/23 19:30	12.4	95.8	8.2	203	4.4	8
1/21/23 19:45	12.4	95.7	8.1	203	4.5	8
1/21/23 20:00	12.4	95.7	8.1	203	4.5	8
1/21/23 20:15	12.4	95.6	8.1	203	4.5	8
1/21/23 20:30	12.4	95.6	8.1	203	4.5	8
1/21/23 20:45	12.4	95.6	8.1	203	4.5	8
1/21/23 21:00	12.4	95.5	8.1	203	4.5	7
1/21/23 21:15	12.4	95.5	8.1	203	4.5	8
1/21/23 21:30	12.4	95.5	8.1	203	4.4	8
1/21/23 21:45	12.4	95.4	8.1	203	4.4	8
1/21/23 22:00	12.4	95.3	8.1	203	4.4	8
1/21/23 22:15	12.4	95.3	8.1	203	4.4	8
1/21/23 22:30	12.4	95.3	8.1	203	4.4	8
1/21/23 22:45	12.4	95.3	8.1	203	4.4	8
1/21/23 23:00	12.4	95.3	8.1	203	4.3	8
1/21/23 23:15	12.4	95.3	8.1	203	4.3	8
1/21/23 23:30	12.4	95.3	8.1	203	4.3	8
1/21/23 23:45	12.4	95.2	8.1	203	4.3	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 0:00	12.4	95.3	8.1	203	4.3	8
1/22/23 0:15	12.4	95.3	8.1	203	4.3	8
1/22/23 0:30	12.4	95.3	8.1	204	4.3	8
1/22/23 0:45	12.4	95.3	8.1	204	4.3	8
1/22/23 1:00	12.4	95.3	8.1	204	4.3	8
1/22/23 1:15	12.4	95.3	8.1	204	4.3	8
1/22/23 1:30	12.4	95.3	8.1	204	4.2	8
1/22/23 1:45	12.4	95.3	8.1	204	4.2	8
1/22/23 2:00	12.4	95.3	8.1	204	4.2	8
1/22/23 2:15	12.4	95.3	8.1	204	4.2	8
1/22/23 2:30	12.4	95.3	8.1	204	4.2	8
1/22/23 2:45	12.4	95.4	8.1	204	4.2	8
1/22/23 3:00	12.4	95.4	8.1	204	4.2	8
1/22/23 3:15	12.4	95.3	8.1	204	4.2	8
1/22/23 3:30	12.5	95.4	8.1	204	4.2	8
1/22/23 3:45	12.4	95.4	8.1	204	4.2	8
1/22/23 4:00	12.5	95.4	8.1	204	4.1	8
1/22/23 4:15	12.5	95.4	8.1	204	4.1	8
1/22/23 4:30	12.5	95.4	8.1	204	4.1	8
1/22/23 4:45	12.5	95.4	8.1	204	4.1	8
1/22/23 5:00	12.5	95.4	8.1	204	4.1	8
1/22/23 5:15	12.5	95.4	8.1	204	4.1	8
1/22/23 5:30	12.5	95.4	8.1	204	4.1	8
1/22/23 5:45	12.5	95.4	8.1	204	4.0	8
1/22/23 6:00	12.5	95.4	8.1	204	4.0	8
1/22/23 6:15	12.5	95.4	8.1	204	4.0	8
1/22/23 6:30	12.5	95.4	8.1	204	4.0	8
1/22/23 6:45	12.5	95.4	8.1	204	4.0	8
1/22/23 7:00	12.5	95.4	8.1	204	4.0	8
1/22/23 7:15	12.5	95.4	8.1	204	4.0	8
1/22/23 7:30	12.5	95.4	8.1	204	4.0	8
1/22/23 7:45	12.5	95.4	8.1	204	3.9	8
1/22/23 8:00	12.5	95.4	8.1	204	3.9	8
1/22/23 8:15	12.5	95.4	8.1	204	3.9	8
1/22/23 8:30	12.5	95.4	8.1	204	3.9	8
1/22/23 8:45	12.5	95.4	8.1	204	3.9	8
1/22/23 9:00	12.5	95.4	8.1	204	3.9	8
1/22/23 9:15	12.6	95.5	8.1	204	3.9	8
1/22/23 9:30	12.6	95.6	8.1	204	4.0	8
1/22/23 9:45	12.6	95.7	8.1	204	4.0	8
1/22/23 10:00	12.6	95.8	8.1	204	4.0	8
1/22/23 10:15	12.6	95.9	8.1	204	4.0	8

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 10:30	12.6	96.0	8.1	204	4.1	8
1/22/23 10:45	12.6	96.0	8.1	204	4.1	8
1/22/23 11:00	12.6	96.2	8.1	204	4.1	8
1/22/23 11:15	12.6	96.3	8.1	204	4.2	7
1/22/23 11:30	12.6	96.4	8.1	204	4.2	8
1/22/23 11:45	12.6	96.5	8.1	204	4.3	8
1/22/23 12:00	12.6	96.6	8.1	204	4.3	7
1/22/23 12:15	12.6	96.6	8.1	204	4.3	8
1/22/23 12:30	12.6	96.7	8.1	204	4.4	7
1/22/23 12:45	12.6	96.8	8.1	203	4.4	8
1/22/23 13:00	12.5	96.9	8.1	203	4.5	7
1/22/23 13:15	12.5	96.9	8.2	203	4.5	7
1/22/23 13:30	12.5	96.9	8.2	203	4.5	7
1/22/23 13:45	12.5	96.9	8.2	203	4.5	7
1/22/23 14:00	12.5	96.8	8.2	203	4.5	8
1/22/23 14:15	12.5	96.8	8.2	203	4.6	8
1/22/23 14:30	12.5	96.7	8.2	203	4.6	8
1/22/23 14:45	12.5	96.7	8.2	203	4.6	7
1/22/23 15:00	12.5	96.7	8.2	203	4.6	7
1/22/23 15:15	12.5	96.7	8.2	203	4.6	8
1/22/23 15:30	12.4	96.6	8.2	203	4.7	7
1/22/23 15:45	12.4	96.5	8.2	203	4.7	7
1/22/23 16:00	12.4	96.5	8.2	203	4.7	8
1/22/23 16:15	12.4	96.4	8.2	203	4.7	7
1/22/23 16:30	12.4	96.3	8.2	203	4.7	8
1/22/23 16:45	12.4	96.2	8.2	203	4.6	8
1/22/23 17:00	12.4	96.1	8.2	203	4.6	7
1/22/23 17:15	12.4	96.1	8.2	203	4.6	8
1/22/23 17:30	12.4	96.0	8.2	203	4.6	8
1/22/23 17:45	12.4	95.9	8.2	203	4.6	8
1/22/23 18:00	12.4	95.9	8.2	203	4.6	8
1/22/23 18:15	12.4	95.7	8.2	203	4.6	7
1/22/23 18:30	12.3	95.6	8.2	203	4.5	7
1/22/23 18:45	12.3	95.6	8.2	203	4.5	8
1/22/23 19:00	12.3	95.6	8.2	203	4.5	8
1/22/23 19:15	12.3	95.5	8.2	203	4.5	8
1/22/23 19:30	12.3	95.4	8.1	203	4.5	8
1/22/23 19:45	12.3	95.4	8.2	203	4.5	8
1/22/23 20:00	12.3	95.4	8.2	203	4.5	8
1/22/23 20:15	12.3	95.3	8.2	203	4.5	8
1/22/23 20:30	12.3	95.3	8.1	203	4.5	8
1/22/23 20:45	12.3	95.3	8.1	203	4.5	7

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	12.3	95.2	8.1	203	4.5	7
1/22/23 21:15	12.3	95.2	8.1	203	4.5	8
1/22/23 21:30	12.3	95.2	8.1	203	4.5	7
1/22/23 21:45	12.3	95.2	8.1	203	4.5	8
1/22/23 22:00	12.3	95.1	8.1	203	4.5	8
1/22/23 22:15	12.3	95.1	8.1	203	4.4	8
1/22/23 22:30	12.3	95.1	8.1	203	4.4	8
1/22/23 22:45	12.3	95.1	8.1	203	4.4	8
1/22/23 23:00	12.3	95.1	8.1	203	4.4	8
1/22/23 23:15	12.3	95.1	8.1	203	4.4	8
1/22/23 23:30	12.3	95.1	8.1	203	4.4	9
1/22/23 23:45	12.3	95.1	8.1	203	4.3	8
1/23/23 0:00	12.4	95.1	8.1	203	4.3	8
1/23/23 0:15	12.4	95.1	8.1	203	4.3	8
1/23/23 0:30	12.4	95.1	8.1	203	4.2	8
1/23/23 0:45	12.4	95.1	8.1	203	4.2	8
1/23/23 1:00	12.4	95.1	8.1	203	4.2	8
1/23/23 1:15	12.4	95.1	8.1	203	4.1	8
1/23/23 1:30	12.4	95.0	8.1	203	4.1	8
1/23/23 1:45	12.4	95.1	8.1	203	4.1	8
1/23/23 2:00	12.4	95.1	8.1	203	4.1	8
1/23/23 2:15	12.4	95.1	8.1	203	4.0	8
1/23/23 2:30	12.5	95.1	8.1	203	4.0	8
1/23/23 2:45	12.5	95.1	8.1	203	4.0	8
1/23/23 3:00	12.5	95.1	8.1	203	4.0	8
1/23/23 3:15	12.5	95.0	8.1	203	3.9	8
1/23/23 3:30	12.5	95.0	8.1	203	3.9	8
1/23/23 3:45	12.5	95.0	8.1	203	3.9	8
1/23/23 4:00	12.5	95.0	8.1	203	3.9	8
1/23/23 4:15	12.5	95.0	8.1	203	3.9	8
1/23/23 4:30	12.5	95.0	8.1	203	3.9	8
1/23/23 4:45	12.5	95.0	8.1	203	3.9	8
1/23/23 5:00	12.5	95.0	8.1	203	3.8	8
1/23/23 5:15	12.5	95.0	8.1	203	3.8	8
1/23/23 5:30	12.5	95.0	8.1	203	3.8	8
1/23/23 5:45	12.5	95.0	8.1	203	3.8	8
1/23/23 6:00	12.5	95.0	8.1	203	3.7	7
1/23/23 6:15	12.5	95.0	8.1	203	3.7	8
1/23/23 6:30	12.6	95.0	8.1	203	3.7	8
1/23/23 6:45	12.6	95.0	8.1	203	3.7	8
1/23/23 7:00	12.6	95.1	8.1	203	3.7	8
1/23/23 7:15	12.6	95.0	8.1	203	3.7	8

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 7:30	12.6	95.0	8.1	203	3.6	8
1/23/23 7:45	12.6	95.1	8.1	203	3.6	8
1/23/23 8:00	12.6	95.1	8.1	203	3.6	8
1/23/23 8:15	12.6	95.1	8.1	203	3.6	8
1/23/23 8:30	12.6	95.1	8.1	203	3.6	8
1/23/23 8:45	12.6	95.2	8.1	203	3.6	8
1/23/23 9:00	12.6	95.2	8.1	203	3.6	8
1/23/23 9:15	12.6	95.3	8.1	203	3.6	8
1/23/23 9:30	12.6	95.3	8.1	203	3.6	8
1/23/23 9:45	12.6	95.4	8.1	203	3.6	8
1/23/23 10:00	12.6	95.4	8.1	203	3.6	8
1/23/23 10:15	12.6	95.6	8.1	203	3.7	8
1/23/23 10:30	12.7	95.7	8.1	203	3.7	8
1/23/23 10:45	12.7	95.9	8.1	203	3.8	8
1/23/23 11:00	12.7	96.0	8.1	203	3.8	7
1/23/23 11:15	12.7	96.1	8.1	203	3.8	8
1/23/23 11:30	12.7	96.2	8.1	203	3.9	8
1/23/23 11:45	12.7	96.4	8.1	203	3.9	8
1/23/23 12:00	12.7	96.5	8.1	203	4.0	8
1/23/23 12:15	12.7	96.6	8.1	203	4.0	8
1/23/23 12:30	12.6	96.7	8.2	203	4.1	7
1/23/23 12:45	12.6	96.7	8.2	203	4.1	7
1/23/23 13:00	12.6	96.7	8.2		4.1	7
1/23/23 13:15				203		
1/23/23 13:30	12.6	96.5	8.0	203	4.2	9
1/23/23 13:45	12.6	96.5	8.0	203	4.2	9
1/23/23 14:00	12.6	96.5	8.1	203	4.2	9
1/23/23 14:15	12.6	96.4	8.1	203	4.2	9
1/23/23 14:30	12.5	96.4	8.1	203	4.3	9
1/23/23 14:45	12.5	96.4	8.1	203	4.3	9
1/23/23 15:00	12.5	96.4	8.1	203	4.3	8
1/23/23 15:15	12.5	96.3	8.1	203	4.4	9
1/23/23 15:30	12.5	96.3	8.1	203	4.4	8
1/23/23 15:45	12.5	96.2	8.1	203	4.4	9
1/23/23 16:00	12.5	96.2	8.1	203	4.4	9
1/23/23 16:15	12.5	96.1	8.1	203	4.4	9
1/23/23 16:30	12.5	96.1	8.1	203	4.4	9
1/23/23 16:45	12.4	96.0	8.1	203	4.4	9
1/23/23 17:00	12.4	95.9	8.1	203	4.4	9
1/23/23 17:15	12.4	95.8	8.1	203	4.4	9
1/23/23 17:30	12.4	95.7	8.1	203	4.4	9
1/23/23 17:45	12.4	95.6	8.1	203	4.4	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 18:00	12.4	95.5	8.1	203	4.4	9
1/23/23 18:15	12.4	95.4	8.1	203	4.4	9
1/23/23 18:30	12.4	95.4	8.1	203	4.4	9
1/23/23 18:45	12.4	95.3	8.1	203	4.4	9
1/23/23 19:00	12.4	95.3	8.1	203	4.4	9
1/23/23 19:15	12.4	95.2	8.1	203	4.4	9
1/23/23 19:30	12.4	95.2	8.1	203	4.3	9
1/23/23 19:45	12.4	95.2	8.1	203	4.3	9
1/23/23 20:00	12.4	95.1	8.1	203	4.3	9
1/23/23 20:15	12.3	95.1	8.1	203	4.3	9
1/23/23 20:30	12.3	95.0	8.1	203	4.3	9
1/23/23 20:45	12.3	95.0	8.1	203	4.4	9
1/23/23 21:00	12.3	95.0	8.1	203	4.3	9
1/23/23 21:15	12.3	95.0	8.1	203	4.3	9
1/23/23 21:30	12.3	95.0	8.1	203	4.3	9
1/23/23 21:45	12.3	95.0	8.1	203	4.3	9
1/23/23 22:00	12.3	95.0	8.1	203	4.3	9
1/23/23 22:15	12.4	95.0	8.1	203	4.3	9
1/23/23 22:30	12.4	95.0	8.1	203	4.3	9
1/23/23 22:45	12.4	95.0	8.1	203	4.2	9
1/23/23 23:00	12.4	95.0	8.1	203	4.2	9
1/23/23 23:15	12.4	95.0	8.1	203	4.2	9
1/23/23 23:30	12.4	95.0	8.1	203	4.2	9
1/23/23 23:45	12.4	95.0	8.1	203	4.2	9
1/24/23 0:00	12.4	95.0	8.1	203	4.1	9
1/24/23 0:15	12.4	95.0	8.1	203	4.1	9
1/24/23 0:30	12.4	95.0	8.1	203	4.1	9
1/24/23 0:45	12.4	95.0	8.1	203	4.1	9
1/24/23 1:00	12.4	95.0	8.1	203	4.1	9
1/24/23 1:15	12.4	95.0	8.1	203	4.0	9
1/24/23 1:30	12.5	95.1	8.1	203	4.0	9
1/24/23 1:45	12.5	95.1	8.1	203	4.0	9
1/24/23 2:00	12.5	95.1	8.1	203	4.0	9
1/24/23 2:15	12.5	95.1	8.1	203	3.9	9
1/24/23 2:30	12.5	95.1	8.1	203	3.9	9
1/24/23 2:45	12.5	95.1	8.1	203	3.9	9
1/24/23 3:00	12.5	95.1	8.1	203	3.9	9
1/24/23 3:15	12.5	95.1	8.1	203	3.9	9
1/24/23 3:30	12.5	95.1	8.1	203	3.9	9
1/24/23 3:45	12.5	95.1	8.1	203	3.8	9
1/24/23 4:00	12.5	95.2	8.1	203	3.8	9
1/24/23 4:15	12.5	95.2	8.1	203	3.8	9

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 4:30	12.5	95.2	8.1	203	3.8	9
1/24/23 4:45	12.5	95.2	8.1	203	3.8	9
1/24/23 5:00	12.6	95.1	8.1	203	3.7	9
1/24/23 5:15	12.6	95.2	8.1	203	3.7	9
1/24/23 5:30	12.6	95.2	8.1	203	3.7	9
1/24/23 5:45	12.6	95.2	8.1	203	3.7	9
1/24/23 6:00	12.6	95.2	8.1	203	3.6	9
1/24/23 6:15	12.6	95.2	8.1	203	3.6	9
1/24/23 6:30	12.6	95.2	8.1	203	3.6	9
1/24/23 6:45	12.6	95.2	8.1	203	3.5	9
1/24/23 7:00	12.6	95.2	8.1	203	3.5	9
1/24/23 7:15	12.7	95.2	8.1	203	3.5	9
1/24/23 7:30	12.7	95.2	8.1	203	3.5	9
1/24/23 7:45	12.7	95.2	8.1	203	3.4	9
1/24/23 8:00	12.7	95.3	8.1	203	3.4	9
1/24/23 8:15	12.7	95.3	8.1	203	3.4	9
1/24/23 8:30	12.7	95.3	8.1	203	3.4	9
1/24/23 8:45	12.7	95.3	8.0	203	3.3	9
1/24/23 9:00	12.7	95.3	8.0	203	3.3	9
1/24/23 9:15	12.7	95.4	8.1	203	3.3	9
1/24/23 9:30	12.7	95.5	8.1	203	3.3	9
1/24/23 9:45	12.7	95.6	8.1	203	3.4	9
1/24/23 10:00	12.7	95.7	8.1	203	3.4	9
1/24/23 10:15	12.7	95.8	8.1	203	3.4	9
1/24/23 10:30	12.8	95.9	8.1	203	3.4	9
1/24/23 10:45	12.8	96.1	8.1	203	3.5	9
1/24/23 11:00	12.8	96.2	8.1	203	3.5	9
1/24/23 11:15	12.8	96.4	8.1	203	3.6	9
1/24/23 11:30	12.8	96.5	8.1	202	3.6	9
1/24/23 11:45	12.8	96.6	8.1	202	3.7	9
1/24/23 12:00	12.8	96.7	8.1	202	3.7	9
1/24/23 12:15	12.8	96.8	8.1	202	3.8	9
1/24/23 12:30	12.8	96.9	8.1	202	3.9	9
1/24/23 12:45	12.7	97.0	8.1	202	3.9	9
1/24/23 13:00	12.7	97.1	8.1	202	4.0	9
1/24/23 13:15	12.7	97.1	8.1	202	4.0	9
1/24/23 13:30	12.7	97.2	8.1	202	4.0	9
1/24/23 13:45	12.7	97.1	8.1	202	4.1	9
1/24/23 14:00	12.7	97.1	8.1	202	4.1	9
1/24/23 14:15	12.7	97.0	8.1	202	4.1	9
1/24/23 14:30	12.7	97.0	8.1	202	4.1	9
1/24/23 14:45	12.7	97.0	8.1	202	4.2	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 15:00	12.6	97.0	8.1	202	4.2	9
1/24/23 15:15	12.6	96.9	8.1	202	4.2	9
1/24/23 15:30	12.6	96.9	8.1	202	4.2	9
1/24/23 15:45	12.6	96.8	8.1	201	4.3	9
1/24/23 16:00	12.6	96.7	8.1	201	4.3	9
1/24/23 16:15	12.6	96.7	8.1	201	4.3	8
1/24/23 16:30	12.6	96.6	8.1	201	4.3	9
1/24/23 16:45	12.5	96.5	8.1	201	4.3	9
1/24/23 17:00	12.5	96.4	8.1	201	4.3	9
1/24/23 17:15	12.5	96.3	8.1	201	4.3	9
1/24/23 17:30	12.5	96.2	8.1	201	4.3	9
1/24/23 17:45	12.5	96.1	8.1	201	4.3	9
1/24/23 18:00	12.5	96.0	8.1	201	4.3	9
1/24/23 18:15	12.5	96.0	8.1	201	4.3	9
1/24/23 18:30	12.5	95.9	8.1	201	4.3	9
1/24/23 18:45	12.5	95.8	8.1	201	4.3	9
1/24/23 19:00	12.4	95.7	8.1	201	4.3	9
1/24/23 19:15	12.4	95.7	8.1	201	4.3	9
1/24/23 19:30	12.4	95.6	8.1	201	4.3	9
1/24/23 19:45	12.4	95.5	8.1	200	4.3	9
1/24/23 20:00	12.4	95.5	8.1	200	4.3	9
1/24/23 20:15	12.4	95.5	8.1	200	4.3	9
1/24/23 20:30	12.4	95.5	8.1	200	4.3	9
1/24/23 20:45	12.4	95.4	8.1	200	4.3	9
1/24/23 21:00	12.4	95.4	8.1	200	4.3	9
1/24/23 21:15	12.4	95.3	8.1	200	4.3	9
1/24/23 21:30	12.4	95.3	8.1	201	4.3	9
1/24/23 21:45	12.4	95.3	8.1	201	4.3	9
1/24/23 22:00	12.4	95.3	8.1	201	4.3	9
1/24/23 22:15	12.4	95.3	8.1	201	4.3	9
1/24/23 22:30	12.4	95.3	8.1	201	4.3	9
1/24/23 22:45	12.4	95.3	8.1	201	4.3	9
1/24/23 23:00	12.4	95.3	8.1	201	4.2	9
1/24/23 23:15	12.4	95.3	8.1	201	4.2	9
1/24/23 23:30	12.4	95.3	8.1	201	4.2	9
1/24/23 23:45	12.4	95.3	8.1	201	4.2	9
1/25/23 0:00	12.4	95.3	8.1	201	4.2	9
1/25/23 0:15	12.4	95.3	8.1	201	4.1	9
1/25/23 0:30	12.5	95.3	8.1	202	4.1	9
1/25/23 0:45	12.5	95.3	8.1	202	4.1	9
1/25/23 1:00	12.5	95.4	8.1	202	4.1	9
1/25/23 1:15	12.5	95.3	8.1	202	4.1	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 1:30	12.5	95.4	8.1	202	4.0	9
1/25/23 1:45	12.5	95.4	8.1	202	4.0	9
1/25/23 2:00	12.5	95.3	8.1	202	4.0	9
1/25/23 2:15	12.5	95.4	8.1	202	4.0	10
1/25/23 2:30	12.5	95.4	8.1	202	3.9	9
1/25/23 2:45	12.5	95.3	8.1	203	3.9	9
1/25/23 3:00	12.5	95.4	8.1	203	3.9	9
1/25/23 3:15	12.5	95.4	8.1	203	3.9	9
1/25/23 3:30	12.5	95.4	8.1	203	3.9	9
1/25/23 3:45	12.5	95.3	8.1	203	3.8	9
1/25/23 4:00	12.6	95.4	8.1	203	3.8	9
1/25/23 4:15	12.6	95.4	8.1	203	3.8	9
1/25/23 4:30	12.6	95.4	8.1	203	3.8	9
1/25/23 4:45	12.6	95.4	8.1	203	3.8	9
1/25/23 5:00	12.6	95.4	8.1	203	3.8	9
1/25/23 5:15	12.6	95.4	8.1	203	3.7	9
1/25/23 5:30	12.6	95.4	8.1	203	3.7	9
1/25/23 5:45	12.6	95.4	8.1	203	3.7	9
1/25/23 6:00	12.6	95.4	8.1	203	3.6	9
1/25/23 6:15	12.6	95.4	8.1	203	3.6	9
1/25/23 6:30	12.6	95.4	8.1	203	3.6	9
1/25/23 6:45	12.7	95.4	8.1	203	3.6	9
1/25/23 7:00	12.7	95.4	8.1	203	3.5	9
1/25/23 7:15	12.7	95.4	8.1	203	3.5	9
1/25/23 7:30	12.7	95.4	8.0	203	3.4	9
1/25/23 7:45	12.7	95.4	8.1	203	3.4	9
1/25/23 8:00	12.7	95.4	8.1	203	3.4	9
1/25/23 8:15	12.7	95.4	8.1	203	3.4	9
1/25/23 8:30	12.7	95.5	8.1	203	3.3	9
1/25/23 8:45	12.7	95.5	8.1	203	3.3	9
1/25/23 9:00	12.7	95.5	8.1	203	3.3	9
1/25/23 9:15	12.8	95.6	8.1	203	3.3	9
1/25/23 9:30	12.8	95.7	8.1	203	3.3	9
1/25/23 9:45	12.8	95.8	8.1	203	3.3	9
1/25/23 10:00	12.8	95.9	8.1	203	3.3	9
1/25/23 10:15	12.8	96.0	8.1	203	3.4	9
1/25/23 10:30	12.8	96.2	8.1	203	3.4	9
1/25/23 10:45	12.8	96.3	8.1	203	3.5	9
1/25/23 11:00	12.8	96.5	8.1	203	3.5	9
1/25/23 11:15	12.8	96.6	8.1	203	3.6	9
1/25/23 11:30	12.8	96.7	8.1	203	3.6	9
1/25/23 11:45	12.8	96.9	8.1	203	3.7	9

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 12:00	12.8	97.0	8.1	203	3.8	9
1/25/23 12:15	12.8	97.1	8.1	203	3.8	9
1/25/23 12:30	12.8	97.2	8.1	203	3.9	9
1/25/23 12:45	12.8	97.3	8.1	203	3.9	9
1/25/23 13:00	12.8	97.4	8.1	203	4.0	9
1/25/23 13:15	12.8	97.4	8.1	203	4.0	9
1/25/23 13:30	12.8	97.5	8.1	203	4.1	9
1/25/23 13:45	12.7	97.4	8.1	203	4.1	9
1/25/23 14:00	12.7	97.4	8.1	202	4.1	9
1/25/23 14:15	12.7	97.3	8.1	202	4.1	9
1/25/23 14:30	12.7	97.3	8.1	202	4.2	9
1/25/23 14:45	12.7	97.3	8.1	202	4.2	9
1/25/23 15:00	12.7	97.3	8.1	202	4.2	9
1/25/23 15:15	12.6	97.2	8.1	202	4.3	9
1/25/23 15:30	12.6	97.2	8.1	202	4.3	9
1/25/23 15:45	12.6	97.1	8.1	202	4.3	9
1/25/23 16:00	12.6	97.0	8.1	202	4.3	8
1/25/23 16:15	12.6	96.9	8.1	202	4.4	9
1/25/23 16:30	12.6	96.8	8.1	201	4.4	9
1/25/23 16:45	12.6	96.8	8.1	201	4.4	9
1/25/23 17:00	12.5	96.6	8.1	201	4.4	9
1/25/23 17:15	12.5	96.6	8.1	201	4.4	9
1/25/23 17:30	12.5	96.4	8.1	201	4.4	9
1/25/23 17:45	12.5	96.3	8.1	201	4.4	9
1/25/23 18:00	12.5	96.3	8.1	201	4.4	9
1/25/23 18:15	12.5	96.2	8.1	201	4.4	9
1/25/23 18:30	12.5	96.1	8.1	201	4.4	8
1/25/23 18:45	12.4	96.0	8.1	200	4.4	9
1/25/23 19:00	12.4	95.9	8.1	200	4.4	9
1/25/23 19:15	12.4	95.9	8.1	200	4.4	9
1/25/23 19:30	12.4	95.8	8.1	200	4.4	9
1/25/23 19:45	12.4	95.8	8.1	200	4.4	8
1/25/23 20:00	12.4	95.7	8.1	200	4.4	9
1/25/23 20:15	12.4	95.7	8.1	200	4.4	9
1/25/23 20:30	12.4	95.6	8.1	200	4.4	9
1/25/23 20:45	12.4	95.6	8.1	200	4.4	8
1/25/23 21:00	12.4	95.6	8.1	200	4.4	9
1/25/23 21:15	12.4	95.6	8.1	200	4.5	9
1/25/23 21:30	12.4	95.6	8.1	200	4.5	9
1/25/23 21:45	12.4	95.5	8.1	200	4.5	9
1/25/23 22:00	12.4	95.6	8.1	200	4.4	9
1/25/23 22:15	12.4	95.5	8.1	200	4.4	9

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 22:30	12.4	95.5	8.1	200	4.4	9
1/25/23 22:45	12.4	95.5	8.1	200	4.4	9
1/25/23 23:00	12.4	95.5	8.1	201	4.4	9
1/25/23 23:15	12.4	95.5	8.1	201	4.4	9
1/25/23 23:30	12.4	95.5	8.1	201	4.3	9
1/25/23 23:45	12.4	95.5	8.1	201	4.3	9
1/26/23 0:00	12.4	95.5	8.1	201	4.3	9
1/26/23 0:15	12.4	95.5	8.1	201	4.3	9
1/26/23 0:30	12.4	95.5	8.1	201	4.2	9
1/26/23 0:45	12.4	95.5	8.1	201	4.2	9
1/26/23 1:00	12.4	95.5	8.1	201	4.2	9
1/26/23 1:15	12.5	95.5	8.1	202	4.2	9
1/26/23 1:30	12.5	95.5	8.1	202	4.2	9
1/26/23 1:45	12.5	95.5	8.1	202	4.1	9
1/26/23 2:00	12.5	95.6	8.1	202	4.1	9
1/26/23 2:15	12.5	95.6	8.1	202	4.1	9
1/26/23 2:30	12.5	95.6	8.1	202	4.1	9
1/26/23 2:45	12.5	95.6	8.1	202	4.1	9
1/26/23 3:00	12.5	95.6	8.1	202	4.0	9
1/26/23 3:15	12.5	95.6	8.1	202	4.0	9
1/26/23 3:30	12.5	95.6	8.1	202	4.0	9
1/26/23 3:45	12.5	95.6	8.1	203	4.0	9
1/26/23 4:00	12.5	95.6	8.1	203	4.0	9
1/26/23 4:15	12.5	95.6	8.1	203	3.9	9
1/26/23 4:30	12.6	95.6	8.1	203	3.9	9
1/26/23 4:45	12.6	95.6	8.1	203	3.9	9
1/26/23 5:00	12.6	95.6	8.1	203	3.9	9
1/26/23 5:15	12.6	95.6	8.1	203	3.9	9
1/26/23 5:30	12.6	95.6	8.1	203	3.8	9
1/26/23 5:45	12.6	95.6	8.1	203	3.8	9
1/26/23 6:00	12.6	95.6	8.1	203	3.8	9
1/26/23 6:15	12.6	95.6	8.1	203	3.7	9
1/26/23 6:30	12.6	95.6	8.1	203	3.7	9
1/26/23 6:45	12.6	95.7	8.1	203	3.7	9
1/26/23 7:00	12.7	95.6	8.1	203	3.6	9
1/26/23 7:15	12.7	95.6	8.1	203	3.6	9
1/26/23 7:30	12.7	95.6	8.1	203	3.6	9
1/26/23 7:45	12.7	95.6	8.1	203	3.5	9
1/26/23 8:00	12.7	95.6	8.1	203	3.5	9
1/26/23 8:15	12.7	95.6	8.1	203	3.5	9
1/26/23 8:30	12.7	95.7	8.1	203	3.5	9
1/26/23 8:45	12.7	95.7	8.1	202	3.4	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 9:00	12.7	95.7	8.1	202	3.4	9
1/26/23 9:15	12.7	95.7	8.1	202	3.4	9
1/26/23 9:30	12.8	95.8	8.1	202	3.4	9
1/26/23 9:45	12.8	95.9	8.1	202	3.4	9
1/26/23 10:00	12.8	96.0	8.1	202	3.5	9
1/26/23 10:15	12.8	96.1	8.1	202	3.5	9
1/26/23 10:30	12.8	96.3	8.1	202	3.5	9
1/26/23 10:45	12.8	96.4	8.1	202	3.6	9
1/26/23 11:00	12.8	96.6	8.1	202	3.6	9
1/26/23 11:15	12.8	96.8	8.1	202	3.7	9
1/26/23 11:30	12.8	96.9	8.1	202	3.8	9
1/26/23 11:45	12.8	97.0	8.1	201	3.8	9
1/26/23 12:00	12.8	97.1	8.1	201	3.9	9
1/26/23 12:15	12.8	97.2	8.1	201	3.9	9
1/26/23 12:30	12.8	97.3	8.1	201	4.0	9
1/26/23 12:45	12.8	97.4	8.1	201	4.1	9
1/26/23 13:00	12.7	97.5	8.1	201	4.1	9
1/26/23 13:15	12.7	97.5	8.1	201	4.2	9
1/26/23 13:30	12.7	97.6	8.1	201	4.2	9
1/26/23 13:45	12.7	97.5	8.1	201	4.2	9
1/26/23 14:00	12.7	97.4	8.1	200	4.3	8
1/26/23 14:15	12.7	97.4	8.1	200	4.3	8
1/26/23 14:30	12.6	97.3	8.1	200	4.3	8
1/26/23 14:45	12.6	97.3	8.1	200	4.4	8
1/26/23 15:00	12.6	97.3	8.1	200	4.4	8
1/26/23 15:15	12.6	97.2	8.1	200	4.4	8
1/26/23 15:30	12.6	97.2	8.1	200	4.4	8
1/26/23 15:45	12.6	97.1	8.1	200	4.5	9
1/26/23 16:00	12.6	97.0	8.1	200	4.5	9
1/26/23 16:15	12.5	97.0	8.1	199	4.5	8
1/26/23 16:30	12.5	96.9	8.1	199	4.5	8
1/26/23 16:45	12.5	96.8	8.1	199	4.5	8
1/26/23 17:00	12.5	96.6	8.1	199	4.6	8
1/26/23 17:15	12.5	96.6	8.1	199	4.6	8
1/26/23 17:30	12.5	96.5	8.1	199	4.6	9
1/26/23 17:45	12.4	96.3	8.1	199	4.5	8
1/26/23 18:00	12.4	96.2	8.1	199	4.6	8
1/26/23 18:15	12.4	96.1	8.1	199	4.6	8
1/26/23 18:30	12.4	96.1	8.1	199	4.6	8
1/26/23 18:45	12.4	95.9	8.1	199	4.6	8
1/26/23 19:00	12.4	95.9	8.1	199	4.6	8
1/26/23 19:15	12.4	95.8	8.1	198	4.6	8

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 19:30	12.4	95.8	8.1	198	4.6	8
1/26/23 19:45	12.4	95.7	8.1	198	4.6	8
1/26/23 20:00	12.3	95.6	8.1	198	4.6	8
1/26/23 20:15	12.3	95.6	8.1	198	4.6	8
1/26/23 20:30	12.3	95.5	8.1	198	4.6	9
1/26/23 20:45	12.3	95.5	8.1	198	4.6	8
1/26/23 21:00	12.3	95.4	8.1	198	4.6	8
1/26/23 21:15	12.3	95.4	8.1	198	4.6	9
1/26/23 21:30	12.3	95.4	8.1	198	4.6	8
1/26/23 21:45	12.3	95.4	8.1	198	4.6	8
1/26/23 22:00	12.3	95.3	8.1	198	4.6	8
1/26/23 22:15	12.3	95.3	8.1	199	4.6	8
1/26/23 22:30	12.3	95.3	8.1	199	4.6	8
1/26/23 22:45	12.3	95.3	8.1	199	4.6	8
1/26/23 23:00	12.3	95.2	8.1	199	4.6	8
1/26/23 23:15	12.3	95.3	8.1	199	4.5	8
1/26/23 23:30	12.3	95.2	8.1	199	4.5	8
1/26/23 23:45	12.3	95.3	8.1	199	4.5	8
1/27/23 0:00	12.3	95.2	8.1	199	4.5	8
1/27/23 0:15	12.3	95.2	8.1	199	4.5	8
1/27/23 0:30	12.3	95.2	8.1	199	4.5	8
1/27/23 0:45	12.3	95.2	8.1	199	4.4	9
1/27/23 1:00	12.3	95.2	8.1	200	4.4	9
1/27/23 1:15	12.4	95.2	8.1	200	4.4	9
1/27/23 1:30	12.4	95.2	8.1	200	4.4	8
1/27/23 1:45	12.4	95.2	8.1	200	4.4	8
1/27/23 2:00	12.4	95.2	8.1	200	4.3	8
1/27/23 2:15	12.4	95.2	8.1	200	4.3	9
1/27/23 2:30	12.4	95.2	8.1	200	4.3	9
1/27/23 2:45	12.4	95.2	8.1	200	4.3	9
1/27/23 3:00	12.4	95.2	8.1	201	4.3	9
1/27/23 3:15	12.4	95.2	8.1	201	4.3	10
1/27/23 3:30	12.4	95.2	8.1	201	4.2	9
1/27/23 3:45	12.4	95.2	8.1	201	4.2	8
1/27/23 4:00	12.4	95.2	8.1	201	4.2	9
1/27/23 4:15	12.4	95.2	8.1	201	4.2	9
1/27/23 4:30	12.4	95.2	8.1	201	4.2	9
1/27/23 4:45	12.4	95.1	8.1	201	4.2	9
1/27/23 5:00	12.4	95.2	8.1	201	4.1	9
1/27/23 5:15	12.4	95.1	8.1	201	4.1	9
1/27/23 5:30	12.4	95.1	8.1	201	4.1	9
1/27/23 5:45	12.4	95.1	8.1	201	4.1	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 6:00	12.5	95.1	8.1	201	4.1	9
1/27/23 6:15	12.5	95.1	8.1	201	4.0	9
1/27/23 6:30	12.5	95.2	8.1	201	4.0	9
1/27/23 6:45	12.5	95.2	8.1	201	4.0	9
1/27/23 7:00	12.5	95.2	8.1	201	3.9	8
1/27/23 7:15	12.5	95.2	8.1	201	3.9	9
1/27/23 7:30	12.5	95.2	8.1	201	3.9	9
1/27/23 7:45	12.5	95.2	8.1	201	3.9	9
1/27/23 8:00	12.5	95.2	8.1	201	3.9	9
1/27/23 8:15	12.5	95.2	8.1	201	3.8	8
1/27/23 8:30	12.5	95.2	8.1	201	3.8	9
1/27/23 8:45	12.5	95.2	8.1	201	3.8	9
1/27/23 9:00	12.6	95.3	8.1	201	3.8	9
1/27/23 9:15	12.6	95.3	8.1	201	3.8	9
1/27/23 9:30	12.6	95.4	8.1	201	3.8	9
1/27/23 9:45	12.6	95.5	8.1	201	3.8	9
1/27/23 10:00	12.6	95.5	8.1	201	3.8	9
1/27/23 10:15	12.6	95.6	8.1	201	3.8	9
1/27/23 10:30	12.6	95.7	8.1	201	3.8	9
1/27/23 10:45	12.6	95.8	8.1	201	3.9	9
1/27/23 11:00	12.6	95.9	8.1	201	3.9	9
1/27/23 11:15	12.6	96.1	8.1	201	4.0	9
1/27/23 11:30	12.6	96.2	8.1	201	4.0	9
1/27/23 11:45	12.6	96.3	8.1	201	4.1	8
1/27/23 12:00	12.6	96.4	8.1	201	4.2	9
1/27/23 12:15	12.6	96.5	8.1	201	4.2	8
1/27/23 12:30	12.6	96.5	8.1	201	4.3	9
1/27/23 12:45	12.5	96.5	8.1	201	4.3	9
1/27/23 13:00	12.5	96.6	8.1	201	4.3	8
1/27/23 13:15	12.5	96.5	8.1	201	4.4	8
1/27/23 13:30	12.5	96.5	8.1	201	4.4	8
1/27/23 13:45	12.5	96.5	8.1	201	4.4	8
1/27/23 14:00	12.5	96.4	8.1	201	4.4	8
1/27/23 14:15	12.5	96.4	8.1	201	4.4	8
1/27/23 14:30	12.5	96.2	8.1	201	4.4	8
1/27/23 14:45	12.5	96.2	8.1	200	4.4	8
1/27/23 15:00	12.4	96.2	8.1	200	4.5	8
1/27/23 15:15	12.4	96.1	8.1	200	4.5	8
1/27/23 15:30	12.4	96.1	8.1	200	4.6	8
1/27/23 15:45	12.4	96.0	8.1	200	4.6	8
1/27/23 16:00	12.4	96.0	8.1	200	4.6	8
1/27/23 16:15	12.3	95.9	8.1	200	4.7	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 16:30	12.3	95.9	8.1	200	4.7	8
1/27/23 16:45	12.3	95.8	8.1	200	4.8	8
1/27/23 17:00	12.3	95.7	8.1	200	4.8	8
1/27/23 17:15	12.3	95.6	8.1	199	4.8	8
1/27/23 17:30	12.3	95.5	8.1	199	4.8	8
1/27/23 17:45	12.3	95.4	8.1	199	4.7	8
1/27/23 18:00	12.2	95.3	8.1	199	4.7	8
1/27/23 18:15	12.2	95.2	8.1	199	4.7	8
1/27/23 18:30	12.2	95.1	8.1	199	4.7	8
1/27/23 18:45	12.2	95.0	8.1	199	4.7	8
1/27/23 19:00	12.2	94.9	8.1	199	4.7	8
1/27/23 19:15	12.2	94.9	8.1	199	4.7	8
1/27/23 19:30	12.2	94.8	8.1	199	4.7	8
1/27/23 19:45	12.2	94.8	8.1	199	4.7	8
1/27/23 20:00	12.2	94.7	8.1	199	4.7	8
1/27/23 20:15	12.2	94.7	8.1	199	4.7	8
1/27/23 20:30	12.2	94.6	8.1	199	4.7	8
1/27/23 20:45	12.2	94.6	8.1	199	4.7	8
1/27/23 21:00	12.2	94.6	8.1	199	4.7	8
1/27/23 21:15	12.2	94.5	8.1	199	4.7	8
1/27/23 21:30	12.2	94.5	8.1	199	4.7	8
1/27/23 21:45	12.2	94.5	8.1	199	4.7	8
1/27/23 22:00	12.2	94.5	8.1	199	4.7	8
1/27/23 22:15	12.2	94.4	8.1	199	4.7	8
1/27/23 22:30	12.2	94.4	8.1	199	4.6	8
1/27/23 22:45	12.2	94.4	8.1	199	4.6	8
1/27/23 23:00	12.2	94.4	8.1	199	4.6	9
1/27/23 23:15	12.2	94.3	8.1	199	4.6	8
1/27/23 23:30	12.2	94.4	8.1	199	4.5	8
1/27/23 23:45	12.2	94.3	8.1	199	4.5	8
1/28/23 0:00	12.2	94.3	8.1	200	4.5	8
1/28/23 0:15	12.2	94.3	8.1	200	4.5	8
1/28/23 0:30	12.2	94.3	8.1	200	4.4	8
1/28/23 0:45	12.2	94.3	8.1	200	4.4	9
1/28/23 1:00	12.2	94.3	8.1	200	4.4	9
1/28/23 1:15	12.2	94.3	8.1	200	4.4	8
1/28/23 1:30	12.2	94.3	8.1	200	4.3	9
1/28/23 1:45	12.2	94.2	8.1	200	4.3	9
1/28/23 2:00	12.3	94.3	8.1	201	4.3	8
1/28/23 2:15	12.3	94.3	8.1	201	4.3	8
1/28/23 2:30	12.3	94.2	8.1	201	4.3	8
1/28/23 2:45	12.3	94.3	8.1	201	4.3	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 3:00	12.3	94.2	8.1	201	4.3	9
1/28/23 3:15	12.3	94.3	8.1	201	4.3	8
1/28/23 3:30	12.3	94.2	8.1	201	4.2	8
1/28/23 3:45	12.3	94.2	8.1	201	4.2	8
1/28/23 4:00	12.3	94.2	8.1	201	4.2	9
1/28/23 4:15	12.3	94.2	8.1	201	4.2	8
1/28/23 4:30	12.3	94.2	8.1	201	4.2	9
1/28/23 4:45	12.3	94.2	8.1	201	4.1	8
1/28/23 5:00	12.3	94.2	8.1	201	4.1	9
1/28/23 5:15	12.3	94.2	8.1	201	4.1	9
1/28/23 5:30	12.3	94.2	8.1	201	4.1	8
1/28/23 5:45	12.3	94.2	8.1	201	4.0	9
1/28/23 6:00	12.3	94.2	8.1	201	4.0	9
1/28/23 6:15	12.4	94.2	8.1	201	4.0	9
1/28/23 6:30	12.4	94.2	8.1	201	3.9	9
1/28/23 6:45	12.4	94.2	8.1	201	3.9	9
1/28/23 7:00	12.4	94.2	8.1	201	3.9	9
1/28/23 7:15	12.4	94.2	8.1	201	3.9	9
1/28/23 7:30	12.4	94.3	8.1	201	3.8	9
1/28/23 7:45	12.4	94.2	8.1	201	3.8	9
1/28/23 8:00	12.4	94.3	8.1	201	3.8	9
1/28/23 8:15	12.4	94.3	8.1	201	3.8	9
1/28/23 8:30	12.4	94.3	8.1	201	3.8	8
1/28/23 8:45	12.4	94.3	8.1	201	3.8	9
1/28/23 9:00	12.4	94.4	8.1	201	3.8	9
1/28/23 9:15	12.5	94.5	8.1	201	3.8	9
1/28/23 9:30	12.5	94.5	8.1	201	3.8	9
1/28/23 9:45	12.5	94.6	8.1	201	3.8	8
1/28/23 10:00	12.5	94.6	8.1	201	3.8	9
1/28/23 10:15	12.5	94.7	8.1	201	3.8	9
1/28/23 10:30	12.5	94.8	8.1	201	3.8	9
1/28/23 10:45	12.5	95.0	8.1	201	3.9	8
1/28/23 11:00	12.5	95.1	8.1	200	3.9	8
1/28/23 11:15	12.5	95.2	8.1	200	3.9	9
1/28/23 11:30	12.5	95.4	8.1	200	4.0	9
1/28/23 11:45	12.5	95.5	8.1	200	4.0	9
1/28/23 12:00	12.5	95.6	8.1	200	4.1	8
1/28/23 12:15	12.5	95.7	8.1	200	4.1	9
1/28/23 12:30	12.5	95.8	8.1	200	4.2	9
1/28/23 12:45	12.5	95.8	8.1	200	4.2	8
1/28/23 13:00	12.5	95.9	8.1	200	4.3	8
1/28/23 13:15	12.5	96.0	8.1	200	4.3	8

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 13:30	12.5	96.0	8.1	200	4.4	8
1/28/23 13:45	12.4	96.0	8.1	200	4.4	8
1/28/23 14:00	12.4	95.9	8.1	200	4.4	8
1/28/23 14:15	12.4	95.8	8.1	200	4.4	8
1/28/23 14:30	12.4	95.8	8.1	201	4.4	8
1/28/23 14:45	12.4	95.7	8.1	201	4.5	9
1/28/23 15:00	12.4	95.7	8.1	201	4.5	8
1/28/23 15:15	12.4	95.6	8.1	201	4.5	8
1/28/23 15:30	12.4	95.6	8.1	202	4.5	8
1/28/23 15:45	12.3	95.5	8.1	202	4.5	8
1/28/23 16:00	12.3	95.4	8.1	202	4.5	9
1/28/23 16:15	12.3	95.3	8.1	202	4.5	8
1/28/23 16:30	12.3	95.3	8.1	202	4.5	8
1/28/23 16:45	12.3	95.2	8.1	202	4.5	8
1/28/23 17:00	12.3	95.1	8.1	202	4.5	8
1/28/23 17:15	12.3	94.9	8.1	202	4.5	8
1/28/23 17:30	12.3	94.8	8.1	202	4.5	8
1/28/23 17:45	12.3	94.7	8.1	202	4.5	8
1/28/23 18:00	12.3	94.6	8.1	202	4.5	8
1/28/23 18:15	12.2	94.5	8.1	201	4.4	8
1/28/23 18:30	12.2	94.4	8.1	201	4.4	8
1/28/23 18:45	12.2	94.3	8.1	201	4.4	8
1/28/23 19:00	12.2	94.2	8.1	201	4.4	9
1/28/23 19:15	12.2	94.2	8.1	200	4.4	8
1/28/23 19:30	12.2	94.1	8.1	200	4.4	8
1/28/23 19:45	12.2	94.0	8.1	200	4.4	8
1/28/23 20:00	12.2	94.0	8.1	200	4.4	8
1/28/23 20:15	12.2	93.9	8.1	200	4.4	8
1/28/23 20:30	12.2	93.8	8.1	200	4.4	8
1/28/23 20:45	12.2	93.9	8.1	199	4.4	8
1/28/23 21:00	12.2	93.8	8.1	199	4.4	8
1/28/23 21:15	12.2	93.8	8.1	199	4.4	8
1/28/23 21:30	12.2	93.8	8.1	199	4.4	9
1/28/23 21:45	12.1	93.7	8.1	199	4.4	9
1/28/23 22:00	12.1	93.7	8.1	199	4.4	8
1/28/23 22:15	12.1	93.6	8.1	199	4.4	9
1/28/23 22:30	12.1	93.6	8.1	199	4.4	8
1/28/23 22:45	12.2	93.6	8.1	199	4.4	9
1/28/23 23:00	12.2	93.6	8.1	199	4.3	8
1/28/23 23:15	12.2	93.6	8.1	199	4.3	8
1/28/23 23:30	12.2	93.6	8.1	199	4.3	8
1/28/23 23:45	12.2	93.6	8.1	199	4.3	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	12.2	93.6	8.1	199	4.3	8
1/29/23 0:15	12.2	93.7	8.1	199	4.2	8
1/29/23 0:30	12.2	93.7	8.1	199	4.2	8
1/29/23 0:45	12.2	93.7	8.1	200	4.2	8
1/29/23 1:00	12.2	93.7	8.1	200	4.2	8
1/29/23 1:15	12.2	93.7	8.1	200	4.2	8
1/29/23 1:30	12.2	93.7	8.1	200	4.1	8
1/29/23 1:45	12.2	93.7	8.1	200	4.1	8
1/29/23 2:00	12.2	93.7	8.1	200	4.1	9
1/29/23 2:15	12.3	93.7	8.1	200	4.1	8
1/29/23 2:30	12.3	93.8	8.1	200	4.1	9
1/29/23 2:45	12.3	93.7	8.1	200	4.1	8
1/29/23 3:00	12.3	93.8	8.1	200	4.0	8
1/29/23 3:15	12.3	93.8	8.1	200	4.0	8
1/29/23 3:30	12.3	93.8	8.1	201	4.0	8
1/29/23 3:45	12.3	93.8	8.1	201	4.0	9
1/29/23 4:00	12.3	93.8	8.1	201	4.0	8
1/29/23 4:15	12.3	93.8	8.1	201	4.0	8
1/29/23 4:30	12.3	93.8	8.1	201	4.0	8
1/29/23 4:45	12.3	93.8	8.1	201	4.0	8
1/29/23 5:00	12.3	93.8	8.1	201	4.0	8
1/29/23 5:15	12.3	93.8	8.1	201	4.0	9
1/29/23 5:30	12.3	93.8	8.1	201	3.9	8
1/29/23 5:45	12.3	93.8	8.1	201	3.9	8
1/29/23 6:00	12.3	93.8	8.1	201	3.9	8
1/29/23 6:15	12.3	93.8	8.1	201	3.9	9
1/29/23 6:30	12.3	93.8	8.1	201	3.9	9
1/29/23 6:45	12.3	93.9	8.1	201	3.9	9
1/29/23 7:00	12.3	93.9	8.1	201	3.8	9
1/29/23 7:15	12.4	93.9	8.1	201	3.8	9
1/29/23 7:30	12.4	93.9	8.1	200	3.8	9
1/29/23 7:45	12.4	93.8	8.1	200	3.8	9
1/29/23 8:00	12.4	93.9	8.1	200	3.7	9
1/29/23 8:15	12.4	93.9	8.1	200	3.7	9
1/29/23 8:30	12.4	93.9	8.1	200	3.7	9
1/29/23 8:45	12.4	93.9	8.1	200	3.6	9
1/29/23 9:00	12.4	93.9	8.1	200	3.6	9
1/29/23 9:15	12.4	94.0	8.1	200	3.6	9
1/29/23 9:30	12.5	94.1	8.1	200	3.6	9
1/29/23 9:45	12.5	94.2	8.1	200	3.6	9
1/29/23 10:00	12.5	94.2	8.1	200	3.6	8
1/29/23 10:15	12.5	94.4	8.1	200	3.7	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 10:30	12.5	94.5	8.1	200	3.7	8
1/29/23 10:45	12.5	94.6	8.1	200	3.7	9
1/29/23 11:00	12.5	94.8	8.1	200	3.8	9
1/29/23 11:15	12.5	94.9	8.1	200	3.8	9
1/29/23 11:30	12.5	95.0	8.1	200	3.8	8
1/29/23 11:45	12.5	95.2	8.1	200	3.9	8
1/29/23 12:00	12.5	95.3	8.1	200	3.9	9
1/29/23 12:15	12.5	95.3	8.1	200	4.0	9
1/29/23 12:30	12.5	95.4	8.1	200	4.0	9
1/29/23 12:45	12.5	95.5	8.1	200	4.1	8
1/29/23 13:00	12.5	95.6	8.1	200	4.1	8
1/29/23 13:15	12.5	95.7	8.1	200	4.1	8
1/29/23 13:30	12.5	95.7	8.1	200	4.2	8
1/29/23 13:45	12.5	95.6	8.1	200	4.2	8
1/29/23 14:00	12.5	95.6	8.1	200	4.2	8
1/29/23 14:15	12.5	95.5	8.1	200	4.2	8
1/29/23 14:30	12.4	95.4	8.1	200	4.2	8
1/29/23 14:45	12.4	95.4	8.1	200	4.2	8
1/29/23 15:00	12.4	95.4	8.1	200	4.2	9
1/29/23 15:15	12.4	95.3	8.1	200	4.2	8
1/29/23 15:30	12.4	95.3	8.1	200	4.2	8
1/29/23 15:45	12.4	95.2	8.1	200	4.2	8
1/29/23 16:00	12.4	95.2	8.1	200	4.2	8
1/29/23 16:15	12.4	95.1	8.1	199	4.2	8
1/29/23 16:30	12.4	95.1	8.1	199	4.2	8
1/29/23 16:45	12.4	95.0	8.1	199	4.2	8
1/29/23 17:00	12.4	94.9	8.1	199	4.2	8
1/29/23 17:15	12.4	94.8	8.1	199	4.2	8
1/29/23 17:30	12.4	94.7	8.1	199	4.1	8
1/29/23 17:45	12.4	94.6	8.1	199	4.1	8
1/29/23 18:00	12.4	94.5	8.1	199	4.1	8
1/29/23 18:15	12.3	94.4	8.1	199	4.1	8
1/29/23 18:30	12.3	94.4	8.1	199	4.1	8
1/29/23 18:45	12.3	94.3	8.1	199	4.1	8
1/29/23 19:00	12.3	94.2	8.1	199	4.1	8
1/29/23 19:15	12.3	94.2	8.1	198	4.1	8
1/29/23 19:30	12.3	94.2	8.1	198	4.1	8
1/29/23 19:45	12.3	94.2	8.1	198	4.0	8
1/29/23 20:00	12.3	94.1	8.1	198	4.0	8
1/29/23 20:15	12.3	94.1	8.1	198	4.0	8
1/29/23 20:30	12.3	94.1	8.1	198	4.0	8
1/29/23 20:45	12.3	94.0	8.1	198	4.0	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	12.3	94.0	8.1	198	4.0	8
1/29/23 21:15	12.3	94.0	8.1	198	4.1	8
1/29/23 21:30	12.3	94.0	8.1	198	4.0	8
1/29/23 21:45	12.3	94.0	8.1	198	4.0	8
1/29/23 22:00	12.3	94.0	8.1	198	4.0	8
1/29/23 22:15	12.3	94.0	8.1	198	4.0	8
1/29/23 22:30	12.3	94.0	8.1	198	4.0	8
1/29/23 22:45	12.3	94.0	8.1	198	3.9	8
1/29/23 23:00	12.4	94.0	8.1	199	3.9	8
1/29/23 23:15	12.4	94.0	8.1	199	3.9	8
1/29/23 23:30	12.4	94.0	8.1	199	3.8	8
1/29/23 23:45	12.4	94.0	8.1	199	3.8	8
1/30/23 0:00	12.4	94.0	8.1	199	3.8	9
1/30/23 0:15	12.4	94.0	8.1	199	3.7	8
1/30/23 0:30	12.4	94.1	8.1	199	3.7	9
1/30/23 0:45	12.4	94.0	8.1	199	3.6	9
1/30/23 1:00	12.5	94.1	8.1	199	3.6	8
1/30/23 1:15	12.5	94.1	8.1	200	3.6	8
1/30/23 1:30	12.5	94.1	8.1	200	3.5	8
1/30/23 1:45	12.5	94.1	8.1	200	3.5	8
1/30/23 2:00	12.5	94.1	8.1	200	3.5	9
1/30/23 2:15	12.5	94.1	8.1	200	3.4	9
1/30/23 2:30	12.5	94.2	8.1	200	3.4	9
1/30/23 2:45	12.6	94.2	8.1	200	3.3	9
1/30/23 3:00	12.6	94.2	8.1	201	3.3	9
1/30/23 3:15	12.6	94.2	8.1	201	3.3	9
1/30/23 3:30	12.6	94.2	8.1	201	3.2	9
1/30/23 3:45	12.6	94.2	8.1	201	3.2	8
1/30/23 4:00	12.6	94.2	8.1	201	3.2	9
1/30/23 4:15	12.6	94.2	8.1	201	3.1	8
1/30/23 4:30	12.6	94.2	8.1	201	3.1	9
1/30/23 4:45	12.7	94.2	8.1	201	3.1	9
1/30/23 5:00	12.7	94.3	8.1	201	3.0	9
1/30/23 5:15	12.7	94.3	8.1	201	3.0	9
1/30/23 5:30	12.7	94.3	8.1	201	3.0	8
1/30/23 5:45	12.7	94.3	8.1	201	2.9	9
1/30/23 6:00	12.7	94.3	8.1	201	2.9	9
1/30/23 6:15	12.7	94.3	8.1	201	2.9	9
1/30/23 6:30	12.8	94.4	8.1	201	2.8	9
1/30/23 6:45	12.8	94.4	8.1	201	2.8	8
1/30/23 7:00	12.8	94.3	8.1	201	2.7	9
1/30/23 7:15	12.8	94.4	8.1	201	2.7	9

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 7:30	12.8	94.4	8.1	201	2.7	9
1/30/23 7:45	12.8	94.4	8.1	201	2.6	9
1/30/23 8:00	12.9	94.4	8.1	201	2.6	9
1/30/23 8:15	12.9	94.4	8.1	201	2.5	9
1/30/23 8:30	12.9	94.5	8.1	201	2.5	9
1/30/23 8:45	12.9	94.5	8.1	201	2.5	9
1/30/23 9:00	12.9	94.5	8.1	201	2.4	9
1/30/23 9:15	12.9	94.6	8.1	201	2.4	9
1/30/23 9:30	12.9	94.7	8.1	201	2.4	9
1/30/23 9:45	13.0	94.8	8.1	201	2.4	9
1/30/23 10:00	13.0	94.9	8.1	201	2.4	9
1/30/23 10:15	13.0	95.0	8.1	201	2.4	9
1/30/23 10:30	13.0	95.2	8.1	201	2.5	9
1/30/23 10:45	13.0	95.4	8.1	201	2.5	9
1/30/23 11:00	13.0	95.5	8.1	201	2.6	9
1/30/23 11:15	13.0	95.7	8.1	201	2.6	9
1/30/23 11:30	13.0	95.9	8.1	201	2.7	9
1/30/23 11:45	13.0	96.0	8.1	201	2.7	9
1/30/23 12:00	13.0	96.1	8.1	201	2.7	9
1/30/23 12:15	13.0	96.3	8.1	200	2.8	9
1/30/23 12:30	13.0	96.3	8.1	200	2.8	9
1/30/23 12:45	13.0	96.4	8.1	200	2.9	9
1/30/23 13:00	13.0	96.5	8.1	200	2.9	9
1/30/23 13:15	13.0	96.6	8.1	200	3.0	9
1/30/23 13:30	13.0	96.7	8.1	200	3.0	8
1/30/23 13:45	13.0	96.7	8.1	200	3.0	8
1/30/23 14:00	13.0	96.6	8.1	200	3.0	9
1/30/23 14:15	13.0	96.5	8.1	200	3.0	9
1/30/23 14:30	13.0	96.5	8.1	200	3.0	8
1/30/23 14:45	13.0	96.4	8.1	200	3.0	8
1/30/23 15:00	13.0	96.4	8.1	200	3.1	8
1/30/23 15:15	13.0	96.4	8.1	200	3.1	8
1/30/23 15:30	12.9	96.4	8.1	200	3.1	9
1/30/23 15:45	12.9	96.4	8.1	199	3.1	8
1/30/23 16:00	12.9	96.2	8.1	199	3.1	9
1/30/23 16:15	12.9	96.2	8.1	199	3.1	9
1/30/23 16:30	12.9	96.1	8.1	199	3.1	8
1/30/23 16:45	12.9	96.0	8.1	199	3.1	9
1/30/23 17:00	12.9	96.0	8.1	199	3.1	8
1/30/23 17:15	12.9	95.9	8.1	199	3.1	8
1/30/23 17:30	12.9	95.8	8.1	199	3.0	8
1/30/23 17:45	12.9	95.7	8.1	199	3.0	8

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 18:00	12.9	95.6	8.1	199	3.0	8
1/30/23 18:15	12.9	95.5	8.1	198	3.0	8
1/30/23 18:30	12.9	95.4	8.1	198	3.0	8
1/30/23 18:45	12.8	95.3	8.1	198	3.0	8
1/30/23 19:00	12.8	95.3	8.1	198	3.0	8
1/30/23 19:15	12.8	95.2	8.1	198	2.9	8
1/30/23 19:30	12.8	95.2	8.1	198	2.9	8
1/30/23 19:45	12.8	95.1	8.1	198	2.9	8
1/30/23 20:00	12.8	95.1	8.1	198	2.9	9
1/30/23 20:15	12.8	95.0	8.1	198	2.9	8
1/30/23 20:30	12.8	95.0	8.1	198	2.9	8
1/30/23 20:45	12.8	94.9	8.1	198	2.9	8
1/30/23 21:00	12.8	94.9	8.1	198	2.9	8
1/30/23 21:15	12.8	94.9	8.1	198	2.9	8
1/30/23 21:30	12.8	94.9	8.1	198	2.9	8
1/30/23 21:45	12.8	94.9	8.1	198	2.9	8
1/30/23 22:00	12.8	94.8	8.1	198	2.9	8
1/30/23 22:15	12.8	94.8	8.1	198	2.9	8
1/30/23 22:30	12.8	94.8	8.1	198	2.8	8
1/30/23 22:45	12.8	94.8	8.1	198	2.8	9
1/30/23 23:00	12.8	94.8	8.1	198	2.8	9
1/30/23 23:15	12.8	94.8	8.1	198	2.8	9
1/30/23 23:30	12.9	94.8	8.1	198	2.7	8
1/30/23 23:45	12.9	94.8	8.1	198	2.7	8
1/31/23 0:00	12.9	94.8	8.1	198	2.7	8
1/31/23 0:15	12.9	94.8	8.1	198	2.7	8
1/31/23 0:30	12.9	94.8	8.1	199	2.6	8
1/31/23 0:45	12.9	94.9	8.1	199	2.6	8
1/31/23 1:00	12.9	94.9	8.1	199	2.6	8
1/31/23 1:15	12.9	94.8	8.1	199	2.6	8
1/31/23 1:30	12.9	94.9	8.1	199	2.5	8
1/31/23 1:45	12.9	94.9	8.1	199	2.5	8
1/31/23 2:00	12.9	94.8	8.1	199	2.5	8
1/31/23 2:15	12.9	94.8	8.1	199	2.5	8
1/31/23 2:30	13.0	94.8	8.1	200	2.4	8
1/31/23 2:45	13.0	94.9	8.1	200	2.4	8
1/31/23 3:00	13.0	94.9	8.1	200	2.4	8
1/31/23 3:15	13.0	94.9	8.1	200	2.4	8
1/31/23 3:30	13.0	94.9	8.1	200	2.3	8
1/31/23 3:45	13.0	94.9	8.1	200	2.3	8
1/31/23 4:00	13.0	94.9	8.1	200	2.3	8
1/31/23 4:15	13.0	94.9	8.1	200	2.2	8

Klamath River below Seiad Valley (11520500)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/31/23 4:30	13.0	94.9	8.1	200	2.2	8
1/31/23 4:45	13.1	94.9	8.1	201	2.2	8
1/31/23 5:00	13.1	94.9	8.1	201	2.2	8
1/31/23 5:15	13.1	94.9	8.1	201	2.1	8
1/31/23 5:30	13.1	94.9	8.1	201	2.1	8
1/31/23 5:45	13.1	94.9	8.1	201	2.1	8
1/31/23 6:00	13.1	94.9	8.1	201	2.1	8
1/31/23 6:15	13.1	94.9	8.1	201	2.0	8
1/31/23 6:30	13.1	94.9	8.1	201	2.0	8
1/31/23 6:45	13.1	94.9	8.1	201	2.0	8
1/31/23 7:00	13.1	94.9	8.1	201	1.9	8
1/31/23 7:15	13.2	94.9	8.1	201	1.9	8
1/31/23 7:30	13.2	94.9	8.1	201	1.9	8
1/31/23 7:45	13.2	94.9	8.1	201	1.8	9
1/31/23 8:00	13.2	94.9	8.1	201	1.8	8
1/31/23 8:15	13.2	94.9	8.1	201	1.8	8
1/31/23 8:30	13.2	95.0	8.1	201	1.8	8
1/31/23 8:45	13.2	95.0	8.1	201	1.8	8
1/31/23 9:00	13.2	95.1	8.1	201	1.7	8
1/31/23 9:15	13.3	95.2	8.1	201	1.7	8
1/31/23 9:30	13.3	95.3	8.1	201	1.8	8
1/31/23 9:45	13.3	95.4	8.1	201	1.8	8
1/31/23 10:00	13.3	95.5	8.1	201	1.8	8
1/31/23 10:15	13.3	95.6	8.1	201	1.8	8
1/31/23 10:30	13.3	95.7	8.1	201	1.8	8
1/31/23 10:45	13.3	95.9	8.1	201	1.9	8
1/31/23 11:00	13.3	96.0	8.1	201	1.9	8
1/31/23 11:15	13.3	96.2	8.1	200	2.0	8
1/31/23 11:30	13.3	96.3	8.1	200	2.1	8
1/31/23 11:45	13.3	96.4	8.1	200	2.1	8
1/31/23 12:00	13.3	96.5	8.1	200	2.1	8
1/31/23 12:15	13.3	96.5	8.1	200	2.2	9
1/31/23 12:30	13.3	96.7	8.1	200	2.3	8
1/31/23 12:45	13.3	96.6	8.1	200	2.3	9
1/31/23 13:00	13.3	96.6	8.1	200	2.3	9
1/31/23 13:15	13.3	96.7	8.1	200	2.3	9
1/31/23 13:30	13.2	96.7	8.1	200	2.4	9
1/31/23 13:45	13.2	96.8	8.1	200	2.4	9
1/31/23 14:00	13.2	96.7	8.1	200	2.4	9
1/31/23 14:15	13.2	96.6	8.1	200	2.4	9
1/31/23 14:30	13.2	96.6	8.1	200	2.4	9
1/31/23 14:45	13.2	96.6	8.1	199	2.5	10

**Klamath River below Seiad Valley
(11520500)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/31/23 15:00	13.2	96.6	8.1	199	2.5	11
1/31/23 15:15	13.2	96.6	8.1	199	2.6	10
1/31/23 15:30	13.2	96.6	8.1	199	2.6	9
1/31/23 15:45	13.1	96.5	8.1	199	2.6	9
1/31/23 16:00	13.1	96.4	8.1	199	2.6	9
1/31/23 16:15	13.1	96.4	8.1	199	2.6	9
1/31/23 16:30	13.1	96.4	8.1	199	2.6	9
1/31/23 16:45	13.1	96.3	8.1	198	2.7	9
1/31/23 17:00	13.1	96.2	8.1	198	2.7	8
1/31/23 17:15	13.0	96.1	8.1	198	2.7	9
1/31/23 17:30	13.0	96.0	8.1	198	2.7	9
1/31/23 17:45	13.0	95.9	8.1	198	2.7	8
1/31/23 18:00	13.0	95.7	8.1	198	2.7	9
1/31/23 18:15	13.0	95.7	8.1	198	2.7	9
1/31/23 18:30	13.0	95.6	8.1	198	2.7	9
1/31/23 18:45	12.9	95.4	8.1	198	2.7	9
1/31/23 19:00	12.9	95.3	8.1	198	2.7	8
1/31/23 19:15	12.9	95.2	8.1	198	2.7	8
1/31/23 19:30	12.9	95.2	8.1	197	2.8	9
1/31/23 19:45	12.9	95.2	8.1	197	2.8	8
1/31/23 20:00	12.9	95.1	8.1	197	2.8	8
1/31/23 20:15	12.9	95.0	8.1	197	2.8	8
1/31/23 20:30	12.8	95.0	8.1	197	2.8	8
1/31/23 20:45	12.8	94.9	8.1	197	2.8	8
1/31/23 21:00	12.8	94.9	8.1	197	2.9	8
1/31/23 21:15	12.8	94.8	8.1	197	2.9	8
1/31/23 21:30	12.8	94.8	8.1	197	2.9	8
1/31/23 21:45	12.8	94.8	8.1	197	2.9	8
1/31/23 22:00	12.8	94.8	8.1	197	2.9	8
1/31/23 22:15	12.8	94.8	8.1	197	2.9	8
1/31/23 22:30	12.8	94.8	8.1	197	3.0	8
1/31/23 22:45	12.8	94.7	8.1	197	3.0	8
1/31/23 23:00	12.8	94.7	8.1	197	3.0	8
1/31/23 23:15	12.8	94.7	8.1	197	3.0	8
1/31/23 23:30	12.8	94.7	8.1	198	2.9	8
1/31/23 23:45	12.8	94.7	8.1	198	2.9	8



Klamath River at Walker Bridge, CA (USGS 11517818)

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 0:00	11.7	92.2	8.1	188	5.3	41
1/1/23 0:15	11.7	92.2	8.1	189	5.3	39
1/1/23 0:30	11.7	92.2	8.1	188	5.3	39
1/1/23 0:45	11.7	92.2	8.1	188	5.3	38
1/1/23 1:00	11.7	92.2	8.1	188	5.2	37
1/1/23 1:15	11.7	92.2	8.1	189	5.2	37
1/1/23 1:30	11.7	92.2	8.1	188	5.2	38
1/1/23 1:45	11.7	92.2	8.1	189	5.2	35
1/1/23 2:00	11.7	92.2	8.1	189	5.2	31
1/1/23 2:15	11.7	92.2	8.1	189	5.1	37
1/1/23 2:30	11.7	92.2	8.1	189	5.1	32
1/1/23 2:45	11.8	92.2	8.1	189	5.1	36
1/1/23 3:00	11.8	92.3	8.1	190	5.1	30
1/1/23 3:15	11.8	92.3	8.1	190	5.0	33
1/1/23 3:30	11.8	92.3	8.1	190	5.0	34
1/1/23 3:45	11.8	92.3	8.1	190	5.0	36
1/1/23 4:00	11.8	92.3	8.1	190	4.9	35
1/1/23 4:15	11.8	92.4	8.1	191	4.9	35
1/1/23 4:30	11.8	92.4	8.1	191	4.9	32
1/1/23 4:45	11.8	92.4	8.1	190	4.8	36
1/1/23 5:00	11.9	92.4	8.1	191	4.8	35
1/1/23 5:15	11.9	92.4	8.1	190	4.8	35
1/1/23 5:30	11.9	92.4	8.1	190	4.7	26
1/1/23 5:45	11.9	92.4	8.1	191	4.7	42
1/1/23 6:00	11.9	92.5	8.1	190	4.7	32
1/1/23 6:15	11.9	92.5	8.1	189	4.7	29
1/1/23 6:30	11.9	92.5	8.1	190	4.6	34
1/1/23 6:45	11.9	92.5	8.1	190	4.6	32
1/1/23 7:00	11.9	92.5	8.1	190	4.6	32
1/1/23 7:15	11.9	92.5	8.1	189	4.6	32
1/1/23 7:30	12.0	92.6	8.1	189	4.6	33
1/1/23 7:45	12.0	92.6	8.1	189	4.5	31
1/1/23 8:00	12.0	92.6	8.1	189	4.5	32
1/1/23 8:15	12.0	92.6	8.1	189	4.5	28
1/1/23 8:30	12.0	92.6	8.1	189	4.5	30
1/1/23 8:45	12.0	92.6	8.1	188	4.5	30
1/1/23 9:00	12.0	92.7	8.1	188	4.5	31
1/1/23 9:15	12.0	92.7	8.1	187	4.5	31
1/1/23 9:30	12.0	92.7	8.0	187	4.5	33
1/1/23 9:45	12.0	92.8	8.0	187	4.5	25
1/1/23 10:00	12.0	92.9	8.1	187	4.5	31
1/1/23 10:15	12.0	92.9	8.1	187	4.5	30

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 10:30	12.0	93.0	8.1	187	4.5	25
1/1/23 10:45	12.0	93.1	8.1	186	4.5	
1/1/23 11:00	12.1	93.1	8.1	186	4.5	25
1/1/23 11:15	12.1	93.2	8.1	186	4.5	29
1/1/23 11:30	12.1	93.2	8.1	186	4.5	29
1/1/23 11:45	12.1	93.3	8.1	186	4.5	42
1/1/23 12:00	12.1	93.4	8.1	186	4.5	29
1/1/23 12:15	12.1	93.4	8.1	186	4.5	29
1/1/23 12:30	12.1	93.5	8.1	186	4.6	29
1/1/23 12:45	12.1	93.5	8.1	186	4.6	
1/1/23 13:00	12.1	93.5	8.1	185	4.6	28
1/1/23 13:15	12.1	93.6	8.1	185	4.6	21
1/1/23 13:30	12.1	93.6	8.1	185	4.6	28
1/1/23 13:45	12.1	93.6	8.1	185	4.6	28
1/1/23 14:00	12.1	93.6	8.1	185	4.6	25
1/1/23 14:15	12.1	93.6	8.1	185	4.6	27
1/1/23 14:30	12.1	93.6	8.1	185	4.6	28
1/1/23 14:45	12.1	93.5	8.1	184	4.6	28
1/1/23 15:00	12.1	93.5	8.1	184	4.6	23
1/1/23 15:15	12.1	93.5	8.1	184	4.6	27
1/1/23 15:30	12.1	93.4	8.1	184	4.6	26
1/1/23 15:45	12.0	93.4	8.1	184	4.6	26
1/1/23 16:00	12.0	93.3	8.1	184	4.6	24
1/1/2023 16:15	12.0	93.3	8.1	184	4.6	23
1/1/2023 16:30	12.0	93.2	8.1	184	4.6	26
1/1/2023 16:45	12.0	93.2	8.1	184	4.6	26
1/1/2023 17:00	12.0	93.1	8.1	184	4.6	20
1/1/2023 17:15	12.0	93.1	8.1	183	4.5	26
1/1/2023 17:30	12.0	93.0	8.1	183	4.5	25
1/1/2023 17:45	12.0	93.0	8.1	183	4.5	23
1/1/2023 18:00	12.0	93.0	8.1	183	4.5	25
1/1/2023 18:15	12.0	93.0	8.1	183	4.5	24
1/1/2023 18:30	12.0	93.0	8.1	183	4.5	31
1/1/2023 18:45	12.0	92.9	8.1	183	4.5	24
1/1/2023 19:00	12.0	92.9	8.1	183	4.5	24
1/1/2023 19:15	12.0	92.9	8.1	183	4.4	24
1/1/2023 19:30	12.0	92.9	8.1	183	4.4	24
1/1/2023 19:45	12.0	92.9	8.1	183	4.4	24
1/1/2023 20:00	12.0	92.8	8.1	183	4.4	24
1/1/2023 20:15	12.1	92.8	8.1	183	4.4	24
1/1/2023 20:30	12.0	92.8	8.1	183	4.4	24
1/1/2023 20:45	12.0	92.8	8.1	183	4.4	28

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/2023 21:00	12.0	92.8	8.1	183	4.4	23
1/1/2023 21:15	12.0	92.8	8.1	183	4.4	24
1/1/2023 21:30	12.0	92.8	8.1	183	4.4	23
1/1/2023 21:45	12.0	92.8	8.1	183	4.4	24
1/1/2023 22:00	12.0	92.8	8.1	183	4.5	24
1/1/2023 22:15	12.0	92.8	8.1	183	4.5	23
1/1/2023 22:30	12.0	92.8	8.1	183	4.5	23
1/1/2023 22:45	12.0	92.7	8.1	183	4.5	25
1/1/2023 23:00	12.0	92.7	8.1	183	4.6	22
1/1/2023 23:15	12.0	92.7	8.1	183	4.6	22
1/1/2023 23:30	12.0	92.7	8.1	183	4.6	23
1/1/2023 23:45	11.9	92.7	8.1	184	4.6	23
1/2/2023 0:00	11.9	92.7	8.1	183	4.7	23
1/2/2023 0:15	11.9	92.7	8.1	184	4.7	22
1/2/2023 0:30	11.9	92.7	8.1	184	4.7	20
1/2/2023 0:45	11.9	92.7	8.1	184	4.7	21
1/2/2023 1:00	11.9	92.6	8.1	184	4.7	22
1/2/2023 1:15	11.9	92.6	8.1	184	4.7	22
1/2/2023 1:30	11.9	92.6	8.1	184	4.7	20
1/2/2023 1:45	11.9	92.6	8.1	184	4.7	22
1/2/2023 2:00	11.9	92.6	8.1	184	4.7	21
1/2/2023 2:15	11.9	92.6	8.1	184	4.7	21
1/2/2023 2:30	11.9	92.6	8.1	184	4.7	20
1/2/2023 2:45	11.9	92.6	8.1	184	4.7	20
1/2/2023 3:00	11.9	92.6	8.1	184	4.7	21
1/2/2023 3:15	11.9	92.5	8.1	184	4.6	21
1/2/2023 3:30	11.9	92.5	8.1	184	4.6	27
1/2/2023 3:45	11.9	92.5	8.1	184	4.6	19
1/2/2023 4:00	12.0	92.5	8.1	184	4.5	21
1/2/2023 4:15	12.0	92.5	8.1	184	4.5	20
1/2/2023 4:30	12.0	92.5	8.1	184	4.5	20
1/2/2023 4:45	12.0	92.5	8.1	184	4.4	20
1/2/2023 5:00	12.0	92.5	8.1	184	4.4	20
1/2/2023 5:15	12.0	92.5	8.1	184	4.4	21
1/2/2023 5:30	12.0	92.4	8.1	184	4.3	19
1/2/2023 5:45	12.0	92.4	8.1	184	4.3	20
1/2/2023 6:00	12.0	92.4	8.1	184	4.3	19
1/2/2023 6:15	12.0	92.4	8.1	184	4.2	22
1/2/2023 6:30	12.0	92.4	8.1	184	4.2	19
1/2/2023 6:45	12.1	92.4	8.1	184	4.2	20
1/2/2023 7:00	12.1	92.4	8.1	183	4.1	20
1/2/2023 7:15	12.1	92.4	8.1	184	4.1	19

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/2023 7:30	12.1	92.4	8.1	184	4.1	19
1/2/2023 7:45	12.1	92.3	8.1	184	4.1	19
1/2/2023 8:00	12.1	92.3	8.1		4.1	18
1/2/2023 8:15	12.1	92.3	8.1	184	4.1	18
1/2/2023 8:30	12.1	92.4	8.1	184	4.1	19
1/2/2023 8:45	12.1	92.4	8.1	184	4.1	19
1/2/2023 9:00	12.1	92.4	8.1	184	4.1	19
1/2/2023 9:15	12.1	92.4	8.1	183	4.1	19
1/2/2023 9:30	12.1	92.4	8.1	184	4.1	19
1/2/2023 9:45	12.1	92.5	8.1	183	4.1	18
1/2/2023 10:00	12.1	92.5	8.1	183	4.1	13
1/2/2023 10:15	12.1	92.6	8.1	183	4.1	17
1/2/2023 10:30	12.1	92.7	8.1	183	4.1	18
1/2/2023 10:45	12.1	92.7	8.1	183	4.1	
1/2/2023 11:00	12.1	92.7	8.1	183	4.1	
1/2/2023 11:15	12.1	92.7	8.1	183	4.1	18
1/2/2023 11:30	12.1	92.8	8.1	183	4.1	18
1/2/2023 11:45	12.1	92.7	8.1	183	4.1	17
1/2/2023 12:00	12.1	92.7	8.1	183	4.1	17
1/2/2023 12:15	12.1	92.7	8.1	183	4.1	17
1/2/2023 12:30	12.1	92.7	8.1	183	4.1	22
1/2/2023 12:45	12.1	92.8	8.1	183	4.2	19
1/2/2023 13:00	12.1	92.8	8.1	183	4.2	18
1/2/2023 13:15	12.1	92.9	8.1	183	4.2	18
1/2/2023 13:30	12.1	92.9	8.1	183	4.2	17
1/2/2023 13:45	12.1	92.9	8.1	183	4.2	17
1/2/2023 14:00	12.1	92.9	8.1	183	4.2	17
1/2/2023 14:15	12.1	92.9	8.1	183	4.3	17
1/2/2023 14:30	12.1	92.9	8.1	183	4.3	17
1/2/2023 14:45	12.1	92.9	8.1	183	4.3	21
1/2/2023 15:00	12.1	92.9	8.1	183	4.3	16
1/2/2023 15:15	12.1	92.9	8.1	183	4.3	16
1/2/2023 15:30	12.1	92.9	8.1	183	4.3	17
1/2/2023 15:45	12.1	92.9	8.1	183	4.3	17
1/2/2023 16:00	12.1	92.9	8.1	183	4.3	17
1/2/2023 16:15	12.1	92.9	8.1	183	4.3	17
1/2/2023 16:30	12.1	92.8	8.1	182	4.3	19
1/2/2023 16:45	12.1	92.9	8.1	183	4.4	16
1/2/2023 17:00	12.1	92.8	8.1	183	4.4	17
1/2/2023 17:15	12.1	92.8	8.1	183	4.3	16
1/2/2023 17:30	12.0	92.8	8.1	182	4.3	17
1/2/2023 17:45	12.0	92.8	8.1	182	4.3	16

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/2023 18:00	12.0	92.7	8.1	182	4.3	17
1/2/2023 18:15	12.0	92.7	8.1	182	4.3	19
1/2/2023 18:30	12.0	92.7	8.1	182	4.3	15
1/2/2023 18:45	12.0	92.7	8.1	182	4.3	16
1/2/2023 19:00	12.0	92.7	8.1	182	4.3	16
1/2/2023 19:15	12.0	92.7	8.1	182	4.3	16
1/2/2023 19:30	12.0	92.6	8.2	182	4.3	15
1/2/2023 19:45	12.0	92.6	8.1	182	4.3	16
1/2/2023 20:00	12.0	92.6	8.1	182	4.3	16
1/2/2023 20:15	12.0	92.6	8.1	182	4.4	14
1/2/2023 20:30	12.0	92.6	8.2	182	4.4	16
1/2/2023 20:45	12.0	92.6	8.2	182	4.4	16
1/2/2023 21:00	12.0	92.6	8.2	182	4.4	16
1/2/2023 21:15	12.0	92.6	8.2	182	4.4	15
1/2/2023 21:30	12.0	92.6	8.2	182	4.4	14
1/2/2023 21:45	12.0	92.6	8.1	182	4.4	15
1/2/2023 22:00	12.0	92.6	8.2	182	4.4	15
1/2/2023 22:15	12.0	92.6	8.1	182	4.4	16
1/2/2023 22:30	12.0	92.6	8.2	182	4.4	15
1/2/2023 22:45	12.0	92.5	8.2	182	4.4	13
1/2/2023 23:00	12.0	92.5	8.1	182	4.4	16
1/2/2023 23:15	12.0	92.5	8.1	182	4.4	16
1/2/2023 23:30	12.0	92.5	8.1	182	4.4	16
1/2/2023 23:45	12.0	92.5	8.1	182	4.4	15
1/3/2023 0:00	12.0	92.5	8.1	182	4.4	12
1/3/2023 0:15	12.0	92.6	8.1	182	4.4	15
1/3/2023 0:30	12.0	92.5	8.1	182	4.4	16
1/3/2023 0:45	12.0	92.5	8.1	182	4.4	15
1/3/2023 1:00	12.0	92.5	8.1	182	4.4	15
1/3/2023 1:15	12.0	92.5	8.1	182	4.4	15
1/3/2023 1:30	12.0	92.5	8.1	182	4.4	16
1/3/2023 1:45	12.0	92.5	8.1	182	4.4	15
1/3/2023 2:00	12.0	92.5	8.1	182	4.4	14
1/3/2023 2:15	12.0	92.5	8.1	182	4.4	16
1/3/2023 2:30	12.0	92.4	8.1	182	4.4	14
1/3/2023 2:45	12.0	92.5	8.1	182	4.4	15
1/3/2023 3:00	12.0	92.5	8.1	182	4.4	13
1/3/2023 3:15	12.0	92.5	8.1	182	4.4	15
1/3/2023 3:30	12.0	92.5	8.1	183	4.4	15
1/3/2023 3:45	12.0	92.5	8.1	183	4.4	16
1/3/2023 4:00	12.0	92.5	8.1	183	4.3	13
1/3/2023 4:15	12.0	92.4	8.1	183	4.3	15

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/2023 4:30	12.0	92.5	8.1	183	4.3	14
1/3/2023 4:45	12.0	92.4	8.1	183	4.3	14
1/3/2023 5:00	12.0	92.4	8.1	183	4.2	15
1/3/2023 5:15	12.0	92.4	8.1	183	4.2	14
1/3/2023 5:30	12.0	92.4	8.1	183	4.2	14
1/3/2023 5:45	12.1	92.4	8.1	183	4.2	14
1/3/2023 6:00	12.1	92.4	8.1	183	4.2	14
1/3/2023 6:15	12.1	92.4	8.1	183	4.2	14
1/3/2023 6:30	12.1	92.4	8.1	183	4.1	14
1/3/2023 6:45	12.1	92.4	8.1	183	4.1	14
1/3/2023 7:00	12.1	92.4	8.1	182	4.1	14
1/3/2023 7:15	12.1	92.4	8.1	182	4.1	14
1/3/2023 7:30	12.1	92.4	8.1	182	4.1	18
1/3/2023 7:45	12.1	92.4	8.1	183	4.1	12
1/3/2023 8:00	12.1	92.4	8.1	183	4.1	12
1/3/2023 8:15	12.1	92.5	8.1	182	4.1	14
1/3/2023 8:30					4.1	
1/3/2023 8:45					4.0	
1/3/2023 9:00					4.0	
1/3/2023 9:15	12.1	92.6	8.1	182	4.0	13
1/3/2023 9:30	12.1	92.6	8.1	182	4.0	13
1/3/2023 9:45	12.1	92.7	8.1	182	4.1	13
1/3/2023 10:00	12.1	92.8	8.1	182	4.1	13
1/3/2023 10:15	12.1	92.9	8.1	182	4.1	14
1/3/2023 10:30	12.1	93.0	8.1	182	4.1	12
1/3/2023 10:45	12.2	93.1	8.1	182	4.2	13
1/3/2023 11:00	12.2	93.3	8.1	182	4.2	13
1/3/2023 11:15	12.2	93.4	8.1	182	4.3	13
1/3/2023 11:30	12.2	93.3	8.1	182	4.3	13
1/3/2023 11:45	12.2	93.4	8.1	182	4.3	13
1/3/2023 12:00	12.2	93.4	8.1	182	4.3	13
1/3/2023 12:15	12.2	93.5	8.1	182	4.3	13
1/3/2023 12:30	12.2	93.5	8.1	182	4.3	13
1/3/2023 12:45	12.1	93.5	8.2	182	4.4	13
1/3/2023 13:00	12.1	93.5	8.2	182	4.4	13
1/3/2023 13:15	12.1	93.5	8.2	182	4.4	13
1/3/2023 13:30	12.1	93.6	8.2	182	4.4	13
1/3/2023 13:45	12.1	93.6	8.2	182	4.4	13
1/3/2023 14:00	12.1	93.6	8.2	181	4.4	13
1/3/2023 14:15	12.1	93.6	8.2	181	4.4	14
1/3/2023 14:30	12.1	93.6	8.2	181	4.4	14
1/3/2023 14:45	12.1	93.7	8.2	181	4.5	12

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/2023 15:00	12.1	93.6	8.2	181	4.5	16
1/3/2023 15:15	12.1	93.6	8.2	182	4.5	17
1/3/2023 15:30	12.1	93.6	8.2	181	4.5	16
1/3/2023 15:45	12.1	93.6	8.2	181	4.5	15
1/3/2023 16:00	12.1	93.6	8.2	181	4.5	14
1/3/2023 16:15	12.1	93.6	8.2	181	4.5	13
1/3/2023 16:30	12.1	93.5	8.2	181	4.5	13
1/3/2023 16:45	12.1	93.5	8.2	181	4.5	13
1/3/2023 17:00	12.1	93.4	8.2	181	4.5	13
1/3/2023 17:15	12.1	93.4	8.2	181	4.5	13
1/3/2023 17:30	12.1	93.3	8.2	181	4.5	13
1/3/2023 17:45	12.1	93.3	8.2	181	4.5	13
1/3/2023 18:00	12.1	93.3	8.2	181	4.5	13
1/3/2023 18:15	12.0	93.2	8.2	181	4.5	13
1/3/2023 18:30	12.0	93.2	8.2	181	4.5	13
1/3/2023 18:45	12.0	93.2	8.2	181	4.5	13
1/3/2023 19:00	12.0	93.2	8.2	181	4.5	13
1/3/2023 19:15	12.0	93.2	8.2	181	4.5	13
1/3/2023 19:30	12.0	93.1	8.2	180	4.5	13
1/3/2023 19:45	12.0	93.1	8.2	180	4.5	12
1/3/2023 20:00	12.0	93.1	8.2		4.5	13
1/3/2023 20:15	12.0	93.1	8.2	180	4.5	13
1/3/2023 20:30	12.0	93.1	8.2	180	4.5	13
1/3/2023 20:45	12.0	93.1	8.2	180	4.5	13
1/3/2023 21:00	12.0	93.1	8.2	180	4.5	13
1/3/2023 21:15	12.0	93.1	8.2	180	4.5	12
1/3/2023 21:30	12.0	93.1	8.2	180	4.5	13
1/3/2023 21:45	12.0	93.0	8.2	180	4.5	13
1/3/2023 22:00	12.0	93.0	8.2	180	4.5	12
1/3/2023 22:15	12.0	93.0	8.2	180	4.5	12
1/3/2023 22:30	12.0	93.0	8.2	180	4.5	13
1/3/2023 22:45	12.0	93.0	8.2	180	4.5	13
1/3/2023 23:00	12.0	93.0	8.2	180	4.5	13
1/3/2023 23:15	12.0	93.0	8.2	180	4.5	13
1/3/2023 23:30	12.0	92.9	8.2	180	4.5	13
1/3/2023 23:45	12.0	92.9	8.2	181	4.5	13
1/4/2023 0:00	12.0	92.9	8.2	180	4.5	13
1/4/2023 0:15	12.0	92.9	8.2	180	4.5	13
1/4/2023 0:30	12.0	92.9	8.2	180	4.6	13
1/4/2023 0:45	12.0	92.9	8.2	181	4.6	12
1/4/2023 1:00	12.0	92.9	8.2	181	4.6	12
1/4/2023 1:15	12.0	92.8	8.2	181	4.6	12

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/2023 1:30	12.0	92.8	8.2	181	4.6	12
1/4/2023 1:45	12.0	92.8	8.2	181	4.5	13
1/4/2023 2:00	12.0	92.8	8.2	181	4.5	12
1/4/2023 2:15	12.0	92.7	8.2	181	4.5	12
1/4/2023 2:30	12.0	92.7	8.2	181	4.5	13
1/4/2023 2:45	12.0	92.7	8.2	181	4.5	12
1/4/2023 3:00	12.0	92.7	8.2	181	4.5	12
1/4/2023 3:15	12.0	92.7	8.2	181	4.5	13
1/4/2023 3:30	12.0	92.6	8.2	181	4.5	12
1/4/2023 3:45	12.0	92.6	8.2	181	4.5	12
1/4/2023 4:00	12.0	92.6	8.2	181	4.5	12
1/4/2023 4:15	12.0	92.6	8.2	181	4.5	12
1/4/2023 4:30	12.0	92.6	8.2	181	4.5	12
1/4/2023 4:45	12.0	92.6	8.2	181	4.5	12
1/4/2023 5:00	12.0	92.6	8.2	181	4.5	12
1/4/2023 5:15	12.0	92.5	8.2	181	4.5	12
1/4/2023 5:30	12.0	92.5	8.2	181	4.5	12
1/4/2023 5:45	12.0	92.5	8.2	181	4.5	12
1/4/2023 6:00	12.0	92.5	8.2	181	4.5	12
1/4/2023 6:15	12.0	92.5	8.2	181	4.4	12
1/4/2023 6:30	12.0	92.5	8.2	181	4.4	11
1/4/2023 6:45	12.0	92.5	8.2	182	4.4	12
1/4/2023 7:00	12.0	92.5	8.1	182	4.4	12
1/4/2023 7:15	12.0	92.5	8.2	182	4.4	12
1/4/2023 7:30	12.0	92.5	8.1	182	4.4	11
1/4/2023 7:45	12.0	92.5	8.1	182	4.4	12
1/4/2023 8:00	12.0	92.5	8.2	182	4.4	12
1/4/2023 8:15	12.0	92.5	8.1	182	4.4	12
1/4/2023 8:30	12.0	92.5	8.1	182	4.4	11
1/4/2023 8:45	12.0	92.5	8.1	182	4.4	12
1/4/2023 9:00	12.0	92.5	8.2	182	4.4	11
1/4/2023 9:15	12.0	92.5	8.1	182	4.4	12
1/4/2023 9:30	12.0	92.6	8.2	182	4.4	11
1/4/2023 9:45	12.0	92.6	8.2	182	4.4	11
1/4/2023 10:00	12.0	92.6	8.2	182	4.4	11
1/4/2023 10:15	12.0	92.6	8.1	182	4.4	11
1/4/2023 10:30	12.0	92.7	8.2	182	4.4	11
1/4/2023 10:45	12.0	92.8	8.2	182	4.5	11
1/4/2023 11:00	12.0	92.8	8.2	182	4.5	11
1/4/2023 11:15	12.0	92.9	8.2	182	4.5	11
1/4/2023 11:30	12.0	93.0	8.2	182	4.5	11
1/4/2023 11:45	12.0	93.0	8.2	182	4.6	11

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/2023 12:00	12.0	93.0	8.2	181	4.6	11
1/4/2023 12:15	12.0	93.0	8.2	181	4.6	11
1/4/2023 12:30	12.0	92.9	8.2	181	4.6	11
1/4/2023 12:45	12.0	93.0	8.2	181	4.6	11
1/4/2023 13:00	12.0	93.0	8.2	181	4.6	12
1/4/2023 13:15	12.0	92.9	8.2	181	4.7	11
1/4/2023 13:30	12.0	93.0	8.2	181	4.7	11
1/4/2023 13:45	12.0	93.0	8.2	181	4.7	12
1/4/2023 14:00	12.0	93.0	8.2	181	4.7	11
1/4/2023 14:15	11.9	93.0	8.2	181	4.8	11
1/4/2023 14:30	11.9	93.1	8.2	181	4.8	11
1/4/2023 14:45	11.9	93.1	8.2	181	4.8	11
1/4/2023 15:00	11.9	93.1	8.2	181	4.9	11
1/4/2023 15:15	11.9	93.1	8.2	181	4.9	11
1/4/2023 15:30	11.9	93.1	8.2	181	4.9	11
1/4/2023 15:45	11.9	93.1	8.2	181	4.9	11
1/4/2023 16:00	11.9	93.1	8.2	181	4.9	11
1/4/2023 16:15	11.9	93.0	8.2	181	4.9	11
1/4/2023 16:30	11.9	92.9	8.2	181	4.9	11
1/4/2023 16:45	11.9	92.8	8.2	181	4.9	11
1/4/2023 17:00	11.9	92.7	8.2	181	4.9	12
1/4/2023 17:15	11.8	92.7	8.2	180	4.9	11
1/4/2023 17:30	11.8	92.6	8.2	181	4.9	11
1/4/2023 17:45	11.8	92.5	8.2	180	5.0	11
1/4/2023 18:00	11.8	92.4	8.2	180	4.9	11
1/4/2023 18:15	11.8	92.4	8.2	180	5.0	11
1/4/2023 18:30	11.8	92.3	8.2	180	5.0	11
1/4/2023 18:45	11.8	92.3	8.2	180	5.0	11
1/4/2023 19:00	11.8	92.2	8.2	181	5.0	10
1/4/2023 19:15	11.8	92.2	8.2	180	5.0	11
1/4/2023 19:30	11.8	92.1	8.2	180	5.0	11
1/4/2023 19:45	11.7	92.1	8.2	180	5.0	12
1/4/2023 20:00	11.7	92.0	8.2	180	5.0	11
1/4/2023 20:15	11.7	92.0	8.2	180	5.1	11
1/4/2023 20:30	11.7	92.0	8.2	180	5.1	11
1/4/2023 20:45	11.7	91.9	8.2	180	5.1	11
1/4/2023 21:00	11.7	91.9	8.2	180	5.1	11
1/4/2023 21:15	11.7	91.8	8.2	180	5.1	11
1/4/2023 21:30	11.7	91.8	8.2	180	5.1	11
1/4/2023 21:45	11.7	91.7	8.2	180	5.1	11
1/4/2023 22:00	11.7	91.7	8.2	180	5.1	11
1/4/2023 22:15	11.7	91.6	8.2	179	5.1	11

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/2023 22:30	11.7	91.6	8.2	179	5.1	11
1/4/2023 22:45	11.7	91.6	8.2	179	5.2	11
1/4/2023 23:00	11.6	91.6	8.2	179	5.2	11
1/4/2023 23:15	11.6	91.6	8.2	179	5.2	12
1/4/2023 23:30	11.6	91.6	8.2	179	5.2	12
1/4/2023 23:45	11.6	91.6	8.2	179	5.2	12
1/5/2023 0:00	11.6	91.5	8.2	179	5.3	16
1/5/2023 0:15	11.6	91.5	8.2	180	5.3	25
1/5/2023 0:30	11.6	91.5	8.2	180	5.3	52
1/5/2023 0:45	11.6	91.4	8.2	180	5.3	135
1/5/2023 1:00	11.6	91.4	8.2	180	5.3	132
1/5/2023 1:15	11.6	91.4	8.2	180	5.3	120
1/5/2023 1:30	11.6	91.4	8.2	180	5.3	97
1/5/2023 1:45	11.6	91.3	8.2	180	5.3	71
1/5/2023 2:00	11.6	91.3	8.2	180	5.4	51
1/5/2023 2:15	11.5	91.3	8.2	179	5.4	38
1/5/2023 2:30	11.5	91.3	8.2	179	5.4	29
1/5/2023 2:45	11.5	91.3	8.2	180	5.4	26
1/5/2023 3:00	11.5	91.3	8.2	180	5.4	23
1/5/2023 3:15	11.5	91.3	8.2	180	5.5	25
1/5/2023 3:30	11.5	91.3	8.2	180	5.5	29
1/5/2023 3:45	11.5	91.3	8.2	180	5.5	30
1/5/2023 4:00	11.5	91.3	8.2	180	5.5	27
1/5/2023 4:15	11.5	91.3	8.2	180	5.5	25
1/5/2023 4:30	11.5	91.3	8.2	179	5.5	23
1/5/2023 4:45	11.5	91.4	8.2	179	5.5	19
1/5/2023 5:00	11.5	91.4	8.2	179	5.5	14
1/5/2023 5:15	11.5	91.4	8.2	179	5.5	17
1/5/2023 5:30	11.5	91.4	8.2	179	5.5	18
1/5/2023 5:45	11.5	91.4	8.2	179	5.5	17
1/5/2023 6:00	11.5	91.4	8.2	178	5.4	15
1/5/2023 6:15	11.5	91.4	8.2	178	5.4	14
1/5/2023 6:30	11.5	91.4	8.2	178	5.4	15
1/5/2023 6:45	11.5	91.4	8.2	178	5.4	16
1/5/2023 7:00	11.6	91.4	8.2	178	5.4	18
1/5/2023 7:15	11.6	91.5	8.2	178	5.4	21
1/5/2023 7:30	11.6	91.5	8.2	178	5.4	30
1/5/2023 7:45	11.6	91.5	8.2	179	5.4	58
1/5/2023 8:00	11.6	91.5	8.2	179	5.4	100
1/5/2023 8:15	11.6	91.5	8.2	179	5.4	147
1/5/2023 8:30	11.6	91.4	8.2	179	5.4	192
1/5/2023 8:45	11.6	91.4	8.1	179	5.4	230

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/2023 9:00	11.6	91.5	8.1	178	5.4	204
1/5/2023 9:15	11.6	91.5	8.1	178	5.4	187
1/5/2023 9:30	11.6	91.6	8.1	178	5.4	156
1/5/2023 9:45	11.6	91.6	8.1	178	5.4	131
1/5/2023 10:00	11.6	91.7	8.1	179	5.4	111
1/5/2023 10:15	11.6	91.8	8.1	179	5.4	89
1/5/2023 10:30	11.6	91.9	8.1	179	5.5	76
1/5/2023 10:45	11.6	92.1	8.1	179	5.5	64
1/5/2023 11:00	11.6	92.2	8.1	179	5.5	54
1/5/2023 11:15	11.6	92.4	8.1	179	5.6	48
1/5/2023 11:30	11.6	92.5	8.1	179	5.7	43
1/5/2023 11:45	11.6	92.7	8.1	179	5.7	40
1/5/2023 12:00	11.6	92.7	8.1	179	5.7	36
1/5/2023 12:15	11.6	92.8	8.1	179	5.7	35
1/5/2023 12:30	11.6	92.8	8.1	179	5.7	36
1/5/2023 12:45	11.6	92.8	8.1	179	5.8	36
1/5/2023 13:00	11.6	92.8	8.1	179	5.8	38
1/5/2023 13:15	11.6	92.8	8.1	178	5.8	40
1/5/2023 13:30	11.6	92.8	8.1	178	5.8	41
1/5/2023 13:45	11.6	92.8	8.1	178	5.8	40
1/5/2023 14:00	11.6	92.8	8.1	179	5.8	40
1/5/2023 14:15	11.6	92.8	8.1	179	5.8	37
1/5/2023 14:30	11.6	92.9	8.1	180	5.8	31
1/5/2023 14:45	11.6	92.9	8.1	182	5.8	34
1/5/2023 15:00	11.6	92.9	8.1	182	5.8	31
1/5/2023 15:15	11.6	92.8	8.1	183	5.8	29
1/5/2023 15:30	11.6	92.9	8.1	184	5.8	30
1/5/2023 15:45	11.6	92.9	8.1	184	5.8	28
1/5/2023 16:00	11.6	92.9	8.2	184	5.8	27
1/5/2023 16:15	11.6	92.9	8.2	185	5.8	27
1/5/2023 16:30	11.6	92.8	8.1	185	5.8	27
1/5/2023 16:45	11.6	92.9	8.2	185	5.8	24
1/5/2023 17:00	11.6	92.8	8.1	185	5.8	29
1/5/2023 17:15	11.6	92.8	8.2	186	5.7	27
1/5/2023 17:30	11.6	92.7	8.1	187	5.7	27
1/5/2023 17:45	11.6	92.7	8.2	188	5.7	27
1/5/2023 18:00	11.6	92.7	8.2	188	5.7	27
1/5/2023 18:15	11.6	92.7	8.2	189	5.7	28
1/5/2023 18:30	11.6	92.7	8.2	190	5.7	26
1/5/2023 18:45	11.6	92.7	8.2	190	5.7	25
1/5/2023 19:00	11.6	92.6	8.2	191	5.7	27
1/5/2023 19:15	11.6	92.7	8.2	192	5.7	26

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/2023 19:30	11.6	92.6	8.2	192	5.7	26
1/5/2023 19:45	11.6	92.7	8.2	192	5.7	27
1/5/2023 20:00	11.6	92.6	8.2	193	5.7	27
1/5/2023 20:15	11.6	92.6	8.2	193	5.7	28
1/5/2023 20:30	11.6	92.6	8.2	194	5.7	27
1/5/2023 20:45	11.6	92.6	8.2	194	5.7	27
1/5/2023 21:00	11.6	92.6	8.2	195	5.7	29
1/5/2023 21:15	11.6	92.6	8.2	196	5.7	27
1/5/2023 21:30	11.6	92.6	8.2	197	5.7	27
1/5/2023 21:45	11.6	92.6	8.2	197	5.7	27
1/5/2023 22:00	11.6	92.6	8.2	198	5.7	26
1/5/2023 22:15	11.6	92.7	8.2	198	5.7	26
1/5/2023 22:30	11.6	92.6	8.2	199	5.7	24
1/5/2023 22:45	11.6	92.7	8.2	199	5.7	24
1/5/2023 23:00	11.6	92.7	8.2	199	5.7	24
1/5/2023 23:15	11.6	92.7	8.2	199	5.7	23
1/5/2023 23:30	11.6	92.8	8.2	199	5.7	23
1/5/2023 23:45	11.6	92.8	8.2	199	5.7	17
1/6/2023 0:00	11.6	92.8	8.2	199	5.7	22
1/6/2023 0:15	11.6	92.8	8.2	199	5.7	21
1/6/2023 0:30	11.6	92.8	8.2	199	5.7	21
1/6/2023 0:45	11.6	92.8	8.2	200	5.7	20
1/6/2023 1:00	11.6	92.8	8.2	200	5.7	20
1/6/2023 1:15	11.6	92.8	8.2	200	5.7	20
1/6/2023 1:30	11.6	92.8	8.2	200	5.7	20
1/6/2023 1:45	11.6	92.9	8.2	200	5.7	19
1/6/2023 2:00	11.6	92.9	8.2	201	5.7	18
1/6/2023 2:15	11.6	92.9	8.2	201	5.7	18
1/6/2023 2:30	11.6	92.9	8.2	201	5.7	18
1/6/2023 2:45	11.6	92.9	8.2	201	5.7	19
1/6/2023 3:00	11.7	92.9	8.2	202	5.7	18
1/6/2023 3:15	11.7	92.9	8.2	202	5.7	18
1/6/2023 3:30	11.7	93.0	8.2	202	5.7	18
1/6/2023 3:45	11.7	93.0	8.2	202	5.7	18
1/6/2023 4:00	11.7	93.0	8.2	203	5.6	17
1/6/2023 4:15	11.7	93.0	8.2	203	5.6	17
1/6/2023 4:30	11.7	93.1	8.2	203	5.6	17
1/6/2023 4:45	11.7	93.1	8.2	203	5.6	18
1/6/2023 5:00	11.7	93.1	8.2	203	5.5	15
1/6/2023 5:15	11.7	93.1	8.2	203	5.5	17
1/6/2023 5:30	11.8	93.2	8.2	203	5.5	17
1/6/2023 5:45	11.8	93.2	8.2	204	5.4	17

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/2023 6:00	11.8	93.2	8.2	204	5.4	17
1/6/2023 6:15	11.8	93.3	8.2	204	5.3	17
1/6/2023 6:30	11.8	93.3	8.2	203	5.3	17
1/6/2023 6:45	11.8	93.3	8.2	204	5.3	17
1/6/2023 7:00	11.8	93.3	8.2	204	5.2	15
1/6/2023 7:15	11.9	93.3	8.2	203	5.2	16
1/6/2023 7:30	11.9	93.3	8.2	203	5.1	16
1/6/2023 7:45	11.9	93.3	8.2	203	5.1	16
1/6/2023 8:00	11.9	93.4	8.2	203	5.1	15
1/6/2023 8:15	11.9	93.4	8.2	203	5.0	16
1/6/2023 8:30	11.9	93.4	8.2	203	5.0	16
1/6/2023 8:45	11.9	93.4	8.2	203	5.0	16
1/6/2023 9:00	12.0	93.5	8.2	203	4.9	16
1/6/2023 9:15	12.0	93.5	8.2	202	4.9	16
1/6/2023 9:30	12.0	93.6	8.2	202	4.9	16
1/6/2023 9:45	12.0	93.7	8.2	202	4.9	16
1/6/2023 10:00	12.0	93.7	8.2	202	4.9	15
1/6/2023 10:15	12.0	93.8	8.2	201	4.9	16
1/6/2023 10:30	12.0	93.9	8.2	201	4.9	16
1/6/2023 10:45	12.0	94.0	8.2	200	4.9	15
1/6/2023 11:00	12.1	94.1	8.2	200	4.9	18
1/6/2023 11:15	12.1	94.2	8.2	199	4.9	15
1/6/2023 11:30	12.1	94.3	8.2	199	4.9	14
1/6/2023 11:45	12.1	94.4	8.2	199	5.0	13
1/6/2023 12:00	12.1	94.5	8.2	198	5.0	14
1/6/2023 12:15	12.1	94.6	8.2	198	5.0	15
1/6/2023 12:30	12.1	94.7	8.2	198	5.1	15
1/6/2023 12:45	12.1	94.8	8.2	198	5.1	15
1/6/2023 13:00	12.1	94.8	8.2	198	5.1	14
1/6/2023 13:15	12.1	94.9	8.2	198	5.1	15
1/6/2023 13:30	12.1	94.9	8.2	198	5.1	15
1/6/2023 13:45	12.1	94.9	8.2	197	5.2	15
1/6/2023 14:00	12.1	94.9	8.2	198	5.2	14
1/6/2023 14:15	12.1	94.9	8.2	198	5.2	15
1/6/2023 14:30	12.1	94.9	8.2	198	5.2	13
1/6/2023 14:45	12.1	94.9	8.2	198	5.2	15
1/6/2023 15:00	12.0	94.9	8.2	198	5.2	14
1/6/2023 15:15	12.0	94.8	8.2	198	5.2	14
1/6/2023 15:30	12.0	94.8	8.2	198	5.2	15
1/6/2023 15:45	12.0	94.7	8.2	198	5.2	14
1/6/2023 16:00	12.0	94.6	8.2	198	5.2	
1/6/2023 16:15	12.0	94.5	8.2	198	5.2	14

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/2023 16:30	12.0	94.5	8.2	198	5.2	14
1/6/2023 16:45	12.0	94.4	8.2	198	5.2	15
1/6/2023 17:00	12.0	94.3	8.2	198	5.2	14
1/6/2023 17:15	12.0	94.2	8.2	198	5.2	13
1/6/2023 17:30	12.0	94.2	8.2	198	5.2	14
1/6/2023 17:45	12.0	94.1	8.2	198	5.2	15
1/6/2023 18:00	11.9	94.0	8.2	198	5.2	14
1/6/2023 18:15	11.9	94.0	8.2	198	5.2	14
1/6/2023 18:30	11.9	93.9	8.2	198	5.2	14
1/6/2023 18:45	11.9	93.9	8.2	198	5.2	14
1/6/2023 19:00	11.9	93.8	8.2	198	5.2	15
1/6/2023 19:15	11.9	93.8	8.2	198	5.2	14
1/6/2023 19:30	11.9	93.7	8.2	198	5.2	14
1/6/2023 19:45	11.9	93.7	8.2	198	5.2	15
1/6/2023 20:00	11.9	93.7	8.2	198	5.2	18
1/6/2023 20:15	11.9	93.6	8.2	198	5.2	14
1/6/2023 20:30	11.9	93.6	8.2	198	5.2	14
1/6/2023 20:45	11.9	93.6	8.2	198	5.2	14
1/6/2023 21:00	11.9	93.6	8.2	198	5.2	15
1/6/2023 21:15	11.9	93.6	8.2	199	5.2	14
1/6/2023 21:30	11.9	93.6	8.2	199	5.2	14
1/6/2023 21:45	11.9	93.6	8.2	199	5.2	13
1/6/2023 22:00	11.9	93.5	8.2	199	5.2	18
1/6/2023 22:15	11.9	93.5	8.2	199	5.2	15
1/6/2023 22:30	11.9	93.5	8.2	199	5.3	14
1/6/2023 22:45	11.9	93.5	8.2	199	5.3	14
1/6/2023 23:00	11.8	93.5	8.2	199	5.3	14
1/6/2023 23:15	11.8	93.4	8.2	200	5.3	14
1/6/2023 23:30	11.8	93.4	8.2	200	5.3	14
1/6/2023 23:45	11.8	93.4	8.2	200	5.4	14
1/7/2023 0:00	11.8	93.4	8.2	200	5.4	14
1/7/2023 0:15	11.8	93.4	8.2	200	5.4	14
1/7/2023 0:30	11.8	93.3	8.2	200	5.4	14
1/7/2023 0:45	11.8	93.3	8.2	200	5.4	12
1/7/2023 1:00	11.8	93.3	8.2	200	5.5	14
1/7/2023 1:15	11.8	93.3	8.2	200	5.5	14
1/7/2023 1:30	11.8	93.3	8.2	201	5.5	14
1/7/2023 1:45	11.8	93.3	8.2	201	5.5	14
1/7/2023 2:00	11.8	93.3	8.2	201	5.5	14
1/7/2023 2:15	11.7	93.2	8.2	201	5.5	14
1/7/2023 2:30	11.7	93.2	8.2	201	5.5	14
1/7/2023 2:45	11.7	93.2	8.2	201	5.5	14

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/2023 3:00	11.7	93.2	8.2	201	5.5	14
1/7/2023 3:15	11.7	93.2	8.2	200	5.5	14
1/7/2023 3:30	11.7	93.2	8.2	200	5.6	14
1/7/2023 3:45	11.7	93.1	8.2	200	5.6	14
1/7/2023 4:00	11.7	93.1	8.2	200	5.6	14
1/7/2023 4:15	11.7	93.1	8.2	200	5.6	14
1/7/2023 4:30	11.7	93.1	8.2	200	5.6	14
1/7/2023 4:45	11.7	93.1	8.2	200	5.5	14
1/7/2023 5:00	11.7	93.1	8.2	200	5.5	14
1/7/2023 5:15	11.7	93.1	8.2	199	5.5	15
1/7/2023 5:30	11.7	93.1	8.2	199	5.5	14
1/7/2023 5:45	11.7	93.1	8.2	199	5.5	14
1/7/2023 6:00	11.7	93.0	8.2	199	5.5	15
1/7/2023 6:15	11.7	93.0	8.2	199	5.5	14
1/7/2023 6:30	11.7	93.0	8.2	199	5.5	15
1/7/2023 6:45	11.7	93.0	8.2	199	5.4	15
1/7/2023 7:00	11.8	93.1	8.2	199	5.4	14
1/7/2023 7:15	11.8	93.1	8.2	199	5.4	15
1/7/2023 7:30	11.8	93.1	8.2	199	5.4	15
1/7/2023 7:45	11.8	93.0	8.2	199	5.4	15
1/7/2023 8:00	11.8	93.1	8.2	199	5.4	15
1/7/2023 8:15	11.8	93.0	8.2	199	5.3	14
1/7/2023 8:30	11.8	93.0	8.2	199	5.3	15
1/7/2023 8:45	11.8	93.1	8.2	199	5.3	15
1/7/2023 9:00	11.8	93.1	8.2	199	5.3	13
1/7/2023 9:15	11.8	93.1	8.2	199	5.3	15
1/7/2023 9:30	11.8	93.2	8.2	199	5.3	15
1/7/2023 9:45	11.8	93.2	8.2	199	5.3	16
1/7/2023 10:00	11.8	93.2	8.2	199	5.3	13
1/7/2023 10:15	11.8	93.2	8.2	199	5.3	15
1/7/2023 10:30	11.8	93.2	8.2	199	5.3	15
1/7/2023 10:45	11.8	93.2	8.2	199	5.3	14
1/7/2023 11:00	11.8	93.3	8.2	199	5.3	14
1/7/2023 11:15	11.8	93.4	8.2	199	5.3	15
1/7/2023 11:30	11.8	93.4	8.2	200	5.4	15
1/7/2023 11:45	11.8	93.5	8.2	200	5.4	15
1/7/2023 12:00	11.8	93.5	8.2	200	5.4	15
1/7/2023 12:15	11.8	93.5	8.2	200	5.4	15
1/7/2023 12:30	11.8	93.5	8.2	200	5.4	15
1/7/2023 12:45	11.8	93.5	8.2	200	5.4	16
1/7/2023 13:00	11.8	93.5	8.2	200	5.4	15
1/7/2023 13:15	11.8	93.5	8.2	200	5.4	15

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/2023 13:30	11.8	93.4	8.2	200	5.4	15
1/7/2023 13:45	11.8	93.4	8.2	200	5.4	15
1/7/2023 14:00	11.8	93.4	8.2	200	5.4	15
1/7/2023 14:15	11.8	93.4	8.2	200	5.4	15
1/7/2023 14:30	11.8	93.4	8.2	200	5.4	14
1/7/2023 14:45	11.8	93.4	8.2	200	5.4	15
1/7/2023 15:00	11.8	93.3	8.2	200	5.4	14
1/7/2023 15:15	11.8	93.3	8.2	200	5.4	14
1/7/2023 15:30	11.8	93.3	8.2	200	5.4	15
1/7/2023 15:45	11.8	93.3	8.2	200	5.4	15
1/7/2023 16:00	11.8	93.2	8.2	200	5.4	15
1/7/2023 16:15	11.8	93.2	8.2	200	5.4	15
1/7/2023 16:30	11.8	93.2	8.2	200	5.4	14
1/7/2023 16:45	11.8	93.1	8.2	200	5.4	15
1/7/2023 17:00	11.8	93.1	8.2	200	5.4	14
1/7/2023 17:15	11.8	93.0	8.2	200	5.4	16
1/7/2023 17:30	11.8	93.0	8.2	200	5.4	15
1/7/2023 17:45	11.8	93.0	8.2	200	5.4	14
1/7/2023 18:00	11.8	92.9	8.2	200	5.4	12
1/7/2023 18:15	11.7	92.9	8.2	200	5.4	14
1/7/2023 18:30	11.7	92.9	8.2	200	5.4	14
1/7/2023 18:45	11.7	92.8	8.2	200	5.4	14
1/7/2023 19:00	11.7	92.8	8.2	200	5.4	14
1/7/2023 19:15	11.7	92.8	8.2	200	5.4	14
1/7/2023 19:30	11.7	92.8	8.2	200	5.4	14
1/7/2023 19:45	11.7	92.7	8.2	200	5.4	14
1/7/2023 20:00	11.7	92.7	8.2	200	5.4	14
1/7/2023 20:15	11.7	92.7	8.2	200	5.4	14
1/7/2023 20:30	11.7	92.7	8.2	200	5.4	14
1/7/2023 20:45	11.7	92.7	8.2	200	5.4	14
1/7/2023 21:00	11.7	92.6	8.2	200	5.4	14
1/7/2023 21:15	11.7	92.6	8.2	200	5.4	13
1/7/2023 21:30	11.7	92.6	8.2	200	5.4	14
1/7/2023 21:45	11.7	92.6	8.2	200	5.4	13
1/7/2023 22:00	11.7	92.5	8.2	200	5.4	14
1/7/2023 22:15	11.7	92.5	8.2	200	5.4	14
1/7/2023 22:30	11.7	92.5	8.2	200	5.4	13
1/7/2023 22:45	11.7	92.5	8.2	200	5.4	14
1/7/2023 23:00	11.7	92.5	8.2	201	5.4	13
1/7/2023 23:15	11.7	92.5	8.2	201	5.4	13
1/7/2023 23:30	11.7	92.4	8.2	201	5.4	14
1/7/2023 23:45	11.7	92.4	8.2	201	5.4	14

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/2023 0:00	11.7	92.4	8.2	201	5.4	13
1/8/2023 0:15	11.7	92.4	8.2	201	5.4	13
1/8/2023 0:30	11.7	92.4	8.2	201	5.4	13
1/8/2023 0:45	11.7	92.4	8.2	201	5.4	13
1/8/2023 1:00	11.7	92.4	8.2	201	5.4	15
1/8/2023 1:15	11.7	92.4	8.2	201	5.4	14
1/8/2023 1:30	11.7	92.3	8.2	202	5.4	13
1/8/2023 1:45	11.7	92.3	8.2	202	5.4	53
1/8/2023 2:00	11.7	92.3	8.2	200	5.4	264
1/8/2023 2:15	11.7	92.2	8.2	200	5.4	244
1/8/2023 2:30	11.6	92.2	8.2	201	5.4	370
1/8/2023 2:45	11.6	92.2	8.2	201	5.4	329
1/8/2023 3:00	11.6	92.1	8.2	202	5.4	279
1/8/2023 3:15	11.6	92.1	8.2	202	5.4	223
1/8/2023 3:30	11.7	92.1	8.2	202	5.4	161
1/8/2023 3:45	11.7	92.1	8.2	202	5.4	117
1/8/2023 4:00	11.7	92.1	8.2	202	5.4	82
1/8/2023 4:15	11.7	92.1	8.2	202	5.4	59
1/8/2023 4:30	11.7	92.1	8.2	203	5.4	46
1/8/2023 4:45	11.7	92.1	8.2	203	5.4	37
1/8/2023 5:00	11.7	92.1	8.2	203	5.4	31
1/8/2023 5:15	11.7	92.1	8.2	203	5.3	27
1/8/2023 5:30	11.7	92.1	8.2	203	5.3	26
1/8/2023 5:45	11.7	92.1	8.2	203	5.3	25
1/8/2023 6:00	11.7	92.1	8.2	203	5.3	24
1/8/2023 6:15	11.7	92.1	8.2	203	5.3	22
1/8/2023 6:30	11.7	92.1	8.2	202	5.3	20
1/8/2023 6:45	11.7	92.1	8.2	202	5.3	19
1/8/2023 7:00	11.7	92.2	8.2	202	5.3	19
1/8/2023 7:15	11.7	92.2	8.2	202	5.3	17
1/8/2023 7:30	11.7	92.2	8.2	202	5.3	24
1/8/2023 7:45	11.7	92.2	8.2	202	5.3	17
1/8/2023 8:00	11.7	92.2	8.2	202	5.2	16
1/8/2023 8:15	11.7	92.3	8.2	202	5.2	16
1/8/2023 8:30	11.7	92.3	8.2	202	5.2	15
1/8/2023 8:45	11.7	92.4	8.2	202	5.2	16
1/8/2023 9:00	11.7	92.4	8.2	202	5.2	15
1/8/2023 9:15	11.7	92.5	8.2	201	5.2	16
1/8/2023 9:30	11.8	92.5	8.2	201	5.2	15
1/8/2023 9:45	11.8	92.5	8.2	201	5.2	16
1/8/2023 10:00	11.8	92.6	8.2	201	5.2	15
1/8/2023 10:15	11.8	92.7	8.2	201	5.2	15

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/2023 10:30	11.8	92.8	8.2	201	5.2	18
1/8/2023 10:45	11.8	92.9	8.2	201	5.2	20
1/8/2023 11:00	11.8	93.0	8.2	201	5.2	25
1/8/2023 11:15	11.8	93.1	8.2	201	5.3	31
1/8/2023 11:30	11.8	93.2	8.2	201	5.3	38
1/8/2023 11:45	11.8	93.3	8.2	201	5.3	44
1/8/2023 12:00	11.8	93.3	8.2	200	5.4	47
1/8/2023 12:15	11.8	93.5	8.2	200	5.4	46
1/8/2023 12:30	11.8	93.6	8.2	200	5.5	43
1/8/2023 12:45	11.8	93.7	8.2	199	5.5	39
1/8/2023 13:00	11.8	93.7	8.2	199	5.5	37
1/8/2023 13:15	11.8	93.8	8.2	199	5.5	31
1/8/2023 13:30	11.8	93.9	8.2	199	5.5	29
1/8/2023 13:45	11.8	93.9	8.2	199	5.5	27
1/8/2023 14:00	11.8	93.9	8.2	198	5.5	27
1/8/2023 14:15	11.8	93.9	8.2	198	5.5	23
1/8/2023 14:30	11.8	93.9	8.2	198	5.5	21
1/8/2023 14:45	11.8	93.9	8.2	198	5.5	22
1/8/2023 15:00	11.8	93.9	8.2	198	5.5	19
1/8/2023 15:15	11.8	93.9	8.2	198	5.4	18
1/8/2023 15:30	11.9	93.8	8.2	198	5.4	18
1/8/2023 15:45	11.9	93.7	8.2	198	5.4	17
1/8/2023 16:00	11.9	93.7	8.2	198	5.4	17
1/8/2023 16:15	11.9	93.6	8.2	198	5.3	16
1/8/2023 16:30	11.8	93.5	8.2	198	5.3	15
1/8/2023 16:45	11.8	93.5	8.2	198	5.3	16
1/8/2023 17:00	11.8	93.4	8.2	198	5.3	16
1/8/2023 17:15	11.8	93.3	8.2	198	5.3	16
1/8/2023 17:30	11.8	93.3	8.2	198	5.3	16
1/8/2023 17:45	11.8	93.2	8.2	198	5.3	20
1/8/2023 18:00	11.8	93.2	8.2	198	5.3	16
1/8/2023 18:15	11.8	93.2	8.2	198	5.3	15
1/8/2023 18:30	11.8	93.1	8.2	198	5.3	15
1/8/2023 18:45	11.8	93.1	8.2	198	5.3	15
1/8/2023 19:00	11.8	93.1	8.2	198	5.3	15
1/8/2023 19:15	11.8	93.0	8.2	198	5.3	14
1/8/2023 19:30	11.8	93.0	8.2	198	5.3	14
1/8/2023 19:45	11.8	93.0	8.2	199	5.3	17
1/8/2023 20:00	11.8	93.0	8.2	199	5.3	15
1/8/2023 20:15	11.8	92.9	8.2	199	5.2	14
1/8/2023 20:30	11.8	92.9	8.2	199	5.2	14
1/8/2023 20:45	11.8	92.9	8.2	199	5.2	14

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/2023 21:00	11.8	92.8	8.2	199	5.2	14
1/8/2023 21:15	11.8	92.8	8.2	199	5.2	14
1/8/2023 21:30	11.8	92.8	8.2	199	5.2	14
1/8/2023 21:45	11.8	92.8	8.2	199	5.2	14
1/8/2023 22:00	11.8	92.7	8.2	199	5.2	14
1/8/2023 22:15	11.8	92.7	8.2	199	5.2	14
1/8/2023 22:30	11.8	92.7	8.2	199	5.2	14
1/8/2023 22:45	11.8	92.7	8.2	199	5.2	13
1/8/2023 23:00	11.8	92.6	8.2	199	5.2	14
1/8/2023 23:15	11.8	92.6	8.2	199	5.2	14
1/8/2023 23:30	11.8	92.6	8.2	199	5.2	14
1/8/2023 23:45	11.8	92.5	8.2	199	5.2	14
1/9/2023 0:00	11.8	92.5	8.2	199	5.2	14
1/9/2023 0:15	11.8	92.5	8.2	199	5.2	14
1/9/2023 0:30	11.8	92.4	8.2	199	5.2	14
1/9/2023 0:45	11.7	92.4	8.2	199	5.2	16
1/9/2023 1:00	11.7	92.4	8.2	199	5.2	14
1/9/2023 1:15	11.7	92.3	8.2	199	5.2	13
1/9/2023 1:30	11.7	92.3	8.2	199	5.2	14
1/9/2023 1:45	11.7	92.3	8.2	199	5.2	13
1/9/2023 2:00	11.7	92.2	8.2	199	5.2	14
1/9/2023 2:15	11.7	92.2	8.2	199	5.2	14
1/9/2023 2:30	11.7	92.2	8.2	199	5.3	14
1/9/2023 2:45	11.7	92.1	8.2	200	5.3	14
1/9/2023 3:00	11.7	92.1	8.2	200	5.3	14
1/9/2023 3:15	11.7	92.0	8.2	200	5.3	14
1/9/2023 3:30	11.7	92.0	8.2	200	5.3	14
1/9/2023 3:45	11.6	92.0	8.2	200	5.3	14
1/9/2023 4:00	11.6	92.0	8.2	200	5.4	15
1/9/2023 4:15	11.6	91.9	8.2	201	5.4	23
1/9/2023 4:30	11.6	91.9	8.2	201	5.4	14
1/9/2023 4:45	11.6	91.9	8.2	201	5.4	15
1/9/2023 5:00	11.6	91.9	8.2	201	5.4	14
1/9/2023 5:15	11.6	91.8	8.2	201	5.4	14
1/9/2023 5:30	11.6	91.8	8.2	201	5.4	14
1/9/2023 5:45	11.6	91.8	8.2	201	5.4	14
1/9/2023 6:00	11.6	91.8	8.2	202	5.4	60
1/9/2023 6:15	11.6	91.7	8.2	199	5.5	437
1/9/2023 6:30			8.1	186	5.5	
1/9/2023 6:45			8.1	185	5.5	
1/9/2023 7:00	11.6	91.6	8.1	188	5.5	981
1/9/2023 7:15	11.6	91.6	8.1	191	5.5	709

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/2023 7:30	11.6	91.7	8.2	195	5.4	498
1/9/2023 7:45	11.6	91.7	8.2	197	5.4	375
1/9/2023 8:00	11.6	91.7	8.2	198	5.4	293
1/9/2023 8:15	11.6	91.7	8.2	198	5.4	224
1/9/2023 8:30	11.6	91.7	8.2	199	5.4	165
1/9/2023 8:45	11.6	91.8	8.2	200	5.4	124
1/9/2023 9:00	11.6	91.8	8.2	200	5.4	95
1/9/2023 9:15	11.6	91.9	8.2	201	5.4	83
1/9/2023 9:30	11.6	91.9	8.2	201	5.4	77
1/9/2023 9:45	11.6	92.0	8.2	200	5.4	85
1/9/2023 10:00	11.6	92.0	8.2	201	5.4	98
1/9/2023 10:15	11.6	92.1	8.2	201	5.4	104
1/9/2023 10:30	11.7	92.1	8.2	201	5.4	95
1/9/2023 10:45	11.7	92.2	8.2	201	5.4	76
1/9/2023 11:00	11.7	92.4	8.2	201	5.4	75
1/9/2023 11:15	11.7	92.5	8.2	201	5.4	64
1/9/2023 11:30	11.7	92.6	8.2	201	5.4	59
1/9/2023 11:45	11.7	92.8	8.2	202	5.5	50
1/9/2023 12:00	11.7	92.9	8.2	202	5.5	47
1/9/2023 12:15	11.7	93.0	8.2	202	5.5	43
1/9/2023 12:30	11.7	93.1	8.2	202	5.6	43
1/9/2023 12:45	11.7	93.2	8.2	203	5.6	39
1/9/2023 13:00	11.7	93.3	8.2	202	5.6	39
1/9/2023 13:15	11.7	93.3	8.2	203	5.6	37
1/9/2023 13:30	11.7	93.4	8.2	203	5.7	32
1/9/2023 13:45	11.7	93.4	8.2	203	5.7	35
1/9/2023 14:00	11.7	93.4	8.2	203	5.7	36
1/9/2023 14:15	11.7	93.2	8.2	203	5.7	53
1/9/2023 14:30	11.7	93.0	8.2	203	5.6	102
1/9/2023 14:45	11.7	92.9	8.2	203	5.6	195
1/9/2023 15:00	11.6	92.6	8.2	202	5.6	313
1/9/2023 15:15	11.6	92.5	8.2	200	5.6	404
1/9/2023 15:30	11.6	92.4	8.1	199	5.6	460
1/9/2023 15:45	11.6	92.3	8.1	198	5.6	472
1/9/2023 16:00	11.6	92.3	8.1	197	5.6	437
1/9/2023 16:15	11.6	92.3	8.1	197	5.6	407
1/9/2023 16:30	11.6	92.2	8.2	198	5.6	367
1/9/2023 16:45	11.6	92.2	8.2	198	5.5	312
1/9/2023 17:00	11.6	92.2	8.2	198	5.5	263
1/9/2023 17:15	11.6	92.2	8.2	199	5.5	216
1/9/2023 17:30	11.6	92.2	8.2	199	5.5	175
1/9/2023 17:45	11.6	92.2	8.2	199	5.5	148

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/2023 18:00	11.6	92.2	8.2	200	5.5	124
1/9/2023 18:15	11.6	92.2	8.2	200	5.5	106
1/9/2023 18:30	11.6	92.2	8.2	200	5.4	94
1/9/2023 18:45	11.6	92.2	8.2	200	5.4	82
1/9/2023 19:00	11.6	92.2	8.2	200	5.4	77
1/9/2023 19:15	11.6	92.2	8.2	200	5.4	69
1/9/2023 19:30	11.7	92.2	8.2	200	5.4	65
1/9/2023 19:45	11.7	92.3	8.2	200	5.4	61
1/9/2023 20:00	11.7	92.3	8.2	200	5.4	57
1/9/2023 20:15	11.7	92.3	8.2	200	5.4	57
1/9/2023 20:30	11.7	92.3	8.2	200	5.4	54
1/9/2023 20:45	11.7	92.3	8.2	200	5.4	52
1/9/2023 21:00	11.7	92.3	8.2	200	5.3	50
1/9/2023 21:15	11.7	92.3	8.2	200	5.3	49
1/9/2023 21:30	11.7	92.3	8.2	200	5.3	48
1/9/2023 21:45	11.7	92.2	8.2	201	5.3	44
1/9/2023 22:00	11.7	92.2	8.2	201	5.2	47
1/9/2023 22:15	11.7	92.2	8.2	201	5.2	45
1/9/2023 22:30	11.7	92.2	8.2	202	5.2	44
1/9/2023 22:45	11.7	92.2	8.2	203	5.2	42
1/9/2023 23:00	11.7	92.2	8.2	204	5.1	41
1/9/2023 23:15	11.7	92.2	8.2	204	5.1	40
1/9/2023 23:30	11.7	92.1	8.2	205	5.1	39
1/9/2023 23:45	11.7	92.1	8.2	205	5.1	40
1/10/2023 0:00	11.7	92.1	8.2	206	5.1	36
1/10/2023 0:15	11.7	92.1	8.2	206	5.1	37
1/10/2023 0:30	11.7	92.0	8.2	206	5.1	36
1/10/2023 0:45	11.7	92.0	8.2	207	5.1	36
1/10/2023 1:00	11.7	92.0	8.2	207	5.1	38
1/10/2023 1:15	11.7	92.0	8.2	208	5.1	36
1/10/2023 1:30	11.7	91.9	8.2	208	5.1	35
1/10/2023 1:45	11.7	91.9	8.2	209	5.1	35
1/10/2023 2:00	11.7	91.9	8.2	209	5.1	34
1/10/2023 2:15	11.7	91.8	8.2	210	5.1	36
1/10/2023 2:30	11.7	91.8	8.2	211	5.1	36
1/10/2023 2:45	11.7	91.8	8.2	211	5.1	33
1/10/2023 3:00	11.7	91.8	8.2	212	5.1	33
1/10/2023 3:15	11.7	91.8	8.2	212	5.1	34
1/10/2023 3:30	11.7	91.8	8.2	213	5.1	34
1/10/2023 3:45	11.7	91.7	8.2	213	5.1	33
1/10/2023 4:00	11.7	91.7	8.2	213	5.1	32
1/10/2023 4:15	11.7	91.7	8.2	213	5.1	33

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/2023 4:30	11.7	91.7	8.2	214	5.1	32
1/10/2023 4:45	11.7	91.7	8.2	214	5.1	33
1/10/2023 5:00	11.7	91.7	8.2	214	5.1	33
1/10/2023 5:15	11.7	91.7	8.2	214	5.1	34
1/10/2023 5:30	11.7	91.6	8.2	214	5.1	33
1/10/2023 5:45	11.7	91.6	8.2	215	5.1	33
1/10/2023 6:00	11.7	91.6	8.2	215	5.1	34
1/10/2023 6:15	11.7	91.6	8.2	215	5.0	32
1/10/2023 6:30	11.7	91.6	8.2	215	5.0	33
1/10/2023 6:45	11.7	91.6	8.2	216	5.0	33
1/10/2023 7:00	11.7	91.6	8.2	216	5.0	34
1/10/2023 7:15	11.7	91.6	8.2	216	5.0	33
1/10/2023 7:30	11.7	91.6	8.2	217	5.0	33
1/10/2023 7:45	11.7	91.6	8.2	217	5.0	33
1/10/2023 8:00	11.7	91.6	8.2	217	5.0	33
1/10/2023 8:15	11.7	91.6	8.2	218	4.9	33
1/10/2023 8:30	11.7	91.6	8.2	218	4.9	32
1/10/2023 8:45	11.7	91.7	8.2	218	4.9	32
1/10/2023 9:00	11.7	91.7	8.2	219	4.9	32
1/10/2023 9:15	11.7	91.7	8.2	219	4.9	32
1/10/2023 9:30	11.8	91.8	8.2	219	4.9	33
1/10/2023 9:45	11.8	91.9	8.2	219	4.9	32
1/10/2023 10:00	11.8	92.0	8.2	220	4.9	31
1/10/2023 10:15	11.8	92.0	8.2	220	4.9	31
1/10/2023 10:30	11.8	92.1	8.2	220	4.9	32
1/10/2023 10:45	11.8	92.1	8.2	220	4.9	30
1/10/2023 11:00	11.8	92.1	8.2	220	4.9	31
1/10/2023 11:15	11.8	92.1	8.2	220	4.9	30
1/10/2023 11:30	11.8	92.2	8.2	220	4.9	30
1/10/2023 11:45	11.8	92.2	8.2	220	4.9	31
1/10/2023 12:00	11.8	92.3	8.2	220	4.9	30
1/10/2023 12:15	11.8	92.3	8.2	220	4.9	30
1/10/2023 12:30	11.8	92.3	8.2	221	4.9	30
1/10/2023 12:45	11.8	92.4	8.2	221	5.0	29
1/10/2023 13:00	11.8	92.5	8.2	221	5.0	29
1/10/2023 13:15	11.8	92.5	8.2	221	5.0	28
1/10/2023 13:30	11.8	92.6	8.2	221	5.0	29
1/10/2023 13:45	11.8	92.6	8.2	221	5.0	28
1/10/2023 14:00	11.8	92.7	8.2	221	5.0	29
1/10/2023 14:15	11.8	92.7	8.2	221	5.0	28
1/10/2023 14:30	11.8	92.7	8.2	221	5.0	28
1/10/2023 14:45	11.8	92.8	8.2	221	5.1	28

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/2023 15:00	11.8	92.8	8.2	221	5.1	27
1/10/2023 15:15	11.8	92.8	8.2	221	5.1	28
1/10/2023 15:30	11.8	92.7	8.2	221	5.1	28
1/10/2023 15:45	11.8	92.8	8.2	221	5.1	28
1/10/2023 16:00	11.8	92.8	8.2	221	5.1	28
1/10/2023 16:15	11.8	92.8	8.2	221	5.1	26
1/10/2023 16:30	11.8	92.7	8.2	221	5.1	27
1/10/2023 16:45	11.8	92.7	8.2	221	5.1	28
1/10/2023 17:00	11.8	92.7	8.2	221	5.1	27
1/10/2023 17:15	11.8	92.6	8.2	221	5.1	26
1/10/2023 17:30	11.8	92.6	8.2	221	5.1	26
1/10/2023 17:45	11.8	92.5	8.2	221	5.0	25
1/10/2023 18:00	11.8	92.5	8.2	222	5.0	26
1/10/2023 18:15	11.8	92.5	8.2	222	5.0	25
1/10/2023 18:30	11.8	92.4	8.2	222	5.0	26
1/10/2023 18:45	11.8	92.4	8.2	222	4.9	26
1/10/2023 19:00	11.8	92.4	8.2	222	4.9	25
1/10/2023 19:15	11.8	92.4	8.2	222	4.9	25
1/10/2023 19:30	11.8	92.4	8.3	223	4.9	26
1/10/2023 19:45	11.8	92.4	8.2	223	4.9	24
1/10/2023 20:00	11.8	92.4	8.3	223	4.9	24
1/10/2023 20:15	11.8	92.4	8.3	224	4.9	24
1/10/2023 20:30	11.8	92.3	8.3	224	4.9	24
1/10/2023 20:45	11.8	92.4	8.3	224	4.9	24
1/10/2023 21:00	11.8	92.4	8.3	224	4.9	23
1/10/2023 21:15	11.8	92.3	8.3	225	4.9	24
1/10/2023 21:30	11.8	92.4	8.3	225	4.9	24
1/10/2023 21:45	11.8	92.4	8.3	225	4.9	23
1/10/2023 22:00	11.8	92.4	8.3	226	4.9	24
1/10/2023 22:15	11.8	92.4	8.3	226	4.9	23
1/10/2023 22:30	11.8	92.4	8.3	226	4.9	23
1/10/2023 22:45	11.8	92.4	8.3	226	4.9	23
1/10/2023 23:00	11.8	92.4	8.3	226	4.9	23
1/10/2023 23:15	11.8	92.5	8.3	227	4.9	23
1/10/2023 23:30	11.8	92.5	8.3	227	5.0	23
1/10/2023 23:45	11.8	92.5	8.3	227	5.0	19
1/11/2023 0:00	11.8	92.5	8.3	227	5.0	23
1/11/2023 0:15	11.8	92.5	8.3	227	5.0	23
1/11/2023 0:30	11.8	92.5	8.3	227	5.0	22
1/11/2023 0:45	11.8	92.5	8.3	227	5.0	22
1/11/2023 1:00	11.8	92.5	8.3	227	5.0	21
1/11/2023 1:15	11.8	92.5	8.3	227	5.0	19

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/2023 1:30	11.8	92.5	8.3	228	5.0	22
1/11/2023 1:45	11.8	92.5	8.3	228	5.0	22
1/11/2023 2:00	11.8	92.6	8.3	228	5.0	23
1/11/2023 2:15	11.8	92.6	8.3	228	5.0	22
1/11/2023 2:30	11.8	92.6	8.3	228	5.0	22
1/11/2023 2:45	11.8	92.6	8.3	229	5.0	23
1/11/2023 3:00	11.8	92.6	8.3	229	5.0	22
1/11/2023 3:15	11.8	92.6	8.3	229	5.0	22
1/11/2023 3:30	11.8	92.6	8.3	229	5.0	21
1/11/2023 3:45	11.8	92.6	8.3	229	5.0	22
1/11/2023 4:00	11.8	92.6	8.3	229	5.0	21
1/11/2023 4:15	11.8	92.6	8.3	230	5.0	21
1/11/2023 4:30	11.8	92.7	8.3	229	5.0	21
1/11/2023 4:45	11.8	92.7	8.3	229	5.0	24
1/11/2023 5:00	11.8	92.7	8.3	229	5.0	21
1/11/2023 5:15	11.8	92.7	8.3	229	5.0	21
1/11/2023 5:30	11.8	92.7	8.3	229	5.0	21
1/11/2023 5:45	11.8	92.7	8.2	228	5.0	19
1/11/2023 6:00	11.8	92.8	8.3	227	5.0	21
1/11/2023 6:15	11.8	92.7	8.2	227	5.0	21
1/11/2023 6:30	11.8	92.8	8.2	226	5.0	20
1/11/2023 6:45	11.9	92.8	8.2	226	5.0	20
1/11/2023 7:00	11.9	92.8	8.2	225	5.0	21
1/11/2023 7:15	11.9	92.9	8.2	225	5.0	21
1/11/2023 7:30	11.9	92.9	8.2	225	4.9	20
1/11/2023 7:45	11.9	92.9	8.2	224	4.9	20
1/11/2023 8:00	11.9	92.9	8.2	224	4.9	20
1/11/2023 8:15	11.9	93.0	8.2	224	4.9	21
1/11/2023 8:30	11.9	93.0	8.2	223	4.9	20
1/11/2023 8:45	11.9	93.0	8.2	223	4.9	20
1/11/2023 9:00	11.9	93.1	8.2	223	4.9	20
1/11/2023 9:15	11.9	93.1	8.2	223	4.9	20
1/11/2023 9:30	11.9	93.1	8.2	223	4.8	20
1/11/2023 9:45	11.9	93.2	8.2	223	4.8	20
1/11/2023 10:00	12.0	93.2	8.2	222	4.8	20
1/11/2023 10:15	12.0	93.3	8.2	222	4.8	21
1/11/2023 10:30	12.0	93.4	8.2	222	4.8	21
1/11/2023 10:45	12.0	93.5	8.2	222	4.8	20
1/11/2023 11:00	12.0	93.5	8.2	222	4.8	20
1/11/2023 11:15	12.0	93.6	8.2	222	4.9	21
1/11/2023 11:30	12.0	93.7	8.2	221	4.9	21
1/11/2023 11:45	12.0	93.7	8.2	221	4.9	21

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/2023 12:00	12.0	93.7	8.2	221	4.9	21
1/11/2023 12:15	12.0	93.7	8.2	221	4.9	22
1/11/2023 12:30	12.0	93.7	8.2	221	4.9	21
1/11/23 12:45	12.0	93.7	8.2	221	4.9	21
1/11/23 13:00	12.0	93.7	8.2	221	4.9	21
1/11/23 13:15	12.0	93.7	8.2	221	4.9	21
1/11/23 13:30	12.0	93.7	8.2	221	4.9	22
1/11/23 13:45	12.0	93.7	8.2	221	4.9	22
1/11/23 14:00	12.0	93.7	8.2	221	4.9	22
1/11/23 14:15	12.0	93.7	8.2	221	4.9	22
1/11/23 14:30	12.0	93.7	8.2	221	4.9	22
1/11/23 14:45	12.0	93.7	8.2	221	4.9	22
1/11/23 15:00	12.0	93.7	8.2	221	4.9	21
1/11/23 15:15	12.0	93.7	8.2	221	4.9	22
1/11/23 15:30	12.0	93.6	8.2	221	4.9	22
1/11/23 15:45	12.0	93.6	8.2	222	5.0	23
1/11/23 16:00	12.0	93.6	8.2	222	5.0	24
1/11/23 16:15	12.0	93.6	8.2	222	5.0	24
1/11/23 16:30	12.0	93.5	8.2	222	5.0	26
1/11/23 16:45	11.9	93.5	8.2	222	5.0	36
1/11/23 17:00	11.9	93.5	8.2	223	5.0	38
1/11/23 17:15	11.9	93.5	8.2	223	5.0	40
1/11/23 17:30	11.9	93.5	8.2	223	5.0	37
1/11/23 17:45	11.9	93.5	8.2	223	5.0	33
1/11/23 18:00	11.9	93.4	8.2	223	5.0	31
1/11/23 18:15	11.9	93.4	8.2	224	5.0	28
1/11/23 18:30	11.9	93.4	8.2	224	5.0	27
1/11/23 18:45	11.9	93.4	8.2	224	5.0	26
1/11/23 19:00	11.9	93.4	8.2	224	5.0	26
1/11/23 19:15	11.9	93.4	8.2	225	5.0	26
1/11/23 19:30	11.9	93.4	8.2	225	5.0	25
1/11/23 19:45	11.9	93.4	8.2	225	5.0	25
1/11/23 20:00	11.9	93.4	8.2	225	5.0	24
1/11/23 20:15	11.9	93.3	8.2	225	5.0	24
1/11/23 20:30	11.9	93.3	8.2	226	5.0	24
1/11/23 20:45	11.9	93.3	8.2	226	5.0	23
1/11/23 21:00	11.9	93.3	8.2	226	5.1	22
1/11/23 21:15	11.9	93.3	8.2	226	5.1	23
1/11/23 21:30	11.9	93.3	8.2	226	5.1	23
1/11/23 21:45	11.9	93.3	8.2	226	5.1	22
1/11/23 22:00	11.9	93.4	8.2	226	5.1	22
1/11/23 22:15	11.9	93.4	8.2	226	5.1	22

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	11.9	93.3	8.2	226	5.1	22
1/11/23 22:45	11.9	93.3	8.2	227	5.1	22
1/11/23 23:00	11.9	93.3	8.2	227	5.1	22
1/11/23 23:15	11.9	93.3	8.2	227	5.1	22
1/11/23 23:30	11.9	93.3	8.2	227	5.1	22
1/11/23 23:45	11.9	93.3	8.2	228	5.1	23
1/12/23 0:00	11.9	93.3	8.2	228	5.1	23
1/12/23 0:15	11.9	93.3	8.2	228	5.1	23
1/12/23 0:30	11.9	93.3	8.2	228	5.1	23
1/12/23 0:45	11.9	93.3	8.2	228	5.2	23
1/12/23 1:00	11.9	93.3	8.2	228	5.2	24
1/12/23 1:15	11.9	93.3	8.2	229	5.2	24
1/12/23 1:30	11.9	93.3	8.3	229	5.2	24
1/12/23 1:45	11.9	93.3	8.3	229	5.2	24
1/12/23 2:00	11.9	93.3	8.3	229	5.2	24
1/12/23 2:15	11.9	93.3	8.2	229	5.2	23
1/12/23 2:30	11.9	93.3	8.3	230	5.2	23
1/12/23 2:45	11.9	93.3	8.3	230	5.2	23
1/12/23 3:00	11.9	93.3	8.3	230	5.2	23
1/12/23 3:15	11.9	93.3	8.3	231	5.2	22
1/12/23 3:30	11.9	93.3	8.3	231	5.2	22
1/12/23 3:45	11.9	93.3	8.3	231	5.2	21
1/12/23 4:00	11.9	93.3	8.3	231	5.2	21
1/12/23 4:15	11.9	93.3	8.3	231	5.2	20
1/12/23 4:30	11.9	93.3	8.3	231	5.2	21
1/12/23 4:45	11.9	93.3	8.3	230	5.2	20
1/12/23 5:00	11.9	93.3	8.3	230	5.2	20
1/12/23 5:15	11.9	93.3	8.3	231	5.2	19
1/12/23 5:30	11.9	93.3	8.3	231	5.2	19
1/12/23 5:45	11.9	93.3	8.3	230	5.2	19
1/12/23 6:00	11.9	93.3	8.3	231	5.2	17
1/12/23 6:15	11.9	93.3	8.3	230	5.2	19
1/12/23 6:30	11.9	93.3	8.3	230	5.2	19
1/12/23 6:45	11.9	93.3	8.3	230	5.1	18
1/12/23 7:00	11.9	93.3	8.3	230	5.1	19
1/12/23 7:15	11.9	93.3	8.2	230	5.1	18
1/12/23 7:30	11.9	93.3	8.2	230	5.1	18
1/12/23 7:45	11.9	93.3	8.2	230	5.1	18
1/12/23 8:00	11.9	93.3	8.2	230	5.1	18
1/12/23 8:15	11.9	93.4	8.2	230	5.1	17
1/12/23 8:30	11.9	93.4	8.2	230	5.1	18
1/12/23 8:45	11.9	93.4	8.2	230	5.1	18

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 9:00	11.9	93.4	8.2	230	5.1	17
1/12/23 9:15	11.9	93.5	8.2	230	5.1	17
1/12/23 9:30	11.9	93.5	8.2	230	5.1	18
1/12/23 9:45	11.9	93.6	8.2	230	5.2	18
1/12/23 10:00	11.9	93.7	8.2	230	5.2	19
1/12/23 10:15	11.9	93.7	8.2	230	5.2	18
1/12/23 10:30	11.9	93.8	8.2	230	5.2	18
1/12/23 10:45	11.9	93.9	8.2	230	5.2	17
1/12/23 11:00	11.9	94.0	8.2	230	5.3	17
1/12/23 11:15	11.9	94.1	8.2	230	5.3	17
1/12/23 11:30	11.9	94.2	8.2	230	5.3	17
1/12/23 11:45	11.9	94.2	8.3	229	5.4	17
1/12/23 12:00	11.9	94.3	8.2	230	5.4	17
1/12/23 12:15	11.9	94.4	8.3	230	5.5	17
1/12/23 12:30	11.9	94.4	8.2	229	5.5	17
1/12/23 12:45	11.9	94.5	8.3	229	5.5	17
1/12/23 13:00	11.9	94.6	8.3	229	5.6	16
1/12/23 13:15	11.9	94.6	8.3	229	5.6	16
1/12/23 13:30	11.9	94.6	8.3	229	5.6	15
1/12/23 13:45	11.9	94.6	8.3	229	5.7	16
1/12/23 14:00	11.9	94.7	8.3	229	5.7	16
1/12/23 14:15	11.9	94.7	8.3	229	5.7	16
1/12/23 14:30	11.9	94.7	8.3	228	5.8	16
1/12/23 14:45	11.8	94.7	8.3	228	5.8	17
1/12/23 15:00	11.8	94.7	8.3	228	5.8	16
1/12/23 15:15	11.8	94.7	8.3	227	5.9	16
1/12/23 15:30	11.8	94.7	8.3	227	5.9	17
1/12/23 15:45	11.8	94.6	8.3	226	5.9	16
1/12/23 16:00	11.8	94.5	8.3	226	5.9	17
1/12/23 16:15	11.8	94.5	8.3	225	5.9	16
1/12/23 16:30	11.8	94.4	8.3	225	5.9	16
1/12/23 16:45	11.8	94.3	8.3	224	5.9	16
1/12/23 17:00	11.8	94.2	8.3	224	5.9	16
1/12/23 17:15	11.7	94.1	8.3	224	5.9	16
1/12/23 17:30	11.7	94.0	8.3	223	5.9	16
1/12/23 17:45	11.7	94.0	8.3	223	5.9	17
1/12/23 18:00	11.7	93.9	8.3	223	5.9	14
1/12/23 18:15	11.7	93.9	8.3	223	5.9	16
1/12/23 18:30	11.7	93.8	8.3	222	5.9	14
1/12/23 18:45	11.7	93.8	8.3	222	5.9	15
1/12/23 19:00	11.7	93.8	8.3	222	5.9	19
1/12/23 19:15	11.7	93.7	8.3	222	5.9	16

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	11.7	93.7	8.3	221	5.9	15
1/12/23 19:45	11.7	93.6	8.3	221	5.9	15
1/12/23 20:00	11.7	93.6	8.3	221	5.9	16
1/12/23 20:15	11.7	93.6	8.3	221	6.0	16
1/12/23 20:30	11.7	93.5	8.3	221	6.0	15
1/12/23 20:45	11.6	93.5	8.3	221	6.0	16
1/12/23 21:00	11.6	93.5	8.3	221	6.0	16
1/12/23 21:15	11.6	93.4	8.3	221	6.0	15
1/12/23 21:30	11.6	93.4	8.3	221	6.0	16
1/12/23 21:45	11.6	93.4	8.3	221	6.0	16
1/12/23 22:00	11.6	93.4	8.3	221	6.0	15
1/12/23 22:15	11.6	93.4	8.3	221	6.1	16
1/12/23 22:30	11.6	93.4	8.3	220	6.1	16
1/12/23 22:45	11.6	93.4	8.3	220	6.1	15
1/12/23 23:00	11.6	93.4	8.3	220	6.1	16
1/12/23 23:15	11.6	93.4	8.3	220	6.1	15
1/12/23 23:30	11.6	93.4	8.3	220	6.1	15
1/12/23 23:45	11.6	93.4	8.3	220	6.1	15
1/13/23 0:00	11.6	93.4	8.3	220	6.1	15
1/13/23 0:15	11.6	93.4	8.3	220	6.1	15
1/13/23 0:30	11.6	93.4	8.3	219	6.1	15
1/13/23 0:45	11.6	93.3	8.3	219	6.1	16
1/13/23 1:00	11.6	93.3	8.3	219	6.1	15
1/13/23 1:15	11.6	93.3	8.3	219	6.2	16
1/13/23 1:30	11.6	93.3	8.3	219	6.2	16
1/13/23 1:45	11.6	93.3	8.3	219	6.2	16
1/13/23 2:00	11.6	93.3	8.3	219	6.2	16
1/13/23 2:15	11.5	93.3	8.3	219	6.2	15
1/13/23 2:30	11.5	93.3	8.3	219	6.2	15
1/13/23 2:45	11.5	93.2	8.3	219	6.2	15
1/13/23 3:00	11.5	93.2	8.3	219	6.2	15
1/13/23 3:15	11.5	93.2	8.3	219	6.2	15
1/13/23 3:30	11.5	93.2	8.3	219	6.2	15
1/13/23 3:45	11.5	93.2	8.3	219	6.2	16
1/13/23 4:00	11.5	93.1	8.3	219	6.2	15
1/13/23 4:15	11.5	93.1	8.3	219	6.3	15
1/13/23 4:30	11.5	93.1	8.3	219	6.3	15
1/13/23 4:45	11.5	93.1	8.3	219	6.3	15
1/13/23 5:00	11.5	93.1	8.3	219	6.3	15
1/13/23 5:15	11.5	93.1	8.3	219	6.3	15
1/13/23 5:30	11.5	93.1	8.3	219	6.3	15
1/13/23 5:45	11.5	93.0	8.3	219	6.3	15

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 6:00	11.5	93.0	8.3	219	6.3	15
1/13/23 6:15	11.5	93.0	8.3	219	6.3	15
1/13/23 6:30	11.5	93.0	8.3	219	6.3	15
1/13/23 6:45	11.5	93.0	8.3	218	6.3	15
1/13/23 7:00	11.5	93.0	8.3	218	6.2	15
1/13/23 7:15	11.5	92.9	8.2	218	6.2	15
1/13/23 7:30	11.5	92.9	8.2	218	6.2	15
1/13/23 7:45	11.5	93.0	8.2	218	6.2	15
1/13/23 8:00	11.5	93.0	8.3	218	6.2	15
1/13/23 8:15	11.5	93.0	8.2	218	6.2	15
1/13/23 8:30	11.5	93.0	8.2	218	6.2	15
1/13/23 8:45	11.5	93.0	8.2	218	6.2	15
1/13/23 9:00	11.5	93.0	8.2	217	6.2	13
1/13/23 9:15	11.5	93.0	8.2	217	6.2	16
1/13/23 9:30	11.5	93.1	8.2	217	6.1	16
1/13/23 9:45	11.5	93.1	8.2	217	6.1	17
1/13/23 10:00	11.5	93.1	8.2	217	6.1	18
1/13/23 10:15	11.6	93.1	8.2	217	6.1	20
1/13/23 10:30	11.6	93.1	8.2	217	6.1	21
1/13/23 10:45	11.6	93.1	8.2	217	6.1	26
1/13/23 11:00	11.6	93.2	8.2	217	6.1	26
1/13/23 11:15	11.6	93.1	8.2	217	6.1	26
1/13/23 11:30	11.6	93.2	8.2	217	6.0	24
1/13/23 11:45	11.6	93.2	8.2	216	6.0	23
1/13/23 12:00	11.6	93.2	8.2	216	6.0	22
1/13/23 12:15	11.6	93.3	8.2	216	6.0	21
1/13/23 12:30	11.6	93.3	8.2	216	6.0	20
1/13/23 12:45	11.6	93.3	8.2	216	6.0	19
1/13/23 13:00	11.6	93.4	8.2	216	6.0	18
1/13/23 13:15	11.6	93.4	8.2	216	6.0	18
1/13/23 13:30	11.6	93.5	8.2	216	6.0	18
1/13/23 13:45	11.6	93.5	8.2	215	6.0	17
1/13/23 14:00	11.6	93.5	8.2	215	6.0	16
1/13/23 14:15	11.6	93.6	8.2	215	6.0	16
1/13/23 14:30	11.6	93.6	8.2	215	6.0	16
1/13/23 14:45	11.6	93.6	8.2	215	6.0	15
1/13/23 15:00	11.6	93.6	8.2	215	6.0	16
1/13/23 15:15	11.6	93.6	8.2	215	6.0	14
1/13/23 15:30	11.6	93.7	8.2	215	6.1	15
1/13/23 15:45	11.6	93.7	8.2	215	6.1	
1/13/23 16:00	11.6	93.6	8.2	214	6.1	16
1/13/23 16:15	11.6	93.6	8.2	214	6.1	15

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 16:30	11.6	93.6	8.3	214	6.0	15
1/13/23 16:45	11.6	93.5	8.2	214	6.0	15
1/13/23 17:00	11.6	93.5	8.2	214	6.0	15
1/13/23 17:15	11.6	93.4	8.2	214	6.0	15
1/13/23 17:30	11.6	93.4	8.2	214	6.0	15
1/13/23 17:45	11.6	93.3	8.2	214	6.0	15
1/13/23 18:00	11.6	93.3	8.2	213	6.0	15
1/13/23 18:15	11.6	93.2	8.2	213	6.0	15
1/13/23 18:30	11.6	93.1	8.2	213	6.0	15
1/13/23 18:45	11.6	93.1	8.2	213	5.9	14
1/13/23 19:00	11.6	93.1	8.2	213	5.9	15
1/13/23 19:15	11.6	93.0	8.2	213	5.9	15
1/13/23 19:30	11.6	93.0	8.2	213	5.9	15
1/13/23 19:45	11.6	93.0	8.2	213	5.9	15
1/13/23 20:00	11.6	93.0	8.2	213	5.9	16
1/13/23 20:15	11.6	92.9	8.2	213	5.9	17
1/13/23 20:30	11.6	92.9	8.2	213	5.9	16
1/13/23 20:45	11.6	92.9	8.2	214	5.8	16
1/13/23 21:00	11.6	92.9	8.2	214	5.8	17
1/13/23 21:15	11.6	92.9	8.2	214	5.8	16
1/13/23 21:30	11.6	92.9	8.2	214	5.8	16
1/13/23 21:45	11.6	92.9	8.2	214	5.8	16
1/13/23 22:00	11.6	92.8	8.2	214	5.8	16
1/13/23 22:15	11.6	92.8	8.2	214	5.8	16
1/13/23 22:30	11.6	92.8	8.2	214	5.8	16
1/13/23 22:45	11.6	92.8	8.2	214	5.8	16
1/13/23 23:00	11.6	92.7	8.2	214	5.7	20
1/13/23 23:15	11.6	92.7	8.2	214	5.7	16
1/13/23 23:30	11.6	92.7	8.2	214	5.7	16
1/13/23 23:45	11.6	92.7	8.3	214	5.7	16
1/14/23 0:00	11.6	92.7	8.2	214	5.7	16
1/14/23 0:15	11.6	92.7	8.3	214	5.7	15
1/14/23 0:30	11.6	92.7	8.3	213	5.7	16
1/14/23 0:45	11.6	92.6	8.3	213	5.7	16
1/14/23 1:00	11.6	92.6	8.3	213	5.7	15
1/14/23 1:15	11.6	92.6	8.3	213	5.7	17
1/14/23 1:30	11.6	92.5	8.3	213	5.7	16
1/14/23 1:45	11.6	92.5	8.3	213	5.6	15
1/14/23 2:00	11.6	92.5	8.2	213	5.6	15
1/14/23 2:15	11.6	92.5	8.2	213	5.6	15
1/14/23 2:30	11.6	92.5	8.2	213	5.6	15
1/14/23 2:45	11.6	92.5	8.2	213	5.6	15

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	11.6	92.5	8.2	213	5.6	15
1/14/23 3:15	11.6	92.4	8.2	213	5.6	15
1/14/23 3:30	11.6	92.4	8.2	213	5.6	14
1/14/23 3:45	11.6	92.4	8.2	213	5.6	15
1/14/23 4:00	11.6	92.4	8.2	213	5.6	15
1/14/23 4:15	11.6	92.3	8.2	213	5.6	15
1/14/23 4:30	11.6	92.3	8.2	213	5.6	15
1/14/23 4:45	11.6	92.3	8.2	213	5.6	15
1/14/23 5:00	11.6	92.3	8.2	213	5.6	15
1/14/23 5:15	11.6	92.3	8.2	213	5.5	15
1/14/23 5:30	11.6	92.3	8.2	213	5.5	15
1/14/23 5:45	11.6	92.2	8.2	213	5.5	15
1/14/23 6:00	11.6	92.2	8.2	212	5.5	15
1/14/23 6:15	11.6	92.2	8.2	212	5.5	15
1/14/23 6:30	11.6	92.2	8.2	212	5.5	15
1/14/23 6:45	11.6	92.1	8.2	212	5.5	15
1/14/23 7:00	11.6	92.1	8.2	212	5.5	15
1/14/23 7:15	11.6	92.1	8.2	212	5.5	15
1/14/23 7:30	11.6	92.1	8.2	212	5.5	15
1/14/23 7:45	11.6	92.1	8.2	212	5.5	15
1/14/23 8:00	11.6	92.1	8.2	212	5.5	16
1/14/23 8:15	11.6	92.0	8.2	212	5.4	15
1/14/23 8:30	11.6	92.0	8.2	212	5.4	15
1/14/23 8:45	11.6	92.0	8.2	211	5.4	15
1/14/23 9:00	11.6	92.0	8.2	211	5.4	15
1/14/23 9:15	11.6	92.0	8.2	211	5.4	15
1/14/23 9:30	11.6	92.0	8.2	211	5.4	15
1/14/23 9:45	11.6	92.0	8.2	211	5.4	15
1/14/23 10:00	11.6	92.1	8.2	211	5.4	15
1/14/23 10:15	11.6	92.1	8.2	211	5.4	15
1/14/23 10:30	11.6	92.2	8.2	211	5.4	15
1/14/23 10:45	11.6	92.2	8.3	211	5.4	16
1/14/23 11:00	11.6	92.2	8.2	211	5.5	18
1/14/23 11:15	11.6	92.2	8.2	211	5.5	22
1/14/23 11:30						
1/14/23 11:45						
1/14/23 12:00						
1/14/23 12:15						
1/14/23 12:30	11.6	92.3	8.3	209	5.5	48
1/14/23 12:45	11.6	92.4	8.3	209	5.5	38
1/14/23 13:00	11.6	92.4	8.3	209	5.5	31
1/14/23 13:15	11.6	92.4	8.3	209	5.5	26

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 13:30	11.6	92.4	8.3	209	5.5	23
1/14/23 13:45	11.6	92.5	8.3	209	5.5	21
1/14/23 14:00	11.6	92.4	8.3	208	5.5	20
1/14/23 14:15	11.6	92.4	8.3	208	5.5	20
1/14/23 14:30	11.6	92.4	8.3	208	5.6	20
1/14/23 14:45	11.6	92.4	8.3	208	5.6	21
1/14/23 15:00	11.6	92.3	8.3	208	5.6	23
1/14/23 15:15	11.6	92.3	8.3	208	5.6	26
1/14/23 15:30	11.6	92.3	8.3	208	5.6	28
1/14/23 15:45	11.6	92.3	8.3	208	5.6	28
1/14/23 16:00	11.6	92.2	8.3	208	5.6	31
1/14/23 16:15	11.6	92.2	8.3	207	5.6	35
1/14/23 16:30	11.6	92.2	8.3	207	5.6	39
1/14/23 16:45	11.6	92.1	8.3	207	5.5	40
1/14/23 17:00	11.6	92.1	8.3	207	5.5	38
1/14/23 17:15	11.6	92.1	8.3	207	5.5	38
1/14/23 17:30	11.6	92.0	8.3	207	5.5	34
1/14/23 17:45	11.6	92.0	8.3	207	5.5	32
1/14/23 18:00	11.6	92.0	8.3	207	5.5	30
1/14/23 18:15	11.6	91.9	8.3	207	5.5	28
1/14/23 18:30	11.6	91.9	8.2	207	5.5	28
1/14/23 18:45	11.6	91.9	8.2	207	5.4	27
1/14/23 19:00	11.6	91.9	8.3	207	5.4	26
1/14/23 19:15	11.6	91.8	8.3	207	5.4	26
1/14/23 19:30	11.6	91.8	8.3	207	5.4	27
1/14/23 19:45	11.6	91.8	8.3	207	5.4	28
1/14/23 20:00	11.6	91.8	8.3	207	5.4	28
1/14/23 20:15	11.6	91.8	8.3	207	5.4	29
1/14/23 20:30	11.6	91.8	8.3	207	5.4	29
1/14/23 20:45	11.6	91.8	8.3	207	5.4	30
1/14/23 21:00	11.6	91.8	8.3	207	5.3	29
1/14/23 21:15	11.6	91.8	8.3	207	5.3	29
1/14/23 21:30	11.6	91.8	8.3	207	5.3	29
1/14/23 21:45	11.6	91.8	8.3	207	5.3	28
1/14/23 22:00	11.6	91.8	8.3	207	5.3	27
1/14/23 22:15	11.6	91.8	8.3	207	5.3	26
1/14/23 22:30	11.6	91.8	8.3	207	5.3	26
1/14/23 22:45	11.6	91.8	8.3	207	5.3	26
1/14/23 23:00	11.6	91.8	8.3	207	5.3	27
1/14/23 23:15	11.6	91.7	8.3	207	5.3	26
1/14/23 23:30	11.6	91.8	8.3	207	5.3	27
1/14/23 23:45	11.6	91.7	8.3	207	5.3	27

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 0:00	11.6	91.7	8.3	207	5.3	29
1/15/23 0:15	11.6	91.7	8.3	207	5.3	31
1/15/23 0:30	11.6	91.7	8.3	207	5.3	35
1/15/23 0:45	11.6	91.7	8.3	207	5.3	39
1/15/23 1:00	11.6	91.7	8.3	207	5.3	45
1/15/23 1:15	11.6	91.7	8.3	207	5.3	48
1/15/23 1:30	11.6	91.7	8.3	207	5.3	50
1/15/23 1:45	11.6	91.7	8.3	207	5.3	50
1/15/23 2:00	11.6	91.7	8.3	207	5.3	48
1/15/23 2:15	11.6	91.7	8.3	207	5.3	45
1/15/23 2:30	11.6	91.7	8.3	207	5.3	44
1/15/23 2:45	11.6	91.7	8.3	207	5.3	40
1/15/23 3:00	11.6	91.7	8.3	207	5.3	37
1/15/23 3:15	11.6	91.7	8.3	207	5.3	34
1/15/23 3:30	11.6	91.8	8.3	207	5.3	32
1/15/23 3:45	11.6	91.8	8.3	207	5.3	30
1/15/23 4:00	11.6	91.8	8.3	207	5.3	29
1/15/23 4:15	11.6	91.8	8.3	207	5.3	28
1/15/23 4:30	11.6	91.8	8.3	208	5.3	28
1/15/23 4:45	11.6	91.8	8.3	208	5.3	27
1/15/23 5:00	11.6	91.8	8.3	208	5.3	28
1/15/23 5:15	11.6	91.8	8.3	208	5.3	26
1/15/23 5:30	11.6	91.9	8.3	208	5.3	25
1/15/23 5:45	11.6	91.8	8.2	208	5.3	25
1/15/23 6:00	11.7	91.9	8.3	208	5.3	24
1/15/23 6:15	11.7	91.9	8.3	208	5.2	24
1/15/23 6:30	11.7	91.9	8.3	208	5.2	24
1/15/23 6:45	11.7	91.9	8.2	209	5.2	24
1/15/23 7:00	11.7	91.9	8.2	209	5.2	23
1/15/23 7:15	11.7	91.9	8.2	209	5.2	23
1/15/23 7:30	11.7	91.9	8.2	209	5.2	23
1/15/23 7:45	11.7	91.9	8.2	209	5.1	23
1/15/23 8:00	11.7	92.0	8.2	210	5.1	23
1/15/23 8:15	11.7	92.0	8.2	210	5.1	22
1/15/23 8:30	11.7	92.0	8.2	210	5.1	21
1/15/23 8:45	11.7	92.0	8.2	210	5.1	22
1/15/23 9:00	11.7	92.1	8.2	211	5.1	22
1/15/23 9:15	11.7	92.2	8.3	211	5.1	24
1/15/23 9:30	11.8	92.2	8.2	211	5.1	22
1/15/23 9:45	11.8	92.4	8.3	211	5.1	21
1/15/23 10:00	11.8	92.5	8.2	211	5.1	22
1/15/23 10:15	11.8	92.6	8.3	211	5.1	21

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 10:30	11.8	92.6	8.3	211	5.1	23
1/15/23 10:45	11.8	92.7	8.3	211	5.1	22
1/15/23 11:00	11.8	92.7	8.3	211	5.1	21
1/15/23 11:15	11.8	92.8	8.3	211	5.1	22
1/15/23 11:30	11.8	92.8	8.2	212	5.1	21
1/15/23 11:45	11.8	92.9	8.3	212	5.1	21
1/15/23 12:00	11.8	92.9	8.3	212	5.1	21
1/15/23 12:15	11.8	93.0	8.3	212	5.1	21
1/15/23 12:30	11.8	93.0	8.3	212	5.1	21
1/15/23 12:45	11.9	93.0	8.3	212	5.1	21
1/15/23 13:00	11.9	93.1	8.3	212	5.1	21
1/15/23 13:15	11.9	93.2	8.3	212	5.1	21
1/15/23 13:30	11.9	93.2	8.3	213	5.1	22
1/15/23 13:45	11.9	93.2	8.3	213	5.1	21
1/15/23 14:00	11.9	93.2	8.3	213	5.1	21
1/15/23 14:15	11.9	93.3	8.3	213	5.2	21
1/15/23 14:30	11.9	93.3	8.3	213	5.2	21
1/15/23 14:45	11.8	93.4	8.3	213	5.3	21
1/15/23 15:00	11.8	93.4	8.3	213	5.3	20
1/15/23 15:15	11.8	93.4	8.3	213	5.3	21
1/15/23 15:30	11.8	93.4	8.3	213	5.3	21
1/15/23 15:45	11.8	93.3	8.3	213	5.3	20
1/15/23 16:00	11.8	93.3	8.3	213	5.3	21
1/15/23 16:15	11.8	93.2	8.3	213	5.3	21
1/15/23 16:30	11.8	93.1	8.3	213	5.3	21
1/15/23 16:45	11.8	93.0	8.3	213	5.2	20
1/15/23 17:00	11.8	92.9	8.3	213	5.2	21
1/15/23 17:15	11.8	92.8	8.3	213	5.2	20
1/15/23 17:30	11.8	92.7	8.3	213	5.2	20
1/15/23 17:45	11.8	92.6	8.3	213	5.1	20
1/15/23 18:00	11.8	92.6	8.3	213	5.1	20
1/15/23 18:15	11.8	92.5	8.3	213	5.1	20
1/15/23 18:30	11.8	92.4	8.3	213	5.1	20
1/15/23 18:45	11.8	92.4	8.3	213	5.1	20
1/15/23 19:00	11.8	92.4	8.3	213	5.1	20
1/15/23 19:15	11.8	92.3	8.3	213	5.0	20
1/15/23 19:30	11.8	92.3	8.3	213	5.0	
1/15/23 19:45	11.8	92.3	8.3	213	5.0	19
1/15/23 20:00	11.8	92.3	8.3	213	5.0	20
1/15/23 20:15	11.8	92.3	8.3	214	5.0	19
1/15/23 20:30	11.8	92.3	8.3	214	5.0	20
1/15/23 20:45	11.8	92.3	8.3	214	5.0	20

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	11.8	92.3	8.3	214	5.0	20
1/15/23 21:15	11.8	92.3	8.3	214	5.0	20
1/15/23 21:30	11.8	92.3	8.3	214	5.0	19
1/15/23 21:45	11.8	92.3	8.3	214	5.0	19
1/15/23 22:00	11.8	92.3	8.3	214	5.0	19
1/15/23 22:15	11.8	92.3	8.3	214	5.0	20
1/15/23 22:30	11.8	92.3	8.3	214	5.0	19
1/15/23 22:45	11.8	92.3	8.3	214	5.0	19
1/15/23 23:00	11.8	92.3	8.3	214	5.0	19
1/15/23 23:15	11.8	92.3	8.3	214	5.0	19
1/15/23 23:30	11.8	92.3	8.3	214	5.0	19
1/15/23 23:45	11.8	92.3	8.3	214	5.0	19
1/16/23 0:00	11.8	92.3	8.3	214	5.0	19
1/16/23 0:15	11.8	92.3	8.3	214	5.0	19
1/16/23 0:30	11.8	92.3	8.3	214	5.0	20
1/16/23 0:45	11.8	92.3	8.3	214	5.0	20
1/16/23 1:00	11.8	92.3	8.3	214	5.0	20
1/16/23 1:15	11.8	92.3	8.3	214	5.0	20
1/16/23 1:30	11.8	92.2	8.3	214	5.0	20
1/16/23 1:45	11.8	92.2	8.3	215	5.0	19
1/16/23 2:00	11.8	92.2	8.3	214	5.0	20
1/16/23 2:15	11.8	92.2	8.3	215	5.0	20
1/16/23 2:30	11.8	92.2	8.3	215	5.0	19
1/16/23 2:45	11.8	92.2	8.3	215	5.0	16
1/16/23 3:00	11.8	92.2	8.3	215	5.0	19
1/16/23 3:15	11.8	92.2	8.3	215	5.0	19
1/16/23 3:30	11.8	92.1	8.3	215	5.0	19
1/16/23 3:45	11.8	92.1	8.3	215	4.9	19
1/16/23 4:00	11.8	92.1	8.3	215	4.9	20
1/16/23 4:15	11.8	92.2	8.3	215	5.0	19
1/16/23 4:30	11.8	92.1	8.3	215	5.0	19
1/16/23 4:45	11.8	92.2	8.3	215	5.0	19
1/16/23 5:00	11.8	92.2	8.3	215	5.0	19
1/16/23 5:15	11.8	92.2	8.3	215	5.0	18
1/16/23 5:30	11.8	92.2	8.3	215	5.0	18
1/16/23 5:45	11.8	92.2	8.3	215	5.0	19
1/16/23 6:00	11.8	92.2	8.3	215	5.0	19
1/16/23 6:15	11.8	92.2	8.3	215	5.0	19
1/16/23 6:30	11.8	92.2	8.3	216	5.0	18
1/16/23 6:45	11.8	92.2	8.3	216	4.9	19
1/16/23 7:00	11.8	92.2	8.3	216	4.9	19
1/16/23 7:15	11.8	92.3	8.3	216	4.9	19

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	11.8	92.3	8.3	216	4.9	19
1/16/23 7:45	11.8	92.3	8.3	216	4.8	19
1/16/23 8:00	11.8	92.3	8.3	216	4.8	19
1/16/23 8:15	11.9	92.3	8.3	216	4.8	19
1/16/23 8:30	11.9	92.3	8.3	217	4.8	19
1/16/23 8:45	11.9	92.4	8.3	217	4.7	19
1/16/23 9:00	11.9	92.4	8.3	217	4.7	19
1/16/23 9:15	11.9	92.5	8.3	217	4.7	18
1/16/23 9:30	11.9	92.5	8.3	217	4.7	18
1/16/23 9:45	11.9	92.6	8.3	217	4.7	18
1/16/23 10:00	11.9	92.7	8.3	217	4.7	18
1/16/23 10:15	11.9	92.8	8.3	217	4.7	19
1/16/23 10:30	11.9	92.9	8.3	217	4.7	19
1/16/23 10:45	11.9	93.0	8.3	217	4.7	18
1/16/23 11:00	12.0	93.1	8.3	217	4.7	18
1/16/23 11:15	12.0	93.1	8.3	217	4.7	18
1/16/23 11:30	12.0	93.2	8.3	217	4.8	18
1/16/23 11:45	12.0	93.3	8.3	217	4.8	18
1/16/23 12:00	12.0	93.3	8.3	217	4.8	17
1/16/23 12:15	12.0	93.4	8.3	217	4.8	18
1/16/23 12:30	12.0	93.5	8.3	217	4.9	18
1/16/23 12:45	12.0	93.6	8.3	217	4.9	19
1/16/23 13:00	12.0	93.7	8.3	217	4.9	18
1/16/23 13:15	12.0	93.7	8.3	217	4.9	21
1/16/23 13:30	12.0	93.8	8.3	217	4.9	20
1/16/23 13:45	12.0	93.8	8.3	217	5.0	19
1/16/23 14:00	12.0	93.8	8.3	217	5.0	18
1/16/23 14:15	12.0	93.9	8.3	218	5.0	19
1/16/23 14:30	12.0	93.9	8.3	218	5.0	18
1/16/23 14:45	12.0	94.0	8.3	217	5.1	18
1/16/23 15:00	12.0	93.9	8.3	217	5.1	18
1/16/23 15:15	12.0	93.9	8.3	217	5.1	18
1/16/23 15:30	12.0	93.9	8.3	217	5.1	18
1/16/23 15:45	12.0	93.8	8.3	217	5.1	18
1/16/23 16:00	11.9	93.7	8.3	217	5.1	18
1/16/23 16:15	11.9	93.7	8.3	217	5.1	17
1/16/23 16:30	11.9	93.6	8.3	217	5.0	18
1/16/23 16:45	11.9	93.5	8.3	217	5.0	18
1/16/23 17:00	11.9	93.4	8.3	217	5.0	17
1/16/23 17:15	11.9	93.3	8.3	217	5.0	18
1/16/23 17:30	11.9	93.3	8.3	217	5.0	19
1/16/23 17:45	11.9	93.2	8.3	217	4.9	18

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 18:00	11.9	93.1	8.3	217	4.9	18
1/16/23 18:15	11.9	93.1	8.3	217	4.9	19
1/16/23 18:30	11.9	93.0	8.3	217	4.9	19
1/16/23 18:45	11.9	93.0	8.3	217	4.9	18
1/16/23 19:00	11.9	92.9	8.3	217	4.9	19
1/16/23 19:15	11.9	92.9	8.3	217	4.9	20
1/16/23 19:30	11.9	92.9	8.3	217	4.8	18
1/16/23 19:45	11.9	92.8	8.3	217	4.8	19
1/16/23 20:00	11.9	92.8	8.3	217	4.8	19
1/16/23 20:15	11.9	92.8	8.3	217	4.8	18
1/16/23 20:30	11.9	92.8	8.3	217	4.8	19
1/16/23 20:45	11.9	92.8	8.3	217	4.8	18
1/16/23 21:00	11.9	92.8	8.3	217	4.8	17
1/16/23 21:15	11.9	92.8	8.3	217	4.8	19
1/16/23 21:30	11.9	92.8	8.3	217	4.7	18
1/16/23 21:45	11.9	92.8	8.3	218	4.7	18
1/16/23 22:00	11.9	92.8	8.3	218	4.7	17
1/16/23 22:15	12.0	92.8	8.3	218	4.7	18
1/16/23 22:30	12.0	92.8	8.3	218	4.6	18
1/16/23 22:45	12.0	92.8	8.3	218	4.6	18
1/16/23 23:00	12.0	92.8	8.3	219	4.6	14
1/16/23 23:15	12.0	92.8	8.3	219	4.6	18
1/16/23 23:30	12.0	92.8	8.3	219	4.6	18
1/16/23 23:45	12.0	92.8	8.3	219	4.6	18
1/17/23 0:00	12.0	92.8	8.3	220	4.5	18
1/17/23 0:15	12.0	92.8	8.3	220	4.5	19
1/17/23 0:30	12.0	92.8	8.3	220	4.5	20
1/17/23 0:45	12.0	92.8	8.3	221	4.5	19
1/17/23 1:00	12.0	92.8	8.3	221	4.5	19
1/17/23 1:15	12.0	92.9	8.3	221	4.5	18
1/17/23 1:30	12.0	92.8	8.3	221	4.5	19
1/17/23 1:45	12.0	92.9	8.3	222	4.5	18
1/17/23 2:00	12.0	92.9	8.3	222	4.6	18
1/17/23 2:15	12.0	92.9	8.3	222	4.6	18
1/17/23 2:30	12.0	92.9	8.3	222	4.6	18
1/17/23 2:45	12.0	92.9	8.3	222	4.6	18
1/17/23 3:00	12.0	92.9	8.3	222	4.6	18
1/17/23 3:15	12.0	92.9	8.3	223	4.6	14
1/17/23 3:30	12.0	92.9	8.3	223	4.6	18
1/17/23 3:45	12.0	92.9	8.3	223	4.6	18
1/17/23 4:00	12.0	92.9	8.3	223	4.6	18
1/17/23 4:15	12.0	93.0	8.3	223	4.6	18

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 4:30	12.0	93.0	8.3	223	4.6	17
1/17/23 4:45	12.0	93.0	8.3	223	4.6	17
1/17/23 5:00	12.0	93.1	8.3	223	4.6	17
1/17/23 5:15	12.0	93.0	8.3	223	4.6	20
1/17/23 5:30	12.0	93.1	8.3	223	4.6	17
1/17/23 5:45	12.0	93.1	8.3	223	4.6	17
1/17/23 6:00	12.0	93.1	8.3	223	4.6	17
1/17/23 6:15	12.0	93.1	8.3	223	4.6	17
1/17/23 6:30	12.0	93.2	8.3	223	4.6	16
1/17/23 6:45	12.0	93.2	8.3	223	4.5	17
1/17/23 7:00	12.0	93.2	8.3	223	4.5	17
1/17/23 7:15	12.1	93.2	8.3	223	4.5	16
1/17/23 7:30	12.1	93.2	8.3	223	4.4	14
1/17/23 7:45	12.1	93.2	8.3	223	4.4	16
1/17/23 8:00	12.1	93.3	8.3	223	4.4	16
1/17/23 8:15	12.1	93.3	8.3	223	4.4	16
1/17/23 8:30	12.1	93.3	8.3	223	4.3	17
1/17/23 8:45	12.1	93.4	8.3	223	4.3	16
1/17/23 9:00	12.2	93.4	8.3	223	4.3	16
1/17/23 9:15	12.2	93.5	8.3	223	4.2	16
1/17/23 9:30	12.2	93.6	8.3	223	4.2	15
1/17/23 9:45	12.2	93.6	8.3	223	4.2	15
1/17/23 10:00	12.2	93.7	8.3	223	4.2	16
1/17/23 10:15	12.2	93.8	8.3	223	4.2	15
1/17/23 10:30	12.3	93.9	8.3	223	4.2	16
1/17/23 10:45	12.3	94.0	8.3	223	4.2	16
1/17/23 11:00	12.3	94.1	8.3	222	4.2	16
1/17/23 11:15	12.3	94.2	8.3	222	4.2	17
1/17/23 11:30	12.3	94.3	8.3	222	4.2	16
1/17/23 11:45	12.3	94.4	8.3	222	4.2	16
1/17/23 12:00	12.3	94.6	8.3	222	4.3	14
1/17/23 12:15	12.3	94.7	8.3	222	4.3	15
1/17/23 12:30	12.3	94.8	8.3	222	4.3	13
1/17/23 12:45	12.3	94.8	8.3	221	4.4	15
1/17/23 13:00	12.3	95.0	8.3	221	4.4	16
1/17/23 13:15	12.3	95.0	8.3	221	4.4	15
1/17/23 13:30	12.3	95.1	8.3	221	4.5	16
1/17/23 13:45	12.3	95.1	8.3	221	4.5	16
1/17/23 14:00	12.3	95.1	8.3	220	4.5	15
1/17/23 14:15	12.3	95.2	8.3	220	4.5	15
1/17/23 14:30	12.3	95.2	8.3	220	4.5	15
1/17/23 14:45	12.3	95.1	8.3	220	4.5	16

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 15:00	12.3	95.1	8.3	220	4.5	15
1/17/23 15:15	12.3	95.0	8.3	219	4.5	15
1/17/23 15:30	12.3	95.0	8.3	219	4.4	15
1/17/23 15:45	12.3	94.9	8.3	219	4.4	15
1/17/23 16:00	12.3	94.8	8.3	219	4.4	15
1/17/23 16:15	12.3	94.7	8.3	219	4.3	15
1/17/23 16:30	12.3	94.6	8.3	219	4.3	14
1/17/23 16:45	12.3	94.5	8.3	218	4.3	15
1/17/23 17:00	12.3	94.4	8.3	218	4.3	14
1/17/23 17:15	12.3	94.4	8.3	218	4.3	15
1/17/23 17:30	12.3	94.3	8.3	218	4.3	14
1/17/23 17:45	12.3	94.2	8.3	217	4.3	14
1/17/23 18:00	12.2	94.2	8.3	217	4.3	14
1/17/23 18:15	12.2	94.1	8.3	217	4.3	16
1/17/23 18:30	12.2	94.1	8.3	217	4.3	14
1/17/23 18:45	12.2	94.0	8.3	217	4.3	15
1/17/23 19:00	12.2	94.0	8.3	217	4.3	14
1/17/23 19:15	12.2	93.9	8.3	216	4.3	14
1/17/23 19:30	12.2	93.9	8.3	216	4.3	14
1/17/23 19:45	12.2	93.9	8.3	216	4.3	15
1/17/23 20:00	12.2	93.9	8.3	216	4.3	14
1/17/23 20:15	12.2	93.8	8.3	216	4.3	14
1/17/23 20:30	12.2	93.8	8.3	215	4.3	14
1/17/23 20:45	12.2	93.8	8.3	215	4.2	15
1/17/23 21:00	12.2	93.8	8.3	215	4.2	14
1/17/23 21:15	12.2	93.7	8.3	215	4.2	14
1/17/23 21:30	12.2	93.7	8.3	215	4.2	14
1/17/23 21:45	12.2	93.7	8.3	215	4.2	14
1/17/23 22:00	12.2	93.7	8.3	214	4.2	14
1/17/23 22:15	12.2	93.7	8.3	214	4.2	14
1/17/23 22:30	12.2	93.6	8.3	214	4.1	14
1/17/23 22:45	12.2	93.6	8.3	214	4.1	14
1/17/23 23:00	12.2	93.6	8.3	214	4.1	14
1/17/23 23:15	12.2	93.6	8.3	214	4.1	14
1/17/23 23:30	12.2	93.5	8.3	214	4.1	14
1/17/23 23:45	12.2	93.5	8.3	213	4.1	14
1/18/23 0:00	12.2	93.5	8.3	213	4.1	14
1/18/23 0:15	12.2	93.5	8.3	213	4.1	14
1/18/23 0:30	12.2	93.4	8.3	213	4.1	14
1/18/23 0:45	12.2	93.4	8.3	213	4.1	15
1/18/23 1:00	12.2	93.4	8.3	213	4.1	14
1/18/23 1:15	12.2	93.4	8.3	213	4.1	13

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	12.2	93.4	8.3	212	4.2	14
1/18/23 1:45	12.2	93.3	8.3	212	4.2	14
1/18/23 2:00	12.2	93.3	8.3	212	4.2	14
1/18/23 2:15	12.1	93.3	8.3	212	4.3	14
1/18/23 2:30	12.1	93.3	8.3	212	4.3	14
1/18/23 2:45	12.1	93.3	8.3	212	4.3	15
1/18/23 3:00	12.1	93.3	8.3	212	4.3	14
1/18/23 3:15	12.1	93.3	8.3	211	4.4	15
1/18/23 3:30	12.1	93.3	8.3	211	4.4	14
1/18/23 3:45	12.1	93.3	8.3	211	4.4	14
1/18/23 4:00	12.1	93.3	8.3	211	4.5	14
1/18/23 4:15	12.1	93.3	8.3	211	4.5	14
1/18/23 4:30	12.1	93.3	8.3	211	4.5	14
1/18/23 4:45	12.1	93.3	8.3	211	4.5	14
1/18/23 5:00	12.1	93.3	8.3	211	4.5	14
1/18/23 5:15	12.1	93.3	8.3	211	4.5	14
1/18/23 5:30	12.1	93.3	8.3	210	4.5	14
1/18/23 5:45	12.1	93.3	8.3	210	4.6	14
1/18/23 6:00	12.1	93.4	8.3	210	4.6	17
1/18/23 6:15	12.1	93.4	8.3	210	4.6	14
1/18/23 6:30	12.1	93.4	8.3	210	4.6	12
1/18/23 6:45	12.1	93.4	8.3	210	4.5	14
1/18/23 7:00	12.1	93.4	8.3	210	4.5	14
1/18/23 7:15	12.1	93.4	8.3	210	4.5	14
1/18/23 7:30	12.1	93.4	8.3	210	4.5	14
1/18/23 7:45	12.1	93.4	8.3	209	4.5	14
1/18/23 8:00	12.1	93.4	8.3	209	4.5	14
1/18/23 8:15	12.1	93.5	8.3	209	4.5	14
1/18/23 8:30	12.1	93.5	8.3	209	4.4	14
1/18/23 8:45	12.1	93.5	8.3	209	4.4	14
1/18/23 9:00	12.1	93.6	8.3	209	4.4	14
1/18/23 9:15	12.1	93.6	8.3	209	4.4	14
1/18/23 9:30	12.2	93.7	8.3	209	4.4	14
1/18/23 9:45	12.2	93.7	8.3	209	4.4	14
1/18/23 10:00	12.2	93.8	8.3	209	4.3	14
1/18/23 10:15	12.2	93.8	8.3	209	4.3	13
1/18/23 10:30						
1/18/23 10:45						
1/18/23 11:00						
1/18/23 11:15						
1/18/23 11:30						
1/18/23 11:45						

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
1/18/23 12:00						
1/18/23 12:15						
1/18/23 12:30						
1/18/23 12:45						
1/18/23 13:00						
1/18/23 13:15						
1/18/23 13:30						
1/18/23 13:45						
1/18/23 14:00						
1/18/23 14:15						
1/18/23 14:30						
1/18/23 14:45						
1/18/23 15:00						
1/18/23 15:15						
1/18/23 15:30						
1/18/23 15:45						
1/18/23 16:00						
1/18/23 16:15						
1/18/23 16:30						
1/18/23 16:45						
1/18/23 17:00						
1/18/23 17:15						
1/18/23 17:30						
1/18/23 17:45						
1/18/23 18:00						
1/18/23 18:15						
1/18/23 18:30						
1/18/23 18:45						
1/18/23 19:00						
1/18/23 19:15						
1/18/23 19:30						
1/18/23 19:45						
1/18/23 20:00						
1/18/23 20:15						
1/18/23 20:30						
1/18/23 20:45						
1/18/23 21:00						
1/18/23 21:15						
1/18/23 21:30						
1/18/23 21:45						
1/18/23 22:00						
1/18/23 22:15						

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
1/18/23 22:30						
1/18/23 22:45						
1/18/23 23:00						
1/18/23 23:15						
1/18/23 23:30						
1/18/23 23:45						
1/19/23 0:00						
1/19/23 0:15						
1/19/23 0:30						
1/19/23 0:45						
1/19/23 1:00						
1/19/23 1:15						
1/19/23 1:30						
1/19/23 1:45						
1/19/23 2:00						
1/19/23 2:15						
1/19/23 2:30						
1/19/23 2:45						
1/19/23 3:00						
1/19/23 3:15						
1/19/23 3:30						
1/19/23 3:45						
1/19/23 4:00						
1/19/23 4:15						
1/19/23 4:30						
1/19/23 4:45						
1/19/23 5:00						
1/19/23 5:15						
1/19/23 5:30						
1/19/23 5:45						
1/19/23 6:00						
1/19/23 6:15						
1/19/23 6:30	12.2	93.9	8.3	201	4.3	13
1/19/23 6:45	12.2	93.9	8.3	201	4.3	13
1/19/23 7:00	12.2	93.9	8.3	201	4.3	13
1/19/23 7:15	12.2	93.9	8.3	201	4.3	12
1/19/23 7:30	12.2	93.9	8.3	201	4.3	12
1/19/23 7:45	12.2	94.0	8.3	202	4.2	12
1/19/23 8:00	12.2	94.0	8.3	202	4.2	13
1/19/23 8:15	12.3	94.0	8.2	202	4.2	13
1/19/23 8:30	12.3	94.1	8.3	202	4.2	12
1/19/23 8:45	12.3	94.2	8.3	202	4.2	13

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 9:00	12.3	94.2	8.3	202	4.2	12
1/19/23 9:15	12.3	94.3	8.2	203	4.2	13
1/19/23 9:30	12.3	94.4	8.3	203	4.2	12
1/19/23 9:45	12.3	94.5	8.3	203	4.2	12
1/19/23 10:00	12.3	94.6	8.3	203	4.2	13
1/19/23 10:15	12.4	94.7	8.3	204	4.2	12
1/19/23 10:30	12.4	94.8	8.3	204	4.2	13
1/19/23 10:45	12.4	95.0	8.3	204	4.2	13
1/19/23 11:00	12.4	95.1	8.3	204	4.3	12
1/19/23 11:15	12.4	95.3	8.3	205	4.3	12
1/19/23 11:30	12.4	95.3	8.3	205	4.3	12
1/19/23 11:45	12.4	95.4	8.3	205	4.3	12
1/19/23 12:00	12.4	95.4	8.3	205	4.3	12
1/19/23 12:15	12.4	95.6	8.3	205	4.4	12
1/19/23 12:30	12.4	95.8	8.3	205	4.5	12
1/19/23 12:45	12.4	95.9	8.3	205	4.6	12
1/19/23 13:00	12.4	96.0	8.3	205	4.6	13
1/19/23 13:15	12.4	96.0	8.3	205	4.6	12
1/19/23 13:30	12.4	96.1	8.3	205	4.6	12
1/19/23 13:45	12.4	96.1	8.3	205	4.7	12
1/19/23 14:00	12.4	96.1	8.3	205	4.7	12
1/19/23 14:15	12.3	96.1	8.3	205	4.8	12
1/19/23 14:30	12.3	96.2	8.3	205	4.8	12
1/19/23 14:45	12.3	96.1	8.3	205	4.8	12
1/19/23 15:00	12.3	96.0	8.3	205	4.8	13
1/19/23 15:15	12.3	96.0	8.3	204	4.8	12
1/19/23 15:30	12.3	95.9	8.3	204	4.8	12
1/19/23 15:45	12.3	95.8	8.3	204	4.7	12
1/19/23 16:00	12.3	95.7	8.3	204	4.7	12
1/19/23 16:15	12.3	95.6	8.3	204	4.7	13
1/19/23 16:30	12.3	95.4	8.3	204	4.6	12
1/19/23 16:45	12.3	95.3	8.3	204	4.6	12
1/19/23 17:00	12.3	95.2	8.3	204	4.6	12
1/19/23 17:15	12.3	95.1	8.3	204	4.6	12
1/19/23 17:30	12.3	95.0	8.3	204	4.6	12
1/19/23 17:45	12.2	94.9	8.3	204	4.6	12
1/19/23 18:00	12.2	94.8	8.3	204	4.6	12
1/19/23 18:15	12.2	94.7	8.3	204	4.6	12
1/19/23 18:30	12.2	94.7	8.3	204	4.6	12
1/19/23 18:45	12.2	94.6	8.3	204	4.6	12
1/19/23 19:00	12.2	94.6	8.3	205	4.6	12
1/19/23 19:15	12.2	94.5	8.3	205	4.6	12

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 19:30	12.2	94.5	8.3	205	4.6	12
1/19/23 19:45	12.2	94.5	8.3	205	4.5	12
1/19/23 20:00	12.2	94.4	8.3	205	4.5	12
1/19/23 20:15	12.2	94.4	8.3	205	4.5	11
1/19/23 20:30	12.2	94.4	8.3	205	4.5	11
1/19/23 20:45	12.2	94.3	8.3	205	4.5	11
1/19/23 21:00	12.2	94.3	8.3	205	4.4	12
1/19/23 21:15	12.2	94.3	8.3	205	4.4	12
1/19/23 21:30	12.2	94.3	8.3	205	4.4	11
1/19/23 21:45	12.2	94.3	8.3	205	4.4	12
1/19/23 22:00	12.2	94.2	8.3	204	4.4	12
1/19/23 22:15	12.2	94.2	8.3	204	4.4	11
1/19/23 22:30	12.2	94.2	8.3	204	4.3	11
1/19/23 22:45	12.2	94.2	8.3	204	4.3	12
1/19/23 23:00	12.2	94.2	8.3	204	4.3	11
1/19/23 23:15	12.2	94.2	8.3	204	4.3	12
1/19/23 23:30	12.3	94.2	8.3	204	4.3	12
1/19/23 23:45	12.3	94.3	8.3	204	4.3	12
1/20/23 0:00	12.3	94.3	8.3	204	4.3	11
1/20/23 0:15	12.3	94.3	8.3	204	4.3	12
1/20/23 0:30	12.3	94.2	8.3	204	4.3	11
1/20/23 0:45	12.3	94.3	8.3	204	4.3	11
1/20/23 1:00	12.3	94.2	8.3	204	4.3	12
1/20/23 1:15	12.3	94.2	8.3	204	4.3	11
1/20/23 1:30	12.3	94.3	8.3	204	4.3	12
1/20/23 1:45	12.3	94.3	8.3	204	4.3	12
1/20/23 2:00	12.3	94.3	8.3	204	4.3	12
1/20/23 2:15	12.3	94.3	8.3	204	4.3	11
1/20/23 2:30	12.3	94.2	8.3	204	4.3	11
1/20/23 2:45	12.3	94.2	8.3	204	4.3	12
1/20/23 3:00	12.3	94.2	8.3	204	4.3	11
1/20/23 3:15	12.3	94.2	8.3	204	4.3	11
1/20/23 3:30	12.3	94.2	8.3	204	4.3	12
1/20/23 3:45	12.2	94.2	8.3	204	4.3	11
1/20/23 4:00	12.2	94.2	8.3	204	4.3	12
1/20/23 4:15	12.3	94.2	8.3	204	4.3	11
1/20/23 4:30	12.3	94.2	8.3	204	4.3	11
1/20/23 4:45	12.3	94.2	8.3	204	4.3	11
1/20/23 5:00	12.3	94.2	8.3	204	4.2	11
1/20/23 5:15	12.3	94.2	8.3	204	4.2	11
1/20/23 5:30	12.3	94.2	8.3	204	4.2	12
1/20/23 5:45	12.3	94.2	8.3	204	4.2	12

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 6:00	12.3	94.2	8.3	204	4.1	11
1/20/23 6:15	12.3	94.2	8.3	204	4.1	11
1/20/23 6:30	12.3	94.2	8.3	204	4.1	12
1/20/23 6:45	12.3	94.2	8.3	204	4.0	11
1/20/23 7:00	12.3	94.2	8.3	204	4.0	11
1/20/23 7:15	12.4	94.2	8.3	204	4.0	11
1/20/23 7:30	12.4	94.2	8.3	204	3.9	11
1/20/23 7:45	12.4	94.2	8.3	203	3.9	12
1/20/23 8:00	12.4	94.3	8.3	203	3.9	12
1/20/23 8:15	12.4	94.3	8.3	203	3.8	11
1/20/23 8:30	12.4	94.3	8.3	203	3.8	11
1/20/23 8:45	12.5	94.4	8.3	203	3.7	11
1/20/23 9:00	12.5	94.5	8.3	203	3.7	12
1/20/23 9:15	12.5	94.5	8.3	203	3.7	12
1/20/23 9:30	12.5	94.6	8.3	203	3.7	11
1/20/23 9:45	12.5	94.7	8.3	203	3.7	12
1/20/23 10:00	12.5	94.8	8.3	203	3.7	11
1/20/23 10:15	12.6	94.9	8.3	203	3.7	11
1/20/23 10:30	12.6	95.1	8.3	203	3.7	12
1/20/23 10:45	12.6	95.2	8.3	203	3.7	11
1/20/23 11:00	12.6	95.3	8.3	203	3.7	11
1/20/23 11:15	12.6	95.5	8.3	203	3.7	11
1/20/23 11:30	12.6	95.6	8.3	203	3.8	11
1/20/23 11:45	12.6	95.7	8.3	203	3.8	11
1/20/23 12:00	12.6	95.8	8.3	203	3.8	11
1/20/23 12:15	12.6	96.0	8.3	203	3.8	11
1/20/23 12:30	12.6	96.1	8.3	203	3.9	11
1/20/23 12:45	12.6	96.2	8.3	203	3.9	11
1/20/23 13:00	12.6	96.3	8.3	203	4.0	11
1/20/23 13:15	12.6	96.4	8.3	203	4.0	11
1/20/23 13:30	12.6	96.5	8.3	203	4.0	11
1/20/23 13:45	12.6	96.5	8.3	203	4.1	11
1/20/23 14:00	12.6	96.5	8.3	203	4.1	11
1/20/23 14:15	12.6	96.5	8.3	203	4.1	11
1/20/23 14:30	12.6	96.5	8.3	203	4.1	11
1/20/23 14:45	12.6	96.5	8.3	203	4.1	11
1/20/23 15:00	12.6	96.4	8.3	203	4.1	11
1/20/23 15:15	12.6	96.3	8.3	203	4.1	11
1/20/23 15:30	12.6	96.2	8.3	203	4.1	11
1/20/23 15:45	12.6	96.1	8.3	203	4.1	11
1/20/23 16:00	12.6	96.0	8.3	203	4.1	12
1/20/23 16:15	12.6	95.9	8.3	204	4.0	11

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	12.6	95.8	8.3	204	4.0	11
1/20/23 16:45	12.5	95.6	8.3	204	4.0	11
1/20/23 17:00	12.5	95.5	8.3	204	3.9	11
1/20/23 17:15	12.5	95.4	8.3	204	3.9	11
1/20/23 17:30	12.5	95.3	8.3	204	3.9	11
1/20/23 17:45	12.5	95.2	8.3	204	3.9	11
1/20/23 18:00	12.5	95.1	8.3	204	3.9	11
1/20/23 18:15	12.5	95.0	8.3	204	3.9	11
1/20/23 18:30	12.5	94.9	8.3	205	3.9	11
1/20/23 18:45	12.5	94.9	8.3	205	3.9	11
1/20/23 19:00	12.5	94.9	8.3	205	3.8	10
1/20/23 19:15	12.5	94.8	8.3	205	3.8	10
1/20/23 19:30	12.5	94.8	8.3	205	3.8	11
1/20/23 19:45	12.5	94.8	8.3	205	3.8	10
1/20/23 20:00	12.5	94.7	8.3	205	3.8	11
1/20/23 20:15	12.5	94.7	8.3	205	3.8	10
1/20/23 20:30	12.5	94.7	8.3	205	3.8	10
1/20/23 20:45	12.5	94.7	8.3	205	3.7	11
1/20/23 21:00	12.5	94.6	8.3	205	3.7	11
1/20/23 21:15	12.5	94.6	8.3	205	3.7	11
1/20/23 21:30	12.5	94.6	8.3	205	3.7	11
1/20/23 21:45	12.5	94.6	8.3	205	3.7	10
1/20/23 22:00	12.5	94.6	8.3	205	3.7	11
1/20/23 22:15	12.5	94.6	8.3	205	3.6	10
1/20/23 22:30	12.5	94.5	8.3	205	3.6	10
1/20/23 22:45	12.5	94.5	8.3	205	3.6	10
1/20/23 23:00	12.5	94.5	8.3	205	3.6	10
1/20/23 23:15	12.5	94.5	8.3	204	3.6	11
1/20/23 23:30	12.5	94.5	8.3	204	3.6	11
1/20/23 23:45	12.5	94.5	8.3	204	3.6	11
1/21/23 0:00	12.5	94.5	8.3	204	3.6	11
1/21/23 0:15	12.5	94.5	8.3	204	3.6	10
1/21/23 0:30	12.5	94.5	8.3	204	3.6	11
1/21/23 0:45	12.5	94.5	8.3	204	3.6	11
1/21/23 1:00	12.5	94.4	8.3	204	3.6	10
1/21/23 1:15	12.5	94.5	8.3	204	3.6	11
1/21/23 1:30	12.5	94.4	8.3	204	3.6	11
1/21/23 1:45	12.5	94.4	8.3	204	3.6	11
1/21/23 2:00	12.5	94.4	8.3	204	3.6	11
1/21/23 2:15	12.5	94.4	8.3	204	3.6	11
1/21/23 2:30	12.5	94.4	8.3	204	3.6	11
1/21/23 2:45	12.5	94.4	8.3	204	3.6	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 3:00	12.5	94.4	8.3	204	3.6	11
1/21/23 3:15	12.5	94.4	8.3	204	3.6	11
1/21/23 3:30	12.5	94.4	8.3	204	3.6	10
1/21/23 3:45	12.5	94.3	8.3	204	3.6	11
1/21/23 4:00	12.5	94.4	8.3	204	3.6	10
1/21/23 4:15	12.5	94.3	8.3	204	3.6	10
1/21/23 4:30	12.5	94.3	8.3	203	3.7	10
1/21/23 4:45	12.5	94.3	8.3	203	3.7	11
1/21/23 5:00	12.5	94.3	8.3	203	3.7	10
1/21/23 5:15	12.5	94.3	8.3	203	3.7	11
1/21/23 5:30	12.5	94.3	8.3	203	3.7	10
1/21/23 5:45	12.5	94.3	8.3	203	3.7	11
1/21/23 6:00	12.5	94.3	8.3	203	3.7	11
1/21/23 6:15	12.5	94.3	8.3	203	3.6	11
1/21/23 6:30	12.5	94.3	8.3	203	3.6	10
1/21/23 6:45	12.5	94.3	8.3	203	3.6	10
1/21/23 7:00	12.5	94.3	8.3	203	3.6	10
1/21/23 7:15	12.5	94.3	8.3	203	3.6	11
1/21/23 7:30	12.5	94.4	8.3	203	3.5	11
1/21/23 7:45	12.5	94.4	8.3	203	3.5	11
1/21/23 8:00	12.5	94.5	8.3	203	3.5	11
1/21/23 8:15	12.6	94.5	8.3	203	3.5	11
1/21/23 8:30	12.6	94.6	8.3	203	3.4	11
1/21/23 8:45	12.6	94.6	8.3	203	3.4	11
1/21/23 9:00	12.6	94.7	8.3	203	3.4	11
1/21/23 9:15	12.6	94.7	8.3	203	3.4	10
1/21/23 9:30	12.6	94.8	8.3	203	3.3	11
1/21/23 9:45	12.7	95.0	8.3	203	3.3	11
1/21/23 10:00	12.7	95.1	8.3	203	3.3	11
1/21/23 10:15	12.7	95.3	8.3	203	3.4	11
1/21/23 10:30	12.7	95.3	8.3	203	3.3	11
1/21/23 10:45	12.7	95.4	8.3	203	3.3	10
1/21/23 11:00	12.7	95.6	8.3	203	3.3	10
1/21/23 11:15	12.8	95.7	8.3	203	3.4	10
1/21/23 11:30	12.8	95.8	8.3	203	3.4	10
1/21/23 11:45	12.8	96.0	8.3	203	3.4	10
1/21/23 12:00	12.8	96.1	8.3	203	3.4	10
1/21/23 12:15	12.8	96.1	8.3	203	3.4	10
1/21/23 12:30	12.8	96.2	8.3	203	3.4	10
1/21/23 12:45	12.8	96.3	8.3	203	3.5	10
1/21/23 13:00	12.8	96.4	8.3	203	3.5	10
1/21/23 13:15	12.8	96.5	8.3	203	3.5	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 13:30	12.8	96.5	8.3	203	3.6	10
1/21/23 13:45	12.8	96.5	8.3	203	3.6	10
1/21/23 14:00	12.8	96.5	8.3	203	3.6	10
1/21/23 14:15	12.8	96.5	8.3	203	3.6	10
1/21/23 14:30	12.8	96.5	8.3	203	3.6	10
1/21/23 14:45	12.8	96.5	8.3	203	3.6	10
1/21/23 15:00	12.8	96.4	8.3	203	3.6	10
1/21/23 15:15	12.8	96.4	8.3	203	3.6	10
1/21/23 15:30	12.8	96.3	8.3	203	3.6	10
1/21/23 15:45	12.8	96.3	8.3	203	3.6	10
1/21/23 16:00	12.8	96.3	8.3	203	3.6	10
1/21/23 16:15	12.7	96.2	8.3	203	3.6	10
1/21/23 16:30	12.7	96.1	8.3	203	3.6	10
1/21/23 16:45	12.7	96.0	8.3	203	3.6	10
1/21/23 17:00	12.7	95.9	8.3	203	3.6	10
1/21/23 17:15	12.7	95.8	8.3	203	3.6	10
1/21/23 17:30	12.7	95.6	8.3	203	3.6	10
1/21/23 17:45	12.7	95.5	8.3	203	3.6	10
1/21/23 18:00	12.6	95.5	8.3	202	3.6	10
1/21/23 18:15	12.6	95.4	8.3	202	3.6	10
1/21/23 18:30	12.6	95.3	8.3	202	3.6	10
1/21/23 18:45	12.6	95.3	8.3	202	3.6	10
1/21/23 19:00	12.6	95.2	8.3	202	3.7	10
1/21/23 19:15	12.6	95.2	8.3	202	3.7	10
1/21/23 19:30	12.6	95.1	8.3	202	3.7	10
1/21/23 19:45	12.6	95.1	8.3	202	3.7	10
1/21/23 20:00	12.6	95.0	8.3	202	3.7	10
1/21/23 20:15	12.6	95.0	8.3	202	3.7	10
1/21/23 20:30	12.5	94.9	8.3	202	3.7	10
1/21/23 20:45	12.5	94.9	8.3	202	3.7	10
1/21/23 21:00	12.5	94.8	8.3	202	3.7	10
1/21/23 21:15	12.5	94.8	8.3	202	3.6	10
1/21/23 21:30	12.5	94.7	8.3	202	3.6	10
1/21/23 21:45	12.5	94.7	8.3	201	3.6	10
1/21/23 22:00	12.6	94.7	8.3	201	3.6	10
1/21/23 22:15	12.6	94.6	8.3	201	3.5	10
1/21/23 22:30	12.6	94.6	8.3	201	3.5	10
1/21/23 22:45	12.6	94.6	8.3	201	3.5	10
1/21/23 23:00	12.6	94.5	8.3	201	3.5	10
1/21/23 23:15	12.6	94.5	8.3	201	3.5	10
1/21/23 23:30	12.6	94.5	8.3	201	3.5	10
1/21/23 23:45	12.5	94.4	8.3	201	3.5	10

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 0:00	12.5	94.4	8.3	201	3.5	10
1/22/23 0:15	12.5	94.4	8.3	201	3.5	10
1/22/23 0:30	12.5	94.4	8.3	201	3.5	10
1/22/23 0:45	12.5	94.3	8.3	201	3.6	10
1/22/23 1:00	12.5	94.3	8.3	200	3.6	10
1/22/23 1:15	12.5	94.3	8.3	200	3.6	10
1/22/23 1:30	12.5	94.3	8.3	200	3.7	10
1/22/23 1:45	12.5	94.2	8.3	200	3.7	10
1/22/23 2:00	12.4	94.2	8.3	200	3.7	10
1/22/23 2:15	12.4	94.2	8.3	200	3.7	10
1/22/23 2:30	12.4	94.2	8.3	200	3.8	10
1/22/23 2:45	12.4	94.2	8.3	200	3.8	10
1/22/23 3:00	12.4	94.2	8.3	200	3.8	10
1/22/23 3:15	12.4	94.2	8.3	200	3.8	10
1/22/23 3:30	12.4	94.2	8.3	199	3.9	10
1/22/23 3:45	12.4	94.3	8.3	199	3.9	10
1/22/23 4:00	12.4	94.2	8.3	199	3.9	10
1/22/23 4:15	12.4	94.2	8.3	199	3.9	10
1/22/23 4:30	12.4	94.3	8.3	199	3.9	10
1/22/23 4:45	12.4	94.3	8.3	199	3.9	10
1/22/23 5:00	12.4	94.3	8.3	199	3.9	10
1/22/23 5:15	12.4	94.3	8.3	199	4.0	10
1/22/23 5:30	12.4	94.3	8.3	199	4.0	10
1/22/23 5:45	12.4	94.3	8.3	199	4.0	10
1/22/23 6:00	12.4	94.3	8.3	199	4.0	10
1/22/23 6:15	12.4	94.3	8.3	199	4.0	10
1/22/23 6:30	12.3	94.3	8.3	199	4.0	10
1/22/23 6:45	12.3	94.3	8.3	198	4.0	10
1/22/23 7:00	12.3	94.3	8.3	198	4.0	10
1/22/23 7:15	12.3	94.3	8.3	198	4.0	10
1/22/23 7:30	12.4	94.3	8.3	198	4.0	10
1/22/23 7:45	12.4	94.3	8.3	198	4.0	10
1/22/23 8:00	12.4	94.4	8.3	198	4.0	10
1/22/23 8:15	12.4	94.4	8.3	198	4.0	10
1/22/23 8:30	12.4	94.5	8.3	198	4.0	10
1/22/23 8:45	12.4	94.5	8.3	198	3.9	10
1/22/23 9:00	12.4	94.5	8.3	198	3.9	10
1/22/23 9:15	12.4	94.6	8.3	198	3.9	10
1/22/23 9:30	12.5	94.7	8.3	198	3.9	10
1/22/23 9:45	12.5	94.8	8.3	198	3.9	10
1/22/23 10:00	12.5	94.9	8.3	198	3.9	10
1/22/23 10:15	12.5	95.0	8.3	198	3.9	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 10:30	12.5	95.1	8.3	198	3.8	10
1/22/23 10:45	12.5	95.3	8.3	198	3.9	10
1/22/23 11:00	12.5	95.3	8.3	198	3.8	10
1/22/23 11:15	12.6	95.4	8.3	198	3.8	10
1/22/23 11:30	12.6	95.6	8.3	198	3.9	10
1/22/23 11:45	12.6	95.6	8.3	198	3.8	10
1/22/23 12:00	12.6	95.8	8.3	198	3.9	10
1/22/23 12:15	12.6	95.9	8.3	198	3.9	10
1/22/23 12:30	12.6	96.0	8.3	198	4.0	10
1/22/23 12:45	12.6	96.1	8.3	198	4.0	10
1/22/23 13:00	12.6	96.2	8.3	198	4.0	10
1/22/23 13:15	12.6	96.2	8.3	198	4.0	10
1/22/23 13:30	12.6	96.3	8.3	198	4.1	10
1/22/23 13:45	12.6	96.4	8.3	198	4.1	10
1/22/23 14:00	12.6	96.4	8.3	198	4.1	10
1/22/23 14:15	12.6	96.4	8.3	198	4.1	10
1/22/23 14:30	12.6	96.4	8.3	198	4.2	10
1/22/23 14:45	12.6	96.5	8.3	198	4.2	10
1/22/23 15:00	12.6	96.4	8.3	198	4.2	10
1/22/23 15:15	12.6	96.3	8.3	198	4.1	10
1/22/23 15:30	12.6	96.2	8.3	198	4.1	10
1/22/23 15:45	12.6	96.1	8.3	198	4.1	10
1/22/23 16:00	12.6	96.0	8.3	198	4.1	10
1/22/23 16:15	12.5	95.9	8.3	197	4.1	10
1/22/23 16:30	12.5	95.8	8.3	197	4.1	10
1/22/23 16:45	12.5	95.7	8.3	197	4.1	10
1/22/23 17:00	12.5	95.5	8.3	197	4.0	10
1/22/23 17:15	12.5	95.4	8.3	197	4.0	10
1/22/23 17:30	12.5	95.3	8.3	197	4.0	10
1/22/23 17:45	12.5	95.2	8.3	197	4.0	10
1/22/23 18:00	12.5	95.1	8.3	197	4.0	10
1/22/23 18:15	12.5	95.0	8.3	197	4.0	10
1/22/23 18:30	12.4	94.9	8.3	197	4.0	10
1/22/23 18:45	12.4	94.9	8.3	197	4.0	10
1/22/23 19:00	12.4	94.8	8.3	197	4.0	10
1/22/23 19:15	12.4	94.8	8.3	197	4.0	10
1/22/23 19:30	12.4	94.7	8.3	197	4.0	10
1/22/23 19:45	12.4	94.7	8.3	197	3.9	10
1/22/23 20:00	12.4	94.7	8.3	197	3.9	10
1/22/23 20:15	12.4	94.6	8.3	197	3.9	10
1/22/23 20:30	12.4	94.6	8.3	197	3.9	10
1/22/23 20:45	12.4	94.6	8.3	197	3.9	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	12.4	94.6	8.3	197	3.8	10
1/22/23 21:15	12.4	94.6	8.3	197	3.8	10
1/22/23 21:30	12.5	94.5	8.3	197	3.8	10
1/22/23 21:45	12.5	94.5	8.3	197	3.8	10
1/22/23 22:00	12.5	94.5	8.3	197	3.8	10
1/22/23 22:15	12.5	94.5	8.3	197	3.7	10
1/22/23 22:30	12.5	94.5	8.3	197	3.7	10
1/22/23 22:45	12.5	94.5	8.3	197	3.7	10
1/22/23 23:00	12.5	94.5	8.3	196	3.7	10
1/22/23 23:15	12.5	94.5	8.3	196	3.7	10
1/22/23 23:30	12.5	94.5	8.3	196	3.7	10
1/22/23 23:45	12.5	94.5	8.3	196	3.7	10
1/23/23 0:00	12.5	94.5	8.3	196	3.7	10
1/23/23 0:15	12.5	94.5	8.3	196	3.7	10
1/23/23 0:30	12.5	94.5	8.3	196	3.7	10
1/23/23 0:45	12.5	94.4	8.3	196	3.8	10
1/23/23 1:00	12.4	94.4	8.3	196	3.8	10
1/23/23 1:15	12.4	94.4	8.3	196	3.8	10
1/23/23 1:30	12.4	94.4	8.3	196	3.8	10
1/23/23 1:45	12.4	94.3	8.3	196	3.9	10
1/23/23 2:00	12.4	94.3	8.3	196	3.9	10
1/23/23 2:15	12.4	94.3	8.3	196	3.9	10
1/23/23 2:30	12.4	94.2	8.3	196	3.9	10
1/23/23 2:45	12.4	94.2	8.3	196	4.0	10
1/23/23 3:00	12.3	94.2	8.3	196	4.0	10
1/23/23 3:15	12.3	94.2	8.3	196	4.0	10
1/23/23 3:30	12.3	94.1	8.3	196	4.0	10
1/23/23 3:45	12.3	94.1	8.3	196	4.0	10
1/23/23 4:00	12.3	94.1	8.3	196	4.0	10
1/23/23 4:15	12.3	94.1	8.3	196	4.0	10
1/23/23 4:30	12.3	94.1	8.3	196	4.0	10
1/23/23 4:45	12.3	94.1	8.3	195	4.0	10
1/23/23 5:00	12.3	94.1	8.3	195	4.0	10
1/23/23 5:15	12.3	94.1	8.3	195	4.0	10
1/23/23 5:30	12.3	94.1	8.3	195	4.0	10
1/23/23 5:45	12.3	94.1	8.3	195	4.0	10
1/23/23 6:00	12.3	94.1	8.3	195	4.0	10
1/23/23 6:15	12.3	94.1	8.3	195	4.0	10
1/23/23 6:30	12.3	94.1	8.3	195	4.0	10
1/23/23 6:45	12.3	94.1	8.3	195	4.0	10
1/23/23 7:00	12.3	94.1	8.3	195	4.0	10
1/23/23 7:15	12.3	94.1	8.3	195	4.0	10

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 7:30	12.4	94.1	8.3	195	3.9	10
1/23/23 7:45	12.4	94.1	8.3	195	3.9	10
1/23/23 8:00	12.4	94.2	8.3	195	3.9	10
1/23/23 8:15	12.4	94.2	8.3	195	3.8	10
1/23/23 8:30	12.4	94.2	8.3	195	3.8	10
1/23/23 8:45	12.4	94.3	8.3	195	3.8	10
1/23/23 9:00	12.4	94.4	8.3	195	3.8	10
1/23/23 9:15	12.5	94.5	8.3	195	3.8	9
1/23/23 9:30	12.5	94.6	8.3	195	3.7	10
1/23/23 9:45	12.5	94.7	8.3	195	3.7	10
1/23/23 10:00	12.5	94.8	8.3	195	3.7	10
1/23/23 10:15	12.5	95.0	8.3	195	3.7	10
1/23/23 10:30	12.6	95.1	8.3	195	3.7	10
1/23/23 10:45	12.6	95.3	8.3	195	3.8	10
1/23/23 11:00	12.6	95.4	8.3	195	3.8	10
1/23/23 11:15	12.6	95.5	8.3	195	3.8	10
1/23/23 11:30	12.6	95.7	8.3	195	3.8	10
1/23/23 11:45	12.6	95.8	8.3	195	3.8	10
1/23/23 12:00	12.6	95.9	8.3	195	3.9	10
1/23/23 12:15	12.6	96.1	8.3	195	3.9	10
1/23/23 12:30	12.6	96.2	8.3	195	3.9	10
1/23/23 12:45	12.6	96.3	8.3	195	4.0	10
1/23/23 13:00	12.6	96.4	8.3	194	4.0	10
1/23/23 13:15	12.6	96.5	8.3	194	4.0	10
1/23/23 13:30	12.6	96.5	8.3	194	4.1	10
1/23/23 13:45	12.6	96.5	8.3	194	4.1	10
1/23/23 14:00	12.6	96.6	8.3	194	4.1	10
1/23/23 14:15	12.6	96.6	8.3	194	4.1	10
1/23/23 14:30	12.6	96.6	8.3	194	4.1	10
1/23/23 14:45	12.6	96.6	8.3	194	4.1	10
1/23/23 15:00	12.6	96.5	8.3	194	4.1	10
1/23/23 15:15	12.6	96.4	8.3	194	4.1	10
1/23/23 15:30	12.6	96.3	8.3	194	4.1	10
1/23/23 15:45	12.6	96.2	8.3	194	4.0	10
1/23/23 16:00	12.6	96.1	8.3	194	4.0	10
1/23/23 16:15	12.6	96.0	8.3	194	4.0	10
1/23/23 16:30	12.6	95.8	8.3	194	4.0	10
1/23/23 16:45	12.6	95.7	8.3	194	3.9	9
1/23/23 17:00	12.6	95.6	8.3	194	3.9	10
1/23/23 17:15	12.5	95.4	8.3	194	3.9	10
1/23/23 17:30	12.5	95.3	8.3	193	3.9	10
1/23/23 17:45	12.5	95.2	8.3	193	3.9	10

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 18:00	12.5	95.1	8.3	193	3.8	10
1/23/23 18:15	12.5	95.0	8.3	193	3.8	10
1/23/23 18:30	12.5	94.9	8.3	193	3.8	10
1/23/23 18:45	12.5	94.9	8.3	193	3.8	10
1/23/23 19:00	12.5	94.8	8.3	193	3.8	10
1/23/23 19:15	12.5	94.8	8.3	193	3.8	10
1/23/23 19:30	12.5	94.8	8.3	193	3.8	10
1/23/23 19:45	12.5	94.7	8.3	193	3.8	10
1/23/23 20:00	12.5	94.7	8.3	193	3.8	10
1/23/23 20:15	12.5	94.7	8.3	193	3.8	10
1/23/23 20:30	12.5	94.7	8.3	193	3.7	10
1/23/23 20:45	12.5	94.7	8.3	193	3.7	10
1/23/23 21:00	12.5	94.6	8.3	193	3.7	10
1/23/23 21:15	12.5	94.6	8.3	193	3.7	10
1/23/23 21:30	12.5	94.6	8.3	193	3.7	10
1/23/23 21:45	12.5	94.6	8.3	193	3.6	10
1/23/23 22:00	12.5	94.6	8.3	192	3.6	10
1/23/23 22:15	12.5	94.6	8.3	192	3.6	10
1/23/23 22:30	12.5	94.6	8.3	192	3.6	10
1/23/23 22:45	12.5	94.6	8.3	192	3.6	10
1/23/23 23:00	12.5	94.6	8.3	192	3.6	10
1/23/23 23:15	12.5	94.6	8.3	192	3.5	10
1/23/23 23:30	12.5	94.6	8.3	192	3.5	9
1/23/23 23:45	12.5	94.5	8.3	192	3.5	10
1/24/23 0:00	12.5	94.5	8.3	192	3.5	10
1/24/23 0:15	12.5	94.5	8.3	192	3.5	10
1/24/23 0:30	12.5	94.5	8.3	191	3.6	10
1/24/23 0:45	12.5	94.5	8.3	191	3.6	10
1/24/23 1:00	12.5	94.5	8.3	191	3.6	9
1/24/23 1:15	12.5	94.4	8.3	191	3.6	10
1/24/23 1:30	12.5	94.4	8.3	191	3.7	10
1/24/23 1:45	12.5	94.4	8.3	190	3.7	10
1/24/23 2:00	12.5	94.4	8.3	190	3.7	10
1/24/23 2:15	12.4	94.4	8.3	190	3.8	9
1/24/23 2:30	12.4	94.4	8.3	190	3.8	10
1/24/23 2:45	12.4	94.3	8.3	190	3.8	10
1/24/23 3:00	12.4	94.3	8.3	189	3.8	10
1/24/23 3:15	12.4	94.3	8.3	189	3.9	10
1/24/23 3:30	12.4	94.3	8.3	189	3.9	10
1/24/23 3:45	12.4	94.3	8.3	189	3.9	9
1/24/23 4:00	12.4	94.3	8.3	189	3.9	9
1/24/23 4:15	12.4	94.3	8.3	189	3.9	9

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 4:30	12.4	94.3	8.3	189	4.0	9
1/24/23 4:45	12.4	94.3	8.3	189	4.0	10
1/24/23 5:00	12.4	94.3	8.3	189	4.0	10
1/24/23 5:15	12.4	94.3	8.3	189	4.0	10
1/24/23 5:30	12.4	94.3	8.3	189	4.0	10
1/24/23 5:45	12.4	94.3	8.3	189	4.0	10
1/24/23 6:00	12.4	94.3	8.3	189	4.0	10
1/24/23 6:15	12.4	94.3	8.3	189	3.9	10
1/24/23 6:30	12.4	94.3	8.3	189	3.9	10
1/24/23 6:45	12.4	94.3	8.3	189	3.9	10
1/24/23 7:00	12.4	94.4	8.3	189	3.9	10
1/24/23 7:15	12.4	94.4	8.3	189	3.9	10
1/24/23 7:30	12.4	94.4	8.3	189	3.8	10
1/24/23 7:45	12.4	94.4	8.3	189	3.8	10
1/24/23 8:00	12.5	94.5	8.3	189	3.8	10
1/24/23 8:15	12.5	94.5	8.3	189	3.8	10
1/24/23 8:30	12.5	94.6	8.3	189	3.7	10
1/24/23 8:45	12.5	94.7	8.3	190	3.7	10
1/24/23 9:00	12.5	94.7	8.3	190	3.7	10
1/24/23 9:15	12.5	94.9	8.3	190	3.7	9
1/24/23 9:30	12.6	95.0	8.2	190	3.6	10
1/24/23 9:45	12.6	95.1	8.3	190	3.6	10
1/24/23 10:00	12.6	95.2	8.3	190	3.6	9
1/24/23 10:15	12.6	95.4	8.3	191	3.6	10
1/24/23 10:30	12.6	95.5	8.3	191	3.6	10
1/24/23 10:45	12.7	95.6	8.3	191	3.6	10
1/24/23 11:00	12.7	95.8	8.3	191	3.7	10
1/24/23 11:15	12.7	96.0	8.3	191	3.7	10
1/24/23 11:30	12.7	96.1	8.3	191	3.7	9
1/24/23 11:45	12.7	96.2	8.3	191	3.7	9
1/24/23 12:00	12.7	96.4	8.3	191	3.7	9
1/24/23 12:15	12.7	96.5	8.3	191	3.8	10
1/24/23 12:30	12.7	96.7	8.3	191	3.8	10
1/24/23 12:45	12.7	96.8	8.3	192	3.8	10
1/24/23 13:00	12.7	96.9	8.3	192	3.9	9
1/24/23 13:15	12.7	97.0	8.3	192	3.9	9
1/24/23 13:30	12.7	97.0	8.3	192	3.9	10
1/24/23 13:45	12.7	97.1	8.3	192	4.0	10
1/24/23 14:00	12.7	97.1	8.3	192	4.0	10
1/24/23 14:15	12.7	97.1	8.3	192	4.0	10
1/24/23 14:30	12.7	97.1	8.3	192	4.0	10
1/24/23 14:45	12.7	97.1	8.3	192	4.0	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 15:00	12.7	97.1	8.3	192	4.0	10
1/24/23 15:15	12.7	97.0	8.3	192	4.0	10
1/24/23 15:30	12.7	96.8	8.3	192	3.9	10
1/24/23 15:45	12.7	96.7	8.3	192	3.9	10
1/24/23 16:00	12.7	96.6	8.3	191	3.9	10
1/24/23 16:15	12.7	96.5	8.3	191	3.9	10
1/24/23 16:30	12.7	96.3	8.3	191	3.8	12
1/24/23 16:45	12.7	96.2	8.3	191	3.8	10
1/24/23 17:00	12.7	96.1	8.3	191	3.8	9
1/24/23 17:15	12.7	95.9	8.3	191	3.8	10
1/24/23 17:30	12.6	95.8	8.3	191	3.7	10
1/24/23 17:45	12.6	95.7	8.3	191	3.7	10
1/24/23 18:00	12.6	95.6	8.3	191	3.7	9
1/24/23 18:15	12.6	95.5	8.3	191	3.7	9
1/24/23 18:30	12.6	95.4	8.3	191	3.7	10
1/24/23 18:45	12.6	95.3	8.3	191	3.7	10
1/24/23 19:00	12.6	95.3	8.3	191	3.7	10
1/24/23 19:15	12.6	95.2	8.3	191	3.7	10
1/24/23 19:30	12.6	95.2	8.3	191	3.7	10
1/24/23 19:45	12.6	95.1	8.3	191	3.7	10
1/24/23 20:00	12.6	95.1	8.3	191	3.7	10
1/24/23 20:15	12.6	95.1	8.3	191	3.7	10
1/24/23 20:30	12.6	95.1	8.3	191	3.7	10
1/24/23 20:45	12.6	95.0	8.3	191	3.6	10
1/24/23 21:00	12.6	95.0	8.3	191	3.6	9
1/24/23 21:15	12.6	95.0	8.3	191	3.6	10
1/24/23 21:30	12.6	95.0	8.3	191	3.6	10
1/24/23 21:45	12.6	95.0	8.3	191	3.6	10
1/24/23 22:00	12.6	95.0	8.3	191	3.6	10
1/24/23 22:15	12.6	94.9	8.3	191	3.5	10
1/24/23 22:30	12.6	94.9	8.3	191	3.5	10
1/24/23 22:45	12.6	94.9	8.3	191	3.5	10
1/24/23 23:00	12.6	94.9	8.3	191	3.5	10
1/24/23 23:15	12.6	94.9	8.3	191	3.5	10
1/24/23 23:30	12.6	94.9	8.3	191	3.5	10
1/24/23 23:45	12.6	94.9	8.3	191	3.5	10
1/25/23 0:00	12.6	94.9	8.3	190	3.5	10
1/25/23 0:15	12.6	94.8	8.3	190	3.5	10
1/25/23 0:30	12.6	94.8	8.3	190	3.5	10
1/25/23 0:45	12.6	94.8	8.3	190	3.5	10
1/25/23 1:00	12.6	94.8	8.3	189	3.5	10
1/25/23 1:15	12.6	94.7	8.3	189	3.6	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 1:30	12.5	94.7	8.3	189	3.6	10
1/25/23 1:45	12.5	94.7	8.3	189	3.6	10
1/25/23 2:00	12.5	94.7	8.3	188	3.7	10
1/25/23 2:15	12.5	94.7	8.3	188	3.7	10
1/25/23 2:30	12.5	94.6	8.3	188	3.7	10
1/25/23 2:45	12.5	94.6	8.3	188	3.8	9
1/25/23 3:00	12.5	94.6	8.3	188	3.8	9
1/25/23 3:15	12.5	94.6	8.3	187	3.8	9
1/25/23 3:30	12.4	94.5	8.3	187	3.8	9
1/25/23 3:45	12.4	94.5	8.3	187	3.9	10
1/25/23 4:00	12.4	94.5	8.3	187	3.9	10
1/25/23 4:15	12.4	94.5	8.3	187	3.9	10
1/25/23 4:30	12.4	94.5	8.3	187	3.9	10
1/25/23 4:45	12.4	94.5	8.3	187	3.9	10
1/25/23 5:00	12.4	94.5	8.3	187	3.9	10
1/25/23 5:15	12.4	94.5	8.3	187	4.0	10
1/25/23 5:30	12.4	94.5	8.3	187	4.0	10
1/25/23 5:45	12.4	94.5	8.3	187	4.0	10
1/25/23 6:00	12.4	94.5	8.3	186	4.0	10
1/25/23 6:15	12.4	94.5	8.3	186	4.0	10
1/25/23 6:30	12.4	94.5	8.3	187	4.0	10
1/25/23 6:45	12.4	94.5	8.3	187	3.9	10
1/25/23 7:00	12.4	94.5	8.3	187	3.9	10
1/25/23 7:15	12.4	94.5	8.3	187	3.9	10
1/25/23 7:30	12.4	94.6	8.3	187	3.9	10
1/25/23 7:45	12.4	94.6	8.3	187	3.9	10
1/25/23 8:00	12.5	94.6	8.2	187	3.8	10
1/25/23 8:15	12.5	94.7	8.2	187	3.8	10
1/25/23 8:30	12.5	94.8	8.2	187	3.8	10
1/25/23 8:45	12.5	94.8	8.2	187	3.8	10
1/25/23 9:00	12.5	94.9	8.2	187	3.8	10
1/25/23 9:15	12.5	95.0	8.2	188	3.7	10
1/25/23 9:30	12.6	95.1	8.2	188	3.7	10
1/25/23 9:45	12.6	95.2	8.2	188	3.7	10
1/25/23 10:00	12.6	95.4	8.2	188	3.7	10
1/25/23 10:15	12.6	95.5	8.2	188	3.7	10
1/25/23 10:30	12.6	95.7	8.3	188	3.7	9
1/25/23 10:45	12.7	95.8	8.3	189	3.7	10
1/25/23 11:00	12.7	96.0	8.3	189	3.7	10
1/25/23 11:15	12.7	96.2	8.3	189	3.8	10
1/25/23 11:30	12.7	96.3	8.3	189	3.8	9
1/25/23 11:45	12.7	96.5	8.3	189	3.8	9

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 12:00	12.7	96.6	8.3	189	3.8	9
1/25/23 12:15	12.7	96.7	8.3	189	3.9	9
1/25/23 12:30	12.7	96.9	8.3	189	3.9	9
1/25/23 12:45	12.7	97.0	8.3	189	3.9	9
1/25/23 13:00	12.7	97.1	8.3	189	4.0	9
1/25/23 13:15	12.7	97.2	8.3	190	4.0	9
1/25/23 13:30	12.7	97.3	8.3	190	4.0	9
1/25/23 13:45	12.7	97.3	8.3	190	4.1	10
1/25/23 14:00	12.7	97.4	8.3	190	4.1	9
1/25/23 14:15	12.7	97.4	8.3	190	4.1	10
1/25/23 14:30	12.7	97.4	8.3	189	4.1	10
1/25/23 14:45	12.7	97.4	8.3	190	4.1	9
1/25/23 15:00	12.7	97.3	8.3	190	4.1	10
1/25/23 15:15	12.7	97.3	8.3	190	4.1	10
1/25/23 15:30	12.7	97.1	8.3	190	4.1	9
1/25/23 15:45	12.7	97.0	8.3	189	4.0	9
1/25/23 16:00	12.7	96.9	8.3	189	4.0	9
1/25/23 16:15	12.7	96.8	8.3	189	4.0	9
1/25/23 16:30	12.7	96.6	8.3	189	4.0	9
1/25/23 16:45	12.7	96.5	8.3	189	3.9	9
1/25/23 17:00	12.7	96.4	8.3	189	3.9	9
1/25/23 17:15	12.6	96.2	8.3	189	3.9	9
1/25/23 17:30	12.6	96.1	8.3	189	3.9	9
1/25/23 17:45	12.6	95.9	8.3	189	3.8	9
1/25/23 18:00	12.6	95.8	8.3	189	3.8	10
1/25/23 18:15	12.6	95.7	8.3	189	3.8	9
1/25/23 18:30	12.6	95.6	8.3	189	3.8	10
1/25/23 18:45	12.6	95.6	8.3	189	3.8	10
1/25/23 19:00	12.6	95.5	8.3	189	3.8	10
1/25/23 19:15	12.6	95.5	8.3	189	3.8	9
1/25/23 19:30	12.6	95.4	8.3	189	3.8	9
1/25/23 19:45	12.6	95.4	8.3	189	3.8	10
1/25/23 20:00	12.6	95.4	8.3	189	3.8	9
1/25/23 20:15	12.6	95.3	8.3	189	3.8	10
1/25/23 20:30	12.6	95.3	8.3	188	3.8	10
1/25/23 20:45	12.6	95.3	8.3	188	3.8	9
1/25/23 21:00	12.6	95.3	8.3	188	3.8	10
1/25/23 21:15	12.6	95.2	8.3	188	3.7	10
1/25/23 21:30	12.6	95.2	8.3	188	3.7	9
1/25/23 21:45	12.6	95.2	8.3	188	3.7	9
1/25/23 22:00	12.6	95.2	8.3	188	3.7	10
1/25/23 22:15	12.6	95.2	8.3	187	3.7	9

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 22:30	12.6	95.2	8.3	187	3.7	10
1/25/23 22:45	12.6	95.2	8.3	187	3.6	10
1/25/23 23:00	12.6	95.1	8.3	187	3.6	9
1/25/23 23:15	12.6	95.1	8.3	187	3.6	9
1/25/23 23:30	12.6	95.1	8.3	187	3.6	10
1/25/23 23:45	12.6	95.1	8.3	187	3.6	10
1/26/23 0:00	12.6	95.1	8.3	186	3.6	10
1/26/23 0:15	12.6	95.0	8.3	186	3.7	9
1/26/23 0:30	12.6	95.0	8.3	186	3.7	9
1/26/23 0:45	12.6	95.0	8.3	186	3.7	9
1/26/23 1:00	12.5	95.0	8.3	185	3.7	9
1/26/23 1:15	12.5	94.9	8.3	185	3.8	9
1/26/23 1:30	12.5	94.9	8.3	185	3.8	9
1/26/23 1:45	12.5	94.9	8.3	185	3.8	9
1/26/23 2:00	12.5	94.9	8.3	184	3.9	9
1/26/23 2:15	12.5	94.8	8.3	184	3.9	9
1/26/23 2:30	12.5	94.8	8.3	184	3.9	9
1/26/23 2:45	12.4	94.8	8.3	184	4.0	9
1/26/23 3:00	12.4	94.8	8.3	184	4.0	9
1/26/23 3:15	12.4	94.7	8.3	184	4.0	9
1/26/23 3:30	12.4	94.8	8.3	184	4.1	9
1/26/23 3:45	12.4	94.7	8.3	183	4.1	9
1/26/23 4:00	12.4	94.7	8.3	183	4.1	9
1/26/23 4:15	12.4	94.7	8.3	183	4.1	9
1/26/23 4:30	12.4	94.7	8.3	183	4.1	9
1/26/23 4:45	12.4	94.7	8.3	183	4.2	9
1/26/23 5:00	12.4	94.7	8.3	183	4.2	9
1/26/23 5:15	12.4	94.7	8.3	183	4.2	9
1/26/23 5:30	12.3	94.7	8.3	183	4.2	9
1/26/23 5:45	12.3	94.7	8.3	183	4.2	9
1/26/23 6:00	12.4	94.7	8.3	183	4.2	9
1/26/23 6:15	12.4	94.7	8.3	183	4.2	9
1/26/23 6:30	12.4	94.7	8.3	183	4.2	9
1/26/23 6:45	12.4	94.7	8.3	183	4.2	9
1/26/23 7:00	12.4	94.7	8.3	183	4.1	9
1/26/23 7:15	12.4	94.7	8.3	183	4.1	9
1/26/23 7:30	12.4	94.7	8.3	183	4.1	9
1/26/23 7:45	12.4	94.8	8.3	183	4.1	9
1/26/23 8:00	12.4	94.8	8.3	184	4.0	9
1/26/23 8:15	12.4	94.8	8.3	184	4.0	9
1/26/23 8:30	12.4	94.9	8.3	184	4.0	9
1/26/23 8:45	12.5	95.0	8.3	184	4.0	9

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 9:00	12.5	95.1	8.3	184	3.9	9
1/26/23 9:15	12.5	95.2	8.3	184	3.9	9
1/26/23 9:30	12.5	95.3	8.3	184	3.9	9
1/26/23 9:45	12.5	95.4	8.3	185	3.9	9
1/26/23 10:00	12.5	95.5	8.3	185	3.9	9
1/26/23 10:15	12.6	95.7	8.3	185	3.9	9
1/26/23 10:30	12.6	95.8	8.3	185	3.9	9
1/26/23 10:45	12.6	96.0	8.3	185	3.9	9
1/26/23 11:00	12.6	96.2	8.3	186	4.0	9
1/26/23 11:15	12.6	96.3	8.3	186	4.0	9
1/26/23 11:30	12.6	96.5	8.3	186	4.0	9
1/26/23 11:45	12.7	96.6	8.3		4.0	9
1/26/23 12:00	12.7	96.6	8.3		4.0	9
1/26/23 12:15						
1/26/23 12:30		94.1	8.1	202	4.1	104
1/26/23 12:45	12.4	94.8	8.1	202	4.1	100
1/26/23 13:00	12.4	95.0	8.1	201	4.2	60
1/26/23 13:15	12.4	95.0	8.1	201	4.2	37
1/26/23 13:30	12.4	95.1	8.1	201	4.2	26
1/26/23 13:45	12.4	95.0	8.1	201	4.2	25
1/26/23 14:00	12.4	95.0	8.2	201	4.2	19
1/26/23 14:15	12.4	95.0	8.2	201	4.2	17
1/26/23 14:30	12.4	95.0	8.2	201	4.3	16
1/26/23 14:45	12.3	94.9	8.2	201	4.3	15
1/26/23 15:00	12.3	94.8	8.2	201	4.3	14
1/26/23 15:15	12.3	94.6	8.1	201	4.3	13
1/26/23 15:30	12.3	94.6	8.2	201	4.3	12
1/26/23 15:45	12.3	94.5	8.1	201	4.3	12
1/26/23 16:00	12.3	94.4	8.1	201	4.3	11
1/26/23 16:15	12.2	94.2	8.1	201	4.3	12
1/26/23 16:30	12.2	94.0	8.1	201	4.3	11
1/26/23 16:45	12.2	93.8	8.1	201	4.3	11
1/26/23 17:00	12.2	93.6	8.1	201	4.3	11
1/26/23 17:15	12.2	93.5	8.1	202	4.3	11
1/26/23 17:30	12.2	93.4	8.1	202	4.3	10
1/26/23 17:45	12.1	93.3	8.1	202	4.2	10
1/26/23 18:00	12.1	93.1	8.1	202	4.2	9
1/26/23 18:15	12.1	93.0	8.1	202	4.2	9
1/26/23 18:30	12.1	92.8	8.1	202	4.2	10
1/26/23 18:45	12.1	92.7	8.1	202	4.2	10
1/26/23 19:00	12.1	92.6	8.1	202	4.2	9
1/26/23 19:15	12.1	92.5	8.1	202	4.2	10

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 19:30	12.1	92.4	8.1	202	4.1	9
1/26/23 19:45	12.1	92.4	8.1	202	4.1	9
1/26/23 20:00	12.1	92.4	8.1	202	4.1	9
1/26/23 20:15	12.1	92.4	8.1	202	4.1	9
1/26/23 20:30	12.1	92.3	8.1	202	4.1	8
1/26/23 20:45	12.1	92.3	8.1	202	4.1	9
1/26/23 21:00	12.1	92.2	8.1	202	4.1	8
1/26/23 21:15	12.1	92.2	8.1	202	4.1	8
1/26/23 21:30	12.1	92.1	8.1	202	4.1	8
1/26/23 21:45	12.1	92.1	8.1	202	4.1	8
1/26/23 22:00	12.0	92.0	8.1	202	4.0	8
1/26/23 22:15	12.1	92.0	8.1	202	4.0	8
1/26/23 22:30	12.0	92.0	8.1	202	4.0	8
1/26/23 22:45	12.1	92.0	8.1	202	4.0	8
1/26/23 23:00	12.0	91.9	8.1	202	4.0	8
1/26/23 23:15	12.0	91.8	8.1	202	4.0	8
1/26/23 23:30	12.0	91.8	8.1	202	3.9	8
1/26/23 23:45	12.0	91.7	8.1	202	3.9	8
1/27/23 0:00	12.0	91.6	8.1	201	3.9	8
1/27/23 0:15	12.0	91.6	8.1	201	3.9	8
1/27/23 0:30	12.0	91.5	8.1	201	3.9	8
1/27/23 0:45	12.0	91.5	8.1	201	3.9	8
1/27/23 1:00	12.0	91.4	8.1	201	3.9	8
1/27/23 1:15	12.0	91.3	8.1	201	3.9	7
1/27/23 1:30	12.0	91.2	8.1	201	3.9	8
1/27/23 1:45	12.0	91.1	8.1	201	3.9	7
1/27/23 2:00	12.0	91.1	8.1	201	3.9	7
1/27/23 2:15	11.9	91.0	8.1	201	3.9	8
1/27/23 2:30	11.9	90.9	8.1	201	3.9	7
1/27/23 2:45	11.9	90.9	8.1	201	3.9	8
1/27/23 3:00	11.9	90.8	8.1	201	4.0	8
1/27/23 3:15	11.9	90.8	8.1	201	4.0	8
1/27/23 3:30	11.9	90.8	8.1	201	4.0	7
1/27/23 3:45	11.9	90.7	8.1	200	4.0	7
1/27/23 4:00	11.9	90.7	8.1	200	4.0	7
1/27/23 4:15	11.9	90.8	8.1	200	4.1	7
1/27/23 4:30	11.9	90.7	8.1	200	4.1	7
1/27/23 4:45	11.8	90.6	8.1	200	4.1	7
1/27/23 5:00	11.8	90.6	8.1	200	4.1	7
1/27/23 5:15	11.8	90.6	8.1	200	4.1	7
1/27/23 5:30	11.8	90.6	8.1	200	4.2	7
1/27/23 5:45	11.8	90.6	8.1	200	4.2	7

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 6:00	11.8	90.6	8.1	200	4.2	7
1/27/23 6:15	11.8	90.5	8.1	200	4.2	7
1/27/23 6:30	11.8	90.4	8.1	200	4.2	7
1/27/23 6:45	11.8	90.5	8.1	200	4.3	7
1/27/23 7:00	11.8	90.5	8.1	200	4.3	7
1/27/23 7:15	11.8	90.5	8.1	200	4.3	7
1/27/23 7:30	11.8	90.5	8.1	200	4.3	7
1/27/23 7:45	11.8	90.5	8.1	199	4.3	7
1/27/23 8:00	11.8	90.6	8.1	199	4.3	7
1/27/23 8:15	11.8	90.6	8.1	199	4.3	7
1/27/23 8:30	11.8	90.5	8.1	199	4.3	7
1/27/23 8:45	11.8	90.5	8.1	199	4.3	7
1/27/23 9:00	11.8	90.5	8.1	199	4.3	7
1/27/23 9:15	11.8	90.5	8.1	199	4.3	7
1/27/23 9:30	11.8	90.6	8.1	199	4.3	7
1/27/23 9:45	11.8	90.6	8.1	199	4.3	7
1/27/23 10:00	11.8	90.7	8.1	199	4.2	7
1/27/23 10:15	11.8	90.7	8.1	200	4.2	7
1/27/23 10:30	11.8	90.7	8.1	200	4.2	7
1/27/23 10:45	11.9	90.9	8.1	200	4.2	7
1/27/23 11:00	11.9	90.9	8.1	200	4.2	7
1/27/23 11:15	11.9	91.0	8.1	200	4.2	7
1/27/23 11:30	11.9	91.1	8.1	200	4.2	7
1/27/23 11:45	11.9	91.1	8.1	200	4.1	7
1/27/23 12:00	11.9	91.2	8.1	200	4.1	7
1/27/23 12:15	11.9	91.3	8.1	200	4.1	7
1/27/23 12:30	11.9	91.4	8.1	200	4.1	7
1/27/23 12:45	11.9	91.5	8.1	200	4.2	7
1/27/23 13:00	12.0	91.6	8.1	200	4.2	7
1/27/23 13:15	12.0	91.7	8.1	200	4.2	7
1/27/23 13:30	12.0	92.0	8.1	201	4.2	7
1/27/23 13:45	12.0	92.1	8.1	201	4.3	7
1/27/23 14:00	12.0	92.2	8.1	201	4.3	7
1/27/23 14:15	12.0	92.3	8.1	201	4.3	7
1/27/23 14:30	12.0	92.4	8.1	201	4.3	7
1/27/23 14:45	12.0	92.4	8.1	201	4.3	7
1/27/23 15:00	12.0	92.6	8.1	201	4.3	7
1/27/23 15:15	12.0	92.6	8.1	201	4.3	7
1/27/23 15:30	12.0	92.6	8.2	201	4.4	7
1/27/23 15:45	12.0	92.7	8.2	201	4.4	7
1/27/23 16:00	12.0	92.7	8.2	201	4.4	7
1/27/23 16:15	12.0	92.8	8.2	201	4.4	7

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 16:30	12.0	92.8	8.2	201	4.4	7
1/27/23 16:45	12.0	92.8	8.2	201	4.4	7
1/27/23 17:00	12.0	92.8	8.2	201	4.4	7
1/27/23 17:15	12.0	92.8	8.2	201	4.4	7
1/27/23 17:30	12.0	92.7	8.2	201	4.4	7
1/27/23 17:45	12.0	92.6	8.2	201	4.4	7
1/27/23 18:00	12.0	92.6	8.2	201	4.4	7
1/27/23 18:15	12.0	92.5	8.2	201	4.4	7
1/27/23 18:30	12.0	92.4	8.2	201	4.4	7
1/27/23 18:45	12.0	92.3	8.2	201	4.4	7
1/27/23 19:00	12.0	92.2	8.2	201	4.4	7
1/27/23 19:15	11.9	92.1	8.2	201	4.4	7
1/27/23 19:30	11.9	92.0	8.2	201	4.4	7
1/27/23 19:45	11.9	92.0	8.2	201	4.4	7
1/27/23 20:00	11.9	91.9	8.2	201	4.4	7
1/27/23 20:15	11.9	91.8	8.2	201	4.4	7
1/27/23 20:30	11.9	91.7	8.2	201	4.4	7
1/27/23 20:45	11.9	91.6	8.2	201	4.4	7
1/27/23 21:00	11.9	91.5	8.2	201	4.4	7
1/27/23 21:15	11.9	91.5	8.2	201	4.4	7
1/27/23 21:30	11.9	91.4	8.2	201	4.4	7
1/27/23 21:45	11.9	91.3	8.2	200	4.3	7
1/27/23 22:00	11.9	91.2	8.2	200	4.3	7
1/27/23 22:15	11.9	91.2	8.2	200	4.3	7
1/27/23 22:30	11.8	91.1	8.2	200	4.3	7
1/27/23 22:45	11.9	91.0	8.2	200	4.3	7
1/27/23 23:00	11.9	91.0	8.2	200	4.2	7
1/27/23 23:15	11.9	91.0	8.2	200	4.2	7
1/27/23 23:30	11.9	90.9	8.2	200	4.2	7
1/27/23 23:45	11.8	90.8	8.2	200	4.2	7
1/28/23 0:00	11.9	90.8	8.2	200	4.2	7
1/28/23 0:15	11.9	90.9	8.2	201	4.1	7
1/28/23 0:30	11.9	90.7	8.2	201	4.1	7
1/28/23 0:45	11.9	90.8	8.2	201	4.1	7
1/28/23 1:00	11.9	90.8	8.2	201	4.1	7
1/28/23 1:15	11.9	90.7	8.2	201	4.1	7
1/28/23 1:30	11.9	90.7	8.2	202	4.1	7
1/28/23 1:45	11.9	90.6	8.2	202	4.1	7
1/28/23 2:00	11.9	90.6	8.2	202	4.0	7
1/28/23 2:15	11.9	90.6	8.2	202	4.0	7
1/28/23 2:30	11.9	90.5	8.2	202	4.0	7
1/28/23 2:45	11.9	90.5	8.2	202	4.0	7

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 3:00	11.8	90.4	8.2	202	4.0	7
1/28/23 3:15	11.8	90.3	8.2	202	4.0	7
1/28/23 3:30	11.8	90.2	8.1	202	4.0	6
1/28/23 3:45	11.8	90.2	8.1	202	4.0	6
1/28/23 4:00	11.8	90.1	8.1	202	4.0	7
1/28/23 4:15	11.8	90.0	8.1	202	4.0	7
1/28/23 4:30	11.8	90.0	8.1	202	4.0	6
1/28/23 4:45	11.8	89.9	8.1	202	4.0	6
1/28/23 5:00	11.8	89.8	8.1	202	4.0	6
1/28/23 5:15	11.8	89.7	8.1	201	4.0	7
1/28/23 5:30	11.8	89.7	8.1	201	4.0	7
1/28/23 5:45	11.8	89.7	8.1	201	4.0	6
1/28/23 6:00	11.7	89.6	8.1	201	4.0	7
1/28/23 6:15	11.7	89.5	8.1	201	4.0	6
1/28/23 6:30	11.7	89.4	8.1	201	4.0	6
1/28/23 6:45	11.7	89.3	8.1	201	4.0	6
1/28/23 7:00	11.7	89.2	8.1	201	4.0	6
1/28/23 7:15	11.7	89.2	8.1	201	4.0	7
1/28/23 7:30	11.7	89.1	8.1	201	4.0	6
1/28/23 7:45	11.7	89.2	8.1	201	4.0	7
1/28/23 8:00	11.7	89.1	8.1	200	4.0	6
1/28/23 8:15	11.7	89.1	8.1	200	4.0	7
1/28/23 8:30	11.7	89.1	8.1	200	4.0	6
1/28/23 8:45	11.7	89.1	8.1	200	4.0	6
1/28/23 9:00	11.7	89.1	8.1	200	4.0	6
1/28/23 9:15	11.7	89.2	8.1	200	4.0	6
1/28/23 9:30	11.7	89.3	8.1	200	4.0	6
1/28/23 9:45	11.7	89.3	8.1	200	4.0	6
1/28/23 10:00	11.7	89.3	8.1	200	4.0	7
1/28/23 10:15	11.7	89.4	8.1	200	3.9	7
1/28/23 10:30	11.8	89.5	8.1	200	3.9	6
1/28/23 10:45	11.8	89.6	8.1	200	3.9	7
1/28/23 11:00	11.8	89.7	8.1	200	3.9	6
1/28/23 11:15	11.8	89.9	8.1	200	3.9	7
1/28/23 11:30	11.8	90.0	8.1	200	3.9	7
1/28/23 11:45	11.8	90.1	8.1	200	3.9	7
1/28/23 12:00	11.8	90.2	8.1	200	3.9	7
1/28/23 12:15	11.9	90.3	8.1	200	3.9	7
1/28/23 12:30	11.9	90.4	8.1	200	3.9	7
1/28/23 12:45	11.9	90.6	8.1	200	4.0	7
1/28/23 13:00	11.9	90.7	8.1	200	4.0	7
1/28/23 13:15	11.9	90.8	8.1	200	4.0	7

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 13:30	11.9	90.9	8.1	200	4.0	7
1/28/23 13:45	11.9	91.0	8.1	200	4.0	7
1/28/23 14:00	11.9	91.2	8.1	200	4.1	7
1/28/23 14:15	11.9	91.2	8.1	200	4.1	7
1/28/23 14:30	11.9	91.3	8.1	200	4.1	7
1/28/23 14:45	11.9	91.4	8.1	200	4.1	7
1/28/23 15:00	11.9	91.5	8.1	200	4.2	6
1/28/23 15:15	11.9	91.5	8.1	200	4.2	6
1/28/23 15:30	11.9	91.5	8.1	200	4.2	6
1/28/23 15:45	11.9	91.6	8.1	200	4.2	7
1/28/23 16:00	11.9	91.6	8.1	200	4.2	7
1/28/23 16:15	11.9	91.6	8.1	200	4.2	7
1/28/23 16:30	11.9	91.6	8.1	200	4.2	7
1/28/23 16:45	11.9	91.6	8.2	200	4.2	7
1/28/23 17:00	12.0	91.6	8.2	200	4.2	7
1/28/23 17:15	12.0	91.6	8.2	200	4.2	7
1/28/23 17:30	11.9	91.5	8.2	200	4.1	7
1/28/23 17:45	11.9	91.5	8.2	200	4.1	7
1/28/23 18:00	11.9	91.4	8.2	200	4.1	7
1/28/23 18:15	11.9	91.4	8.2	200	4.1	7
1/28/23 18:30	11.9	91.3	8.2	200	4.1	7
1/28/23 18:45	11.9	91.2	8.2	200	4.0	7
1/28/23 19:00	11.9	91.2	8.2	200	4.0	7
1/28/23 19:15	11.9	91.1	8.2	200	4.0	7
1/28/23 19:30	11.9	91.0	8.2	200	4.0	7
1/28/23 19:45	11.9	91.0	8.2	200	4.0	7
1/28/23 20:00	11.9	90.9	8.2	200	4.0	7
1/28/23 20:15	11.9	90.8	8.2	200	4.0	7
1/28/23 20:30	11.9	90.8	8.2	199	3.9	7
1/28/23 20:45	11.9	90.7	8.2	200	3.9	7
1/28/23 21:00	11.9	90.7	8.2	199	3.9	7
1/28/23 21:15	11.9	90.6	8.2	200	3.9	7
1/28/23 21:30	11.9	90.5	8.2	200	3.9	7
1/28/23 21:45	11.9	90.5	8.2	200	3.9	7
1/28/23 22:00	11.9	90.4	8.2	200	3.9	7
1/28/23 22:15	11.9	90.3	8.2	200	3.8	7
1/28/23 22:30	11.9	90.3	8.2	200	3.8	7
1/28/23 22:45	11.9	90.3	8.2	200	3.8	7
1/28/23 23:00	11.9	90.2	8.2	200	3.8	7
1/28/23 23:15	11.9	90.2	8.2	200	3.8	7
1/28/23 23:30	11.9	90.1	8.2	200	3.7	7
1/28/23 23:45	11.9	90.1	8.2	200	3.7	7

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	11.9	90.0	8.2	200	3.7	7
1/29/23 0:15	11.9	90.0	8.2	200	3.7	7
1/29/23 0:30	11.9	90.0	8.2	199	3.7	7
1/29/23 0:45	11.9	89.9	8.2	199	3.7	7
1/29/23 1:00	11.9	89.9	8.2	199	3.7	7
1/29/23 1:15	11.9	89.9	8.2	199	3.7	7
1/29/23 1:30	11.9	89.9	8.2	199	3.7	6
1/29/23 1:45	11.9	89.9	8.2	199	3.7	7
1/29/23 2:00	11.9	89.8	8.2	199	3.8	7
1/29/23 2:15	11.8	89.8	8.2	199	3.8	7
1/29/23 2:30	11.8	89.8	8.2	199	3.8	7
1/29/23 2:45	11.8	89.8	8.2	199	3.8	6
1/29/23 3:00	11.8	89.7	8.2	199	3.8	7
1/29/23 3:15	11.8	89.7	8.1	199	3.9	7
1/29/23 3:30	11.8	89.8	8.2	198	3.9	7
1/29/23 3:45	11.8	89.7	8.2	198	3.9	6
1/29/23 4:00	11.8	89.7	8.1	198	3.9	6
1/29/23 4:15	11.8	89.7	8.1	198	4.0	6
1/29/23 4:30	11.8	89.7	8.2	198	4.0	7
1/29/23 4:45	11.7	89.7	8.1	198	4.0	6
1/29/23 5:00	11.7	89.7	8.1	198	4.1	7
1/29/23 5:15	11.7	89.7	8.1	198	4.1	6
1/29/23 5:30	11.7	89.7	8.1	198	4.1	7
1/29/23 5:45	11.7	89.7	8.1	198	4.2	7
1/29/23 6:00	11.7	89.7	8.1	197	4.2	6
1/29/23 6:15	11.7	89.7	8.1	198	4.2	7
1/29/23 6:30	11.7	89.6	8.1	197	4.2	6
1/29/23 6:45	11.7	89.7	8.1	197	4.2	6
1/29/23 7:00	11.7	89.6	8.1	197	4.3	6
1/29/23 7:15	11.7	89.6	8.1	197	4.3	6
1/29/23 7:30	11.7	89.6	8.1	197	4.3	6
1/29/23 7:45	11.7	89.6	8.1	197	4.3	6
1/29/23 8:00	11.7	89.6	8.1	197	4.3	6
1/29/23 8:15	11.7	89.6	8.1	197	4.3	6
1/29/23 8:30	11.7	89.6	8.1	197	4.3	6
1/29/23 8:45	11.7	89.6	8.1	197	4.3	6
1/29/23 9:00	11.7	89.7	8.1	197	4.3	6
1/29/23 9:15	11.7	89.6	8.1	197	4.2	6
1/29/23 9:30	11.7	89.6	8.1	197	4.2	6
1/29/23 9:45	11.7	89.7	8.1	197	4.2	6
1/29/23 10:00	11.7	89.7	8.1	197	4.2	6
1/29/23 10:15	11.7	89.8	8.1	197	4.2	6

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 10:30	11.7	89.9	8.1	197	4.2	6
1/29/23 10:45	11.7	89.9	8.1	197	4.2	6
1/29/23 11:00	11.8	90.0	8.2	198	4.1	7
1/29/23 11:15	11.8	90.1	8.1	198	4.1	6
1/29/23 11:30	11.8	90.1	8.1	198	4.1	7
1/29/23 11:45	11.8	90.2	8.2	198	4.1	6
1/29/23 12:00	11.8	90.2	8.2	198	4.1	7
1/29/23 12:15	11.8	90.4	8.2	198	4.1	6
1/29/23 12:30	11.8	90.5	8.2	198	4.1	6
1/29/23 12:45	11.8	90.6	8.2	198	4.1	6
1/29/23 13:00	11.9	90.8	8.2	198	4.1	7
1/29/23 13:15	11.9	90.9	8.2	198	4.2	6
1/29/23 13:30	11.9	91.1	8.2	198	4.2	6
1/29/23 13:45	11.9	91.2	8.2	198	4.2	7
1/29/23 14:00	11.9	91.3	8.2	199	4.2	7
1/29/23 14:15	11.9	91.4	8.2	199	4.2	6
1/29/23 14:30	11.9	91.4	8.2	199	4.2	6
1/29/23 14:45	11.9	91.5	8.2	199	4.2	7
1/29/23 15:00	11.9	91.6	8.2	199	4.2	7
1/29/23 15:15	11.9	91.6	8.2	199	4.2	6
1/29/23 15:30	11.9	91.7	8.2	199	4.2	7
1/29/23 15:45	11.9	91.6	8.2	199	4.2	7
1/29/23 16:00	12.0	91.7	8.2	199	4.2	6
1/29/23 16:15	12.0	91.7	8.2	199	4.2	7
1/29/23 16:30	12.0	91.7	8.2	199	4.1	6
1/29/23 16:45	12.0	91.7	8.2	199	4.1	7
1/29/23 17:00	12.0	91.6	8.2	199	4.1	7
1/29/23 17:15	12.0	91.6	8.2	199	4.0	7
1/29/23 17:30	12.0	91.5	8.2	199	4.0	7
1/29/23 17:45	12.0	91.4	8.2	199	4.0	7
1/29/23 18:00	12.0	91.4	8.2	199	4.0	7
1/29/23 18:15	12.0	91.4	8.2	199	3.9	7
1/29/23 18:30	12.0	91.3	8.2	199	3.9	7
1/29/23 18:45	12.0	91.2	8.2	199	3.9	7
1/29/23 19:00	12.0	91.1	8.2	199	3.8	7
1/29/23 19:15	12.0	91.1	8.2	199	3.8	7
1/29/23 19:30	12.0	91.0	8.2	199	3.8	6
1/29/23 19:45	12.0	90.9	8.2	199	3.8	7
1/29/23 20:00	12.0	90.9	8.2	199	3.7	7
1/29/23 20:15	12.0	90.8	8.2	199	3.7	7
1/29/23 20:30	12.0	90.8	8.2	199	3.7	7
1/29/23 20:45	12.0	90.8	8.2	199	3.7	7

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	12.0	90.7	8.2	199	3.7	7
1/29/23 21:15	12.0	90.6	8.2	199	3.6	7
1/29/23 21:30	12.0	90.5	8.2	199	3.6	7
1/29/23 21:45	12.0	90.5	8.2	199	3.6	7
1/29/23 22:00	12.0	90.3	8.2	199	3.6	7
1/29/23 22:15	12.0	90.3	8.2	199	3.5	7
1/29/23 22:30	12.0	90.1	8.2	199	3.5	7
1/29/23 22:45	12.0	90.1	8.2	199	3.5	7
1/29/23 23:00	12.0	90.0	8.2	199	3.4	7
1/29/23 23:15	12.0	89.9	8.2	199	3.4	6
1/29/23 23:30	12.0	89.8	8.2	199	3.4	7
1/29/23 23:45	12.0	89.8	8.2	199	3.3	7
1/30/23 0:00	12.0	89.8	8.2	199	3.3	6
1/30/23 0:15	12.0	89.7	8.2	199	3.3	7
1/30/23 0:30	12.0	89.7	8.2	199	3.2	7
1/30/23 0:45	12.0	89.5	8.2	199	3.2	6
1/30/23 1:00	12.0	89.6	8.2	198	3.2	7
1/30/23 1:15	12.0	89.7	8.2	198	3.1	7
1/30/23 1:30	12.0	89.6	8.2	198	3.1	6
1/30/23 1:45	12.0	89.5	8.2	198	3.1	6
1/30/23 2:00	12.0	89.6	8.2	198	3.1	6
1/30/23 2:15	12.0	89.5	8.2	198	3.1	6
1/30/23 2:30	12.0	89.5	8.2	198	3.0	7
1/30/23 2:45	12.0	89.5	8.2	198	3.0	6
1/30/23 3:00	12.0	89.5	8.2	198	3.0	6
1/30/23 3:15	12.0	89.4	8.2	198	3.0	6
1/30/23 3:30	12.0	89.4	8.2	197	3.0	6
1/30/23 3:45	12.0	89.4	8.2	197	3.0	6
1/30/23 4:00	12.0	89.2	8.2	197	3.0	6
1/30/23 4:15	12.0	89.1	8.2	197	3.0	6
1/30/23 4:30	12.0	88.9	8.2	197	3.0	6
1/30/23 4:45	11.9	88.8	8.1	198	3.0	6
1/30/23 5:00	11.9	88.5	8.1	198	3.0	6
1/30/23 5:15	11.9	88.5	8.1	198	3.0	6
1/30/23 5:30	11.9	88.4	8.1	198	3.0	7
1/30/23 5:45	12.0	88.7	8.1	197	3.0	6
1/30/23 6:00	12.0	88.7	8.1	197	3.0	6
1/30/23 6:15	12.0	88.8	8.1	197	2.9	7
1/30/23 6:30	12.0	89.2	8.1	197	2.9	6
1/30/23 6:45	12.1	89.6	8.2	196	2.9	6
1/30/23 7:00	12.1	89.8	8.2	196	2.9	7
1/30/23 7:15	12.2	90.0	8.2	196	2.9	7

Klamath River at Walker Bridge
(11517818)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 7:30	12.2	90.2	8.2	195	2.8	7
1/30/23 7:45	12.2	90.4	8.2	195	2.8	8
1/30/23 8:00	12.3	90.6	8.2	195	2.8	7
1/30/23 8:15	12.3	90.7	8.2	195	2.8	7
1/30/23 8:30	12.3	90.7	8.2	195	2.7	7
1/30/23 8:45	12.3	90.9	8.2	195	2.7	7
1/30/23 9:00	12.3	90.9	8.2	195	2.7	7
1/30/23 9:15	12.3	90.8	8.2	195	2.7	7
1/30/23 9:30	12.4	90.9	8.2	195	2.7	7
1/30/23 9:45	12.4	91.0	8.2	195	2.6	7
1/30/23 10:00	12.4	91.1	8.2	195	2.6	7
1/30/23 10:15	12.4	91.2	8.2	195	2.6	7
1/30/23 10:30	12.4	91.2	8.2	195	2.6	7
1/30/23 10:45	12.4	91.0	8.2	195	2.6	7
1/30/23 11:00	12.4	91.0	8.2	195	2.6	7
1/30/23 11:15	12.4	90.9	8.2	195	2.6	7
1/30/23 11:30	12.4	90.9	8.2	195	2.6	7
1/30/23 11:45	12.4	90.7	8.2	195	2.6	6
1/30/23 12:00	12.3	90.7	8.2	195	2.6	7
1/30/23 12:15	12.3	90.7	8.2	195	2.6	7
1/30/23 12:30	12.3	90.8	8.2	195	2.6	7
1/30/23 12:45	12.4	91.0	8.2	195	2.6	6
1/30/23 13:00	12.4	91.1	8.2	195	2.6	6
1/30/23 13:15	12.4	91.2	8.2	195	2.6	6
1/30/23 13:30	12.4	91.3	8.2	196	2.7	6
1/30/23 13:45	12.4	91.4	8.2	196	2.7	6
1/30/23 14:00	12.4	91.6	8.2	196	2.7	6
1/30/23 14:15	12.4	91.8	8.2	196	2.7	6
1/30/23 14:30	12.5	91.9	8.2	196	2.7	6
1/30/23 14:45	12.5	92.1	8.2	196	2.8	6
1/30/23 15:00	12.5	92.2	8.2	196	2.8	6
1/30/23 15:15	12.5	92.3	8.2	196	2.8	6
1/30/23 15:30	12.5	92.4	8.2	196	2.8	6
1/30/23 15:45	12.5	92.5	8.2	196	2.8	6
1/30/23 16:00	12.5	92.5	8.2	196	2.8	6
1/30/23 16:15	12.5	92.6	8.2	196	2.8	6
1/30/23 16:30	12.5	92.5	8.2	196	2.8	6
1/30/23 16:45	12.5	92.5	8.2	196	2.8	6
1/30/23 17:00	12.5	92.5	8.2	196	2.8	6
1/30/23 17:15	12.5	92.5	8.2	196	2.8	6
1/30/23 17:30	12.5	92.4	8.2	196	2.8	6
1/30/23 17:45	12.5	92.3	8.2	197	2.7	6

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 18:00	12.5	92.3	8.2	196	2.7	6
1/30/23 18:15	12.5	92.2	8.2	197	2.7	6
1/30/23 18:30	12.5	92.2	8.2	197	2.7	6
1/30/23 18:45	12.5	92.0	8.2	197	2.7	6
1/30/23 19:00	12.5	92.0	8.2	197	2.7	6
1/30/23 19:15	12.5	91.9	8.2	197	2.7	6
1/30/23 19:30	12.5	91.8	8.2	197	2.7	6
1/30/23 19:45	12.5	91.8	8.2	197	2.7	6
1/30/23 20:00	12.5	91.7	8.2	197	2.7	6
1/30/23 20:15	12.5	91.7	8.2	197	2.6	6
1/30/23 20:30	12.5	91.7	8.2	197	2.6	6
1/30/23 20:45	12.5	91.6	8.2	197	2.6	6
1/30/23 21:00	12.4	91.5	8.2	197	2.6	6
1/30/23 21:15	12.5	91.6	8.2	197	2.6	6
1/30/23 21:30	12.5	91.5	8.2	197	2.6	6
1/30/23 21:45	12.5	91.5	8.2	197	2.6	6
1/30/23 22:00	12.4	91.4	8.2	197	2.6	6
1/30/23 22:15	12.4	91.3	8.2	197	2.5	6
1/30/23 22:30	12.4	91.2	8.2	197	2.5	6
1/30/23 22:45	12.4	91.1	8.2	197	2.5	6
1/30/23 23:00	12.4	91.0	8.2	197	2.5	6
1/30/23 23:15	12.4	90.9	8.2	197	2.5	6
1/30/23 23:30	12.4	90.9	8.2	197	2.5	6
1/30/23 23:45	12.4	90.9	8.2	197	2.5	7
1/31/23 0:00	12.4	90.9	8.2	197	2.4	7
1/31/23 0:15	12.4	90.9	8.2	197	2.4	7
1/31/23 0:30	12.4	90.9	8.2	197	2.4	7
1/31/23 0:45	12.4	90.9	8.2	197	2.4	7
1/31/23 1:00	12.4	90.8	8.2	197	2.4	7
1/31/23 1:15	12.4	90.8	8.2	197	2.4	6
1/31/23 1:30	12.4	90.7	8.2	197	2.4	7
1/31/23 1:45	12.4	90.7	8.2	197	2.4	7
1/31/23 2:00	12.4	90.6	8.2	196	2.4	7
1/31/23 2:15	12.4	90.5	8.2	197	2.4	7
1/31/23 2:30	12.4	90.5	8.2	196	2.4	7
1/31/23 2:45	12.4	90.6	8.2	196	2.5	7
1/31/23 3:00	12.4	90.6	8.2	196	2.5	7
1/31/23 3:15	12.4	90.6	8.2	196	2.5	7
1/31/23 3:30	12.4	90.6	8.2	196	2.5	7
1/31/23 3:45	12.4	90.6	8.2	196	2.5	7
1/31/23 4:00	12.3	90.6	8.2	195	2.5	7
1/31/23 4:15	12.3	90.6	8.2	195	2.6	7

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/31/23 4:30	12.3	90.6	8.2	195	2.6	7
1/31/23 4:45	12.3	90.7	8.2	195	2.6	7
1/31/23 5:00	12.3	90.6	8.2	195	2.6	6
1/31/23 5:15	12.3	90.7	8.2	195	2.6	7
1/31/23 5:30	12.3	90.6	8.2	195	2.7	6
1/31/23 5:45	12.3	90.6	8.2	195	2.7	6
1/31/23 6:00	12.3	90.6	8.2	194	2.7	7
1/31/23 6:15	12.3	90.6	8.2	194	2.7	7
1/31/23 6:30	12.3	90.6	8.2	194	2.7	6
1/31/23 6:45	12.3	90.6	8.2	194	2.7	6
1/31/23 7:00	12.3	90.6	8.2	194	2.7	6
1/31/23 7:15	12.3	90.6	8.2	194	2.8	6
1/31/23 7:30	12.3	90.6	8.2	194	2.8	6
1/31/23 7:45	12.3	90.6	8.2	194	2.8	6
1/31/23 8:00	12.3	90.6	8.2	194	2.8	6
1/31/23 8:15	12.3	90.5	8.2	194	2.8	6
1/31/23 8:30	12.2	90.4	8.1	194	2.8	6
1/31/23 8:45	12.2	90.3	8.1	194	2.8	6
1/31/23 9:00	12.2	90.3	8.1	194	2.8	6
1/31/23 9:15	12.2	90.3	8.1	194	2.8	6
1/31/23 9:30	12.2	90.2	8.1	194	2.8	6
1/31/23 9:45	12.2	90.3	8.1	194	2.8	6
1/31/23 10:00	12.2	90.1	8.1	194	2.7	6
1/31/23 10:15	12.2	90.1	8.1	194	2.7	6
1/31/23 10:30	12.2	90.0	8.1	194	2.7	6
1/31/23 10:45	12.2	89.9	8.1	194	2.7	6
1/31/23 11:00	12.2	89.8	8.1	194	2.7	6
1/31/23 11:15	12.2	89.8	8.1	195	2.7	6
1/31/23 11:30	12.2	89.7	8.1	195	2.7	6
1/31/23 11:45	12.2	89.9	8.1	195	2.7	6
1/31/23 12:00	12.2	89.9	8.1	195	2.8	6
1/31/23 12:15	12.2	90.1	8.1	195	2.8	6
1/31/23 12:30	12.2	90.2	8.1	195	2.8	6
1/31/23 12:45	12.2	90.3	8.1	195	2.8	6
1/31/23 13:00	12.2	90.5	8.1	195	2.8	6
1/31/23 13:15	12.3	90.8	8.1	195	2.8	6
1/31/23 13:30	12.3	90.9	8.1	195	2.8	6
1/31/23 13:45	12.3	91.0	8.1	195	2.9	6
1/31/23 14:00	12.3	91.2	8.1	195	2.9	6
1/31/23 14:15	12.3	91.4	8.1	195	2.9	6
1/31/23 14:30	12.3	91.6	8.1	195	2.9	6
1/31/23 14:45	12.4	91.7	8.1	195	3.0	6

**Klamath River at Walker Bridge
(11517818)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/31/23 15:00	12.4	92.0	8.1	195	3.0	6
1/31/23 15:15	12.4	92.1	8.1	196	3.0	6
1/31/23 15:30	12.4	92.2	8.2	196	3.0	6
1/31/23 15:45	12.4	92.4	8.2	196	3.0	6
1/31/23 16:00	12.4	92.5	8.2	196	3.0	6
1/31/23 16:15	12.5	92.6	8.2	196	3.0	6
1/31/23 16:30	12.5	92.6	8.2	196	3.0	6
1/31/23 16:45	12.5	92.6	8.2	196	3.0	6
1/31/23 17:00	12.5	92.7	8.2	196	3.0	6
1/31/23 17:15	12.5	92.6	8.2	196	3.0	6
1/31/23 17:30	12.5	92.6	8.2	196	3.0	6
1/31/23 17:45	12.5	92.6	8.2	196	3.0	6
1/31/23 18:00	12.5	92.5	8.2	196	3.0	6
1/31/23 18:15	12.5	92.5	8.2	196	3.0	6
1/31/23 18:30	12.5	92.5	8.2	196	3.0	6
1/31/23 18:45	12.5	92.5	8.2	196	3.0	6
1/31/23 19:00	12.5	92.4	8.2	196	2.9	6
1/31/23 19:15	12.5	92.4	8.2	196	2.9	6
1/31/23 19:30	12.4	92.3	8.2	196	2.9	6
1/31/23 19:45	12.4	92.3	8.2	196	2.9	6
1/31/23 20:00	12.4	92.2	8.2	196	2.9	6
1/31/23 20:15	12.4	92.1	8.2	195	2.9	6
1/31/23 20:30	12.4	92.1	8.2	195	2.9	6
1/31/23 20:45	12.4	92.0	8.2	195	2.9	6
1/31/23 21:00	12.4	91.9	8.2	195	2.9	6
1/31/23 21:15	12.4	91.9	8.2	195	2.9	6
1/31/23 21:30	12.4	91.8	8.2	195	2.9	6
1/31/23 21:45	12.4	91.8	8.2	195	2.9	6
1/31/23 22:00	12.4	91.8	8.2	195	2.8	7
1/31/23 22:15	12.4	91.7	8.2	195	2.8	7
1/31/23 22:30	12.4	91.6	8.2	195	2.8	6
1/31/23 22:45	12.4	91.6	8.2	195	2.8	7
1/31/23 23:00	12.4	91.5	8.2	195	2.8	7
1/31/23 23:15	12.4	91.5	8.2	195	2.8	7
1/31/23 23:30	12.4	91.4	8.2	195	2.8	7
1/31/23 23:45	12.4	91.4	8.2	195	2.8	7



Klamath River below Iron Gate Dam, CA (USGS 11516530)

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 0:00	10.9	84.6	7.7	150	4.6	5
1/1/23 0:15	10.9	84.7	7.8	150	4.6	5
1/1/23 0:30	10.9	84.5	7.8	150	4.6	4
1/1/23 0:45	10.9	84.4	7.7	49	4.6	4
1/1/23 1:00	10.9	84.6	7.8	49	4.6	4
1/1/23 1:15	10.9	84.6	7.7	150	4.6	4
1/1/23 1:30	10.9	84.8	7.8	150	4.6	5
1/1/23 1:45	10.9	84.7	7.8	150	4.6	5
1/1/23 2:00	11.0	84.8	7.8	150	4.6	5
1/1/23 2:15	10.9	84.7	7.8	149	4.5	4
1/1/23 2:30	10.9	84.7	7.7	149	4.5	5
1/1/23 2:45	10.9	84.5	7.8	149	4.5	5
1/1/23 3:00	11.0	84.9	7.8	149	4.5	4
1/1/23 3:15	11.0	84.9	7.8	149	4.5	4
1/1/23 3:30	11.0	84.7	7.8	149	4.5	4
1/1/23 3:45	11.0	84.8	7.8	149	4.5	4
1/1/23 4:00	10.9	84.6	7.7	149	4.5	4
1/1/23 4:15	11.0	84.7	7.7	149	4.5	5
1/1/23 4:30	11.0	84.7	7.8	149	4.5	4
1/1/23 4:45	11.0	84.7	7.8	149	4.5	5
1/1/23 5:00	10.9	84.6	7.7	149	4.5	4
1/1/23 5:15	11.0	84.6	7.7	149	4.5	4
1/1/23 5:30	11.0	84.7	7.7	149	4.5	4
1/1/23 5:45	11.0	84.6	7.7	149	4.4	4
1/1/23 6:00	10.9	84.5	7.7	148	4.4	4
1/1/23 6:15	11.0	84.6	7.7	149	4.4	4
1/1/23 6:30	11.0	84.6	7.7	149	4.4	5
1/1/23 6:45	11.0	84.8	7.7	149	4.4	4
1/1/23 7:00	11.0	84.6	7.7	148	4.4	4
1/1/23 7:15	11.0	84.5	7.7	148	4.4	4
1/1/23 7:30	11.0	84.6	7.7	149	4.4	4
1/1/23 7:45	11.0	84.6	7.7	149	4.4	4
1/1/23 8:00	11.0	84.4	7.7	148	4.4	4
1/1/23 8:15	11.0	84.6	7.7	148	4.4	4
1/1/23 8:30	11.0	84.6	7.7	148	4.4	4
1/1/23 8:45	11.0	84.7	7.7	148	4.4	4
1/1/23 9:00	11.0	85.0	7.8	149	4.3	5
1/1/23 9:15	11.1	85.1	7.8	149	4.3	4
1/1/23 9:30	11.0	85.0	7.7	149	4.3	5
1/1/23 9:45	11.0	84.9	7.8	148	4.4	4
1/1/23 10:00	11.0	85.0	7.8	148	4.4	4
1/1/23 10:15	11.1	85.1	7.8	149	4.4	4

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 10:30	11.0	84.9	7.7	148	4.4	4
1/1/23 10:45	11.0	85.0	7.7	148	4.4	4
1/1/23 11:00	11.1	85.2	7.8	148	4.4	4
1/1/23 11:15	11.1	85.3	7.8	148	4.4	4
1/1/23 11:30	11.1	85.3	7.8	148	4.4	4
1/1/23 11:45	11.1	85.5	7.8	148	4.4	4
1/1/23 12:00	11.1	85.3	7.8	148	4.4	4
1/1/23 12:15	11.1	85.6	7.8	148	4.4	4
1/1/23 12:30	11.1	85.4	7.8	148	4.5	4
1/1/23 12:45	11.1	85.6	7.8	148	4.5	4
1/1/23 13:00	11.1	85.6	7.8	148	4.5	4
1/1/23 13:15	11.1	85.8	7.8	149	4.5	4
1/1/23 13:30	11.1	85.8	7.8	148	4.5	5
1/1/23 13:45	11.1	85.9	7.8	149	4.5	5
1/1/23 14:00	11.1	86.0	7.8	149	4.6	4
1/1/23 14:15	11.1	86.0	7.8	149	4.6	4
1/1/23 14:30	11.1	85.9	7.8	148	4.6	4
1/1/23 14:45	11.1	85.9	7.8	148	4.6	4
1/1/23 15:00	11.1	85.8	7.8	148	4.6	4
1/1/23 15:15	11.1	85.9	7.8	148	4.6	4
1/1/23 15:30	11.1	85.6	7.8	148	4.6	4
1/1/23 15:45	11.1	85.8	7.8	149	4.6	4
1/1/23 16:00	11.1	85.8	7.8	148	4.6	5
1/1/23 16:15	11.0	85.5	7.8	148	4.6	4
1/1/23 16:30	11.0	85.5	7.8	148	4.6	4
1/1/23 16:45	11.0	85.6	7.8	148	4.6	4
1/1/23 17:00	11.0	85.6	7.8	149	4.7	4
1/1/23 17:15	11.0	85.4	7.8	148	4.7	4
1/1/23 17:30	11.0	85.4	7.8	148	4.7	4
1/1/23 17:45	11.0	85.4	7.8	148	4.7	4
1/1/23 18:00	11.0	85.3	7.8	148	4.6	4
1/1/23 18:15	11.0	85.2	7.8	148	4.6	4
1/1/23 18:30	11.0	85.3	7.8	148	4.6	4
1/1/23 18:45	11.0	85.3	7.8	148	4.6	4
1/1/23 19:00	11.0	85.3	7.8	148	4.6	4
1/1/23 19:15	11.0	85.4	7.8	149	4.6	4
1/1/23 19:30	11.0	85.4	7.8	149	4.6	4
1/1/23 19:45	11.0	85.5	7.8	149	4.6	4
1/1/23 20:00	11.0	85.3	7.8	148	4.6	4
1/1/23 20:15	11.0	85.3	7.8	148	4.5	4
1/1/23 20:30	11.0	85.3	7.8	148	4.5	4
1/1/23 20:45	11.0	85.3	7.8	149	4.5	4

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 21:00	11.0	85.2	7.7	148	4.5	4
1/1/23 21:15	11.0	85.2	7.8	149	4.5	4
1/1/23 21:30	11.0	85.2	7.8	149	4.5	4
1/1/23 21:45	11.0	85.3	7.8	149	4.5	4
1/1/23 22:00	11.0	85.3	7.8	149	4.5	4
1/1/23 22:15	11.0	85.2	7.8	149	4.5	4
1/1/23 22:30	11.0	85.2	7.8	149	4.5	4
1/1/23 22:45	11.0	85.3	7.8	149	4.5	4
1/1/23 23:00	11.0	85.1	7.7	149	4.5	4
1/1/23 23:15	11.0	85.3	7.8	149	4.5	4
1/1/23 23:30	11.0	85.3	7.7	149	4.4	4
1/1/23 23:45	11.0	85.1	7.8	148	4.4	4
1/2/23 0:00	11.0	85.2	7.7	149	4.4	4
1/2/23 0:15	11.0	85.2	7.8	149	4.4	4
1/2/23 0:30	11.1	85.2	7.8	149	4.4	4
1/2/23 0:45	11.0	85.2	7.7	149	4.4	4
1/2/23 1:00	11.0	85.2	7.7	149	4.4	4
1/2/23 1:15	11.0	85.0	7.7	149	4.4	5
1/2/23 1:30	11.0	85.1	7.7	149	4.4	4
1/2/23 1:45	11.0	85.0	7.8	149	4.4	4
1/2/23 2:00	11.1	85.2	7.8	149	4.4	4
1/2/23 2:15	11.1	85.1	7.7	149	4.4	4
1/2/23 2:30	11.0	85.0	7.7	149	4.4	4
1/2/23 2:45	11.0	85.0	7.7	149	4.3	4
1/2/23 3:00	11.0	85.0	7.7	149	4.3	4
1/2/23 3:15	11.1	85.0	7.8	149	4.3	4
1/2/23 3:30	11.1	85.0	7.7	149	4.3	4
1/2/23 3:45	11.0	84.9	7.7	149	4.3	4
1/2/23 4:00	11.0	84.8	7.7	149	4.3	4
1/2/23 4:15	11.0	84.9	7.7	149	4.3	4
1/2/23 4:30	11.0	84.8	7.7	148	4.3	4
1/2/23 4:45	11.0	84.9	7.7	149	4.3	4
1/2/23 5:00	11.1	85.0	7.7	149	4.3	4
1/2/23 5:15	11.0	84.9	7.7	149	4.3	4
1/2/23 5:30	11.0	84.8	7.7	149	4.3	5
1/2/23 5:45	11.0	84.8	7.7	149	4.3	4
1/2/23 6:00	11.0	84.7	7.7	149	4.3	4
1/2/23 6:15	11.0	84.7	7.7	149	4.3	4
1/2/23 6:30	11.0	84.7	7.7	149	4.3	4
1/2/23 6:45	11.0	84.7	7.7	149	4.3	4
1/2/23 7:00	11.0	84.7	7.7	149	4.2	5
1/2/23 7:15	11.0	84.7	7.7	149	4.2	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 7:30	11.0	84.7	7.7	148	4.2	4
1/2/23 7:45	11.0	84.7	7.7	149	4.2	4
1/2/23 8:00	11.0	84.6	7.7	149	4.2	
1/2/23 8:15	11.0	84.7	7.7	148	4.2	4
1/2/23 8:30	11.0	84.7	7.7	148	4.2	4
1/2/23 8:45	11.1	84.9	7.7	148	4.3	4
1/2/23 9:00	11.1	85.0	7.7	148	4.3	4
1/2/23 9:15	11.1	85.0	7.8	148	4.3	4
1/2/23 9:30	11.1	85.3	7.7	148	4.3	4
1/2/23 9:45	11.1	85.3	7.8	148	4.3	4
1/2/23 10:00	11.1	85.6	7.8	149	4.3	4
1/2/23 10:15	11.1	85.6	7.8	148	4.3	4
1/2/23 10:30	11.1	85.7	7.8	148	4.3	4
1/2/23 10:45	11.1	85.6	7.8	148	4.3	4
1/2/23 11:00	11.2	85.8	7.8	148	4.3	
1/2/23 11:15	11.2	85.9	7.8	148	4.4	4
1/2/23 11:30	11.2	86.0	7.8	149	4.4	4
1/2/23 11:45	11.2	85.9	7.8	148	4.4	4
1/2/23 12:00	11.2	86.1	7.8	149	4.4	4
1/2/23 12:15	11.2	85.9	7.8	148	4.4	4
1/2/23 12:30	11.2	86.1	7.8	149	4.4	4
1/2/23 12:45	11.1	85.6	7.8	148	4.4	4
1/2/23 13:00	11.1	85.3	7.8	148	4.4	4
1/2/23 13:15	11.1	85.4	7.8	148	4.4	4
1/2/23 13:30	11.1	85.3	7.8	148	4.4	4
1/2/23 13:45	11.1	85.5	7.8	148	4.4	4
1/2/23 14:00	11.1	85.7	7.8	148	4.4	4
1/2/23 14:15	11.1	85.8	7.8	148	4.4	4
1/2/23 14:30	11.1	85.8	7.8	149	4.4	4
1/2/23 14:45	11.2	86.0	7.8	148	4.4	4
1/2/23 15:00	11.2	86.3	7.8	148	4.4	4
1/2/23 15:15	11.2	86.0	7.8	148	4.4	4
1/2/23 15:30	11.2	86.0	7.8	148	4.4	4
1/2/23 15:45	11.2	86.1	7.8	149	4.4	4
1/2/23 16:00	11.1	85.9	7.8	149	4.4	4
1/2/23 16:15	11.2	86.0	7.8	149	4.4	4
1/2/23 16:30	11.1	85.9	7.8	148	4.4	4
1/2/23 16:45	11.1	85.9	7.8	149	4.4	4
1/2/23 17:00	11.1	85.8	7.8	149	4.4	4
1/2/23 17:15	11.1	85.8	7.8	149	4.4	4
1/2/23 17:30	11.1	85.8	7.8	149	4.4	4
1/2/23 17:45	11.1	85.7	7.8	148	4.4	4

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/2/23 18:00	11.1	85.8	7.8	149	4.4	4
1/2/23 18:15	11.1	85.7	7.7	148	4.4	4
1/2/23 18:30	11.1	85.6	7.8	148	4.4	4
1/2/23 18:45	11.1	85.6	7.7	148	4.4	4
1/2/23 19:00	11.1	85.6	7.8	148	4.4	4
1/2/23 19:15	11.1	85.6	7.7	148	4.4	4
1/2/23 19:30	11.1	85.8	7.8	148	4.4	4
1/2/23 19:45	11.1	85.8	7.8	149	4.4	4
1/2/23 20:00	11.1	85.7	7.8	148	4.4	4
1/2/23 20:15	11.1	85.6	7.7	148	4.4	4
1/2/23 20:30	11.1	85.6	7.7	148	4.4	4
1/2/23 20:45	11.1	85.5	7.7	148	4.4	4
1/2/23 21:00	11.1	85.7	7.7	148	4.4	4
1/2/23 21:15	11.1	85.7	7.7	148	4.4	4
1/2/23 21:30	11.1	85.6	7.7	148	4.4	4
1/2/23 21:45	11.1	85.7	7.7	148	4.4	4
1/2/23 22:00	11.1	85.7	7.7	148	4.4	4
1/2/23 22:15	11.1	85.7	7.8	148	4.4	4
1/2/23 22:30	11.1	85.8	7.8	148	4.4	4
1/2/23 22:45	11.1	85.8	7.8	148	4.4	4
1/2/23 23:00	11.1	85.6	7.7	148	4.4	4
1/2/23 23:15	11.1	85.7	7.7	148	4.4	4
1/2/23 23:30	11.1	85.8	7.7	148	4.4	4
1/2/23 23:45	11.1	85.9	7.8	148	4.4	4
1/3/23 0:00	11.1	85.8	7.8	148	4.4	4
1/3/23 0:15	11.1	85.8	7.8	148	4.4	4
1/3/23 0:30	11.1	85.7	7.7	148	4.4	4
1/3/23 0:45	11.1	85.7	7.7	148	4.4	4
1/3/23 1:00	11.1	85.7	7.7	148	4.4	4
1/3/23 1:15	11.1	85.6	7.7	148	4.4	4
1/3/23 1:30	11.1	85.8	7.8	148	4.4	4
1/3/23 1:45	11.1	85.7	7.7	148	4.4	4
1/3/23 2:00	11.1	85.6	7.7	148	4.4	4
1/3/23 2:15	11.1	85.7	7.7	148	4.4	4
1/3/23 2:30	11.1	85.7	7.7	148	4.3	4
1/3/23 2:45	11.2	85.9	7.8	149	4.3	4
1/3/23 3:00	11.2	85.8	7.8	148	4.3	4
1/3/23 3:15	11.1	85.7	7.7	148	4.3	4
1/3/23 3:30	11.2	85.9	7.8	148	4.3	4
1/3/23 3:45	11.1	85.7	7.7	148	4.3	4
1/3/23 4:00	11.2	85.9	7.8	148	4.3	4
1/3/23 4:15	11.2	85.7	7.7	148	4.3	4

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 4:30	11.2	85.9	7.8	148	4.3	4
1/3/23 4:45	11.2	85.9	7.8	148	4.3	4
1/3/23 5:00	11.2	85.7	7.7	148	4.3	4
1/3/23 5:15	11.2	85.9	7.8	148	4.3	4
1/3/23 5:30	11.2	85.9	7.8	148	4.3	4
1/3/23 5:45	11.2	85.9	7.7	148	4.3	4
1/3/23 6:00	11.2	85.8	7.8	148	4.3	4
1/3/23 6:15	11.2	85.8	7.8	148	4.2	4
1/3/23 6:30	11.2	85.8	7.7	148	4.2	4
1/3/23 6:45	11.2	85.9	7.7	148	4.2	4
1/3/23 7:00	11.2	85.9	7.8	148	4.2	4
1/3/23 7:15	11.2	85.8	7.8	148	4.2	4
1/3/23 7:30	11.2	85.8	7.7	148	4.2	4
1/3/23 7:45	11.2	86.1	7.8	148	4.2	4
1/3/23 8:00	11.2	86.0	7.8	148	4.2	4
1/3/23 8:15	11.2	86.1	7.8	148	4.2	4
1/3/23 8:30	11.2	86.2	7.8	148	4.2	4
1/3/23 8:45	11.3	86.4	7.8	148	4.2	4
1/3/23 9:00	11.3	86.5	7.8	148	4.2	4
1/3/23 9:15	11.3	86.4	7.7	147	4.2	4
1/3/23 9:30	11.3	86.6	7.8	148	4.2	4
1/3/23 9:45	11.3	86.7	7.8	148	4.2	4
1/3/23 10:00	11.3	86.6	7.7	147	4.2	5
1/3/23 10:15	11.3	86.9	7.7	148	4.2	4
1/3/23 10:30	11.3	86.9	7.7	147	4.3	4
1/3/23 10:45	11.3	87.2	7.7	147	4.3	4
1/3/23 11:00	11.4	87.5	7.8	148	4.3	4
1/3/23 11:15	11.4	87.6	7.8	148	4.3	4
1/3/23 11:30	11.4	87.5	7.8	148	4.3	4
1/3/23 11:45	11.3	87.2	7.8	147	4.3	4
1/3/23 12:00	11.3	87.3	7.7	148	4.3	4
1/3/23 12:15	11.4	87.3	7.7	148	4.3	4
1/3/23 12:30	11.3	87.1	7.7	148	4.3	4
1/3/23 12:45	11.4	87.3	7.7	148	4.3	4
1/3/23 13:00	11.3	87.3	7.7	147	4.3	4
1/3/23 13:15	11.4	87.5	7.7	148	4.3	4
1/3/23 13:30	11.4	87.5	7.7	147	4.4	4
1/3/23 13:45	11.4	87.4	7.8	147	4.4	4
1/3/23 14:00	11.3	87.4	7.8	148	4.4	4
1/3/23 14:15	11.3	87.4	7.7	147	4.4	4
1/3/23 14:30	11.3	87.3	7.7	147	4.4	4
1/3/23 14:45	11.3	87.4	7.7	148	4.4	4

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 15:00	11.3	87.4	7.7	148	4.4	4
1/3/23 15:15	11.3	87.4	7.7	148	4.4	4
1/3/23 15:30	11.3	87.3	7.7	147	4.4	4
1/3/23 15:45	11.4	87.5	7.7	148	4.4	4
1/3/23 16:00	11.3	87.5	7.7	148	4.4	4
1/3/23 16:15	11.3	87.2	7.7	147	4.4	4
1/3/23 16:30	11.3	87.2	7.7	148	4.4	4
1/3/23 16:45	11.3	86.9	7.7	148	4.4	4
1/3/23 17:00	11.3	86.9	7.7	147	4.4	4
1/3/23 17:15	11.3	86.9	7.7	148	4.4	4
1/3/23 17:30	11.3	87.0	7.7	148	4.4	4
1/3/23 17:45	11.3	86.9	7.7	148	4.4	4
1/3/23 18:00	11.3	87.0	7.7	148	4.4	4
1/3/23 18:15	11.3	87.1	7.7	148	4.4	4
1/3/23 18:30	11.3	87.1	7.7	148	4.4	4
1/3/23 18:45	11.3	87.0	7.7	148	4.4	5
1/3/23 19:00	11.3	87.1	7.7	148	4.4	4
1/3/23 19:15	11.3	87.2	7.7	148	4.4	4
1/3/23 19:30	11.3	87.3	7.7	148	4.4	4
1/3/23 19:45	11.3	87.2	7.7	147	4.4	4
1/3/23 20:00	11.3	87.2	7.7	147	4.4	4
1/3/23 20:15	11.3	87.3	7.7	148	4.4	4
1/3/23 20:30	11.3	87.3	7.7	148	4.4	4
1/3/23 20:45	11.3	87.2	7.7	147	4.4	4
1/3/23 21:00	11.3	87.3	7.7	148	4.4	4
1/3/23 21:15	11.3	87.3	7.7	148	4.4	4
1/3/23 21:30	11.4	87.4	7.7	148	4.4	5
1/3/23 21:45	11.3	87.2	7.7	147	4.4	4
1/3/23 22:00	11.3	87.3	7.7	148	4.4	4
1/3/23 22:15	11.3	87.3	7.7	147	4.4	4
1/3/23 22:30	11.4	87.4	7.7	148	4.4	4
1/3/23 22:45	11.4	87.4	7.7	148	4.3	4
1/3/23 23:00	11.3	87.2	7.7	147	4.3	4
1/3/23 23:15	11.3	87.3	7.7	147	4.3	4
1/3/23 23:30	11.3	87.3	7.7	148	4.3	4
1/3/23 23:45	11.3	87.1	7.7	147	4.3	4
1/4/23 0:00	11.3	87.3	7.7	148	4.3	4
1/4/23 0:15	11.3	87.3	7.7	148	4.3	4
1/4/23 0:30	11.3	87.3	7.7	147	4.3	4
1/4/23 0:45	11.3	87.3	7.7	148	4.3	4
1/4/23 1:00	11.3	87.3	7.7	148	4.3	4
1/4/23 1:15	11.3	87.3	7.7	148	4.3	4

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 1:30	11.3	87.1	7.7	147	4.3	4
1/4/23 1:45	11.3	87.2	7.7	148	4.3	4
1/4/23 2:00	11.3	87.2	7.7	148	4.3	4
1/4/23 2:15	11.3	87.2	7.7	148	4.3	4
1/4/23 2:30	11.3	87.2	7.7	147	4.3	4
1/4/23 2:45	11.3	87.1	7.7	147	4.3	4
1/4/23 3:00	11.4	87.4	7.7	148	4.3	4
1/4/23 3:15	11.4	87.3	7.7	147	4.3	4
1/4/23 3:30	11.4	87.4	7.7	148	4.3	4
1/4/23 3:45	11.3	86.7	7.7	147	4.3	4
1/4/23 4:00	11.3	86.8	7.7	147	4.3	4
1/4/23 4:15	11.3	86.8	7.7	147	4.2	4
1/4/23 4:30	11.3	86.6	7.7	147	4.2	4
1/4/23 4:45	11.3	86.8	7.7	147	4.2	4
1/4/23 5:00	11.3	87.0	7.7	147	4.2	4
1/4/23 5:15	11.3	86.8	7.7	146	4.2	4
1/4/23 5:30	11.3	86.9	7.7	146	4.2	4
1/4/23 5:45	11.4	87.0	7.7	147	4.2	5
1/4/23 6:00	11.3	87.0	7.7	147	4.2	4
1/4/23 6:15	11.3	87.0	7.7	147	4.2	4
1/4/23 6:30	11.3	86.9	7.7	147	4.2	4
1/4/23 6:45	11.3	86.9	7.7	147	4.2	4
1/4/23 7:00	11.3	86.9	7.7	147	4.2	4
1/4/23 7:15	11.3	86.9	7.7	147	4.2	4
1/4/23 7:30	11.3	86.8	7.7	147	4.2	4
1/4/23 7:45	11.3	86.7	7.7	147	4.2	4
1/4/23 8:00	11.3	86.7	7.7	147	4.2	4
1/4/23 8:15	11.3	86.9	7.7	147	4.3	4
1/4/23 8:30	11.3	86.8	7.7	147	4.3	4
1/4/23 8:45	11.3	86.9	7.7	147	4.3	4
1/4/23 9:00	11.3	86.8	7.7	146	4.2	4
1/4/23 9:15	11.3	86.9	7.7	146	4.3	4
1/4/23 9:30	11.3	87.0	7.7	146	4.3	4
1/4/23 9:45	11.3	87.2	7.7	146	4.3	4
1/4/23 10:00	11.4	87.5	7.7	147	4.3	4
1/4/23 10:15	11.4	87.6	7.7	146	4.3	4
1/4/23 10:30	11.4	87.5	7.8	146	4.3	4
1/4/23 10:45	11.4	87.8	7.8	146	4.3	4
1/4/23 11:00	11.5	88.1	7.8	146	4.3	5
1/4/23 11:15	11.5	88.3	7.8	146	4.3	5
1/4/23 11:30	11.5	88.4	7.8	145	4.3	5
1/4/23 11:45	11.5	88.5	7.8	146	4.3	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 12:00	11.5	88.6	7.8	145	4.3	5
1/4/23 12:15	11.5	88.5	7.8	145	4.3	5
1/4/23 12:30	11.5	88.4	7.8	145	4.3	5
1/4/23 12:45	11.5	88.6	7.8	146	4.4	5
1/4/23 13:00	11.5	88.8	7.8	147	4.4	5
1/4/23 13:15	11.5	88.6	7.8	146	4.4	5
1/4/23 13:30	11.5	88.9	7.8	147	4.4	5
1/4/23 13:45	11.5	88.7	7.8	146	4.4	5
1/4/23 14:00	11.5	88.5	7.8	146	4.4	5
1/4/23 14:15	11.5	88.5	7.8	146	4.4	5
1/4/23 14:30	11.5	88.5	7.8	147	4.5	5
1/4/23 14:45	11.5	88.8	7.8	148	4.5	5
1/4/23 15:00	11.5	88.9	7.8	147	4.6	5
1/4/23 15:15	11.5	89.2	7.8	148	4.6	5
1/4/23 15:30	11.5	88.8	7.8	148	4.6	5
1/4/23 15:45	11.4	88.4	7.8	148	4.6	5
1/4/23 16:00	11.4	88.1	7.8	148	4.6	5
1/4/23 16:15	11.4	88.1	7.8	148	4.6	5
1/4/23 16:30	11.4	88.2	7.8	149	4.7	5
1/4/23 16:45	11.3	88.0	7.8	149	4.7	5
1/4/23 17:00	11.3	87.5	7.8	149	4.6	5
1/4/23 17:15	11.2	87.3	7.8	150	4.7	6
1/4/23 17:30	11.2	86.9	7.8	149	4.6	5
1/4/23 17:45	11.2	86.9	7.8	150	4.7	5
1/4/23 18:00	11.2	86.6	7.8	150	4.6	5
1/4/23 18:15	11.2	86.7	7.8	151	4.7	5
1/4/23 18:30	11.2	86.7	7.8	151	4.7	5
1/4/23 18:45	11.2	86.7	7.8	151	4.7	6
1/4/23 19:00	11.2	86.7	7.8	151	4.7	5
1/4/23 19:15	11.2	86.7	7.8	151	4.7	5
1/4/23 19:30	11.2	86.7	7.8	151	4.7	7
1/4/23 19:45	11.2	86.6	7.8	151	4.7	5
1/4/23 20:00	11.1	86.5	7.8	151	4.7	5
1/4/23 20:15	11.1	86.5	7.8	151	4.7	5
1/4/23 20:30	11.1	86.5	7.7	151	4.7	5
1/4/23 20:45	11.1	86.4	7.7	150	4.6	5
1/4/23 21:00	11.2	86.6	7.8	151	4.7	5
1/4/23 21:15	11.1	86.2	7.7	149	4.6	5
1/4/23 21:30	11.1	86.1	7.7	149	4.6	5
1/4/23 21:45	11.1	86.0	7.7	148	4.5	5
1/4/23 22:00	11.1	86.0	7.7	148	4.5	5
1/4/23 22:15	11.1	85.9	7.7	148	4.5	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/4/23 22:30	11.1	86.1	7.7	148	4.5	5
1/4/23 22:45	11.1	86.4	7.7	149	4.6	5
1/4/23 23:00	11.2	86.5	7.8	149	4.6	5
1/4/23 23:15	11.1	86.3	7.7	148	4.6	5
1/4/23 23:30	11.2	86.4	7.7	148	4.6	5
1/4/23 23:45	11.2	86.4	7.7	147	4.6	5
1/5/23 0:00	11.1	86.3	7.7	147	4.6	6
1/5/23 0:15	11.2	86.4	7.7	148	4.6	8
1/5/23 0:30	11.2	86.4	7.7	148	4.6	9
1/5/23 0:45	11.2	86.5	7.7	148	4.6	9
1/5/23 1:00	11.1	86.4	7.7	148	4.6	7
1/5/23 1:15	11.1	86.3	7.7	149	4.6	6
1/5/23 1:30	11.1	86.5	7.7	149	4.6	9
1/5/23 1:45	11.1	86.6	7.8	149	4.7	14
1/5/23 2:00	11.1	86.6	7.8	148	4.7	21
1/5/23 2:15	11.2	86.8	7.7	147	4.7	31
1/5/23 2:30	11.2	87.2	7.8	147	4.9	33
1/5/23 2:45	11.2	87.5	7.8	149	5.0	28
1/5/23 3:00	11.2	87.8	7.8	154	5.0	39
1/5/23 3:15	11.2	87.9	7.8	156	5.1	55
1/5/23 3:30	11.2	87.7	7.8	152	5.0	58
1/5/23 3:45	11.2	87.7	7.8	152	5.0	61
1/5/23 4:00	11.2	87.6	7.8	157	4.9	58
1/5/23 4:15	11.2	87.6	7.8	167	4.8	62
1/5/23 4:30	11.3	87.6	7.8	175	4.8	62
1/5/23 4:45	11.3	87.6	7.8	178	4.7	58
1/5/23 5:00	11.3	87.4	7.8	178	4.7	44
1/5/23 5:15	11.3	87.6	7.8	182	4.7	43
1/5/23 5:30	11.3	87.7	7.8	184	4.7	39
1/5/23 5:45	11.3	87.6	7.8	184	4.6	32
1/5/23 6:00	11.3	87.6	7.8	187	4.6	31
1/5/23 6:15	11.3	87.7	7.8	189	4.6	30
1/5/23 6:30	11.3	87.7	7.8	189	4.6	28
1/5/23 6:45	11.3	87.9	7.8	190	4.6	28
1/5/23 7:00	11.3	87.7	7.8	189	4.6	27
1/5/23 7:15	11.3	87.8	7.8	188	4.6	26
1/5/23 7:30	11.3	87.9	7.8	188	4.6	26
1/5/23 7:45	11.3	88.0	7.8	188	4.6	25
1/5/23 8:00	11.3	87.8	7.8	186	4.6	24
1/5/23 8:15	11.3	87.9	7.8	187	4.7	24
1/5/23 8:30	11.3	88.0	7.8	186	4.7	23
1/5/23 8:45	11.4	88.3	7.8	188	4.7	24

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 9:00	11.4	88.2	7.8	187	4.7	22
1/5/23 9:15	11.4	88.1	7.8	183	4.7	20
1/5/23 9:30	11.4	88.3	7.8	182	4.7	20
1/5/23 9:45	11.4	88.6	7.8	182	4.7	19
1/5/23 10:00	11.4	88.5	7.8	181	4.7	18
1/5/23 10:15	11.4	88.6	7.8	181	4.7	19
1/5/23 10:30	11.4	88.7	7.9	182	4.8	19
1/5/23 10:45	11.4	88.9	7.9	184	4.8	19
1/5/23 11:00	11.4	89.2	7.9	187	4.9	20
1/5/23 11:15	11.4	89.5	7.9	188	4.9	21
1/5/23 11:30	11.4	89.3	7.9	184	4.9	19
1/5/23 11:45	11.5	89.8	7.9	189	5.0	21
1/5/23 12:00	11.4	89.7	7.9	187	5.0	20
1/5/23 12:15	11.4	89.6	7.9	186	5.0	19
1/5/23 12:30	11.4	89.5	7.9	184	5.0	22
1/5/23 12:45	11.4	89.8	7.9	187	5.1	19
1/5/23 13:00	11.4	89.6	7.9	184	5.1	18
1/5/23 13:15	11.4	89.2	7.9	179	5.0	16
1/5/23 13:30	11.4	89.0	7.8	173	4.9	14
1/5/23 13:45	11.4	89.6	7.9	179	5.1	16
1/5/23 14:00	11.4	89.3	7.8	172	5.0	14
1/5/23 14:15	11.4	89.7	7.9	176	5.2	15
1/5/23 14:30	11.4	89.5	7.9	173	5.1	14
1/5/23 14:45	11.4	90.3	7.9	183	5.4	17
1/5/23 15:00	11.4	90.5	7.9	183	5.5	17
1/5/23 15:15	11.4	89.5	7.9	173	5.2	16
1/5/23 15:30	11.3	89.5	7.9	175	5.3	14
1/5/23 15:45	11.4	89.3	7.9	171	5.2	13
1/5/23 16:00	11.3	88.7	7.8	164	5.0	11
1/5/23 16:15	11.4	89.2	7.8	168	5.1	12
1/5/23 16:30	11.4	89.1	7.8	168	5.1	12
1/5/23 16:45	11.3	88.7	7.8	163	4.9	11
1/5/23 17:00	11.3	88.8	7.8	164	5.0	11
1/5/23 17:15	11.3	88.5	7.8	163	4.9	11
1/5/23 17:30	11.3	88.5	7.8	162	4.9	11
1/5/23 17:45	11.3	88.6	7.8	164	5.0	11
1/5/23 18:00	11.3	88.9	7.8	168	5.1	12
1/5/23 18:15	11.3	88.8	7.8	167	5.1	12
1/5/23 18:30	11.3	88.7	7.8	164	5.0	11
1/5/23 18:45	11.3	88.5	7.8	162	4.9	10
1/5/23 19:00	11.3	88.5	7.8	162	4.9	10
1/5/23 19:15	11.4	88.8	7.8	163	4.9	10

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/5/23 19:30	11.4	88.8	7.8	163	4.9	10
1/5/23 19:45	11.4	88.7	7.8	162	4.9	11
1/5/23 20:00	11.4	88.7	7.8	162	4.8	10
1/5/23 20:15	11.4	88.8	7.8	162	4.9	10
1/5/23 20:30	11.4	88.8	7.8	162	4.9	10
1/5/23 20:45	11.4	88.8	7.8	162	4.8	10
1/5/23 21:00	11.4	88.7	7.8	161	4.8	10
1/5/23 21:15	11.4	88.5	7.8	160	4.8	9
1/5/23 21:30	11.4	88.6	7.8	161	4.8	10
1/5/23 21:45	11.4	88.5	7.8	161	4.8	9
1/5/23 22:00	11.4	88.4	7.8	160	4.8	9
1/5/23 22:15	11.4	88.6	7.8	161	4.8	10
1/5/23 22:30	11.4	88.3	7.8	158	4.7	9
1/5/23 22:45	11.4	88.4	7.8	158	4.7	9
1/5/23 23:00	11.4	88.4	7.8	159	4.7	9
1/5/23 23:15	11.4	88.4	7.8	158	4.7	9
1/5/23 23:30	11.4	88.5	7.8	158	4.7	9
1/5/23 23:45	11.4	88.5	7.8	158	4.6	9
1/6/23 0:00	11.4	88.5	7.8	158	4.6	9
1/6/23 0:15	11.4	88.6	7.8	159	4.6	9
1/6/23 0:30	11.4	88.5	7.8	158	4.6	9
1/6/23 0:45	11.4	88.5	7.8	157	4.6	8
1/6/23 1:00	11.4	88.5	7.8	157	4.6	8
1/6/23 1:15	11.4	88.5	7.8	157	4.5	8
1/6/23 1:30	11.5	88.6	7.8	157	4.5	8
1/6/23 1:45	11.5	88.6	7.8	157	4.5	8
1/6/23 2:00	11.5	88.6	7.8	157	4.5	8
1/6/23 2:15	11.5	88.6	7.8	156	4.5	8
1/6/23 2:30	11.5	88.6	7.8	156	4.5	8
1/6/23 2:45	11.5	88.7	7.8	157	4.5	8
1/6/23 3:00	11.5	88.5	7.8	155	4.4	8
1/6/23 3:15	11.5	88.6	7.8	156	4.4	8
1/6/23 3:30	11.5	88.7	7.8	156	4.4	8
1/6/23 3:45	11.5	88.6	7.8	155	4.4	8
1/6/23 4:00	11.5	88.7	7.8	156	4.4	8
1/6/23 4:15	11.5	88.7	7.8	155	4.4	8
1/6/23 4:30	11.5	88.6	7.8	155	4.4	8
1/6/23 4:45	11.5	88.8	7.8	155	4.4	9
1/6/23 5:00	11.5	88.6	7.8	154	4.4	8
1/6/23 5:15	11.5	88.7	7.8	154	4.4	8
1/6/23 5:30	11.5	88.6	7.8	154	4.4	8
1/6/23 5:45	11.5	88.7	7.8	154	4.4	8

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 6:00	11.5	88.7	7.8	154	4.4	8
1/6/23 6:15	11.5	88.8	7.8	154	4.4	8
1/6/23 6:30	11.5	88.7	7.8	153	4.3	8
1/6/23 6:45	11.5	88.7	7.8	153	4.3	8
1/6/23 7:00	11.5	88.6	7.8	153	4.3	7
1/6/23 7:15	11.5	88.8	7.8	154	4.3	7
1/6/23 7:30	11.5	88.7	7.8	154	4.3	8
1/6/23 7:45	11.5	88.7	7.8	153	4.3	7
1/6/23 8:00	11.5	88.7	7.8	153	4.3	7
1/6/23 8:15	11.5	88.8	7.8	153	4.3	7
1/6/23 8:30	11.5	88.8	7.8	153	4.3	7
1/6/23 8:45	11.5	88.8	7.8	152	4.3	7
1/6/23 9:00	11.6	88.9	7.8	152	4.3	7
1/6/23 9:15	11.6	88.9	7.8	152	4.3	7
1/6/23 9:30	11.6	89.1	7.8	152	4.3	7
1/6/23 9:45	11.6	89.0	7.8	151	4.3	7
1/6/23 10:00	11.6	89.3	7.8	152	4.3	8
1/6/23 10:15	11.6	89.4	7.8	152	4.3	7
1/6/23 10:30	11.6	89.4	7.8	152	4.4	7
1/6/23 10:45	11.6	89.5	7.8	152	4.4	7
1/6/23 11:00	11.6	89.6	7.8	152	4.4	7
1/6/23 11:15	11.6	89.5	7.8	152	4.4	7
1/6/23 11:30	11.6	89.7	7.8	152	4.4	7
1/6/23 11:45	11.6	89.7	7.8	151	4.4	7
1/6/23 12:00	11.6	89.7	7.8	152	4.5	7
1/6/23 12:15	11.6	89.5	7.8	152	4.5	8
1/6/23 12:30	11.6	89.3	7.8	151	4.5	7
1/6/23 12:45	11.6	89.6	7.8	152	4.5	7
1/6/23 13:00	11.6	89.7	7.8	151	4.5	7
1/6/23 13:15	11.6	90.0	7.8	153	4.6	7
1/6/23 13:30	11.6	90.4	7.8	155	4.7	7
1/6/23 13:45	11.7	90.8	7.9	158	4.8	8
1/6/23 14:00	11.6	90.7	7.9	157	4.8	8
1/6/23 14:15	11.6	90.3	7.8	156	4.7	7
1/6/23 14:30	11.6	90.5	7.9	157	4.8	7
1/6/23 14:45	11.6	90.0	7.8	154	4.7	7
1/6/23 15:00	11.6	89.9	7.8	155	4.7	7
1/6/23 15:15	11.6	90.2	7.9	157	4.8	7
1/6/23 15:30	11.6	90.2	7.9	157	4.8	7
1/6/23 15:45	11.5	89.5	7.8	154	4.7	7
1/6/23 16:00	11.5	89.1	7.8	152	4.7	7
1/6/23 16:15	11.5	88.9	7.8	151	4.6	7

Klamath River below Iron Gate Dam
(11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/6/23 16:30	11.5	89.2	7.8	154	4.7	7
1/6/23 16:45	11.5	89.2	7.8	154	4.7	7
1/6/23 17:00	11.5	89.2	7.8	155	4.7	7
1/6/23 17:15	11.4	88.7	7.8	152	4.6	6
1/6/23 17:30	11.4	88.7	7.8	152	4.6	6
1/6/23 17:45	11.4	88.4	7.8	150	4.5	6
1/6/23 18:00	11.4	88.6	7.8	152	4.6	7
1/6/23 18:15	11.4	88.6	7.8	151	4.6	7
1/6/23 18:30	11.4	88.5	7.8	151	4.6	6
1/6/23 18:45	11.4	88.5	7.8	151	4.6	6
1/6/23 19:00	11.4	88.6	7.8	152	4.6	6
1/6/23 19:15	11.4	88.4	7.8	151	4.5	6
1/6/23 19:30	11.4	88.4	7.8	151	4.5	6
1/6/23 19:45	11.4	88.4	7.8	151	4.5	6
1/6/23 20:00	11.4	88.4	7.8	151	4.5	6
1/6/23 20:15	11.4	88.5	7.8	151	4.5	6
1/6/23 20:30	11.4	88.4	7.8	151	4.5	6
1/6/23 20:45	11.4	88.4	7.8	151	4.5	6
1/6/23 21:00	11.4	88.4	7.8	151	4.5	6
1/6/23 21:15	11.4	88.4	7.8	151	4.5	6
1/6/23 21:30	11.4	88.4	7.8	151	4.5	6
1/6/23 21:45	11.4	88.4	7.8	151	4.5	6
1/6/23 22:00	11.4	88.3	7.8	150	4.5	6
1/6/23 22:15	11.4	88.4	7.8	150	4.5	6
1/6/23 22:30	11.5	88.5	7.8	151	4.5	6
1/6/23 22:45	11.4	88.4	7.8	150	4.5	6
1/6/23 23:00	11.4	88.3	7.8	150	4.4	6
1/6/23 23:15	11.4	88.4	7.8	150	4.5	6
1/6/23 23:30	11.5	88.5	7.8	151	4.5	6
1/6/23 23:45	11.5	88.5	7.8	151	4.5	6
1/7/23 0:00	11.4	88.4	7.8	150	4.5	6
1/7/23 0:15	11.5	88.5	7.8	151	4.5	7
1/7/23 0:30	11.5	88.6	7.8	151	4.5	6
1/7/23 0:45	11.5	88.8	7.8	153	4.6	6
1/7/23 1:00	11.5	88.9	7.8	154	4.6	6
1/7/23 1:15	11.5	88.9	7.8	153	4.6	7
1/7/23 1:30	11.4	88.7	7.8	152	4.6	6
1/7/23 1:45	11.4	88.4	7.8	151	4.5	6
1/7/23 2:00	11.4	88.4	7.8	150	4.5	6
1/7/23 2:15	11.4	88.2	7.8	149	4.5	6
1/7/23 2:30	11.4	88.2	7.7	149	4.5	6
1/7/23 2:45	11.4	88.1	7.8	149	4.5	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 3:00	11.4	88.3	7.8	149	4.5	6
1/7/23 3:15	11.4	88.2	7.8	149	4.5	6
1/7/23 3:30	11.4	88.3	7.8	150	4.5	6
1/7/23 3:45	11.4	88.4	7.8	151	4.5	6
1/7/23 4:00	11.4	88.4	7.8	151	4.6	6
1/7/23 4:15	11.4	88.9	7.8	154	4.7	6
1/7/23 4:30	11.5	89.0	7.8	154	4.7	6
1/7/23 4:45	11.4	88.7	7.8	153	4.6	6
1/7/23 5:00	11.4	88.4	7.8	150	4.5	6
1/7/23 5:15	11.4	88.1	7.7	149	4.5	6
1/7/23 5:30	11.5	88.9	7.8	154	4.6	7
1/7/23 5:45	11.4	88.8	7.8	153	4.6	7
1/7/23 6:00	11.4	88.8	7.8	153	4.6	7
1/7/23 6:15	11.5	88.9	7.8	154	4.6	7
1/7/23 6:30	11.5	88.7	7.8	153	4.6	6
1/7/23 6:45	11.5	88.8	7.8	153	4.6	6
1/7/23 7:00	11.5	88.8	7.8	154	4.6	7
1/7/23 7:15	11.5	88.8	7.8	153	4.6	6
1/7/23 7:30	11.4	88.5	7.8	151	4.5	6
1/7/23 7:45	11.5	88.7	7.8	153	4.6	7
1/7/23 8:00	11.5	88.8	7.8	153	4.6	7
1/7/23 8:15	11.5	88.9	7.8	153	4.6	6
1/7/23 8:30	11.4	88.4	7.8	150	4.5	6
1/7/23 8:45	11.4	88.4	7.8	150	4.5	6
1/7/23 9:00	11.4	88.4	7.8	149	4.5	6
1/7/23 9:15	11.5	88.7	7.8	150	4.5	6
1/7/23 9:30	11.5	89.5	7.8	154	4.6	6
1/7/23 9:45	11.6	89.7	7.8	154	4.7	6
1/7/23 10:00	11.5	89.6	7.8	153	4.6	6
1/7/23 10:15	11.6	90.1	7.8	154	4.7	6
1/7/23 10:30	11.6	90.0	7.8	154	4.7	6
1/7/23 10:45	11.6	90.3	7.9	154	4.7	6
1/7/23 11:00	11.6	90.0	7.8	153	4.7	6
1/7/23 11:15	11.6	90.1	7.8	154	4.7	6
1/7/23 11:30	11.6	90.0	7.8	154	4.7	6
1/7/23 11:45	11.6	89.9	7.8	153	4.7	6
1/7/23 12:00	11.6	90.2	7.8	154	4.7	6
1/7/23 12:15	11.6	90.0	7.8	153	4.7	6
1/7/23 12:30	11.6	90.1	7.8	153	4.7	6
1/7/23 12:45	11.6	89.8	7.8	153	4.7	6
1/7/23 13:00	11.5	89.7	7.8	152	4.7	6
1/7/23 13:15	11.5	89.9	7.8	153	4.8	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/7/23 13:30	11.6	89.9	7.8	153	4.7	6
1/7/23 13:45	11.6	89.9	7.8	153	4.8	6
1/7/23 14:00	11.6	90.1	7.8	153	4.8	6
1/7/23 14:15	11.6	90.7	7.8	154	4.8	6
1/7/23 14:30	11.6	90.7	7.8	153	4.8	6
1/7/23 14:45	11.6	90.3	7.8	150	4.8	6
1/7/23 15:00	11.6	90.1	7.8	151	4.8	6
1/7/23 15:15	11.6	90.4	7.9	154	4.9	6
1/7/23 15:30	11.6	90.1	7.8	153	4.8	6
1/7/23 15:45	11.5	89.6	7.8	151	4.7	6
1/7/23 16:00	11.5	89.8	7.8	152	4.8	6
1/7/23 16:15	11.5	89.8	7.8	153	4.8	6
1/7/23 16:30	11.5	89.6	7.8	152	4.8	6
1/7/23 16:45	11.5	89.5	7.8	153	4.8	6
1/7/23 17:00	11.5	89.3	7.8	153	4.8	6
1/7/23 17:15	11.5	89.1	7.8	152	4.7	6
1/7/23 17:30	11.5	89.1	7.8	153	4.7	6
1/7/23 17:45	11.4	88.7	7.8	150	4.6	6
1/7/23 18:00	11.5	88.9	7.8	151	4.7	6
1/7/23 18:15	11.4	88.7	7.8	150	4.6	6
1/7/23 18:30	11.5	88.9	7.8	151	4.7	6
1/7/23 18:45	11.5	88.9	7.8	152	4.7	6
1/7/23 19:00	11.5	89.2	7.8	153	4.7	6
1/7/23 19:15	11.5	89.1	7.8	152	4.7	6
1/7/23 19:30	11.5	89.3	7.8	153	4.7	6
1/7/23 19:45	11.5	89.2	7.8	153	4.7	6
1/7/23 20:00	11.5	89.1	7.8	152	4.7	6
1/7/23 20:15	11.5	89.1	7.8	152	4.7	6
1/7/23 20:30	11.5	89.0	7.8	152	4.6	6
1/7/23 20:45	11.5	89.0	7.8	152	4.6	6
1/7/23 21:00	11.5	89.0	7.8	152	4.6	6
1/7/23 21:15	11.5	88.9	7.8	151	4.6	6
1/7/23 21:30	11.4	88.7	7.8	151	4.6	6
1/7/23 21:45	11.5	88.6	7.8	150	4.5	6
1/7/23 22:00	11.5	88.8	7.8	151	4.6	6
1/7/23 22:15	11.4	88.4	7.8	149	4.5	6
1/7/23 22:30	11.5	88.9	7.8	153	4.6	6
1/7/23 22:45	11.5	88.9	7.8	153	4.6	6
1/7/23 23:00	11.4	88.4	7.8	150	4.5	6
1/7/23 23:15	11.5	88.9	7.8	153	4.6	6
1/7/23 23:30	11.5	88.9	7.8	153	4.6	6
1/7/23 23:45	11.5	88.9	7.8	152	4.6	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 0:00	11.5	88.9	7.8	152	4.6	6
1/8/23 0:15	11.4	88.6	7.8	150	4.5	6
1/8/23 0:30	11.5	88.7	7.8	151	4.6	6
1/8/23 0:45	11.5	88.9	7.8	152	4.6	6
1/8/23 1:00	11.5	89.0	7.8	153	4.6	6
1/8/23 1:15	11.5	89.1	7.8	153	4.7	6
1/8/23 1:30	11.5	89.1	7.8	152	4.6	6
1/8/23 1:45	11.5	89.1	7.8	152	4.6	6
1/8/23 2:00	11.5	88.9	7.8	151	4.6	6
1/8/23 2:15	11.5	88.7	7.8	149	4.5	6
1/8/23 2:30	11.5	88.8	7.8	151	4.5	6
1/8/23 2:45	11.5	88.8	7.8	151	4.5	6
1/8/23 3:00	11.5	88.8	7.8	152	4.6	6
1/8/23 3:15	11.5	88.8	7.8	152	4.6	6
1/8/23 3:30	11.5	88.8	7.8	151	4.5	6
1/8/23 3:45	11.5	88.6	7.8	150	4.5	7
1/8/23 4:00	11.5	88.5	7.8	148	4.4	6
1/8/23 4:15	11.5	88.5	7.8	149	4.4	6
1/8/23 4:30	11.5	88.4	7.8	148	4.4	6
1/8/23 4:45	11.5	88.4	7.8	148	4.4	6
1/8/23 5:00	11.5	88.5	7.8	149	4.4	6
1/8/23 5:15	11.5	88.4	7.8	149	4.4	6
1/8/23 5:30	11.5	88.5	7.8	148	4.4	6
1/8/23 5:45	11.5	88.4	7.8	148	4.4	6
1/8/23 6:00	11.5	88.4	7.8	148	4.4	6
1/8/23 6:15	11.5	88.4	7.8	148	4.4	6
1/8/23 6:30	11.5	88.4	7.8	148	4.4	6
1/8/23 6:45	11.5	88.4	7.7	148	4.4	6
1/8/23 7:00	11.5	88.5	7.8	148	4.4	6
1/8/23 7:15	11.5	88.5	7.8	148	4.4	6
1/8/23 7:30	11.5	88.7	7.8	150	4.5	6
1/8/23 7:45	11.5	88.7	7.8	149	4.4	6
1/8/23 8:00	11.5	88.8	7.8	149	4.4	6
1/8/23 8:15	11.5	88.7	7.8	148	4.4	6
1/8/23 8:30	11.5	89.0	7.8	149	4.5	6
1/8/23 8:45	11.5	89.0	7.8	149	4.4	6
1/8/23 9:00	11.5	89.0	7.8	148	4.4	6
1/8/23 9:15	11.6	89.2	7.8	148	4.4	6
1/8/23 9:30	11.6	89.4	7.8	149	4.4	6
1/8/23 9:45	11.6	89.7	7.8	148	4.5	6
1/8/23 10:00	11.6	89.8	7.8	148	4.5	6
1/8/23 10:15	11.7	90.5	7.8	152	4.6	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 10:30	11.7	90.4	7.8	150	4.6	6
1/8/23 10:45	11.7	90.4	7.8	150	4.6	6
1/8/23 11:00	11.7	90.6	7.8	151	4.6	6
1/8/23 11:15	11.7	90.5	7.8	149	4.6	6
1/8/23 11:30	11.7	90.8	7.8	150	4.7	6
1/8/23 11:45	11.7	90.5	7.8	148	4.6	6
1/8/23 12:00	11.7	90.6	7.8	149	4.7	6
1/8/23 12:15	11.7	90.9	7.9	151	4.8	6
1/8/23 12:30	11.6	90.5	7.8	149	4.7	6
1/8/23 12:45	11.7	91.1	7.9	152	4.9	7
1/8/23 13:00	11.7	91.1	7.9	152	4.9	7
1/8/23 13:15	11.7	90.8	7.8	150	4.8	6
1/8/23 13:30	11.7	90.9	7.8	151	4.8	6
1/8/23 13:45	11.7	90.9	7.8	150	4.8	6
1/8/23 14:00	11.7	91.0	7.8	151	4.8	6
1/8/23 14:15	11.7	91.0	7.8	151	4.9	6
1/8/23 14:30	11.6	90.9	7.8	152	4.9	6
1/8/23 14:45	11.6	90.8	7.8	151	4.9	6
1/8/23 15:00	11.7	91.0	7.8	151	4.9	6
1/8/23 15:15	11.7	91.2	7.9	151	4.9	6
1/8/23 15:30	11.7	90.9	7.8	150	4.9	6
1/8/23 15:45	11.6	90.7	7.8	150	4.8	6
1/8/23 16:00	11.6	90.2	7.8	148	4.7	6
1/8/23 16:15	11.6	90.2	7.8	149	4.7	6
1/8/23 16:30	11.6	90.0	7.8	150	4.8	6
1/8/23 16:45	11.5	89.7	7.8	149	4.7	6
1/8/23 17:00	11.5	89.5	7.8	148	4.6	6
1/8/23 17:15	11.5	89.4	7.8	149	4.6	6
1/8/23 17:30	11.5	89.4	7.8	150	4.7	6
1/8/23 17:45	11.5	89.6	7.8	153	4.8	6
1/8/23 18:00	11.5	89.9	7.8	155	4.9	6
1/8/23 18:15	11.5	89.7	7.8	153	4.8	6
1/8/23 18:30	11.5	89.5	7.8	151	4.7	6
1/8/23 18:45	11.5	89.6	7.8	153	4.8	6
1/8/23 19:00	11.5	89.6	7.8	152	4.7	6
1/8/23 19:15	11.5	89.3	7.8	150	4.6	6
1/8/23 19:30	11.5	89.4	7.8	150	4.6	6
1/8/23 19:45	11.5	89.3	7.8	150	4.6	7
1/8/23 20:00	11.5	89.3	7.8	150	4.6	6
1/8/23 20:15	11.5	89.4	7.8	151	4.6	6
1/8/23 20:30	11.5	89.3	7.8	150	4.5	6
1/8/23 20:45	11.5	89.3	7.8	150	4.5	6

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 21:00	11.5	89.3	7.8	151	4.5	6
1/8/23 21:15	11.5	89.3	7.8	150	4.5	6
1/8/23 21:30	11.6	89.4	7.8	151	4.5	6
1/8/23 21:45	11.5	89.3	7.8	151	4.5	6
1/8/23 22:00	11.5	89.2	7.8	150	4.5	6
1/8/23 22:15	11.6	89.3	7.8	151	4.5	6
1/8/23 22:30	11.6	89.2	7.8	150	4.5	6
1/8/23 22:45	11.5	89.2	7.8	150	4.5	6
1/8/23 23:00	11.5	89.2	7.8	151	4.5	6
1/8/23 23:15	11.5	89.1	7.8	150	4.4	6
1/8/23 23:30	11.6	89.3	7.8	151	4.5	6
1/8/23 23:45	11.6	89.2	7.8	151	4.5	6
1/9/23 0:00	11.6	89.2	7.8	151	4.5	6
1/9/23 0:15	11.5	89.0	7.8	150	4.5	6
1/9/23 0:30	11.5	89.2	7.8	152	4.5	6
1/9/23 0:45	11.5	89.3	7.8	153	4.5	6
1/9/23 1:00	11.5	89.2	7.8	152	4.5	6
1/9/23 1:15	11.5	89.2	7.8	152	4.5	6
1/9/23 1:30	11.5	89.3	7.8	153	4.6	6
1/9/23 1:45	11.5	89.4	7.8	155	4.6	6
1/9/23 2:00	11.5	89.3	7.8	153	4.6	6
1/9/23 2:15	11.5	89.2	7.8	153	4.6	6
1/9/23 2:30	11.5	89.1	7.8	152	4.5	6
1/9/23 2:45	11.5	89.1	7.8	152	4.5	6
1/9/23 3:00	11.5	89.0	7.8	153	4.5	6
1/9/23 3:15	11.5	89.0	7.8	152	4.5	6
1/9/23 3:30	11.5	89.2	7.8	156	4.6	6
1/9/23 3:45	11.5	89.1	7.8	154	4.6	6
1/9/23 4:00	11.5	89.0	7.8	154	4.6	6
1/9/23 4:15	11.5	89.0	7.8	153	4.5	6
1/9/23 4:30	11.5	88.9	7.8	153	4.5	6
1/9/23 4:45	11.5	88.8	7.8	152	4.5	6
1/9/23 5:00	11.5	88.9	7.8	153	4.5	6
1/9/23 5:15	11.5	88.9	7.8	153	4.5	6
1/9/23 5:30	11.5	88.8	7.8	152	4.5	6
1/9/23 5:45	11.5	88.8	7.8	151	4.5	6
1/9/23 6:00	11.5	88.8	7.8	151	4.5	6
1/9/23 6:15	11.5	88.8	7.8	151	4.5	6
1/9/23 6:30	11.5	88.9	7.8	151	4.5	7
1/9/23 6:45	11.5	88.9	7.8	151	4.6	8
1/9/23 7:00	11.5	88.9	7.8	151	4.6	7
1/9/23 7:15	11.5	88.9	7.8	151	4.5	7

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 7:30	11.5	88.9	7.8	152	4.6	6
1/9/23 7:45	11.5	88.9	7.8	152	4.6	8
1/9/23 8:00	11.5	89.0	7.8	152	4.6	8
1/9/23 8:15	11.5	89.0	7.8	152	4.6	8
1/9/23 8:30	11.5	89.0	7.8	152	4.6	14
1/9/23 8:45	11.5	89.1	7.8	152	4.6	15
1/9/23 9:00	11.5	89.3	7.8	152	4.6	15
1/9/23 9:15	11.5	89.3	7.8	151	4.6	13
1/9/23 9:30	11.5	89.4	7.8	151	4.6	13
1/9/23 9:45	11.5	89.5	7.8	150	4.6	13
1/9/23 10:00	11.6	89.6	7.8	149	4.6	13
1/9/23 10:15	11.6	89.9	7.8	150	4.6	14
1/9/23 10:30	11.6	90.1	7.8	150	4.7	14
1/9/23 10:45	11.6	90.2	7.8	150	4.7	13
1/9/23 11:00	11.6	90.3	7.8	152	4.8	12
1/9/23 11:15	11.6	90.5	7.9	157	4.9	14
1/9/23 11:30	11.6	90.7	7.9	159	4.9	14
1/9/23 11:45	11.6	90.8	7.9	163	5.1	15
1/9/23 12:00	11.6	90.9	7.9	166	5.2	16
1/9/23 12:15	11.5	90.9	7.9	165	5.2	17
1/9/23 12:30	11.5	90.9	7.9	164	5.2	17
1/9/23 12:45	11.5	91.1	7.9	162	5.3	16
1/9/23 13:00	11.6	91.1	7.9	159	5.2	15
1/9/23 13:15	11.6	91.3	7.9	160	5.3	16
1/9/23 13:30	11.6	91.2	7.9	161	5.3	16
1/9/23 13:45	11.6	91.3	7.9	162	5.3	16
1/9/23 14:00	11.6	91.3	7.9	163	5.3	15
1/9/23 14:15	11.6	91.3	7.9	166	5.3	16
1/9/23 14:30	11.6	91.2	7.9	165	5.3	14
1/9/23 14:45	11.6	91.0	7.9	163	5.1	13
1/9/23 15:00	11.6	91.0	7.9	161	5.0	11
1/9/23 15:15	11.6	91.3	7.9	164	5.1	11
1/9/23 15:30	11.6	91.4	7.9	170	5.2	12
1/9/23 15:45	11.6	91.1	7.9	169	5.1	11
1/9/23 16:00	11.6	91.1	7.9	171	5.1	11
1/9/23 16:15	11.6	90.8	7.8	168	5.0	9
1/9/23 16:30	11.6	90.5	7.8	169	4.9	9
1/9/23 16:45	11.6	90.1	7.8	167	4.8	9
1/9/23 17:00	11.6	90.2	7.8	170	4.9	9
1/9/23 17:15	11.5	90.4	7.9	185	5.1	11
1/9/23 17:30	11.5	90.4	7.9	189	5.2	11
1/9/23 17:45	11.5	90.0	7.8	176	4.9	9

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/9/23 18:00	11.6	89.9	7.8	169	4.7	8
1/9/23 18:15	11.6	89.9	7.8	171	4.8	9
1/9/23 18:30	11.6	89.9	7.8	173	4.8	9
1/9/23 18:45	11.6	89.9	7.8	173	4.8	8
1/9/23 19:00	11.6	89.9	7.8	172	4.7	8
1/9/23 19:15	11.6	89.9	7.8	171	4.7	8
1/9/23 19:30	11.6	89.9	7.8	171	4.7	8
1/9/23 19:45	11.6	89.9	7.8	171	4.7	8
1/9/23 20:00	11.6	90.0	7.8	173	4.7	8
1/9/23 20:15	11.6	90.0	7.8	172	4.6	8
1/9/23 20:30	11.6	89.9	7.8	171	4.6	8
1/9/23 20:45	11.6	89.9	7.8	172	4.6	8
1/9/23 21:00	11.6	89.9	7.8	168	4.6	8
1/9/23 21:15	11.6	89.9	7.8	167	4.5	7
1/9/23 21:30	11.6	89.9	7.8	168	4.5	7
1/9/23 21:45	11.6	89.9	7.8	168	4.5	7
1/9/23 22:00	11.6	89.9	7.8	165	4.5	7
1/9/23 22:15	11.6	89.9	7.8	166	4.5	7
1/9/23 22:30	11.6	89.9	7.8	165	4.4	7
1/9/23 22:45	11.6	89.9	7.8	167	4.4	7
1/9/23 23:00	11.7	89.9	7.8	165	4.4	7
1/9/23 23:15	11.7	89.9	7.8	166	4.4	7
1/9/23 23:30	11.7	89.9	7.8	166	4.4	7
1/9/23 23:45	11.7	89.9	7.8	166	4.4	7
1/10/23 0:00	11.7	89.9	7.8	166	4.4	7
1/10/23 0:15	11.7	89.8	7.8	165	4.3	7
1/10/23 0:30	11.7	89.8	7.8	164	4.3	7
1/10/23 0:45	11.7	89.9	7.8	163	4.3	7
1/10/23 1:00	11.7	89.9	7.8	163	4.3	7
1/10/23 1:15	11.7	89.8	7.8	163	4.3	7
1/10/23 1:30	11.7	89.7	7.8	162	4.2	7
1/10/23 1:45	11.7	89.9	7.8	163	4.2	7
1/10/23 2:00	11.7	89.9	7.8	164	4.2	7
1/10/23 2:15	11.7	89.8	7.8	163	4.2	7
1/10/23 2:30	11.7	89.8	7.8	164	4.2	7
1/10/23 2:45	11.7	89.6	7.8	162	4.2	7
1/10/23 3:00	11.7	89.7	7.8	164	4.2	7
1/10/23 3:15	11.7	89.7	7.8	163	4.2	7
1/10/23 3:30	11.7	89.5	7.8	163	4.1	7
1/10/23 3:45	11.7	89.7	7.8	164	4.1	7
1/10/23 4:00	11.7	89.7	7.8	162	4.1	7
1/10/23 4:15	11.7	89.7	7.8	160	4.1	7

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 4:30	11.7	89.7	7.8	160	4.1	7
1/10/23 4:45	11.7	89.7	7.8	161	4.1	6
1/10/23 5:00	11.7	89.7	7.8	162	4.1	7
1/10/23 5:15	11.7	89.6	7.8	161	4.1	7
1/10/23 5:30	11.7	89.6	7.8	160	4.1	7
1/10/23 5:45	11.7	89.6	7.8	162	4.1	7
1/10/23 6:00	11.7	89.5	7.8	160	4.1	6
1/10/23 6:15	11.7	89.4	7.8	158	4.1	6
1/10/23 6:30	11.7	89.5	7.8	160	4.1	6
1/10/23 6:45	11.7	89.5	7.8	160	4.1	7
1/10/23 7:00	11.7	89.5	7.8	160	4.1	6
1/10/23 7:15	11.7	89.5	7.8	159	4.1	6
1/10/23 7:30	11.7	89.5	7.8	159	4.1	6
1/10/23 7:45	11.7	89.6	7.8	159	4.1	7
1/10/23 8:00	11.7	89.6	7.8	159	4.1	6
1/10/23 8:15	11.7	89.7	7.8	158	4.2	7
1/10/23 8:30	11.7	89.7	7.8	158	4.1	6
1/10/23 8:45	11.7	89.8	7.8	158	4.1	7
1/10/23 9:00	11.7	89.8	7.8	157	4.1	6
1/10/23 9:15	11.8	90.1	7.8	157	4.2	7
1/10/23 9:30	11.8	90.1	7.8	158	4.2	7
1/10/23 9:45	11.8	90.3	7.8	156	4.2	8
1/10/23 10:00	11.8	90.5	7.8	156	4.2	7
1/10/23 10:15	11.8	90.6	7.8	156	4.2	6
1/10/23 10:30	11.8	90.8	7.8	156	4.2	7
1/10/23 10:45	11.8	90.8	7.8	155	4.3	6
1/10/23 11:00	11.8	91.1	7.8	157	4.3	6
1/10/23 11:15	11.8	91.1	7.8	156	4.3	6
1/10/23 11:30	11.8	91.2	7.8	156	4.4	6
1/10/23 11:45	11.8	90.9	7.8	155	4.4	6
1/10/23 12:00	11.8	90.5	7.8	155	4.4	6
1/10/23 12:15	11.8	90.7	7.8	155	4.4	6
1/10/23 12:30	11.8	91.1	7.8	155	4.4	6
1/10/23 12:45	11.8	91.4	7.8	155	4.5	6
1/10/23 13:00	11.8	91.5	7.9	158	4.6	6
1/10/23 13:15	11.8	91.4	7.9	156	4.6	6
1/10/23 13:30	11.8	91.7	7.9	161	4.7	6
1/10/23 13:45	11.8	91.7	7.9	160	4.7	6
1/10/23 14:00	11.8	91.4	7.9	157	4.7	6
1/10/23 14:15	11.8	91.6	7.9	159	4.7	6
1/10/23 14:30	11.8	91.4	7.9	156	4.7	6
1/10/23 14:45	11.7	91.2	7.9	158	4.7	6

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/10/23 15:00	11.7	91.3	7.9	159	4.8	6
1/10/23 15:15	11.7	91.4	7.9	161	4.8	6
1/10/23 15:30	11.7	91.1	7.9	159	4.8	6
1/10/23 15:45	11.7	91.0	7.9	161	4.9	6
1/10/23 16:00	11.6	90.8	7.9	159	4.8	6
1/10/23 16:15	11.6	90.9	7.9	161	4.9	6
1/10/23 16:30	11.6	90.6	7.9	160	4.9	6
1/10/23 16:45	11.6	90.4	7.9	160	4.8	6
1/10/23 17:00	11.6	90.3	7.9	161	4.9	6
1/10/23 17:15	11.5	89.8	7.9	158	4.8	6
1/10/23 17:30	11.5	89.6	7.8	158	4.7	6
1/10/23 17:45	11.5	89.4	7.8	156	4.6	6
1/10/23 18:00	11.5	89.3	7.8	152	4.5	6
1/10/23 18:15	11.5	89.3	7.8	153	4.5	6
1/10/23 18:30	11.5	89.3	7.8	152	4.5	6
1/10/23 18:45	11.5	89.3	7.8	153	4.5	6
1/10/23 19:00	11.5	89.2	7.8	152	4.5	6
1/10/23 19:15	11.6	89.3	7.8	152	4.5	6
1/10/23 19:30	11.6	89.4	7.8	152	4.5	6
1/10/23 19:45	11.6	89.5	7.8	154	4.5	6
1/10/23 20:00	11.6	89.4	7.8	152	4.5	6
1/10/23 20:15	11.6	89.4	7.8	152	4.5	6
1/10/23 20:30	11.6	89.4	7.8	152	4.5	6
1/10/23 20:45	11.6	89.4	7.8	152	4.5	6
1/10/23 21:00	11.6	89.4	7.8	152	4.5	6
1/10/23 21:15	11.6	89.4	7.8	152	4.4	6
1/10/23 21:30	11.6	89.3	7.8	151	4.4	6
1/10/23 21:45	11.6	89.4	7.8	152	4.4	6
1/10/23 22:00	11.6	89.3	7.8	152	4.4	6
1/10/23 22:15	11.6	89.6	7.8	153	4.4	6
1/10/23 22:30	11.6	89.5	7.8	152	4.4	6
1/10/23 22:45	11.6	89.4	7.8	152	4.4	6
1/10/23 23:00	11.6	89.5	7.8	152	4.4	6
1/10/23 23:15	11.6	89.4	7.8	152	4.3	6
1/10/23 23:30	11.6	89.4	7.8	152	4.3	6
1/10/23 23:45	11.6	89.5	7.8	152	4.3	6
1/11/23 0:00	11.6	89.5	7.8	152	4.3	6
1/11/23 0:15	11.6	89.5	7.8	151	4.3	6
1/11/23 0:30	11.6	89.4	7.8	151	4.3	6
1/11/23 0:45	11.6	89.5	7.8	152	4.3	6
1/11/23 1:00	11.6	89.5	7.8	151	4.3	6
1/11/23 1:15	11.6	89.5	7.8	151	4.3	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 1:30	11.7	89.5	7.8	151	4.3	6
1/11/23 1:45	11.7	89.5	7.8	150	4.3	6
1/11/23 2:00	11.7	89.5	7.8	151	4.3	6
1/11/23 2:15	11.7	89.6	7.8	152	4.3	6
1/11/23 2:30	11.7	89.6	7.8	152	4.3	6
1/11/23 2:45	11.7	89.7	7.8	152	4.3	6
1/11/23 3:00	11.7	89.6	7.8	151	4.3	6
1/11/23 3:15	11.7	89.6	7.8	151	4.2	6
1/11/23 3:30	11.7	89.5	7.8	151	4.2	6
1/11/23 3:45	11.7	89.6	7.8	151	4.2	6
1/11/23 4:00	11.7	89.8	7.8	151	4.2	6
1/11/23 4:15	11.7	89.7	7.8	151	4.2	6
1/11/23 4:30	11.7	89.8	7.8	150	4.2	6
1/11/23 4:45	11.7	89.8	7.8	149	4.2	6
1/11/23 5:00	11.7	89.7	7.8	148	4.2	6
1/11/23 5:15	11.7	89.8	7.8	148	4.2	6
1/11/23 5:30	11.7	89.8	7.8	148	4.2	6
1/11/23 5:45	11.7	89.8	7.8	148	4.2	6
1/11/23 6:00	11.7	89.8	7.8	147	4.2	6
1/11/23 6:15	11.7	89.8	7.8	147	4.2	6
1/11/23 6:30	11.7	89.8	7.8	147	4.2	6
1/11/23 6:45	11.7	89.8	7.8	147	4.2	6
1/11/23 7:00	11.7	89.8	7.8	146	4.2	6
1/11/23 7:15	11.7	89.7	7.8	145	4.2	6
1/11/23 7:30	11.7	89.8	7.8	146	4.2	6
1/11/23 7:45	11.7	89.7	7.8	146	4.2	6
1/11/23 8:00	11.7	89.8	7.8	146	4.2	6
1/11/23 8:15	11.7	89.9	7.8	146	4.2	6
1/11/23 8:30	11.7	89.8	7.8	145	4.2	6
1/11/23 8:45	11.7	90.0	7.8	146	4.2	6
1/11/23 9:00	11.7	90.0	7.8	146	4.2	6
1/11/23 9:15	11.7	90.2	7.8	146	4.2	5
1/11/23 9:30	11.7	90.1	7.8	146	4.2	6
1/11/23 9:45	11.7	90.1	7.8	145	4.2	6
1/11/23 10:00	11.8	90.2	7.8	145	4.2	6
1/11/23 10:15	11.8	90.6	7.8	146	4.3	6
1/11/23 10:30	11.8	90.6	7.8	146	4.3	5
1/11/23 10:45	11.8	90.8	7.8	145	4.3	5
1/11/23 11:00	11.8	91.1	7.8	145	4.3	5
1/11/23 11:15	11.9	91.3	7.8	146	4.3	5
1/11/23 11:30	11.8	91.2	7.8	146	4.3	5
1/11/23 11:45	11.8	91.3	7.8	146	4.4	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 12:00	11.9	91.4	7.8	145	4.4	6
1/11/23 12:15	11.9	91.6	7.8	145	4.4	5
1/11/23 12:30	11.9	91.7	7.8	146	4.5	6
1/11/23 12:45	11.8	91.3	7.8	145	4.4	5
1/11/23 13:00	11.8	91.4	7.8	146	4.5	6
1/11/23 13:15	11.8	91.7	7.8	147	4.5	6
1/11/23 13:30	11.8	91.7	7.8	148	4.6	6
1/11/23 13:45	11.8	91.4	7.8	147	4.6	6
1/11/23 14:00	11.8	91.4	7.8	147	4.6	6
1/11/23 14:15	11.8	91.3	7.8	148	4.6	6
1/11/23 14:30	11.8	91.0	7.8	146	4.5	6
1/11/23 14:45	11.8	91.0	7.8	145	4.5	5
1/11/23 15:00	11.8	91.1	7.8	146	4.5	6
1/11/23 15:15	11.8	91.0	7.8	146	4.5	6
1/11/23 15:30	11.8	90.9	7.8	145	4.5	5
1/11/23 15:45	11.7	90.8	7.8	145	4.5	6
1/11/23 16:00	11.7	90.6	7.8	145	4.5	5
1/11/23 16:15	11.7	90.7	7.8	145	4.5	6
1/11/23 16:30	11.7	90.6	7.8	145	4.5	6
1/11/23 16:45	11.7	90.6	7.8	145	4.5	5
1/11/23 17:00	11.7	90.5	7.8	145	4.5	5
1/11/23 17:15	11.7	90.5	7.8	145	4.5	6
1/11/23 17:30	11.7	90.5	7.8	145	4.5	5
1/11/23 17:45	11.7	90.5	7.8	146	4.5	6
1/11/23 18:00	11.7	90.4	7.8	146	4.5	6
1/11/23 18:15	11.7	90.4	7.8	146	4.5	6
1/11/23 18:30	11.7	90.4	7.8	147	4.5	7
1/11/23 18:45	11.7	90.5	7.8	147	4.5	6
1/11/23 19:00	11.7	90.4	7.8	147	4.5	6
1/11/23 19:15	11.7	90.4	7.8	147	4.5	6
1/11/23 19:30	11.7	90.5	7.8	148	4.5	6
1/11/23 19:45	11.7	90.4	7.8	147	4.5	6
1/11/23 20:00	11.7	90.5	7.8	148	4.5	6
1/11/23 20:15	11.7	90.4	7.8	148	4.5	6
1/11/23 20:30	11.7	90.4	7.8	148	4.5	6
1/11/23 20:45	11.7	90.5	7.8	149	4.5	6
1/11/23 21:00	11.7	90.5	7.8	149	4.5	6
1/11/23 21:15	11.7	90.4	7.8	148	4.5	6
1/11/23 21:30	11.7	90.3	7.8	148	4.5	6
1/11/23 21:45	11.7	90.4	7.8	148	4.5	6
1/11/23 22:00	11.7	90.4	7.8	148	4.5	6
1/11/23 22:15	11.7	90.4	7.8	148	4.5	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	11.7	90.4	7.8	148	4.5	6
1/11/23 22:45	11.7	90.4	7.8	148	4.5	6
1/11/23 23:00	11.7	90.4	7.8	149	4.5	6
1/11/23 23:15	11.7	90.4	7.8	149	4.5	6
1/11/23 23:30	11.7	90.4	7.8	148	4.5	6
1/11/23 23:45	11.7	90.5	7.8	149	4.5	6
1/12/23 0:00	11.7	90.5	7.8	149	4.5	6
1/12/23 0:15	11.7	90.5	7.8	149	4.5	6
1/12/23 0:30	11.7	90.4	7.8	148	4.5	5
1/12/23 0:45	11.7	90.4	7.8	150	4.5	6
1/12/23 1:00	11.7	90.4	7.8	149	4.5	6
1/12/23 1:15	11.7	90.3	7.8	149	4.5	6
1/12/23 1:30	11.7	90.1	7.8	148	4.5	6
1/12/23 1:45	11.7	90.1	7.8	148	4.5	6
1/12/23 2:00	11.7	90.1	7.8	148	4.5	6
1/12/23 2:15	11.7	90.2	7.8	149	4.5	6
1/12/23 2:30	11.7	90.1	7.8	149	4.5	6
1/12/23 2:45	11.7	90.1	7.8	148	4.5	6
1/12/23 3:00	11.7	90.1	7.8	149	4.5	6
1/12/23 3:15	11.7	90.2	7.8	149	4.5	6
1/12/23 3:30	11.7	90.1	7.8	149	4.5	6
1/12/23 3:45	11.7	90.2	7.8	149	4.5	6
1/12/23 4:00	11.7	90.2	7.8	149	4.5	6
1/12/23 4:15	11.7	90.2	7.8	149	4.5	6
1/12/23 4:30	11.7	90.2	7.8	149	4.5	7
1/12/23 4:45	11.7	90.2	7.8	149	4.5	6
1/12/23 5:00	11.7	90.1	7.8	149	4.5	6
1/12/23 5:15	11.7	90.2	7.8	149	4.5	6
1/12/23 5:30	11.7	90.2	7.8	149	4.5	6
1/12/23 5:45	11.7	90.2	7.8	149	4.5	6
1/12/23 6:00	11.7	90.2	7.8	149	4.5	6
1/12/23 6:15	11.7	90.2	7.8	149	4.5	6
1/12/23 6:30	11.7	90.2	7.8	149	4.5	6
1/12/23 6:45	11.7	90.3	7.8	149	4.5	6
1/12/23 7:00	11.7	90.1	7.8	148	4.5	6
1/12/23 7:15	11.7	90.2	7.8	149	4.5	6
1/12/23 7:30	11.7	90.2	7.8	149	4.5	6
1/12/23 7:45	11.7	90.2	7.8	149	4.5	6
1/12/23 8:00	11.7	90.2	7.8	149	4.5	6
1/12/23 8:15	11.7	90.3	7.8	149	4.5	6
1/12/23 8:30	11.7	90.5	7.8	149	4.6	6
1/12/23 8:45	11.7	90.7	7.8	151	4.6	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 9:00	11.7	90.6	7.8	149	4.6	6
1/12/23 9:15	11.7	90.7	7.8	149	4.6	6
1/12/23 9:30	11.7	90.9	7.8	150	4.6	6
1/12/23 9:45	11.7	91.0	7.8	150	4.6	6
1/12/23 10:00	11.7	91.4	7.8	151	4.7	6
1/12/23 10:15	11.7	91.4	7.8	152	4.8	6
1/12/23 10:30	11.7	91.2	7.8	150	4.7	6
1/12/23 10:45	11.7	91.1	7.8	149	4.7	6
1/12/23 11:00	11.8	91.3	7.8	149	4.7	6
1/12/23 11:15	11.8	91.7	7.8	151	4.8	6
1/12/23 11:30	11.8	91.9	7.8	152	4.9	6
1/12/23 11:45	11.8	91.7	7.8	149	4.8	6
1/12/23 12:00	11.8	92.0	7.8	151	4.9	6
1/12/23 12:15	11.8	92.0	7.8	151	4.9	6
1/12/23 12:30	11.8	92.0	7.9	152	5.0	6
1/12/23 12:45	11.7	92.0	7.9	153	5.1	6
1/12/23 13:00	11.7	92.0	7.9	153	5.1	6
1/12/23 13:15	11.7	91.6	7.8	151	4.9	5
1/12/23 13:30	11.7	91.6	7.8	149	4.9	6
1/12/23 13:45	11.7	91.6	7.8	150	4.9	6
1/12/23 14:00	11.7	91.6	7.8	150	4.9	5
1/12/23 14:15	11.7	91.7	7.8	151	5.0	6
1/12/23 14:30	11.7	92.3	7.9	153	5.2	6
1/12/23 14:45	11.7	92.6	7.9	153	5.3	6
1/12/23 15:00	11.8	92.4	7.9	152	5.2	6
1/12/23 15:15	11.7	92.4	7.9	152	5.2	6
1/12/23 15:30	11.7	92.1	7.9	151	5.2	6
1/12/23 15:45	11.7	91.8	7.9	152	5.2	6
1/12/23 16:00	11.6	91.6	7.9	152	5.2	6
1/12/23 16:15	11.6	91.4	7.8	151	5.1	5
1/12/23 16:30	11.6	91.4	7.9	152	5.2	6
1/12/23 16:45	11.6	91.4	7.9	154	5.3	6
1/12/23 17:00	11.6	90.8	7.8	150	5.0	6
1/12/23 17:15	11.6	90.4	7.8	149	4.9	6
1/12/23 17:30	11.5	90.6	7.8	152	5.1	6
1/12/23 17:45	11.5	90.5	7.8	152	5.1	6
1/12/23 18:00	11.5	90.6	7.8	153	5.2	6
1/12/23 18:15	11.5	90.5	7.8	152	5.2	7
1/12/23 18:30	11.5	90.5	7.8	152	5.2	6
1/12/23 18:45	11.5	90.5	7.8	153	5.2	6
1/12/23 19:00	11.5	90.4	7.8	153	5.2	6
1/12/23 19:15	11.5	90.3	7.8	152	5.1	6

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	11.5	90.5	7.8	153	5.2	6
1/12/23 19:45	11.5	90.3	7.8	151	5.1	6
1/12/23 20:00	11.5	90.0	7.8	149	4.8	6
1/12/23 20:15	11.5	90.1	7.8	149	4.9	6
1/12/23 20:30	11.5	90.1	7.8	149	4.9	6
1/12/23 20:45	11.5	90.1	7.8	149	4.9	6
1/12/23 21:00	11.5	90.2	7.8	150	4.9	6
1/12/23 21:15	11.6	90.1	7.8	149	4.9	5
1/12/23 21:30	11.5	90.0	7.8	148	4.8	6
1/12/23 21:45	11.6	90.1	7.8	148	4.8	5
1/12/23 22:00	11.5	90.0	7.8	149	4.9	6
1/12/23 22:15	11.5	90.3	7.8	152	5.1	6
1/12/23 22:30	11.5	90.5	7.8	153	5.1	6
1/12/23 22:45	11.5	90.5	7.8	153	5.2	6
1/12/23 23:00	11.5	90.3	7.8	151	5.0	6
1/12/23 23:15	11.5	90.4	7.8	151	5.0	6
1/12/23 23:30	11.5	90.4	7.8	151	5.0	6
1/12/23 23:45	11.5	90.4	7.8	151	5.0	6
1/13/23 0:00	11.5	90.5	7.8	151	5.0	6
1/13/23 0:15	11.5	90.4	7.8	152	5.1	5
1/13/23 0:30	11.5	90.5	7.8	152	5.1	6
1/13/23 0:45	11.5	90.4	7.8	151	5.0	6
1/13/23 1:00	11.5	90.5	7.8	151	5.0	6
1/13/23 1:15	11.6	90.5	7.8	152	5.0	6
1/13/23 1:30	11.5	90.5	7.8	151	5.0	6
1/13/23 1:45	11.5	90.5	7.8	153	5.1	6
1/13/23 2:00	11.6	90.6	7.8	152	5.1	6
1/13/23 2:15	11.5	90.5	7.8	152	5.1	6
1/13/23 2:30	11.5	90.6	7.8	152	5.1	6
1/13/23 2:45	11.5	90.6	7.8	152	5.1	6
1/13/23 3:00	11.5	90.5	7.8	152	5.1	6
1/13/23 3:15	11.5	90.5	7.8	151	5.0	6
1/13/23 3:30	11.5	90.2	7.8	151	5.0	6
1/13/23 3:45	11.6	90.4	7.8	151	5.0	6
1/13/23 4:00	11.6	90.4	7.8	151	5.0	6
1/13/23 4:15	11.6	90.5	7.8	152	5.0	5
1/13/23 4:30	11.6	90.4	7.8	151	5.0	6
1/13/23 4:45	11.6	90.6	7.8	153	5.1	6
1/13/23 5:00	11.6	90.4	7.8	152	5.0	6
1/13/23 5:15	11.5	90.4	7.8	152	5.0	6
1/13/23 5:30	11.5	90.4	7.8	153	5.0	6
1/13/23 5:45	11.5	90.3	7.8	152	5.0	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 6:00	11.6	90.4	7.8	151	4.9	6
1/13/23 6:15	11.6	90.2	7.8	151	4.9	6
1/13/23 6:30	11.5	90.4	7.8	152	5.0	6
1/13/23 6:45	11.5	90.4	7.8	152	5.0	6
1/13/23 7:00	11.6	90.4	7.8	152	5.0	6
1/13/23 7:15	11.6	90.4	7.8	151	5.0	6
1/13/23 7:30	11.6	90.5	7.8	151	4.9	6
1/13/23 7:45	11.6	90.4	7.8	152	5.0	6
1/13/23 8:00	11.5	90.5	7.8	153	5.1	6
1/13/23 8:15	11.6	90.5	7.8	151	4.9	6
1/13/23 8:30	11.6	90.8	7.8	152	5.0	6
1/13/23 8:45	11.6	90.7	7.8	151	4.9	6
1/13/23 9:00	11.6	90.9	7.8	152	5.0	6
1/13/23 9:15	11.6	91.1	7.9	153	5.1	6
1/13/23 9:30	11.6	91.2	7.8	152	5.1	6
1/13/23 9:45	11.6	91.1	7.9	152	5.0	6
1/13/23 10:00	11.6	91.3	7.8	152	5.0	6
1/13/23 10:15	11.7	91.2	7.8	151	5.0	6
1/13/23 10:30	11.7	91.2	7.8	151	5.0	5
1/13/23 10:45	11.6	91.2	7.9	152	5.0	6
1/13/23 11:00	11.7	91.2	7.8	151	5.0	5
1/13/23 11:15	11.7	91.5	7.9	152	5.0	5
1/13/23 11:30	11.7	91.3	7.8	149	4.9	6
1/13/23 11:45	11.7	91.3	7.8	149	4.9	5
1/13/23 12:00	11.7	91.4	7.8	149	4.9	6
1/13/23 12:15	11.7	91.4	7.8	149	4.9	6
1/13/23 12:30	11.7	91.4	7.8	148	4.8	6
1/13/23 12:45	11.7	91.3	7.8	147	4.7	6
1/13/23 13:00	11.7	91.5	7.8	148	4.8	6
1/13/23 13:15	11.7	91.5	7.8	148	4.8	6
1/13/23 13:30	11.7	91.4	7.8	148	4.8	6
1/13/23 13:45	11.7	91.2	7.8	147	4.7	6
1/13/23 14:00	11.7	91.3	7.8	147	4.8	6
1/13/23 14:15	11.7	91.1	7.8	147	4.8	6
1/13/23 14:30	11.7	91.2	7.8	148	4.8	6
1/13/23 14:45	11.7	91.2	7.8	147	4.8	6
1/13/23 15:00	11.7	91.3	7.8	147	4.8	5
1/13/23 15:15	11.7	91.3	7.8	148	4.8	6
1/13/23 15:30	11.7	91.2	7.8	148	4.8	6
1/13/23 15:45	11.7	90.9	7.8	147	4.8	5
1/13/23 16:00	11.7	91.0	7.8	147	4.7	5
1/13/23 16:15	11.7	91.4	7.8	148	4.8	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/13/23 16:30	11.7	91.2	7.8	148	4.9	5
1/13/23 16:45	11.7	91.0	7.8	148	4.8	5
1/13/23 17:00	11.6	90.8	7.8	148	4.8	5
1/13/23 17:15	11.6	90.6	7.8	148	4.8	6
1/13/23 17:30	11.6	90.4	7.8	148	4.8	5
1/13/23 17:45	11.6	90.3	7.8	148	4.8	6
1/13/23 18:00	11.6	90.3	7.8	148	4.8	5
1/13/23 18:15	11.6	90.3	7.8	148	4.8	6
1/13/23 18:30	11.6	90.2	7.8	148	4.8	6
1/13/23 18:45	11.6	90.4	7.8	148	4.8	6
1/13/23 19:00	11.6	90.3	7.8	148	4.8	6
1/13/23 19:15	11.6	90.4	7.8	148	4.8	6
1/13/23 19:30	11.6	90.3	7.8	147	4.7	6
1/13/23 19:45	11.6	90.2	7.8	147	4.7	5
1/13/23 20:00	11.6	90.2	7.8	147	4.7	5
1/13/23 20:15	11.6	90.2	7.8	147	4.6	5
1/13/23 20:30	11.6	90.2	7.8	147	4.7	5
1/13/23 20:45	11.6	90.2	7.8	148	4.7	5
1/13/23 21:00	11.6	90.3	7.8	147	4.7	6
1/13/23 21:15	11.6	90.2	7.8	148	4.7	6
1/13/23 21:30	11.6	90.2	7.8	148	4.7	5
1/13/23 21:45	11.6	90.2	7.8	148	4.7	5
1/13/23 22:00	11.6	90.2	7.8	147	4.6	6
1/13/23 22:15	11.6	90.3	7.8	148	4.6	6
1/13/23 22:30	11.6	90.2	7.8	148	4.6	6
1/13/23 22:45	11.6	90.2	7.8	148	4.6	6
1/13/23 23:00	11.6	90.2	7.8	148	4.6	5
1/13/23 23:15	11.6	90.2	7.8	148	4.6	5
1/13/23 23:30	11.6	90.2	7.8	148	4.6	5
1/13/23 23:45	11.7	90.2	7.8	148	4.6	5
1/14/23 0:00	11.6	90.1	7.8	147	4.5	6
1/14/23 0:15	11.6	90.2	7.8	148	4.6	5
1/14/23 0:30	11.7	90.3	7.8	149	4.6	5
1/14/23 0:45	11.6	90.1	7.8	149	4.6	5
1/14/23 1:00	11.6	90.1	7.8	148	4.5	6
1/14/23 1:15	11.6	90.0	7.8	147	4.5	6
1/14/23 1:30	11.6	90.1	7.8	148	4.5	5
1/14/23 1:45	11.6	90.1	7.8	149	4.5	5
1/14/23 2:00	11.6	90.1	7.8	149	4.5	5
1/14/23 2:15	11.6	90.0	7.8	148	4.5	5
1/14/23 2:30	11.6	90.0	7.8	148	4.5	6
1/14/23 2:45	11.6	90.0	7.8	149	4.5	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	11.6	90.1	7.8	149	4.5	6
1/14/23 3:15	11.6	89.9	7.8	148	4.5	5
1/14/23 3:30	11.6	90.0	7.8	149	4.5	6
1/14/23 3:45	11.6	90.0	7.8	149	4.5	5
1/14/23 4:00	11.6	89.9	7.8	148	4.5	5
1/14/23 4:15	11.6	89.9	7.8	148	4.5	6
1/14/23 4:30	11.6	89.8	7.8	149	4.5	6
1/14/23 4:45	11.6	89.9	7.8	148	4.5	6
1/14/23 5:00	11.6	89.8	7.8	148	4.5	5
1/14/23 5:15	11.6	89.8	7.8	148	4.5	5
1/14/23 5:30	11.6	89.8	7.8	148	4.5	6
1/14/23 5:45	11.6	89.8	7.8	149	4.5	6
1/14/23 6:00	11.6	89.8	7.8	149	4.5	5
1/14/23 6:15	11.6	89.8	7.8	149	4.5	5
1/14/23 6:30	11.6	89.8	7.8	150	4.6	5
1/14/23 6:45	11.6	89.8	7.8	150	4.6	5
1/14/23 7:00	11.6	89.7	7.8	149	4.5	5
1/14/23 7:15	11.6	89.7	7.8	149	4.6	5
1/14/23 7:30	11.6	89.7	7.8	149	4.5	5
1/14/23 7:45	11.6	89.6	7.8	149	4.6	6
1/14/23 8:00	11.6	89.7	7.8	150	4.6	5
1/14/23 8:15	11.6	89.6	7.8	148	4.5	5
1/14/23 8:30	11.6	89.8	7.8	149	4.6	5
1/14/23 8:45	11.6	89.8	7.8	149	4.6	5
1/14/23 9:00	11.6	90.0	7.8	150	4.7	5
1/14/23 9:15	11.6	89.8	7.8	149	4.6	5
1/14/23 9:30	11.6	89.8	7.8	148	4.6	5
1/14/23 9:45	11.6	90.0	7.8	149	4.6	5
1/14/23 10:00	11.6	90.4	7.8	153	4.8	5
1/14/23 10:15	11.6	90.6	7.8	152	4.8	5
1/14/23 10:30	11.7	90.8	7.8	151	4.8	5
1/14/23 10:45	11.7	90.8	7.8	149	4.7	5
1/14/23 11:00	11.7	91.0	7.8	149	4.7	5
1/14/23 11:15	11.7	90.9	7.8	149	4.7	5
1/14/23 11:30	11.7	91.0	7.8	149	4.7	5
1/14/23 11:45	11.7	90.9	7.8	149	4.7	5
1/14/23 12:00						
1/14/23 12:15						
1/14/23 12:30						
1/14/23 12:45						
1/14/23 13:00	11.6	90.4	7.8	149	4.8	5
1/14/23 13:15	11.6	90.7	7.8	151	4.9	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 13:30	11.6	91.0	7.9	151	4.9	5
1/14/23 13:45	11.7	91.1	7.8	149	4.8	5
1/14/23 14:00	11.7	91.3	7.9	149	4.9	5
1/14/23 14:15	11.7	91.3	7.8	149	4.9	5
1/14/23 14:30	11.7	91.3	7.9	149	4.9	5
1/14/23 14:45	11.6	90.8	7.8	150	4.9	5
1/14/23 15:00	11.6	90.6	7.9	150	4.9	5
1/14/23 15:15	11.6	90.9	7.8	150	4.9	5
1/14/23 15:30	11.6	91.3	7.9	151	5.0	5
1/14/23 15:45	11.7	91.2	7.8	149	4.9	5
1/14/23 16:00	11.6	90.7	7.8	148	4.9	7
1/14/23 16:15	11.6	90.3	7.8	148	4.8	5
1/14/23 16:30	11.6	90.1	7.8	149	4.9	5
1/14/23 16:45	11.6	90.1	7.8	149	4.9	6
1/14/23 17:00	11.5	89.8	7.8	148	4.8	6
1/14/23 17:15	11.5	89.8	7.8	149	4.8	6
1/14/23 17:30	11.5	89.7	7.8	149	4.8	6
1/14/23 17:45	11.5	89.7	7.8	149	4.8	6
1/14/23 18:00	11.5	89.6	7.8	149	4.7	6
1/14/23 18:15	11.5	89.6	7.8	149	4.7	6
1/14/23 18:30	11.5	89.5	7.8	148	4.7	6
1/14/23 18:45	11.5	89.6	7.8	149	4.7	6
1/14/23 19:00	11.5	89.5	7.8	149	4.7	6
1/14/23 19:15	11.5	89.5	7.8	149	4.7	6
1/14/23 19:30	11.5	89.6	7.8	149	4.7	6
1/14/23 19:45	11.6	89.5	7.8	148	4.6	6
1/14/23 20:00	11.5	89.6	7.8	149	4.6	6
1/14/23 20:15	11.6	89.5	7.8	148	4.6	6
1/14/23 20:30	11.6	89.6	7.8	148	4.6	6
1/14/23 20:45	11.5	89.5	7.8	149	4.6	6
1/14/23 21:00	11.6	89.6	7.8	149	4.6	6
1/14/23 21:15	11.6	89.7	7.8	150	4.6	6
1/14/23 21:30	11.6	89.6	7.8	149	4.6	6
1/14/23 21:45	11.6	89.6	7.8	149	4.6	6
1/14/23 22:00	11.6	89.7	7.8	150	4.6	6
1/14/23 22:15	11.6	89.6	7.8	149	4.5	6
1/14/23 22:30	11.6	89.6	7.8	149	4.5	6
1/14/23 22:45	11.6	89.6	7.8	150	4.5	6
1/14/23 23:00	11.6	89.7	7.8	150	4.5	6
1/14/23 23:15	11.6	89.7	7.8	150	4.5	6
1/14/23 23:30	11.6	89.7	7.8	150	4.5	6
1/14/23 23:45	11.6	89.7	7.8	150	4.5	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 0:00	11.6	89.6	7.8	150	4.5	6
1/15/23 0:15	11.6	89.7	7.8	151	4.5	6
1/15/23 0:30	11.6	89.7	7.8	151	4.5	6
1/15/23 0:45	11.6	89.7	7.8	150	4.5	6
1/15/23 1:00	11.6	89.7	7.8	150	4.5	6
1/15/23 1:15	11.6	89.7	7.8	150	4.5	6
1/15/23 1:30	11.6	89.7	7.8	150	4.5	6
1/15/23 1:45	11.6	89.7	7.8	150	4.5	5
1/15/23 2:00	11.6	89.6	7.8	150	4.5	6
1/15/23 2:15	11.6	89.7	7.8	149	4.4	6
1/15/23 2:30	11.6	89.7	7.8	150	4.4	5
1/15/23 2:45	11.6	89.7	7.8	150	4.4	6
1/15/23 3:00	11.6	89.8	7.8	151	4.5	6
1/15/23 3:15	11.6	89.7	7.8	149	4.4	6
1/15/23 3:30	11.6	89.8	7.8	150	4.4	5
1/15/23 3:45	11.6	89.7	7.8	149	4.4	5
1/15/23 4:00	11.6	89.8	7.8	149	4.4	6
1/15/23 4:15	11.6	89.7	7.8	149	4.5	6
1/15/23 4:30	11.6	89.8	7.8	148	4.4	6
1/15/23 4:45	11.6	89.7	7.8	148	4.4	5
1/15/23 5:00	11.6	89.8	7.8	147	4.4	5
1/15/23 5:15	11.6	89.7	7.8	147	4.4	5
1/15/23 5:30	11.6	89.7	7.8	147	4.4	5
1/15/23 5:45	11.6	89.7	7.8	146	4.4	5
1/15/23 6:00	11.6	89.8	7.8	147	4.4	5
1/15/23 6:15	11.6	89.8	7.8	148	4.4	5
1/15/23 6:30	11.6	89.8	7.8	147	4.4	5
1/15/23 6:45	11.6	89.8	7.8	148	4.4	5
1/15/23 7:00	11.6	89.8	7.8	147	4.4	5
1/15/23 7:15	11.7	89.9	7.8	147	4.4	5
1/15/23 7:30	11.7	89.9	7.8	148	4.4	5
1/15/23 7:45	11.7	89.9	7.8	147	4.4	5
1/15/23 8:00	11.7	89.9	7.8	147	4.4	6
1/15/23 8:15	11.7	89.9	7.8	146	4.4	5
1/15/23 8:30	11.7	90.1	7.8	145	4.4	5
1/15/23 8:45	11.7	90.4	7.8	146	4.4	6
1/15/23 9:00	11.7	90.5	7.8	146	4.4	5
1/15/23 9:15	11.7	90.7	7.8	146	4.4	6
1/15/23 9:30	11.8	90.8	7.8	145	4.5	6
1/15/23 9:45	11.8	91.0	7.8	147	4.5	5
1/15/23 10:00	11.8	90.9	7.8	146	4.5	5
1/15/23 10:15	11.7	90.4	7.8	145	4.5	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 10:30	11.7	90.8	7.8	146	4.5	5
1/15/23 10:45	11.8	90.9	7.8	147	4.5	5
1/15/23 11:00	11.8	91.4	7.9	148	4.6	5
1/15/23 11:15	11.8	91.5	7.8	147	4.6	6
1/15/23 11:30	11.8	91.6	7.9	148	4.7	5
1/15/23 11:45	11.8	91.6	7.8	147	4.6	5
1/15/23 12:00	11.8	91.7	7.9	147	4.7	5
1/15/23 12:15	11.8	91.8	7.9	147	4.7	5
1/15/23 12:30	11.8	91.6	7.8	146	4.7	5
1/15/23 12:45	11.8	91.7	7.8	146	4.7	5
1/15/23 13:00	11.8	91.4	7.8	146	4.7	5
1/15/23 13:15	11.8	91.5	7.9	148	4.8	5
1/15/23 13:30	11.7	91.5	7.9	149	4.8	5
1/15/23 13:45	11.7	91.2	7.9	147	4.7	5
1/15/23 14:00	11.7	90.9	7.8	146	4.7	5
1/15/23 14:15	11.7	90.8	7.9	147	4.7	5
1/15/23 14:30	11.7	91.0	7.8	146	4.7	5
1/15/23 14:45	11.8	91.3	7.8	145	4.7	5
1/15/23 15:00	11.8	91.4	7.8	145	4.7	5
1/15/23 15:15	11.8	91.3	7.8	145	4.7	5
1/15/23 15:30	11.8	91.3	7.8	145	4.6	5
1/15/23 15:45	11.7	91.0	7.8	145	4.6	5
1/15/23 16:00	11.8	91.2	7.8	145	4.7	5
1/15/23 16:15	11.7	91.0	7.8	145	4.6	5
1/15/23 16:30	11.7	90.7	7.8	145	4.6	5
1/15/23 16:45	11.7	90.5	7.8	145	4.6	6
1/15/23 17:00	11.7	90.3	7.8	145	4.6	6
1/15/23 17:15	11.6	90.2	7.8	145	4.6	6
1/15/23 17:30	11.6	90.1	7.8	146	4.6	6
1/15/23 17:45	11.6	90.0	7.8	145	4.6	6
1/15/23 18:00	11.6	89.9	7.8	146	4.5	5
1/15/23 18:15	11.6	90.0	7.8	146	4.5	6
1/15/23 18:30	11.6	90.0	7.8	146	4.5	6
1/15/23 18:45	11.6	89.8	7.8	146	4.5	6
1/15/23 19:00	11.6	90.0	7.8	146	4.5	5
1/15/23 19:15	11.6	90.0	7.8	146	4.5	6
1/15/23 19:30	11.6	89.8	7.8	146	4.4	5
1/15/23 19:45	11.7	90.0	7.8	146	4.5	6
1/15/23 20:00	11.7	89.9	7.8	146	4.4	6
1/15/23 20:15	11.7	90.0	7.8	146	4.4	5
1/15/23 20:30	11.7	90.0	7.8	146	4.4	5
1/15/23 20:45	11.7	90.1	7.8	147	4.4	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	11.7	90.0	7.8	147	4.4	5
1/15/23 21:15	11.7	90.0	7.8	146	4.4	5
1/15/23 21:30	11.7	90.0	7.8	146	4.4	5
1/15/23 21:45	11.7	90.0	7.8	146	4.3	5
1/15/23 22:00	11.7	90.0	7.8	146	4.3	6
1/15/23 22:15	11.7	90.1	7.8	146	4.3	6
1/15/23 22:30	11.7	90.1	7.8	147	4.3	6
1/15/23 22:45	11.7	90.1	7.8	147	4.3	6
1/15/23 23:00	11.7	90.1	7.8	147	4.3	6
1/15/23 23:15	11.7	90.1	7.8	147	4.3	5
1/15/23 23:30	11.7	90.1	7.8	147	4.3	5
1/15/23 23:45	11.7	90.0	7.8	147	4.3	6
1/16/23 0:00	11.7	90.1	7.8	146	4.2	6
1/16/23 0:15	11.7	90.1	7.8	146	4.2	6
1/16/23 0:30	11.7	90.1	7.8	147	4.2	5
1/16/23 0:45	11.7	90.1	7.8	147	4.2	6
1/16/23 1:00	11.7	90.1	7.8	147	4.2	6
1/16/23 1:15	11.7	90.1	7.8	147	4.2	5
1/16/23 1:30	11.7	90.1	7.8	147	4.2	5
1/16/23 1:45	11.7	90.1	7.8	147	4.2	5
1/16/23 2:00	11.7	90.2	7.8	148	4.2	5
1/16/23 2:15	11.7	90.1	7.8	147	4.2	5
1/16/23 2:30	11.7	90.0	7.8	147	4.2	6
1/16/23 2:45	11.8	90.0	7.8	148	4.2	6
1/16/23 3:00	11.8	90.0	7.8	147	4.2	6
1/16/23 3:15	11.7	89.9	7.8	147	4.2	6
1/16/23 3:30	11.8	90.1	7.8	148	4.1	5
1/16/23 3:45	11.8	90.1	7.8	148	4.1	5
1/16/23 4:00	11.8	90.0	7.8	148	4.1	6
1/16/23 4:15	11.8	90.0	7.8	149	4.1	6
1/16/23 4:30	11.8	90.0	7.8	149	4.1	5
1/16/23 4:45	11.8	90.0	7.8	148	4.1	5
1/16/23 5:00	11.8	90.0	7.8	149	4.1	5
1/16/23 5:15	11.8	90.1	7.8	149	4.1	6
1/16/23 5:30	11.8	90.1	7.8	150	4.1	5
1/16/23 5:45	11.8	90.0	7.8	149	4.1	5
1/16/23 6:00	11.8	90.1	7.8	149	4.0	5
1/16/23 6:15	11.8	90.0	7.8	149	4.0	5
1/16/23 6:30	11.8	90.0	7.8	148	4.0	5
1/16/23 6:45	11.8	90.0	7.8	150	4.0	5
1/16/23 7:00	11.8	90.0	7.8	149	4.0	5
1/16/23 7:15	11.8	90.0	7.8	149	4.0	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	11.8	90.0	7.8	149	4.0	5
1/16/23 7:45	11.8	90.1	7.8	149	4.0	6
1/16/23 8:00	11.8	90.0	7.8	149	4.0	6
1/16/23 8:15	11.8	90.0	7.8	149	4.0	6
1/16/23 8:30	11.8	90.2	7.8	149	4.0	6
1/16/23 8:45	11.8	90.3	7.8	149	4.0	7
1/16/23 9:00	11.8	90.3	7.8	149	4.0	6
1/16/23 9:15	11.8	90.3	7.8	149	4.0	6
1/16/23 9:30	11.8	90.2	7.8	149	4.0	6
1/16/23 9:45	11.8	90.1	7.8	149	4.0	5
1/16/23 10:00	11.8	90.4	7.8	149	4.0	6
1/16/23 10:15	11.9	90.9	7.8	149	4.0	5
1/16/23 10:30	11.9	91.1	7.8	149	4.1	6
1/16/23 10:45	11.9	91.1	7.8	149	4.1	5
1/16/23 11:00	11.9	91.3	7.8	149	4.1	5
1/16/23 11:15	11.9	91.3	7.8	149	4.1	5
1/16/23 11:30	12.0	91.6	7.8	148	4.2	6
1/16/23 11:45	12.0	91.8	7.8	149	4.2	6
1/16/23 12:00	12.0	91.9	7.8	149	4.2	6
1/16/23 12:15	12.0	91.9	7.8	149	4.2	6
1/16/23 12:30	12.0	92.0	7.8	149	4.3	6
1/16/23 12:45	12.0	91.9	7.8	148	4.3	6
1/16/23 13:00	12.0	92.1	7.9	149	4.3	6
1/16/23 13:15	11.9	92.0	7.8	149	4.4	6
1/16/23 13:30	11.9	92.0	7.8	149	4.4	5
1/16/23 13:45	11.9	91.9	7.8	149	4.4	6
1/16/23 14:00	11.9	91.9	7.8	149	4.4	5
1/16/23 14:15	11.9	91.8	7.8	149	4.4	5
1/16/23 14:30	11.9	91.6	7.8	148	4.4	5
1/16/23 14:45	11.9	91.7	7.8	149	4.4	5
1/16/23 15:00	11.9	91.8	7.8	148	4.4	5
1/16/23 15:15	11.9	91.8	7.8	149	4.4	5
1/16/23 15:30	11.8	91.3	7.8	148	4.4	5
1/16/23 15:45	11.9	91.6	7.8	149	4.4	5
1/16/23 16:00	11.9	91.5	7.8	148	4.4	6
1/16/23 16:15	11.9	91.5	7.8	149	4.4	5
1/16/23 16:30	11.8	91.2	7.8	148	4.4	5
1/16/23 16:45	11.8	91.0	7.8	148	4.4	5
1/16/23 17:00	11.8	90.9	7.8	148	4.4	5
1/16/23 17:15	11.8	90.6	7.8	148	4.4	6
1/16/23 17:30	11.7	90.6	7.8	148	4.4	6
1/16/23 17:45	11.7	90.5	7.8	148	4.4	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 18:00	11.7	90.5	7.8	148	4.4	5
1/16/23 18:15	11.7	90.4	7.8	148	4.4	5
1/16/23 18:30	11.7	90.5	7.8	149	4.4	6
1/16/23 18:45	11.7	90.5	7.8	148	4.4	5
1/16/23 19:00	11.7	90.5	7.8	148	4.4	5
1/16/23 19:15	11.7	90.4	7.8	148	4.4	5
1/16/23 19:30	11.7	90.5	7.8	149	4.4	5
1/16/23 19:45	11.7	90.5	7.8	148	4.4	5
1/16/23 20:00	11.7	90.5	7.8	148	4.4	5
1/16/23 20:15	11.7	90.5	7.8	148	4.4	5
1/16/23 20:30	11.7	90.6	7.8	149	4.4	5
1/16/23 20:45	11.7	90.5	7.8	148	4.4	5
1/16/23 21:00	11.7	90.5	7.8	148	4.4	6
1/16/23 21:15	11.8	90.6	7.8	148	4.4	5
1/16/23 21:30	11.8	90.5	7.8	148	4.4	5
1/16/23 21:45	11.8	90.6	7.8	148	4.4	5
1/16/23 22:00	11.8	90.6	7.8	149	4.4	5
1/16/23 22:15	11.8	90.6	7.8	149	4.4	5
1/16/23 22:30	11.8	90.6	7.8	148	4.3	5
1/16/23 22:45	11.8	90.5	7.8	148	4.3	5
1/16/23 23:00	11.8	90.5	7.8	148	4.3	5
1/16/23 23:15	11.8	90.5	7.8	148	4.3	5
1/16/23 23:30	11.8	90.6	7.8	149	4.3	5
1/16/23 23:45	11.8	90.7	7.8	149	4.3	5
1/17/23 0:00	11.8	90.6	7.8	148	4.2	5
1/17/23 0:15	11.8	90.6	7.8	148	4.2	5
1/17/23 0:30	11.8	90.6	7.8	148	4.2	5
1/17/23 0:45	11.8	90.6	7.8	148	4.2	5
1/17/23 1:00	11.8	90.6	7.8	149	4.2	5
1/17/23 1:15	11.8	90.6	7.8	148	4.2	5
1/17/23 1:30	11.8	90.6	7.8	148	4.2	5
1/17/23 1:45	11.8	90.7	7.8	149	4.1	5
1/17/23 2:00	11.8	90.6	7.8	147	4.1	5
1/17/23 2:15	11.8	90.6	7.8	147	4.1	6
1/17/23 2:30	11.8	90.6	7.8	148	4.1	5
1/17/23 2:45	11.8	90.5	7.8	148	4.1	5
1/17/23 3:00	11.9	90.7	7.8	148	4.1	5
1/17/23 3:15	11.9	90.7	7.8	148	4.1	5
1/17/23 3:30	11.9	90.7	7.8	148	4.1	5
1/17/23 3:45	11.9	90.7	7.8	149	4.1	5
1/17/23 4:00	11.9	90.7	7.8	149	4.0	5
1/17/23 4:15	11.9	90.7	7.8	148	4.0	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/17/23 4:30	11.9	90.7	7.8	149	4.0	6
1/17/23 4:45	11.9	90.7	7.8	149	4.0	5
1/17/23 5:00	11.9	90.6	7.8	148	4.0	5
1/17/23 5:15	11.9	90.6	7.8	148	4.0	5
1/17/23 5:30	11.8	90.4	7.8	148	4.0	5
1/17/23 5:45	11.8	90.0	7.8	149	4.0	5
1/17/23 6:00	11.7	89.5	7.8	149	4.0	6
1/17/23 6:15	11.8	89.9	7.8	149	3.9	5
1/17/23 6:30	11.8	89.9	7.8	148	4.0	5
1/17/23 6:45	11.7	89.4	7.8	149	3.9	6
1/17/23 7:00	11.6	88.7	7.8	148	3.9	5
1/17/23 7:15	11.6	88.4	7.8	148	3.9	5
1/17/23 7:30	11.6	88.4	7.8	148	3.9	5
1/17/23 7:45	11.7	88.9	7.8	148	3.9	5
1/17/23 8:00	11.7	89.4	7.8	148	3.9	5
1/17/23 8:15	11.8	89.6	7.8	148	3.9	5
1/17/23 8:30	11.8	89.5	7.8	148	3.9	5
1/17/23 8:45	11.9	90.4	7.8	148	3.9	5
1/17/23 9:00	11.9	90.4	7.8	148	3.9	5
1/17/23 9:15	11.8	89.9	7.8	148	4.0	5
1/17/23 9:30	11.8	89.9	7.8	148	4.0	5
1/17/23 9:45	11.9	90.6	7.8	148	4.0	5
1/17/23 10:00	11.9	90.8	7.8	148	4.0	5
1/17/23 10:15	12.0	91.2	7.8	148	4.0	5
1/17/23 10:30	12.0	91.6	7.8	148	4.0	5
1/17/23 10:45	12.0	91.8	7.8	148	4.0	5
1/17/23 11:00	12.0	91.9	7.8	148	4.0	5
1/17/23 11:15	12.0	92.0	7.8	147	4.1	5
1/17/23 11:30	12.0	92.0	7.8	148	4.1	5
1/17/23 11:45	12.0	92.1	7.8	148	4.1	5
1/17/23 12:00	12.0	92.2	7.8	148	4.1	5
1/17/23 12:15	12.0	92.3	7.8	148	4.2	5
1/17/23 12:30	12.0	92.3	7.8	147	4.2	6
1/17/23 12:45	12.0	92.2	7.8	147	4.2	6
1/17/23 13:00	12.0	92.4	7.8	147	4.2	5
1/17/23 13:15	12.0	92.4	7.8	147	4.3	5
1/17/23 13:30	12.0	92.4	7.8	147	4.3	5
1/17/23 13:45	12.0	92.3	7.8	147	4.3	5
1/17/23 14:00	12.0	92.5	7.8	147	4.3	5
1/17/23 14:15	12.0	92.6	7.8	147	4.4	5
1/17/23 14:30	12.0	92.4	7.8	146	4.4	5
1/17/23 14:45	12.0	92.4	7.8	146	4.4	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/17/23 15:00	12.0	92.4	7.8	147	4.4	5
1/17/23 15:15	12.0	92.4	7.8	147	4.4	5
1/17/23 15:30	12.0	92.2	7.8	146	4.4	5
1/17/23 15:45	12.0	92.3	7.8	147	4.4	5
1/17/23 16:00	12.0	92.1	7.8	146	4.4	5
1/17/23 16:15	11.9	91.8	7.8	147	4.4	5
1/17/23 16:30	11.9	91.5	7.8	147	4.4	6
1/17/23 16:45	11.9	91.3	7.8	146	4.3	5
1/17/23 17:00	11.8	91.3	7.8	146	4.4	6
1/17/23 17:15	11.8	91.2	7.8	147	4.4	6
1/17/23 17:30	11.8	91.0	7.8	146	4.4	6
1/17/23 17:45	11.8	91.0	7.8	147	4.4	5
1/17/23 18:00	11.8	91.0	7.8	147	4.4	5
1/17/23 18:15	11.8	91.0	7.8	147	4.4	6
1/17/23 18:30	11.8	90.9	7.8	146	4.4	6
1/17/23 18:45	11.8	91.0	7.8	147	4.4	6
1/17/23 19:00	11.8	90.9	7.8	146	4.4	6
1/17/23 19:15	11.8	90.8	7.8	146	4.4	6
1/17/23 19:30	11.8	90.8	7.8	146	4.3	5
1/17/23 19:45	11.8	91.0	7.8	147	4.4	5
1/17/23 20:00	11.8	90.9	7.8	147	4.4	5
1/17/23 20:15	11.8	91.0	7.8	147	4.3	5
1/17/23 20:30	11.8	90.8	7.8	146	4.3	5
1/17/23 20:45	11.8	90.9	7.8	146	4.3	5
1/17/23 21:00	11.8	90.8	7.8	146	4.3	6
1/17/23 21:15	11.8	90.9	7.8	146	4.3	5
1/17/23 21:30	11.8	90.9	7.8	147	4.3	5
1/17/23 21:45	11.8	90.8	7.8	146	4.3	5
1/17/23 22:00	11.8	90.9	7.8	147	4.3	5
1/17/23 22:15	11.8	90.9	7.8	147	4.3	5
1/17/23 22:30	11.8	90.9	7.8	147	4.3	5
1/17/23 22:45	11.8	90.8	7.7	146	4.2	5
1/17/23 23:00	11.8	90.9	7.8	147	4.2	5
1/17/23 23:15	11.8	90.8	7.8	146	4.2	5
1/17/23 23:30	11.8	90.9	7.8	146	4.2	5
1/17/23 23:45	11.9	90.9	7.8	147	4.2	5
1/18/23 0:00	11.8	90.8	7.8	146	4.2	5
1/18/23 0:15	11.9	90.9	7.8	146	4.2	5
1/18/23 0:30	11.9	90.9	7.8	147	4.2	5
1/18/23 0:45	11.9	90.9	7.8	147	4.2	5
1/18/23 1:00	11.9	90.9	7.8	146	4.1	5
1/18/23 1:15	11.9	90.9	7.8	147	4.1	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	11.9	90.8	7.8	147	4.1	5
1/18/23 1:45	11.9	90.9	7.8	147	4.1	5
1/18/23 2:00	11.9	90.8	7.8	146	4.1	5
1/18/23 2:15	11.9	90.8	7.8	146	4.1	5
1/18/23 2:30	11.9	90.9	7.8	147	4.1	5
1/18/23 2:45	11.9	90.9	7.8	147	4.1	5
1/18/23 3:00	11.9	90.8	7.8	147	4.1	5
1/18/23 3:15	11.9	90.9	7.8	147	4.0	5
1/18/23 3:30	11.9	90.9	7.8	147	4.0	5
1/18/23 3:45	11.9	90.8	7.8	147	4.0	5
1/18/23 4:00	11.9	90.6	7.8	147	4.0	5
1/18/23 4:15	11.8	90.0	7.8	147	4.0	5
1/18/23 4:30	11.8	89.7	7.8	147	4.0	5
1/18/23 4:45	11.7	89.6	7.8	147	4.0	5
1/18/23 5:00	11.7	89.6	7.8	147	4.0	5
1/18/23 5:15	11.8	90.3	7.8	147	4.0	5
1/18/23 5:30	11.8	90.0	7.8	146	4.0	5
1/18/23 5:45	11.8	90.1	7.8	147	4.0	5
1/18/23 6:00	11.8	90.0	7.8	146	4.0	5
1/18/23 6:15	11.8	89.8	7.8	147	4.0	5
1/18/23 6:30	11.7	89.5	7.8	147	4.0	5
1/18/23 6:45	11.8	90.3	7.8	147	4.0	5
1/18/23 7:00	11.8	90.1	7.8	146	4.0	6
1/18/23 7:15	11.8	89.8	7.8	147	4.0	5
1/18/23 7:30	11.8	89.8	7.8	147	4.0	6
1/18/23 7:45	11.8	90.2	7.8	146	4.0	5
1/18/23 8:00	11.9	90.6	7.8	147	4.0	5
1/18/23 8:15	11.9	90.5	7.8	146	4.0	5
1/18/23 8:30	11.8	90.3	7.8	146	4.0	5
1/18/23 8:45	11.8	90.1	7.8	146	4.0	5
1/18/23 9:00	11.9	90.8	7.8	146	4.0	6
1/18/23 9:15	12.0	91.5	7.8	146	4.0	5
1/18/23 9:30	12.0	91.6	7.8	146	4.0	6
1/18/23 9:45	12.0	91.9	7.8	146	4.1	6
1/18/23 10:00	12.0	92.1	7.8	147	4.1	5
1/18/23 10:15	12.1	92.2	7.8	146	4.1	6
1/18/23 10:30	12.1	92.3	7.8	146	4.1	6
1/18/23 10:45	12.1	92.4	7.8	147	4.1	5
1/18/23 11:00						
1/18/23 11:15						
1/18/23 11:30						
1/18/23 11:45						

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
1/18/23 12:00						
1/18/23 12:15						
1/18/23 12:30						
1/18/23 12:45						
1/18/23 13:00						
1/18/23 13:15						
1/18/23 13:30						
1/18/23 13:45						
1/18/23 14:00						
1/18/23 14:15						
1/18/23 14:30						
1/18/23 14:45						
1/18/23 15:00						
1/18/23 15:15						
1/18/23 15:30						
1/18/23 15:45						
1/18/23 16:00						
1/18/23 16:15						
1/18/23 16:30						
1/18/23 16:45						
1/18/23 17:00						
1/18/23 17:15						
1/18/23 17:30						
1/18/23 17:45						
1/18/23 18:00						
1/18/23 18:15						
1/18/23 18:30						
1/18/23 18:45						
1/18/23 19:00						
1/18/23 19:15						
1/18/23 19:30						
1/18/23 19:45						
1/18/23 20:00						
1/18/23 20:15						
1/18/23 20:30						
1/18/23 20:45						
1/18/23 21:00						
1/18/23 21:15						
1/18/23 21:30						
1/18/23 21:45						
1/18/23 22:00						
1/18/23 22:15						

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific Conductance (µS/cm)	Water Temperature (°C)	Turbidity (FNU)
1/18/23 22:30						
1/18/23 22:45						
1/18/23 23:00						
1/18/23 23:15						
1/18/23 23:30						
1/18/23 23:45						
1/19/23 0:00						
1/19/23 0:15						
1/19/23 0:30						
1/19/23 0:45						
1/19/23 1:00						
1/19/23 1:15						
1/19/23 1:30						
1/19/23 1:45						
1/19/23 2:00						
1/19/23 2:15						
1/19/23 2:30						
1/19/23 2:45						
1/19/23 3:00						
1/19/23 3:15						
1/19/23 3:30						
1/19/23 3:45						
1/19/23 4:00						
1/19/23 4:15						
1/19/23 4:30						
1/19/23 4:45						
1/19/23 5:00						
1/19/23 5:15						
1/19/23 5:30						
1/19/23 5:45						
1/19/23 6:00						
1/19/23 6:15						
1/19/23 6:30						
1/19/23 6:45						
1/19/23 7:00	11.9	91.1	7.8	150	4.1	5
1/19/23 7:15	11.9	91.2	7.8	150	4.1	5
1/19/23 7:30	11.9	91.2	7.8	149	4.1	5
1/19/23 7:45	11.9	91.2	7.8	150	4.1	5
1/19/23 8:00	11.9	91.3	7.8	150	4.1	5
1/19/23 8:15	11.9	91.4	7.8	150	4.1	5
1/19/23 8:30	12.0	91.6	7.8	150	4.2	5
1/19/23 8:45	12.0	91.9	7.8	150	4.2	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 9:00	12.0	92.1	7.8	150	4.2	5
1/19/23 9:15	12.0	92.2	7.8	149	4.2	5
1/19/23 9:30	12.0	92.2	7.8	149	4.2	5
1/19/23 9:45	12.0	92.3	7.8	149	4.2	6
1/19/23 10:00	12.0	92.2	7.8	149	4.2	6
1/19/23 10:15	12.0	92.4	7.8	150	4.2	6
1/19/23 10:30	12.1	92.5	7.8	149	4.2	6
1/19/23 10:45	12.1	92.7	7.8	150	4.3	6
1/19/23 11:00	12.1	92.8	7.8	150	4.3	6
1/19/23 11:15	12.1	92.9	7.8	149	4.3	6
1/19/23 11:30	12.1	92.9	7.8	150	4.3	5
1/19/23 11:45	12.1	92.9	7.8	150	4.3	5
1/19/23 12:00	12.1	93.0	7.8	150	4.3	5
1/19/23 12:15	12.1	93.0	7.8	150	4.3	5
1/19/23 12:30	12.1	93.0	7.8	150	4.4	6
1/19/23 12:45	12.1	93.1	7.8	150	4.4	6
1/19/23 13:00	12.1	93.2	7.8	150	4.4	6
1/19/23 13:15	12.1	93.1	7.8	149	4.4	6
1/19/23 13:30	12.1	93.2	7.8	150	4.4	6
1/19/23 13:45	12.1	93.1	7.8	151	4.5	6
1/19/23 14:00	12.1	93.1	7.9	152	4.5	7
1/19/23 14:15	12.0	93.0	7.8	151	4.5	7
1/19/23 14:30	12.1	93.1	7.8	151	4.5	6
1/19/23 14:45	12.1	93.2	7.8	151	4.5	6
1/19/23 15:00	12.1	93.2	7.9	152	4.5	6
1/19/23 15:15	12.0	92.9	7.8	151	4.5	6
1/19/23 15:30	12.0	93.0	7.9	152	4.5	6
1/19/23 15:45	12.0	93.0	7.9	152	4.5	6
1/19/23 16:00	12.0	92.8	7.8	152	4.5	6
1/19/23 16:15	12.0	92.5	7.8	151	4.4	6
1/19/23 16:30	12.0	92.3	7.8	153	4.4	6
1/19/23 16:45	11.9	92.0	7.8	153	4.4	6
1/19/23 17:00	11.9	91.8	7.8	153	4.3	6
1/19/23 17:15	11.9	91.7	7.8	154	4.3	6
1/19/23 17:30	11.9	91.6	7.8	155	4.3	6
1/19/23 17:45	11.9	91.5	7.8	156	4.3	6
1/19/23 18:00	11.9	91.4	7.8	155	4.3	6
1/19/23 18:15	11.9	91.4	7.8	156	4.3	6
1/19/23 18:30	11.9	91.4	7.8	155	4.3	6
1/19/23 18:45	11.9	91.4	7.8	156	4.2	6
1/19/23 19:00	11.9	91.5	7.8	157	4.2	6
1/19/23 19:15	11.9	91.5	7.8	157	4.2	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/19/23 19:30	11.9	91.4	7.8	157	4.2	6
1/19/23 19:45	11.9	91.6	7.8	158	4.2	6
1/19/23 20:00	11.9	91.5	7.8	157	4.2	6
1/19/23 20:15	11.9	91.5	7.8	158	4.2	6
1/19/23 20:30	11.9	91.5	7.8	159	4.2	5
1/19/23 20:45	11.9	91.6	7.8	165	4.2	6
1/19/23 21:00	11.9	91.6	7.8	165	4.2	6
1/19/23 21:15	11.9	91.5	7.8	164	4.2	6
1/19/23 21:30	11.9	91.5	7.8	166	4.2	6
1/19/23 21:45	12.0	91.6	7.8	167	4.1	6
1/19/23 22:00	12.0	91.7	7.8	169	4.1	6
1/19/23 22:15	12.0	91.7	7.8	169	4.1	6
1/19/23 22:30	12.0	91.7	7.8	169	4.1	6
1/19/23 22:45	12.0	91.6	7.8	170	4.1	6
1/19/23 23:00	12.0	91.6	7.8	168	4.1	6
1/19/23 23:15	12.0	91.7	7.8	170	4.1	6
1/19/23 23:30	12.0	91.5	7.8	169	4.0	6
1/19/23 23:45	12.0	91.6	7.8	168	4.0	6
1/20/23 0:00	12.0	91.7	7.8	170	4.0	6
1/20/23 0:15	12.0	91.7	7.8	170	4.0	6
1/20/23 0:30	12.0	91.7	7.8	170	4.0	6
1/20/23 0:45	12.0	91.5	7.8	170	4.0	6
1/20/23 1:00	12.0	91.2	7.8	170	3.9	6
1/20/23 1:15	11.9	90.8	7.8	170	3.9	6
1/20/23 1:30	11.9	90.3	7.8	167	3.9	6
1/20/23 1:45	11.8	90.1	7.8	167	3.9	6
1/20/23 2:00	11.9	90.5	7.8	169	3.9	6
1/20/23 2:15	11.9	90.5	7.8	167	3.9	6
1/20/23 2:30	11.9	90.4	7.8	168	3.9	6
1/20/23 2:45	11.9	90.4	7.8	166	3.9	6
1/20/23 3:00	11.9	90.2	7.8	167	3.8	6
1/20/23 3:15	11.9	90.0	7.8	167	3.8	6
1/20/23 3:30	11.8	89.6	7.8	165	3.8	6
1/20/23 3:45	11.8	89.3	7.8	163	3.8	6
1/20/23 4:00	11.8	89.3	7.8	165	3.8	5
1/20/23 4:15	11.7	89.1	7.8	164	3.8	6
1/20/23 4:30	11.7	89.1	7.8	164	3.8	6
1/20/23 4:45	11.9	90.0	7.8	163	3.8	6
1/20/23 5:00	11.9	90.3	7.8	167	3.7	6
1/20/23 5:15	11.9	90.0	7.8	163	3.8	6
1/20/23 5:30	11.8	89.8	7.8	165	3.8	6
1/20/23 5:45	11.8	89.8	7.8	164	3.8	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 6:00	11.8	89.7	7.8	162	3.8	6
1/20/23 6:15	11.8	89.6	7.8	163	3.8	6
1/20/23 6:30	11.8	89.5	7.8	161	3.8	5
1/20/23 6:45	11.8	89.2	7.8	162	3.8	5
1/20/23 7:00	11.7	89.1	7.8	160	3.8	6
1/20/23 7:15	11.8	89.4	7.8	160	3.8	5
1/20/23 7:30	11.9	89.9	7.8	160	3.8	6
1/20/23 7:45	11.9	90.1	7.8	162	3.7	8
1/20/23 8:00	11.8	89.7	7.8	161	3.7	6
1/20/23 8:15	11.8	89.4	7.8	159	3.7	7
1/20/23 8:30	11.8	89.7	7.8	159	3.7	7
1/20/23 8:45	11.9	90.1	7.8	161	3.7	6
1/20/23 9:00	11.9	90.5	7.8	160	3.7	6
1/20/23 9:15	11.9	90.5	7.8	158	3.8	6
1/20/23 9:30	11.9	90.5	7.8	157	3.8	6
1/20/23 9:45	12.0	91.3	7.8	161	3.7	191
1/20/23 10:00	12.1	91.4	7.9	162	3.7	6
1/20/23 10:15	12.0	90.8	7.8	158	3.8	6
1/20/23 10:30	12.0	91.1	7.9	161	3.7	6
1/20/23 10:45	12.0	91.1	7.8	160	3.8	6
1/20/23 11:00	12.0	91.1	7.8	160	3.8	6
1/20/23 11:15	12.0	90.8	7.8	157	3.8	5
1/20/23 11:30	12.1	91.6	7.8	158	3.8	6
1/20/23 11:45	12.1	92.1	7.8	158	3.8	6
1/20/23 12:00	12.1	92.0	7.8	157	3.9	6
1/20/23 12:15	12.2	92.8	7.8	158	3.9	6
1/20/23 12:30	12.2	93.0	7.8	157	3.9	6
1/20/23 12:45	12.3	93.4	7.9	160	3.9	5
1/20/23 13:00	12.3	93.6	7.9	160	3.9	6
1/20/23 13:15	12.3	93.5	7.9	160	4.0	6
1/20/23 13:30	12.2	93.4	7.9	159	4.0	5
1/20/23 13:45	12.2	93.4	7.9	156	4.0	5
1/20/23 14:00	12.2	93.5	7.9	158	4.1	5
1/20/23 14:15	12.2	93.5	7.9	157	4.1	6
1/20/23 14:30	12.2	93.4	7.9	157	4.1	6
1/20/23 14:45	12.2	93.3	7.8	155	4.1	5
1/20/23 15:00	12.2	93.3	7.8	159	4.1	6
1/20/23 15:15	12.2	93.5	7.9	162	4.1	6
1/20/23 15:30	12.2	93.2	7.8	159	4.2	5
1/20/23 15:45	12.2	93.3	7.8	160	4.2	5
1/20/23 16:00	12.1	93.0	7.8	158	4.2	5
1/20/23 16:15	12.1	92.8	7.8	157	4.2	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	12.1	92.7	7.8	157	4.1	6
1/20/23 16:45	12.1	92.4	7.8	159	4.1	6
1/20/23 17:00	12.0	92.1	7.8	156	4.1	6
1/20/23 17:15	12.0	91.9	7.8	157	4.1	6
1/20/23 17:30	12.0	91.8	7.8	156	4.1	5
1/20/23 17:45	12.0	91.8	7.8	156	4.1	5
1/20/23 18:00	12.0	91.6	7.8	156	4.1	5
1/20/23 18:15	12.0	91.6	7.8	154	4.1	5
1/20/23 18:30	12.0	91.7	7.8	156	4.0	5
1/20/23 18:45	12.0	91.7	7.8	156	4.0	6
1/20/23 19:00	12.0	91.5	7.8	155	4.0	5
1/20/23 19:15	12.0	91.6	7.8	155	4.0	5
1/20/23 19:30	12.0	91.8	7.8	156	4.0	5
1/20/23 19:45	12.0	91.8	7.8	156	4.0	5
1/20/23 20:00	12.0	91.6	7.8	154	4.0	6
1/20/23 20:15	12.0	91.6	7.8	154	4.0	5
1/20/23 20:30	12.0	91.5	7.8	154	4.0	5
1/20/23 20:45	12.0	91.7	7.8	154	4.0	5
1/20/23 21:00	12.0	91.5	7.8	154	4.0	5
1/20/23 21:15	12.0	91.4	7.8	154	4.0	5
1/20/23 21:30	11.9	91.0	7.8	154	4.0	5
1/20/23 21:45	11.9	90.8	7.8	154	3.9	5
1/20/23 22:00	11.9	90.6	7.8	154	3.9	6
1/20/23 22:15	11.9	90.6	7.8	154	3.9	5
1/20/23 22:30	11.9	90.7	7.8	155	3.9	5
1/20/23 22:45	11.9	90.4	7.8	154	3.9	5
1/20/23 23:00	11.9	90.5	7.8	154	3.9	5
1/20/23 23:15	11.8	90.1	7.8	152	3.9	5
1/20/23 23:30	11.8	89.8	7.8	153	3.9	6
1/20/23 23:45	11.8	89.9	7.8	154	3.8	5
1/21/23 0:00	11.9	90.5	7.8	154	3.8	5
1/21/23 0:15	11.9	90.7	7.8	153	3.8	5
1/21/23 0:30	11.9	90.4	7.8	153	3.8	5
1/21/23 0:45	11.9	90.2	7.8	153	3.8	5
1/21/23 1:00	11.9	90.0	7.8	152	3.8	5
1/21/23 1:15	11.9	90.2	7.8	152	3.8	5
1/21/23 1:30	11.9	90.4	7.8	152	3.8	6
1/21/23 1:45	12.0	90.6	7.8	153	3.7	5
1/21/23 2:00	11.9	90.3	7.8	151	3.8	5
1/21/23 2:15	11.9	90.5	7.8	152	3.7	5
1/21/23 2:30	11.9	90.5	7.8	152	3.7	5
1/21/23 2:45	12.0	90.8	7.8	152	3.7	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 3:00	12.0	90.8	7.8	151	3.7	5
1/21/23 3:15	12.0	90.8	7.8	151	3.7	5
1/21/23 3:30	12.0	90.7	7.8	151	3.7	5
1/21/23 3:45	12.0	90.7	7.8	152	3.7	5
1/21/23 4:00	12.0	91.1	7.8	151	3.7	5
1/21/23 4:15	12.0	90.4	7.8	151	3.7	5
1/21/23 4:30	11.9	89.6	7.8	151	3.7	5
1/21/23 4:45	11.8	89.1	7.8	151	3.7	6
1/21/23 5:00	11.7	88.8	7.8	151	3.7	6
1/21/23 5:15	11.8	88.8	7.8	151	3.6	5
1/21/23 5:30	11.7	88.7	7.8	151	3.6	5
1/21/23 5:45	11.7	88.6	7.8	150	3.7	5
1/21/23 6:00	11.7	88.3	7.8	150	3.6	5
1/21/23 6:15	11.7	88.2	7.8	150	3.6	5
1/21/23 6:30	11.7	88.4	7.8	151	3.6	5
1/21/23 6:45	11.7	88.2	7.8	150	3.6	5
1/21/23 7:00	11.7	88.3	7.8	150	3.6	5
1/21/23 7:15	11.8	88.7	7.8	150	3.6	5
1/21/23 7:30	11.7	88.3	7.8	148	3.6	5
1/21/23 7:45	11.7	88.3	7.8	148	3.6	5
1/21/23 8:00	11.8	89.3	7.8	148	3.6	5
1/21/23 8:15	11.9	89.8	7.8	147	3.6	5
1/21/23 8:30	11.9	90.1	7.8	147	3.6	6
1/21/23 8:45	12.0	90.4	7.8	147	3.6	5
1/21/23 9:00	12.0	90.4	7.8	146	3.7	6
1/21/23 9:15	12.0	90.5	7.8	146	3.6	6
1/21/23 9:30	12.0	90.9	7.8	146	3.6	5
1/21/23 9:45	12.0	90.8	7.8	145	3.6	5
1/21/23 10:00	12.0	90.9	7.8	145	3.6	6
1/21/23 10:15	12.0	91.1	7.8	145	3.7	5
1/21/23 10:30	12.1	91.5	7.8	145	3.7	6
1/21/23 10:45	12.1	91.7	7.8	145	3.7	6
1/21/23 11:00	12.1	92.0	7.8	144	3.8	5
1/21/23 11:15	12.1	91.9	7.8	144	3.8	6
1/21/23 11:30	12.1	91.8	7.8	145	3.8	6
1/21/23 11:45	12.2	92.7	7.8	145	3.8	5
1/21/23 12:00	12.2	93.0	7.8	144	3.8	5
1/21/23 12:15	12.2	93.0	7.8	144	3.9	6
1/21/23 12:30	12.2	93.1	7.8	144	3.9	5
1/21/23 12:45	12.2	93.3	7.8	144	3.9	6
1/21/23 13:00	12.3	93.4	7.8	144	4.0	5
1/21/23 13:15	12.2	93.4	7.8	143	4.0	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/21/23 13:30	12.2	93.5	7.8	143	4.0	5
1/21/23 13:45	12.3	93.6	7.8	143	4.1	6
1/21/23 14:00	12.2	93.5	7.8	143	4.1	5
1/21/23 14:15	12.2	93.3	7.8	144	4.1	5
1/21/23 14:30	12.2	93.5	7.8	144	4.1	6
1/21/23 14:45	12.2	93.7	7.8	146	4.1	6
1/21/23 15:00	12.2	93.5	7.9	147	4.1	5
1/21/23 15:15	12.2	93.4	7.8	148	4.1	6
1/21/23 15:30	12.2	93.2	7.8	148	4.1	5
1/21/23 15:45	12.2	93.1	7.8	150	4.1	5
1/21/23 16:00	12.1	92.4	7.8	147	4.1	5
1/21/23 16:15	12.1	92.4	7.8	147	4.1	5
1/21/23 16:30	12.1	92.2	7.8	147	4.1	6
1/21/23 16:45	12.0	92.1	7.8	147	4.1	5
1/21/23 17:00	12.0	91.9	7.8	146	4.1	5
1/21/23 17:15	12.0	91.8	7.8	147	4.1	5
1/21/23 17:30	12.0	91.7	7.8	146	4.1	5
1/21/23 17:45	12.0	91.6	7.8	146	4.1	5
1/21/23 18:00	12.0	91.7	7.8	147	4.1	5
1/21/23 18:15	11.9	91.5	7.8	146	4.1	5
1/21/23 18:30	11.9	91.4	7.8	145	4.1	5
1/21/23 18:45	11.9	91.5	7.8	146	4.2	5
1/21/23 19:00	11.9	91.5	7.8	146	4.2	5
1/21/23 19:15	11.9	91.5	7.8	147	4.2	5
1/21/23 19:30	11.9	91.4	7.8	146	4.2	5
1/21/23 19:45	11.9	91.4	7.8	146	4.2	5
1/21/23 20:00	11.9	91.3	7.8	146	4.2	5
1/21/23 20:15	11.9	91.4	7.8	146	4.2	5
1/21/23 20:30	11.9	91.5	7.8	146	4.2	5
1/21/23 20:45	11.9	91.4	7.8	146	4.2	5
1/21/23 21:00	11.9	91.5	7.8	146	4.2	5
1/21/23 21:15	11.9	91.4	7.8	146	4.2	5
1/21/23 21:30	11.9	91.3	7.8	145	4.2	5
1/21/23 21:45	11.9	91.5	7.8	146	4.2	5
1/21/23 22:00	11.9	91.4	7.8	145	4.1	5
1/21/23 22:15	11.9	91.3	7.8	145	4.1	5
1/21/23 22:30	11.9	91.4	7.8	145	4.1	6
1/21/23 22:45	12.0	91.5	7.8	145	4.1	5
1/21/23 23:00	11.9	91.5	7.8	145	4.1	5
1/21/23 23:15	12.0	91.5	7.8	145	4.1	5
1/21/23 23:30	11.9	91.5	7.8	145	4.1	5
1/21/23 23:45	12.0	91.5	7.8	145	4.1	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 0:00	12.0	91.5	7.8	145	4.1	5
1/22/23 0:15	12.0	91.5	7.8	145	4.1	5
1/22/23 0:30	12.0	91.6	7.8	145	4.1	5
1/22/23 0:45	12.0	91.6	7.8	145	4.1	5
1/22/23 1:00	12.0	91.6	7.8	145	4.1	5
1/22/23 1:15	12.0	91.6	7.8	145	4.0	5
1/22/23 1:30	12.0	91.6	7.8	145	4.0	5
1/22/23 1:45	12.0	91.5	7.8	144	4.0	5
1/22/23 2:00	12.0	91.7	7.8	145	4.0	5
1/22/23 2:15	12.0	91.7	7.8	145	4.0	5
1/22/23 2:30	12.0	91.6	7.8	145	4.0	5
1/22/23 2:45	12.0	91.6	7.8	145	4.0	5
1/22/23 3:00	12.0	91.7	7.8	145	4.0	5
1/22/23 3:15	12.0	91.8	7.8	145	3.9	5
1/22/23 3:30	12.0	91.6	7.8	144	3.9	5
1/22/23 3:45	12.0	91.5	7.8	144	3.9	6
1/22/23 4:00	12.0	91.5	7.8	145	3.9	6
1/22/23 4:15	12.0	91.7	7.8	145	3.9	6
1/22/23 4:30	12.0	91.6	7.8	145	3.9	6
1/22/23 4:45	12.0	91.6	7.8	145	3.9	6
1/22/23 5:00	12.0	91.6	7.8	145	3.9	6
1/22/23 5:15	12.1	91.7	7.8	145	3.9	6
1/22/23 5:30	12.0	91.6	7.8	145	3.9	6
1/22/23 5:45	12.0	91.6	7.8	145	3.9	6
1/22/23 6:00	12.1	91.6	7.8	145	3.9	5
1/22/23 6:15	12.0	91.5	7.8	145	3.9	5
1/22/23 6:30	12.0	91.5	7.8	145	3.8	6
1/22/23 6:45	12.0	91.2	7.8	145	3.8	5
1/22/23 7:00	11.9	90.7	7.8	145	3.8	6
1/22/23 7:15	11.9	90.2	7.8	145	3.8	6
1/22/23 7:30	11.9	90.6	7.8	145	3.8	5
1/22/23 7:45	11.9	90.4	7.8	145	3.8	6
1/22/23 8:00	11.9	89.9	7.8	145	3.8	5
1/22/23 8:15	11.9	90.6	7.8	145	3.8	6
1/22/23 8:30	12.0	90.7	7.8	145	3.8	6
1/22/23 8:45	12.0	90.6	7.8	145	3.8	6
1/22/23 9:00	11.9	90.5	7.8	145	3.8	6
1/22/23 9:15	12.0	90.8	7.8	145	3.8	5
1/22/23 9:30	12.0	91.4	7.8	144	3.8	6
1/22/23 9:45	12.1	91.7	7.8	144	3.8	6
1/22/23 10:00	12.2	92.3	7.8	145	3.8	5
1/22/23 10:15	12.2	92.5	7.8	145	3.8	6

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 10:30	12.2	92.5	7.8	145	3.8	6
1/22/23 10:45	12.2	92.5	7.8	144	3.9	6
1/22/23 11:00	12.2	92.8	7.8	145	3.9	6
1/22/23 11:15	12.2	92.9	7.8	145	3.9	6
1/22/23 11:30	12.2	92.8	7.8	144	3.9	6
1/22/23 11:45	12.2	93.1	7.8	145	4.0	6
1/22/23 12:00	12.2	93.1	7.8	145	4.0	5
1/22/23 12:15	12.2	93.1	7.8	144	4.0	6
1/22/23 12:30	12.2	93.1	7.8	144	4.1	6
1/22/23 12:45	12.2	93.3	7.8	145	4.1	5
1/22/23 13:00	12.2	93.2	7.8	144	4.1	5
1/22/23 13:15	12.2	93.3	7.8	144	4.1	6
1/22/23 13:30	12.2	93.2	7.8	144	4.1	6
1/22/23 13:45	12.2	93.2	7.8	144	4.1	5
1/22/23 14:00	12.2	93.1	7.8	144	4.1	6
1/22/23 14:15	12.2	93.1	7.8	145	4.1	6
1/22/23 14:30	12.2	93.1	7.8	144	4.1	6
1/22/23 14:45	12.2	93.1	7.8	145	4.1	6
1/22/23 15:00	12.2	93.1	7.8	147	4.2	6
1/22/23 15:15	12.1	93.0	7.8	147	4.2	6
1/22/23 15:30	12.2	93.1	7.8	148	4.2	6
1/22/23 15:45	12.2	93.2	7.8	147	4.2	6
1/22/23 16:00	12.1	93.2	7.8	147	4.2	6
1/22/23 16:15	12.1	93.1	7.8	147	4.2	6
1/22/23 16:30	12.1	93.0	7.8	148	4.2	6
1/22/23 16:45	12.1	92.6	7.8	147	4.2	6
1/22/23 17:00	12.0	92.3	7.8	148	4.2	6
1/22/23 17:15	12.0	92.2	7.8	147	4.2	6
1/22/23 17:30	12.0	92.1	7.8	148	4.2	6
1/22/23 17:45	12.0	92.0	7.8	147	4.2	5
1/22/23 18:00	12.0	92.0	7.8	147	4.2	6
1/22/23 18:15	12.0	92.0	7.8	147	4.2	6
1/22/23 18:30	12.0	92.0	7.8	147	4.2	6
1/22/23 18:45	12.0	92.0	7.8	147	4.2	6
1/22/23 19:00	12.0	92.0	7.8	147	4.2	6
1/22/23 19:15	12.0	92.0	7.8	147	4.1	5
1/22/23 19:30	12.0	92.0	7.8	147	4.1	6
1/22/23 19:45	12.0	91.9	7.8	146	4.1	6
1/22/23 20:00	12.0	92.0	7.8	147	4.1	5
1/22/23 20:15	12.0	92.0	7.8	147	4.1	6
1/22/23 20:30	12.0	92.0	7.8	146	4.1	6
1/22/23 20:45	12.0	92.0	7.8	147	4.1	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	12.0	92.0	7.8	147	4.1	5
1/22/23 21:15	12.0	92.0	7.8	147	4.1	5
1/22/23 21:30	12.0	91.9	7.8	147	4.0	6
1/22/23 21:45	12.0	92.0	7.8	147	4.0	6
1/22/23 22:00	12.0	91.9	7.8	146	4.0	6
1/22/23 22:15	12.1	92.0	7.8	146	4.0	6
1/22/23 22:30	12.0	91.9	7.8	146	4.0	6
1/22/23 22:45	12.1	91.9	7.8	147	4.0	5
1/22/23 23:00	12.1	92.0	7.8	146	4.0	5
1/22/23 23:15	12.1	91.9	7.8	146	4.0	6
1/22/23 23:30	12.1	91.9	7.8	146	3.9	5
1/22/23 23:45	12.1	91.9	7.8	146	3.9	6
1/23/23 0:00	12.1	91.9	7.8	146	3.9	5
1/23/23 0:15	12.1	91.9	7.8	146	3.9	5
1/23/23 0:30	12.1	91.8	7.8	146	3.9	6
1/23/23 0:45	12.1	91.8	7.8	145	3.9	6
1/23/23 1:00	12.1	91.7	7.8	146	3.9	5
1/23/23 1:15	12.0	91.5	7.8	146	3.9	6
1/23/23 1:30	12.0	91.5	7.8	145	3.9	6
1/23/23 1:45	12.0	91.1	7.8	145	3.9	6
1/23/23 2:00	11.9	90.7	7.8	145	3.8	6
1/23/23 2:15	11.9	90.4	7.8	146	3.8	5
1/23/23 2:30	11.9	90.3	7.8	146	3.8	5
1/23/23 2:45	11.9	90.3	7.8	145	3.8	6
1/23/23 3:00	12.0	91.1	7.8	146	3.8	6
1/23/23 3:15	12.0	91.2	7.8	145	3.8	6
1/23/23 3:30	11.9	90.3	7.8	145	3.8	6
1/23/23 3:45	11.8	89.7	7.8	145	3.8	6
1/23/23 4:00	11.9	89.9	7.8	146	3.8	6
1/23/23 4:15	11.9	89.9	7.8	145	3.8	6
1/23/23 4:30	11.9	90.3	7.8	145	3.8	6
1/23/23 4:45	12.0	90.9	7.8	145	3.7	5
1/23/23 5:00	11.9	90.5	7.8	145	3.8	6
1/23/23 5:15	11.9	90.3	7.8	146	3.7	7
1/23/23 5:30	11.9	90.1	7.8	146	3.7	5
1/23/23 5:45	11.9	90.3	7.8	146	3.7	6
1/23/23 6:00	11.9	90.4	7.8	146	3.7	6
1/23/23 6:15	11.9	90.3	7.8	146	3.7	5
1/23/23 6:30	11.9	90.2	7.8	145	3.7	6
1/23/23 6:45	11.9	90.2	7.8	145	3.7	6
1/23/23 7:00	12.0	90.5	7.8	146	3.7	5
1/23/23 7:15	11.9	90.4	7.8	145	3.7	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 7:30	12.1	91.1	7.8	146	3.7	5
1/23/23 7:45	12.0	90.7	7.8	145	3.7	6
1/23/23 8:00	11.9	90.3	7.8	145	3.7	5
1/23/23 8:15	11.9	89.8	7.8	145	3.7	5
1/23/23 8:30	11.8	89.5	7.8	145	3.7	6
1/23/23 8:45	11.8	89.4	7.8	145	3.7	6
1/23/23 9:00	11.8	89.2	7.8	145	3.7	6
1/23/23 9:15	11.9	89.7	7.8	145	3.7	5
1/23/23 9:30	11.9	90.3	7.8	145	3.7	6
1/23/23 9:45	12.0	90.9	7.8	145	3.7	6
1/23/23 10:00	12.0	91.0	7.8	144	3.7	6
1/23/23 10:15	12.0	91.1	7.8	144	3.7	6
1/23/23 10:30	12.0	91.2	7.8	144	3.7	12
1/23/23 10:45	12.1	91.9	7.8	144	3.7	6
1/23/23 11:00	12.2	92.5	7.8	144	3.8	6
1/23/23 11:15	12.2	92.6	7.8	143	3.8	7
1/23/23 11:30	12.2	92.7	7.8	144	3.8	6
1/23/23 11:45	12.2	92.9	7.8	144	3.9	6
1/23/23 12:00	12.2	92.9	7.8	144	3.9	7
1/23/23 12:15	12.2	92.9	7.8	144	3.9	6
1/23/23 12:30	12.2	93.2	7.8	145	4.0	6
1/23/23 12:45	12.2	93.3	7.8	145	4.0	6
1/23/23 13:00	12.2	93.3	7.8	144	4.0	7
1/23/23 13:15	12.2	93.3	7.8	144	4.1	6
1/23/23 13:30	12.2	93.4	7.9	144	4.1	6
1/23/23 13:45	12.2	93.2	7.8	143	4.1	6
1/23/23 14:00	12.2	93.5	7.9	145	4.1	6
1/23/23 14:15	12.2	93.4	7.8	145	4.1	6
1/23/23 14:30	12.2	93.4	7.8	144	4.2	6
1/23/23 14:45	12.2	93.3	7.8	144	4.2	6
1/23/23 15:00	12.2	93.3	7.8	144	4.2	6
1/23/23 15:15	12.1	93.2	7.8	143	4.2	6
1/23/23 15:30	12.1	93.1	7.8	143	4.2	6
1/23/23 15:45	12.1	93.1	7.8	144	4.2	6
1/23/23 16:00	12.1	93.0	7.8	143	4.2	6
1/23/23 16:15	12.1	92.9	7.8	144	4.2	6
1/23/23 16:30	12.1	92.7	7.8	144	4.2	6
1/23/23 16:45	12.1	92.4	7.8	144	4.2	6
1/23/23 17:00	12.0	92.2	7.8	144	4.1	6
1/23/23 17:15	12.0	92.0	7.8	143	4.1	6
1/23/23 17:30	12.0	91.9	7.8	144	4.1	6
1/23/23 17:45	12.0	91.7	7.8	143	4.1	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/23/23 18:00	12.0	91.7	7.8	143	4.1	6
1/23/23 18:15	12.0	91.8	7.8	144	4.1	6
1/23/23 18:30	12.0	91.8	7.8	144	4.1	6
1/23/23 18:45	12.0	91.9	7.8	144	4.1	6
1/23/23 19:00	12.0	91.9	7.8	144	4.1	6
1/23/23 19:15	12.0	91.8	7.8	144	4.1	6
1/23/23 19:30	12.0	91.8	7.8	143	4.1	6
1/23/23 19:45	12.0	91.9	7.8	144	4.1	6
1/23/23 20:00	12.0	92.0	7.8	144	4.1	6
1/23/23 20:15	12.0	91.9	7.8	144	4.0	6
1/23/23 20:30	12.0	91.9	7.8	144	4.0	6
1/23/23 20:45	12.1	92.0	7.8	145	4.0	6
1/23/23 21:00	12.0	91.9	7.8	144	4.0	6
1/23/23 21:15	12.0	92.0	7.8	144	4.0	6
1/23/23 21:30	12.0	91.9	7.8	144	4.0	6
1/23/23 21:45	12.1	92.1	7.8	144	4.0	6
1/23/23 22:00	12.1	92.1	7.8	144	4.0	6
1/23/23 22:15	12.1	92.0	7.8	144	4.0	6
1/23/23 22:30	12.1	92.0	7.8	144	4.0	6
1/23/23 22:45	12.1	92.0	7.8	144	4.0	6
1/23/23 23:00	12.1	92.0	7.8	144	4.0	6
1/23/23 23:15	12.1	92.1	7.8	144	4.0	6
1/23/23 23:30	12.1	92.0	7.8	144	3.9	6
1/23/23 23:45	12.1	92.0	7.8	144	3.9	6
1/24/23 0:00	12.1	91.9	7.8	144	3.9	6
1/24/23 0:15	12.0	91.7	7.8	143	3.9	6
1/24/23 0:30	12.0	91.7	7.8	144	3.9	6
1/24/23 0:45	12.0	91.4	7.8	144	3.9	6
1/24/23 1:00	12.0	91.0	7.8	144	3.9	6
1/24/23 1:15	11.9	90.7	7.8	144	3.9	6
1/24/23 1:30	11.9	90.6	7.8	144	3.8	6
1/24/23 1:45	11.9	90.7	7.8	144	3.8	6
1/24/23 2:00	12.0	91.1	7.8	144	3.8	6
1/24/23 2:15	12.0	91.4	7.8	144	3.8	6
1/24/23 2:30	12.0	91.1	7.8	144	3.8	6
1/24/23 2:45	11.9	90.5	7.8	144	3.8	6
1/24/23 3:00	11.9	89.9	7.8	144	3.8	6
1/24/23 3:15	11.9	90.4	7.8	144	3.8	6
1/24/23 3:30	12.0	90.9	7.8	144	3.8	6
1/24/23 3:45	12.0	90.8	7.7	143	3.8	6
1/24/23 4:00	12.0	90.7	7.8	144	3.7	6
1/24/23 4:15	11.9	90.4	7.8	144	3.7	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 4:30	12.0	90.6	7.8	144	3.7	6
1/24/23 4:45	12.0	90.5	7.8	144	3.7	6
1/24/23 5:00	11.9	90.5	7.7	143	3.7	6
1/24/23 5:15	12.0	90.8	7.8	144	3.7	6
1/24/23 5:30	12.0	90.9	7.8	144	3.7	6
1/24/23 5:45	12.1	91.2	7.8	144	3.7	6
1/24/23 6:00	12.1	91.2	7.8	144	3.7	6
1/24/23 6:15	12.0	90.8	7.8	144	3.7	6
1/24/23 6:30	12.0	90.6	7.8	145	3.6	6
1/24/23 6:45	11.9	90.3	7.8	144	3.6	6
1/24/23 7:00	11.9	90.2	7.8	144	3.6	6
1/24/23 7:15	12.0	90.5	7.8	144	3.6	6
1/24/23 7:30	12.1	91.2	7.8	144	3.6	6
1/24/23 7:45	12.1	91.1	7.8	144	3.6	6
1/24/23 8:00	12.0	91.0	7.8	143	3.7	6
1/24/23 8:15	12.1	91.1	7.8	144	3.6	6
1/24/23 8:30	12.0	90.6	7.8	144	3.6	6
1/24/23 8:45	11.9	90.2	7.8	144	3.6	6
1/24/23 9:00	11.9	90.0	7.8	144	3.6	6
1/24/23 9:15	12.0	90.3	7.8	144	3.6	6
1/24/23 9:30	12.0	90.4	7.8	144	3.6	6
1/24/23 9:45	12.0	90.6	7.8	143	3.7	6
1/24/23 10:00	12.0	91.0	7.8	143	3.7	6
1/24/23 10:15	12.1	91.4	7.8	143	3.7	6
1/24/23 10:30	12.1	91.9	7.8	143	3.7	6
1/24/23 10:45	12.2	92.2	7.8	143	3.7	6
1/24/23 11:00	12.2	92.4	7.8	143	3.8	6
1/24/23 11:15	12.2	92.6	7.8	143	3.8	6
1/24/23 11:30	12.2	92.8	7.8	142	3.9	6
1/24/23 11:45	12.2	93.0	7.8	142	3.9	6
1/24/23 12:00	12.3	93.3	7.8	143	3.9	6
1/24/23 12:15	12.3	93.4	7.8	142	3.9	6
1/24/23 12:30	12.3	93.6	7.8	143	3.9	6
1/24/23 12:45	12.3	93.4	7.8	142	4.0	6
1/24/23 13:00	12.2	93.3	7.8	142	4.0	7
1/24/23 13:15	12.2	93.5	7.8	143	4.1	6
1/24/23 13:30	12.2	93.4	7.8	142	4.1	6
1/24/23 13:45	12.2	93.2	7.8	142	4.1	6
1/24/23 14:00	12.2	93.4	7.8	142	4.1	6
1/24/23 14:15	12.2	93.5	7.8	142	4.2	6
1/24/23 14:30	12.2	93.4	7.8	142	4.2	6
1/24/23 14:45	12.2	93.6	7.8	143	4.2	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/24/23 15:00	12.2	93.6	7.8	143	4.2	6
1/24/23 15:15	12.2	93.4	7.8	142	4.2	6
1/24/23 15:30	12.2	93.4	7.8	142	4.2	6
1/24/23 15:45	12.2	93.3	7.8	142	4.2	6
1/24/23 16:00	12.2	93.3	7.8	143	4.2	6
1/24/23 16:15	12.1	93.2	7.8	142	4.2	6
1/24/23 16:30	12.1	92.9	7.8	142	4.2	6
1/24/23 16:45	12.1	92.6	7.8	142	4.2	6
1/24/23 17:00	12.1	92.4	7.8	143	4.1	6
1/24/23 17:15	12.0	92.2	7.8	143	4.1	6
1/24/23 17:30	12.0	92.0	7.8	142	4.1	6
1/24/23 17:45	12.0	91.9	7.8	143	4.1	6
1/24/23 18:00	12.0	92.0	7.8	143	4.1	6
1/24/23 18:15	12.0	92.0	7.8	143	4.1	6
1/24/23 18:30	12.0	92.0	7.8	143	4.1	6
1/24/23 18:45	12.0	92.1	7.8	143	4.1	6
1/24/23 19:00	12.0	92.1	7.8	143	4.1	6
1/24/23 19:15	12.0	92.1	7.8	143	4.1	6
1/24/23 19:30	12.0	92.2	7.8	143	4.1	6
1/24/23 19:45	12.1	92.2	7.8	143	4.1	6
1/24/23 20:00	12.1	92.3	7.8	143	4.1	6
1/24/23 20:15	12.1	92.2	7.8	143	4.1	6
1/24/23 20:30	12.1	92.3	7.8	143	4.1	6
1/24/23 20:45	12.1	92.3	7.8	143	4.1	6
1/24/23 21:00	12.1	92.2	7.8	142	4.1	6
1/24/23 21:15	12.1	92.3	7.8	143	4.1	6
1/24/23 21:30	12.1	92.4	7.8	143	4.1	6
1/24/23 21:45	12.1	92.4	7.8	143	4.1	6
1/24/23 22:00	12.1	92.3	7.8	143	4.0	6
1/24/23 22:15	12.1	92.4	7.8	143	4.0	6
1/24/23 22:30	12.1	92.4	7.8	143	4.0	6
1/24/23 22:45	12.1	92.4	7.8	143	4.0	6
1/24/23 23:00	12.1	92.4	7.8	143	4.0	6
1/24/23 23:15	12.1	92.4	7.8	143	4.0	6
1/24/23 23:30	12.1	92.4	7.8	142	4.0	6
1/24/23 23:45	12.1	92.3	7.8	143	4.0	6
1/25/23 0:00	12.1	92.5	7.8	143	4.0	6
1/25/23 0:15	12.1	92.4	7.8	143	4.0	6
1/25/23 0:30	12.1	92.4	7.8	143	4.0	6
1/25/23 0:45	12.1	92.5	7.8	143	3.9	6
1/25/23 1:00	12.1	92.5	7.8	143	3.9	6
1/25/23 1:15	12.1	92.5	7.8	143	3.9	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 1:30	12.1	92.4	7.8	143	3.9	6
1/25/23 1:45	12.1	91.9	7.8	143	3.9	6
1/25/23 2:00	12.0	91.5	7.8	143	3.9	6
1/25/23 2:15	12.1	91.9	7.8	143	3.9	6
1/25/23 2:30	12.0	91.4	7.8	143	3.9	6
1/25/23 2:45	12.0	91.0	7.8	143	3.8	6
1/25/23 3:00	11.9	90.7	7.8	143	3.8	6
1/25/23 3:15	12.0	91.3	7.8	143	3.8	6
1/25/23 3:30	12.0	91.3	7.8	143	3.8	6
1/25/23 3:45	12.0	91.0	7.8	143	3.8	6
1/25/23 4:00	12.0	91.1	7.8	143	3.8	6
1/25/23 4:15	12.0	91.0	7.8	143	3.8	6
1/25/23 4:30	12.0	91.2	7.8	143	3.8	6
1/25/23 4:45	12.0	91.3	7.8	143	3.8	6
1/25/23 5:00	12.0	91.3	7.8	143	3.8	6
1/25/23 5:15	12.1	91.3	7.8	143	3.7	6
1/25/23 5:30	12.1	91.5	7.8	143	3.7	6
1/25/23 5:45	12.0	91.3	7.8	143	3.7	6
1/25/23 6:00	12.0	90.9	7.8	143	3.7	6
1/25/23 6:15	12.0	90.6	7.8	143	3.7	6
1/25/23 6:30	12.0	90.8	7.8	143	3.7	6
1/25/23 6:45	12.1	91.4	7.8	143	3.7	6
1/25/23 7:00	12.0	90.8	7.8	143	3.7	6
1/25/23 7:15	11.9	90.0	7.8	143	3.7	6
1/25/23 7:30	11.9	90.0	7.8	144	3.7	6
1/25/23 7:45	11.8	89.5	7.8	143	3.7	7
1/25/23 8:00	11.8	89.6	7.8	143	3.7	6
1/25/23 8:15	11.8	89.6	7.8	143	3.7	6
1/25/23 8:30	11.9	89.7	7.8	143	3.7	6
1/25/23 8:45	12.0	90.6	7.8	143	3.7	6
1/25/23 9:00	12.0	90.8	7.8	143	3.7	6
1/25/23 9:15	12.0	90.9	7.8	143	3.7	6
1/25/23 9:30	12.0	91.0	7.8	142	3.7	6
1/25/23 9:45	12.1	91.4	7.8	142	3.7	6
1/25/23 10:00	12.1	91.7	7.8	142	3.8	7
1/25/23 10:15	12.1	91.6	7.8	143	3.7	6
1/25/23 10:30	12.1	91.5	7.8	142	3.8	6
1/25/23 10:45	12.2	92.2	7.8	143	3.8	6
1/25/23 11:00	12.2	92.6	7.8	142	3.8	6
1/25/23 11:15	12.3	93.2	7.8	143	3.8	6
1/25/23 11:30	12.3	93.2	7.8	142	3.9	6
1/25/23 11:45	12.3	93.3	7.8	142	3.9	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 12:00	12.3	93.4	7.8	143	4.0	6
1/25/23 12:15	12.3	93.5	7.8	143	4.0	6
1/25/23 12:30	12.2	93.4	7.8	142	4.0	7
1/25/23 12:45	12.2	93.5	7.8	142	4.1	6
1/25/23 13:00	12.2	93.5	7.8	142	4.1	5
1/25/23 13:15						
1/25/23 13:30						
1/25/23 13:45						
1/25/23 14:00	12.1	93.1	7.6	141	4.2	6
1/25/23 14:15	12.2	93.3	7.7	141	4.2	6
1/25/23 14:30	12.2	93.4	7.7	142	4.3	6
1/25/23 14:45	12.1	93.1	7.6	141	4.3	6
1/25/23 15:00	12.1	93.3	7.6	141	4.3	6
1/25/23 15:15	12.1	93.1	7.6	141	4.3	5
1/25/23 15:30	12.1	93.1	7.7	141	4.3	5
1/25/23 15:45	12.1	93.0	7.7	141	4.3	5
1/25/23 16:00	12.1	92.9	7.7	141	4.3	5
1/25/23 16:15	12.1	92.7	7.7	141	4.3	6
1/25/23 16:30	12.0	92.5	7.7	141	4.3	6
1/25/23 16:45	12.0	92.2	7.6	142	4.3	6
1/25/23 17:00	12.0	91.9	7.6	141	4.2	6
1/25/23 17:15	12.0	91.7	7.6	141	4.2	5
1/25/23 17:30	12.0	91.7	7.6	142	4.2	6
1/25/23 17:45	11.9	91.5	7.6	141	4.2	6
1/25/23 18:00	11.9	91.5	7.6	142	4.2	6
1/25/23 18:15	11.9	91.5	7.6	142	4.2	5
1/25/23 18:30	11.9	91.4	7.6	142	4.2	5
1/25/23 18:45	11.9	91.5	7.6	142	4.2	5
1/25/23 19:00	11.9	91.5	7.6	141	4.2	6
1/25/23 19:15	11.9	91.6	7.6	142	4.2	6
1/25/23 19:30	11.9	91.6	7.6	142	4.2	6
1/25/23 19:45	12.0	91.7	7.6	142	4.2	5
1/25/23 20:00	12.0	91.7	7.6	142	4.2	5
1/25/23 20:15	12.0	91.7	7.6	142	4.1	5
1/25/23 20:30	12.0	91.7	7.6	142	4.1	5
1/25/23 20:45	12.0	91.7	7.6	142	4.1	5
1/25/23 21:00	12.0	91.8	7.6	142	4.1	5
1/25/23 21:15	12.0	91.7	7.6	142	4.1	5
1/25/23 21:30	12.0	91.8	7.6	142	4.1	5
1/25/23 21:45	12.0	91.8	7.6	142	4.1	5
1/25/23 22:00	12.0	91.8	7.6	142	4.1	5
1/25/23 22:15	12.0	91.8	7.6	142	4.1	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/25/23 22:30	12.0	91.7	7.6	142	4.1	5
1/25/23 22:45	12.0	91.7	7.6	142	4.1	5
1/25/23 23:00	12.0	91.8	7.6	142	4.1	5
1/25/23 23:15	12.0	91.8	7.6	142	4.0	5
1/25/23 23:30	12.0	91.8	7.6	142	4.0	5
1/25/23 23:45	12.0	91.8	7.6	142	4.0	5
1/26/23 0:00	12.0	91.8	7.6	142	4.0	5
1/26/23 0:15	12.0	91.9	7.6	142	4.0	5
1/26/23 0:30	12.1	91.9	7.6	143	4.0	5
1/26/23 0:45	12.0	91.8	7.6	142	4.0	5
1/26/23 1:00	12.0	91.8	7.6	142	4.0	5
1/26/23 1:15	12.1	91.9	7.6	142	3.9	5
1/26/23 1:30	12.1	91.9	7.6	143	3.9	5
1/26/23 1:45	12.0	91.7	7.6	142	3.9	5
1/26/23 2:00	12.0	91.6	7.6	142	3.9	6
1/26/23 2:15	12.0	91.4	7.6	142	3.9	5
1/26/23 2:30	12.0	91.0	7.6	143	3.9	5
1/26/23 2:45	11.9	90.3	7.6	142	3.9	5
1/26/23 3:00	11.9	90.3	7.6	142	3.8	6
1/26/23 3:15	11.9	90.6	7.6	142	3.8	5
1/26/23 3:30	12.0	90.9	7.6	142	3.8	5
1/26/23 3:45	11.9	90.5	7.6	142	3.8	5
1/26/23 4:00	11.9	90.2	7.6	142	3.8	5
1/26/23 4:15	11.9	90.2	7.6	142	3.8	5
1/26/23 4:30	11.9	90.1	7.6	142	3.8	5
1/26/23 4:45	11.9	90.4	7.6	142	3.8	5
1/26/23 5:00	12.0	90.7	7.6	142	3.8	5
1/26/23 5:15	12.0	90.7	7.6	142	3.8	5
1/26/23 5:30	11.9	90.4	7.6	142	3.8	5
1/26/23 5:45	11.9	90.4	7.6	142	3.7	6
1/26/23 6:00	11.9	90.5	7.6	142	3.7	5
1/26/23 6:15	11.9	90.5	7.6	142	3.7	5
1/26/23 6:30	12.0	90.7	7.6	142	3.7	5
1/26/23 6:45	12.0	90.7	7.6	142	3.7	5
1/26/23 7:00	12.0	90.7	7.6	142	3.7	5
1/26/23 7:15	12.1	91.2	7.6	142	3.7	6
1/26/23 7:30	12.0	90.5	7.6	142	3.7	6
1/26/23 7:45	11.9	90.1	7.6	142	3.7	6
1/26/23 8:00	11.9	90.1	7.6	142	3.7	5
1/26/23 8:15	11.9	90.0	7.6	142	3.7	5
1/26/23 8:30	11.9	90.3	7.6	142	3.7	5
1/26/23 8:45	11.9	90.3	7.6	142	3.7	5

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 9:00	11.9	90.3	7.6	142	3.7	5
1/26/23 9:15	11.9	90.2	7.6	142	3.7	5
1/26/23 9:30	11.9	90.2	7.6	142	3.7	5
1/26/23 9:45	12.0	91.1	7.6	142	3.7	5
1/26/23 10:00	12.0	91.1	7.6	142	3.7	5
1/26/23 10:15	12.0	91.2	7.6	142	3.7	6
1/26/23 10:30	12.0	91.4	7.6	141	3.8	5
1/26/23 10:45	12.1	92.0	7.7	142	3.8	5
1/26/23 11:00	12.2	92.4	7.7	142	3.8	5
1/26/23 11:15	12.2	92.6	7.7	142	3.9	6
1/26/23 11:30	12.2	92.8	7.7	142	3.9	5
1/26/23 11:45	12.2	92.9	7.7	142	3.9	5
1/26/23 12:00	12.2	92.9	7.7	142	3.9	5
1/26/23 12:15	12.2	93.0	7.7	142	4.0	5
1/26/23 12:30	12.2	92.9	7.7	142	4.0	5
1/26/23 12:45	12.2	92.9	7.7	141	4.1	5
1/26/23 13:00	12.1	92.8	7.7	141	4.1	6
1/26/23 13:15	12.2	93.1	7.7	142	4.1	6
1/26/23 13:30	12.1	93.0	7.7	142	4.2	5
1/26/23 13:45	12.1	93.0	7.7	141	4.2	5
1/26/23 14:00	12.1	93.0	7.7	141	4.2	5
1/26/23 14:15	12.1	93.0	7.7	141	4.2	5
1/26/23 14:30	12.1	93.1	7.7	141	4.3	5
1/26/23 14:45	12.1	92.9	7.7	141	4.3	5
1/26/23 15:00	12.1	92.8	7.7	141	4.3	5
1/26/23 15:15	12.1	93.0	7.7	142	4.3	5
1/26/23 15:30	12.1	92.8	7.7	141	4.3	5
1/26/23 15:45	12.1	92.9	7.7	141	4.3	5
1/26/23 16:00	12.0	92.5	7.7	141	4.3	5
1/26/23 16:15	12.0	92.5	7.7	141	4.3	5
1/26/23 16:30	12.0	92.4	7.7	141	4.3	5
1/26/23 16:45	12.0	92.2	7.7	141	4.3	5
1/26/23 17:00	12.0	92.1	7.7	141	4.2	5
1/26/23 17:15	12.0	91.7	7.6	141	4.2	5
1/26/23 17:30	11.9	91.6	7.6	141	4.2	5
1/26/23 17:45	11.9	91.4	7.6	141	4.2	5
1/26/23 18:00	11.9	91.4	7.6	142	4.2	5
1/26/23 18:15	11.9	91.4	7.6	142	4.2	5
1/26/23 18:30	11.9	91.4	7.6	142	4.2	6
1/26/23 18:45	11.9	91.4	7.6	142	4.2	5
1/26/23 19:00	11.9	91.6	7.6	142	4.2	6
1/26/23 19:15	11.9	91.6	7.6	142	4.2	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/26/23 19:30	11.9	91.6	7.6	142	4.2	5
1/26/23 19:45	11.9	91.6	7.6	142	4.2	5
1/26/23 20:00	12.0	91.6	7.6	142	4.2	5
1/26/23 20:15	12.0	91.7	7.6	142	4.2	6
1/26/23 20:30	12.0	91.6	7.6	142	4.1	5
1/26/23 20:45	12.0	91.7	7.6	142	4.2	5
1/26/23 21:00	12.0	91.7	7.6	142	4.2	5
1/26/23 21:15	12.0	91.6	7.6	142	4.1	5
1/26/23 21:30	12.0	91.6	7.6	142	4.1	5
1/26/23 21:45	12.0	91.7	7.6	142	4.1	5
1/26/23 22:00	12.0	91.7	7.6	142	4.1	5
1/26/23 22:15	12.0	91.7	7.6	142	4.1	5
1/26/23 22:30	12.0	91.6	7.6	142	4.1	5
1/26/23 22:45	12.0	91.7	7.6	142	4.1	5
1/26/23 23:00	12.0	91.7	7.6	142	4.1	5
1/26/23 23:15	12.0	91.6	7.6	142	4.1	5
1/26/23 23:30	12.0	91.7	7.6	142	4.1	5
1/26/23 23:45	12.0	91.7	7.6	142	4.1	5
1/27/23 0:00	12.0	91.6	7.6	142	4.0	5
1/27/23 0:15	12.0	91.7	7.6	142	4.0	5
1/27/23 0:30	12.0	91.7	7.6	142	4.0	5
1/27/23 0:45	12.0	91.7	7.6	142	4.0	6
1/27/23 1:00	12.0	91.7	7.6	142	4.0	5
1/27/23 1:15	12.0	91.8	7.6	143	4.0	5
1/27/23 1:30	12.0	91.6	7.6	142	4.0	5
1/27/23 1:45	12.0	91.7	7.6	142	4.0	5
1/27/23 2:00	12.0	91.7	7.6	142	4.0	5
1/27/23 2:15	12.0	91.8	7.6	142	4.0	5
1/27/23 2:30	12.0	91.7	7.6	142	4.0	6
1/27/23 2:45	12.0	91.7	7.6	142	4.0	6
1/27/23 3:00	12.0	91.7	7.6	142	3.9	5
1/27/23 3:15	12.0	91.7	7.6	143	3.9	5
1/27/23 3:30	12.0	91.6	7.6	144	3.9	5
1/27/23 3:45	12.0	91.7	7.6	147	3.9	6
1/27/23 4:00	12.0	91.7	7.7	149	3.9	6
1/27/23 4:15	12.0	91.7	7.6	151	3.9	6
1/27/23 4:30	12.0	91.6	7.6	151	3.9	6
1/27/23 4:45	12.0	91.5	7.6	151	3.9	6
1/27/23 5:00	12.0	91.4	7.6	151	3.9	6
1/27/23 5:15	12.0	91.5	7.7	154	3.9	5
1/27/23 5:30	12.0	91.4	7.7	153	3.9	5
1/27/23 5:45	12.0	91.3	7.7	154	3.9	5

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 6:00	12.0	91.2	7.7	152	3.9	6
1/27/23 6:15	12.0	91.3	7.7	154	3.9	5
1/27/23 6:30	12.0	90.9	7.7	153	3.9	5
1/27/23 6:45	11.9	90.4	7.6	153	3.9	5
1/27/23 7:00	11.9	90.3	7.7	152	3.9	6
1/27/23 7:15	11.9	90.7	7.6	151	3.8	5
1/27/23 7:30	11.9	90.6	7.6	151	3.8	5
1/27/23 7:45	11.9	90.4	7.7	151	3.8	6
1/27/23 8:00	11.9	90.4	7.7	151	3.8	5
1/27/23 8:15	11.9	90.8	7.7	152	3.8	5
1/27/23 8:30	12.0	90.9	7.7	150	3.9	6
1/27/23 8:45	12.0	91.0	7.7	150	3.9	5
1/27/23 9:00	11.9	90.8	7.7	149	3.9	5
1/27/23 9:15	12.0	91.4	7.7	150	3.9	5
1/27/23 9:30	12.0	91.5	7.7	149	3.9	5
1/27/23 9:45	12.0	91.7	7.7	151	3.9	6
1/27/23 10:00	12.1	91.9	7.7	149	3.9	8
1/27/23 10:15	12.1	92.2	7.7	148	4.0	6
1/27/23 10:30	12.1	92.4	7.7	147	4.0	6
1/27/23 10:45	12.1	92.6	7.7	148	4.0	6
1/27/23 11:00	12.1	92.8	7.7	149	4.1	5
1/27/23 11:15	12.1	92.7	7.7	147	4.1	5
1/27/23 11:30	12.1	92.8	7.7	148	4.1	6
1/27/23 11:45	12.1	92.8	7.7	148	4.2	5
1/27/23 12:00	12.1	92.6	7.7	146	4.2	6
1/27/23 12:15	12.1	92.5	7.7	145	4.2	6
1/27/23 12:30	12.1	92.6	7.7	146	4.2	5
1/27/23 12:45	12.1	92.6	7.7	146	4.2	6
1/27/23 13:00	12.1	92.6	7.7	147	4.2	5
1/27/23 13:15	12.0	92.6	7.7	146	4.3	6
1/27/23 13:30	12.0	92.5	7.7	145	4.3	5
1/27/23 13:45	12.0	92.6	7.7	145	4.4	5
1/27/23 14:00	12.0	92.6	7.7	145	4.4	5
1/27/23 14:15	12.0	92.6	7.7	145	4.4	6
1/27/23 14:30	12.0	92.9	7.7	146	4.5	5
1/27/23 14:45	12.0	92.6	7.7	144	4.4	6
1/27/23 15:00	12.0	92.4	7.7	145	4.4	6
1/27/23 15:15	12.0	92.2	7.7	144	4.4	6
1/27/23 15:30	12.0	92.4	7.7	143	4.4	6
1/27/23 15:45	12.0	92.5	7.7	144	4.4	6
1/27/23 16:00	12.0	92.6	7.7	144	4.4	6
1/27/23 16:15	12.0	92.6	7.7	145	4.4	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/27/23 16:30	12.0	92.4	7.7	144	4.4	6
1/27/23 16:45	11.9	92.0	7.7	144	4.4	6
1/27/23 17:00	11.9	91.9	7.7	144	4.4	6
1/27/23 17:15	11.9	91.7	7.7	143	4.3	6
1/27/23 17:30	11.9	91.7	7.7	144	4.3	6
1/27/23 17:45	11.9	91.6	7.7	145	4.3	6
1/27/23 18:00	11.9	91.5	7.7	144	4.3	6
1/27/23 18:15	11.9	91.5	7.7	145	4.3	6
1/27/23 18:30	11.9	91.4	7.7	145	4.3	6
1/27/23 18:45	11.9	91.4	7.7	144	4.3	6
1/27/23 19:00	11.9	91.4	7.6	144	4.3	6
1/27/23 19:15	11.9	91.4	7.7	144	4.3	6
1/27/23 19:30	11.9	91.5	7.7	145	4.3	6
1/27/23 19:45	11.9	91.4	7.6	143	4.2	6
1/27/23 20:00	11.9	91.4	7.7	144	4.2	5
1/27/23 20:15	11.9	91.4	7.6	144	4.2	6
1/27/23 20:30	11.9	91.4	7.6	144	4.2	6
1/27/23 20:45	11.9	91.3	7.7	144	4.2	6
1/27/23 21:00	11.9	91.4	7.7	144	4.2	6
1/27/23 21:15	11.9	91.4	7.7	144	4.2	6
1/27/23 21:30	11.9	91.4	7.7	144	4.2	6
1/27/23 21:45	11.9	91.3	7.6	144	4.2	6
1/27/23 22:00	11.9	91.3	7.7	144	4.2	6
1/27/23 22:15	11.9	91.3	7.6	144	4.2	6
1/27/23 22:30	11.9	91.2	7.6	143	4.1	6
1/27/23 22:45	11.9	91.3	7.7	144	4.1	6
1/27/23 23:00	11.9	91.3	7.6	144	4.1	6
1/27/23 23:15	11.9	91.2	7.6	143	4.1	6
1/27/23 23:30	11.9	91.3	7.6	144	4.1	6
1/27/23 23:45	11.9	91.2	7.6	144	4.1	6
1/28/23 0:00	11.9	91.2	7.6	143	4.1	6
1/28/23 0:15	11.9	91.2	7.6	144	4.1	6
1/28/23 0:30	11.9	91.2	7.6	144	4.1	6
1/28/23 0:45	11.9	91.2	7.6	144	4.0	6
1/28/23 1:00	11.9	91.2	7.6	143	4.0	6
1/28/23 1:15	11.9	91.2	7.6	144	4.0	6
1/28/23 1:30	11.9	91.1	7.6	143	4.0	6
1/28/23 1:45	11.9	91.1	7.6	144	4.0	6
1/28/23 2:00	11.9	91.1	7.6	144	4.0	6
1/28/23 2:15	11.9	90.8	7.6	144	4.0	6
1/28/23 2:30	11.9	90.3	7.6	143	4.0	6
1/28/23 2:45	11.8	89.5	7.6	144	3.9	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 3:00	11.8	90.0	7.6	144	3.9	6
1/28/23 3:15	11.8	90.1	7.6	144	3.9	6
1/28/23 3:30	11.8	89.9	7.6	144	3.9	6
1/28/23 3:45	11.8	89.8	7.6	144	3.9	5
1/28/23 4:00	11.8	89.4	7.6	144	3.9	6
1/28/23 4:15	11.7	89.2	7.6	144	3.9	6
1/28/23 4:30	11.8	89.3	7.6	144	3.9	6
1/28/23 4:45	11.8	89.4	7.6	144	3.8	6
1/28/23 5:00	11.8	89.8	7.6	144	3.8	6
1/28/23 5:15	11.9	90.0	7.6	143	3.8	6
1/28/23 5:30	11.8	89.8	7.6	144	3.8	6
1/28/23 5:45	11.8	89.4	7.6	144	3.8	6
1/28/23 6:00	11.8	89.4	7.6	143	3.8	6
1/28/23 6:15	11.8	89.6	7.6	144	3.8	6
1/28/23 6:30	11.8	89.7	7.6	143	3.8	6
1/28/23 6:45	11.8	89.8	7.6	143	3.8	6
1/28/23 7:00	11.9	89.8	7.6	144	3.7	5
1/28/23 7:15	11.8	89.7	7.6	144	3.7	6
1/28/23 7:30	11.9	90.0	7.6	144	3.7	6
1/28/23 7:45	11.9	90.0	7.6	143	3.7	6
1/28/23 8:00	11.9	90.3	7.6	144	3.7	6
1/28/23 8:15	11.9	90.3	7.7	144	3.7	6
1/28/23 8:30	12.0	90.6	7.6	144	3.7	6
1/28/23 8:45	12.0	90.5	7.7	143	3.7	6
1/28/23 9:00	11.9	90.0	7.6	143	3.7	6
1/28/23 9:15	11.8	89.5	7.6	143	3.7	6
1/28/23 9:30	11.9	89.9	7.6	143	3.7	6
1/28/23 9:45	11.8	89.5	7.7	143	3.7	6
1/28/23 10:00	11.9	90.1	7.7	143	3.7	5
1/28/23 10:15	11.9	90.0	7.7	142	3.7	6
1/28/23 10:30	11.9	90.4	7.6	142	3.8	6
1/28/23 10:45	12.0	90.9	7.7	143	3.8	6
1/28/23 11:00	12.0	91.3	7.7	142	3.8	6
1/28/23 11:15	12.1	91.7	7.7	142	3.9	6
1/28/23 11:30	12.1	91.9	7.7	142	3.9	6
1/28/23 11:45	12.1	91.9	7.7	142	3.9	6
1/28/23 12:00	12.1	92.0	7.7	142	4.0	6
1/28/23 12:15	12.1	92.1	7.7	142	4.0	6
1/28/23 12:30	12.1	92.1	7.7	141	4.0	6
1/28/23 12:45	12.0	92.1	7.7	141	4.1	6
1/28/23 13:00	12.0	92.2	7.7	142	4.1	6
1/28/23 13:15	12.0	92.2	7.7	142	4.1	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/28/23 13:30	12.0	92.3	7.7	142	4.2	6
1/28/23 13:45	12.0	92.3	7.7	142	4.2	6
1/28/23 14:00	12.0	92.2	7.7	141	4.2	6
1/28/23 14:15	12.0	92.1	7.7	141	4.2	6
1/28/23 14:30	12.0	92.3	7.7	142	4.3	6
1/28/23 14:45	12.0	92.2	7.7	141	4.3	6
1/28/23 15:00	12.0	92.2	7.7	142	4.3	6
1/28/23 15:15	12.0	92.2	7.7	142	4.3	6
1/28/23 15:30	12.0	92.1	7.7	142	4.3	6
1/28/23 15:45	12.0	92.0	7.7	142	4.3	6
1/28/23 16:00	12.0	92.0	7.7	142	4.3	6
1/28/23 16:15	11.9	91.7	7.7	142	4.3	6
1/28/23 16:30	11.9	91.5	7.7	142	4.3	6
1/28/23 16:45	11.9	91.1	7.7	141	4.2	6
1/28/23 17:00	11.8	90.9	7.6	142	4.2	5
1/28/23 17:15	11.8	90.7	7.6	142	4.2	5
1/28/23 17:30	11.8	90.6	7.6	142	4.2	6
1/28/23 17:45	11.8	90.6	7.6	142	4.2	6
1/28/23 18:00	11.8	90.5	7.6	142	4.2	6
1/28/23 18:15	11.8	90.4	7.6	142	4.2	6
1/28/23 18:30	11.8	90.5	7.6	142	4.2	6
1/28/23 18:45	11.8	90.5	7.6	142	4.2	6
1/28/23 19:00	11.8	90.6	7.6	142	4.2	6
1/28/23 19:15	11.8	90.6	7.6	142	4.2	6
1/28/23 19:30	11.8	90.7	7.6	141	4.2	6
1/28/23 19:45	11.8	90.7	7.6	142	4.2	6
1/28/23 20:00	11.8	90.7	7.6	142	4.2	6
1/28/23 20:15	11.8	90.8	7.6	142	4.2	6
1/28/23 20:30	11.9	90.8	7.6	142	4.1	5
1/28/23 20:45	11.9	90.8	7.6	142	4.1	6
1/28/23 21:00	11.9	90.8	7.6	142	4.1	6
1/28/23 21:15	11.9	90.8	7.6	142	4.1	6
1/28/23 21:30	11.9	90.8	7.6	142	4.1	6
1/28/23 21:45	11.9	90.8	7.6	142	4.1	6
1/28/23 22:00	11.9	90.8	7.6	142	4.1	5
1/28/23 22:15	11.9	90.8	7.6	142	4.1	6
1/28/23 22:30	11.9	90.8	7.6	142	4.1	5
1/28/23 22:45	11.9	90.8	7.6	142	4.1	5
1/28/23 23:00	11.9	90.8	7.6	142	4.1	6
1/28/23 23:15	11.9	90.8	7.6	142	4.1	6
1/28/23 23:30	11.9	90.7	7.6	141	4.1	6
1/28/23 23:45	11.9	90.8	7.6	142	4.1	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	11.9	90.8	7.6	142	4.1	5
1/29/23 0:15	11.9	90.8	7.6	142	4.1	6
1/29/23 0:30	11.9	90.8	7.6	142	4.1	5
1/29/23 0:45	11.9	90.7	7.6	142	4.1	6
1/29/23 1:00	11.9	90.7	7.6	141	4.0	6
1/29/23 1:15	11.9	90.8	7.6	142	4.0	6
1/29/23 1:30	11.9	90.8	7.6	143	4.0	6
1/29/23 1:45	11.9	90.7	7.6	142	4.0	6
1/29/23 2:00	11.9	90.8	7.6	142	4.0	5
1/29/23 2:15	11.9	90.8	7.6	142	4.0	5
1/29/23 2:30	11.9	90.7	7.6	142	4.0	6
1/29/23 2:45	11.9	90.7	7.6	142	4.0	6
1/29/23 3:00	11.9	90.7	7.6	142	4.0	6
1/29/23 3:15	11.9	90.8	7.6	142	4.0	6
1/29/23 3:30	11.9	90.8	7.6	142	4.0	6
1/29/23 3:45	11.9	90.8	7.6	142	4.0	6
1/29/23 4:00	11.9	90.8	7.6	142	4.0	6
1/29/23 4:15	11.9	90.7	7.6	142	4.0	5
1/29/23 4:30	11.9	90.8	7.6	142	4.0	6
1/29/23 4:45	11.9	90.9	7.6	142	4.0	6
1/29/23 5:00	11.9	90.8	7.6	142	4.0	6
1/29/23 5:15	11.9	90.7	7.6	142	4.0	5
1/29/23 5:30	11.9	90.6	7.6	142	4.0	6
1/29/23 5:45	11.9	90.7	7.6	141	3.9	6
1/29/23 6:00	11.9	90.7	7.6	142	3.9	6
1/29/23 6:15	11.9	90.6	7.6	142	3.9	6
1/29/23 6:30	11.9	90.6	7.6	141	3.9	6
1/29/23 6:45	11.9	90.6	7.6	141	3.8	6
1/29/23 7:00	11.9	90.7	7.6	141	3.8	6
1/29/23 7:15	11.9	90.6	7.6	141	3.8	6
1/29/23 7:30	12.0	90.7	7.6	142	3.8	6
1/29/23 7:45	11.9	90.5	7.6	141	3.8	6
1/29/23 8:00	11.9	90.3	7.6	141	3.8	6
1/29/23 8:15	11.9	90.0	7.6	141	3.7	8
1/29/23 8:30	11.9	90.3	7.6	141	3.7	6
1/29/23 8:45	11.9	90.3	7.6	141	3.7	6
1/29/23 9:00	11.9	90.3	7.6	141	3.7	6
1/29/23 9:15	11.9	90.1	7.7	140	3.7	6
1/29/23 9:30	11.8	89.4	7.6	140	3.7	6
1/29/23 9:45	11.8	89.5	7.7	140	3.7	6
1/29/23 10:00	11.9	89.9	7.7	140	3.7	6
1/29/23 10:15	11.9	90.1	7.6	140	3.7	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 10:30	12.0	90.7	7.6	140	3.7	6
1/29/23 10:45	11.9	90.4	7.6	139	3.8	6
1/29/23 11:00	11.9	90.6	7.7	139	3.8	6
1/29/23 11:15	12.0	90.9	7.7	139	3.8	6
1/29/23 11:30	12.0	91.0	7.7	139	3.8	6
1/29/23 11:45	12.0	91.1	7.7	139	3.8	6
1/29/23 12:00	12.0	91.4	7.7	139	3.9	6
1/29/23 12:15	12.0	91.4	7.7	139	3.9	6
1/29/23 12:30	12.0	91.6	7.7	139	3.9	6
1/29/23 12:45	12.1	91.8	7.7	139	3.9	6
1/29/23 13:00	12.0	91.6	7.7	139	3.9	6
1/29/23 13:15	12.0	91.7	7.7	139	4.0	6
1/29/23 13:30	12.0	91.7	7.7	139	4.0	6
1/29/23 13:45	12.0	91.9	7.7	139	4.0	6
1/29/23 14:00	12.0	92.0	7.7	139	4.0	6
1/29/23 14:15	12.0	91.6	7.7	139	4.0	6
1/29/23 14:30	12.0	92.1	7.7	139	4.1	6
1/29/23 14:45	12.1	92.3	7.7	139	4.1	6
1/29/23 15:00	12.1	92.3	7.7	139	4.1	6
1/29/23 15:15	12.1	92.4	7.7	139	4.1	6
1/29/23 15:30	12.1	92.4	7.7	139	4.1	5
1/29/23 15:45	12.1	92.2	7.7	139	4.1	6
1/29/23 16:00	12.1	92.3	7.7	139	4.0	6
1/29/23 16:15	12.1	92.2	7.7	139	4.0	6
1/29/23 16:30	12.1	92.0	7.7	139	4.0	6
1/29/23 16:45	12.0	91.7	7.7	139	4.0	6
1/29/23 17:00	12.0	91.5	7.7	139	3.9	6
1/29/23 17:15	12.0	91.3	7.7	139	3.9	6
1/29/23 17:30	12.0	91.0	7.7	139	3.9	6
1/29/23 17:45	12.0	91.0	7.6	139	3.9	6
1/29/23 18:00	12.0	91.0	7.6	139	3.9	6
1/29/23 18:15	12.0	90.8	7.6	139	3.9	6
1/29/23 18:30	12.0	90.8	7.6	139	3.8	6
1/29/23 18:45	11.9	90.5	7.6	139	3.8	6
1/29/23 19:00	11.9	90.4	7.6	139	3.8	6
1/29/23 19:15	11.9	90.1	7.6	139	3.8	6
1/29/23 19:30	11.9	90.1	7.6	139	3.8	6
1/29/23 19:45	11.9	90.0	7.6	139	3.8	6
1/29/23 20:00	11.9	90.3	7.6	139	3.7	6
1/29/23 20:15	11.9	90.4	7.6	139	3.7	6
1/29/23 20:30	11.9	90.4	7.6	139	3.7	5
1/29/23 20:45	11.9	90.4	7.6	139	3.7	6

Klamath River below Iron Gate Dam (11516530)



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	11.9	90.1	7.6	139	3.7	5
1/29/23 21:15	11.9	89.8	7.6	139	3.7	6
1/29/23 21:30	11.9	90.0	7.6	139	3.7	6
1/29/23 21:45	12.0	90.3	7.6	139	3.6	6
1/29/23 22:00	11.9	90.1	7.6	139	3.6	6
1/29/23 22:15	12.0	90.4	7.6	139	3.6	6
1/29/23 22:30	11.9	90.0	7.6	139	3.6	6
1/29/23 22:45	11.9	89.4	7.6	139	3.5	6
1/29/23 23:00	11.9	89.8	7.6	139	3.5	5
1/29/23 23:15	12.0	90.2	7.6	139	3.5	6
1/29/23 23:30	12.0	90.2	7.6	139	3.5	6
1/29/23 23:45	12.0	90.1	7.6	139	3.5	6
1/30/23 0:00	12.0	90.1	7.6	139	3.5	6
1/30/23 0:15	12.0	90.4	7.6	139	3.5	6
1/30/23 0:30	12.0	90.6	7.6	139	3.5	6
1/30/23 0:45	12.1	90.8	7.6	139	3.4	6
1/30/23 1:00	11.9	89.7	7.6	139	3.4	6
1/30/23 1:15	11.8	88.5	7.6	139	3.4	6
1/30/23 1:30	11.8	88.4	7.6	139	3.4	6
1/30/23 1:45	11.8	88.7	7.6	139	3.4	6
1/30/23 2:00	12.0	89.7	7.6	139	3.4	6
1/30/23 2:15	12.0	90.2	7.6	139	3.4	6
1/30/23 2:30	11.9	89.5	7.6	139	3.4	6
1/30/23 2:45	11.8	88.7	7.6	139	3.4	6
1/30/23 3:00	11.8	88.4	7.6	139	3.3	6
1/30/23 3:15	11.9	89.3	7.6	139	3.3	6
1/30/23 3:30	11.9	89.4	7.6	139	3.3	6
1/30/23 3:45	12.0	89.5	7.6	139	3.3	6
1/30/23 4:00	12.0	89.6	7.6	139	3.4	6
1/30/23 4:15	12.0	89.9	7.6	139	3.3	6
1/30/23 4:30	12.0	90.1	7.6	139	3.3	6
1/30/23 4:45	12.0	90.1	7.6	139	3.3	6
1/30/23 5:00	12.0	90.0	7.6	139	3.3	6
1/30/23 5:15	12.0	90.0	7.6	139	3.3	6
1/30/23 5:30	12.0	89.9	7.6	139	3.3	6
1/30/23 5:45	12.0	89.7	7.6	139	3.3	6
1/30/23 6:00	12.0	90.0	7.6	139	3.3	6
1/30/23 6:15	12.0	90.2	7.6	139	3.3	6
1/30/23 6:30	12.1	90.4	7.6	139	3.2	6
1/30/23 6:45	12.1	90.2	7.6	139	3.3	6
1/30/23 7:00	12.1	90.2	7.6	139	3.3	6
1/30/23 7:15	12.1	90.3	7.6	139	3.3	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 7:30	12.1	90.6	7.6	139	3.2	20
1/30/23 7:45	12.1	90.3	7.6	139	3.3	6
1/30/23 8:00	12.0	89.9	7.6	139	3.3	6
1/30/23 8:15	12.0	89.8	7.6	139	3.3	7
1/30/23 8:30	12.0	89.8	7.6	139	3.2	8
1/30/23 8:45	12.0	89.7	7.6	139	3.2	6
1/30/23 9:00	12.0	89.8	7.6	139	3.2	8
1/30/23 9:15	12.0	89.9	7.6	139	3.3	6
1/30/23 9:30	12.1	90.2	7.6	139	3.2	6
1/30/23 9:45	12.1	90.4	7.6	139	3.3	6
1/30/23 10:00	12.1	90.8	7.6	139	3.3	6
1/30/23 10:15	12.1	90.5	7.6	139	3.3	6
1/30/23 10:30	12.1	90.6	7.6	139	3.3	6
1/30/23 10:45	12.1	91.0	7.7	139	3.3	6
1/30/23 11:00	12.1	91.1	7.7	139	3.4	6
1/30/23 11:15	12.2	91.3	7.7	139	3.4	6
1/30/23 11:30	12.2	91.6	7.7	139	3.4	6
1/30/23 11:45	12.2	91.6	7.7	139	3.4	7
1/30/23 12:00	12.1	91.4	7.7	139	3.5	6
1/30/23 12:15	12.1	91.3	7.7	139	3.5	6
1/30/23 12:30	12.2	91.8	7.7	139	3.6	7
1/30/23 12:45	12.2	92.0	7.7	139	3.6	6
1/30/23 13:00	12.2	92.2	7.7	139	3.6	6
1/30/23 13:15	12.2	92.2	7.7	139	3.7	6
1/30/23 13:30	12.2	92.6	7.7	139	3.7	7
1/30/23 13:45	12.2	92.7	7.7	139	3.7	7
1/30/23 14:00	12.2	92.6	7.7	138	3.8	6
1/30/23 14:15	12.2	92.7	7.7	138	3.8	6
1/30/23 14:30	12.2	92.8	7.7	139	3.8	6
1/30/23 14:45	12.2	93.0	7.7	139	3.8	6
1/30/23 15:00	12.2	92.9	7.7	139	3.9	6
1/30/23 15:15	12.2	92.8	7.7	139	3.9	7
1/30/23 15:30	12.2	92.7	7.7	139	3.9	6
1/30/23 15:45	12.2	92.7	7.7	139	3.9	6
1/30/23 16:00	12.2	92.6	7.7	139	3.9	6
1/30/23 16:15	12.2	92.5	7.7	139	3.8	6
1/30/23 16:30	12.2	92.4	7.7	139	3.8	6
1/30/23 16:45	12.1	92.1	7.7	139	3.8	6
1/30/23 17:00	12.1	91.8	7.7	139	3.8	6
1/30/23 17:15	12.1	91.6	7.7	139	3.8	6
1/30/23 17:30	12.1	91.4	7.6	139	3.8	6
1/30/23 17:45	12.1	91.4	7.6	139	3.7	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/30/23 18:00	12.0	91.2	7.6	139	3.7	6
1/30/23 18:15	12.1	91.3	7.6	139	3.7	6
1/30/23 18:30	12.1	91.3	7.6	139	3.7	6
1/30/23 18:45	12.1	91.2	7.6	139	3.7	6
1/30/23 19:00	12.1	91.2	7.6	139	3.7	6
1/30/23 19:15	12.0	91.0	7.6	139	3.7	6
1/30/23 19:30	12.0	90.4	7.6	139	3.7	6
1/30/23 19:45	11.9	90.0	7.6	139	3.7	6
1/30/23 20:00	11.9	89.6	7.6	139	3.7	6
1/30/23 20:15	11.8	89.1	7.6	139	3.7	6
1/30/23 20:30	11.9	89.9	7.6	139	3.6	6
1/30/23 20:45	11.9	89.7	7.6	139	3.6	6
1/30/23 21:00	11.8	89.2	7.6	139	3.6	6
1/30/23 21:15	11.8	89.0	7.6	139	3.6	6
1/30/23 21:30	11.8	89.0	7.6	139	3.6	6
1/30/23 21:45	11.9	89.5	7.6	139	3.6	6
1/30/23 22:00	11.9	89.8	7.6	139	3.6	6
1/30/23 22:15	12.0	90.2	7.6	139	3.6	6
1/30/23 22:30	12.0	90.4	7.6	140	3.6	5
1/30/23 22:45	12.0	90.2	7.6	139	3.6	6
1/30/23 23:00	11.9	89.9	7.6	139	3.6	6
1/30/23 23:15	11.9	90.0	7.6	140	3.5	5
1/30/23 23:30	11.9	89.8	7.6	139	3.5	6
1/30/23 23:45	12.0	90.1	7.6	139	3.5	6
1/31/23 0:00	12.0	90.1	7.6	139	3.5	5
1/31/23 0:15	12.0	90.0	7.6	139	3.5	6
1/31/23 0:30	12.0	90.1	7.6	140	3.5	5
1/31/23 0:45	12.0	90.1	7.6	139	3.5	6
1/31/23 1:00	12.0	90.4	7.6	139	3.5	6
1/31/23 1:15	11.9	89.8	7.6	139	3.4	6
1/31/23 1:30	12.0	89.8	7.6	140	3.4	6
1/31/23 1:45	11.9	89.2	7.6	139	3.4	6
1/31/23 2:00	11.9	89.3	7.6	139	3.4	6
1/31/23 2:15	11.9	89.6	7.6	140	3.4	5
1/31/23 2:30	12.0	89.9	7.6	139	3.4	6
1/31/23 2:45	12.0	90.1	7.6	139	3.4	6
1/31/23 3:00	12.0	90.3	7.6	139	3.4	6
1/31/23 3:15	12.1	90.6	7.6	139	3.4	5
1/31/23 3:30	12.1	90.4	7.6	139	3.3	6
1/31/23 3:45	12.0	90.1	7.6	139	3.4	6
1/31/23 4:00	12.0	90.1	7.6	139	3.3	6
1/31/23 4:15	12.0	90.1	7.6	139	3.3	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/31/23 4:30	12.0	90.1	7.6	139	3.3	6
1/31/23 4:45	12.1	90.3	7.6	139	3.3	6
1/31/23 5:00	12.0	90.0	7.6	139	3.3	6
1/31/23 5:15	12.1	90.2	7.6	140	3.3	6
1/31/23 5:30	12.0	90.2	7.6	139	3.3	6
1/31/23 5:45	12.1	90.3	7.6	139	3.3	6
1/31/23 6:00	12.1	90.3	7.6	139	3.3	6
1/31/23 6:15	12.0	90.1	7.6	139	3.3	6
1/31/23 6:30	12.0	89.8	7.6	139	3.3	6
1/31/23 6:45	12.0	89.8	7.6	139	3.3	6
1/31/23 7:00	12.0	89.7	7.6	139	3.3	6
1/31/23 7:15	12.0	89.8	7.6	139	3.3	6
1/31/23 7:30	12.0	89.7	7.6	139	3.3	6
1/31/23 7:45	12.0	89.8	7.6	139	3.3	6
1/31/23 8:00	12.0	89.7	7.6	139	3.3	6
1/31/23 8:15	12.0	89.9	7.6	139	3.3	7
1/31/23 8:30	12.1	90.2	7.6	139	3.3	13
1/31/23 8:45	12.1	90.5	7.6	139	3.3	6
1/31/23 9:00	12.1	90.5	7.6	139	3.3	6
1/31/23 9:15	12.1	90.6	7.6	139	3.3	16
1/31/23 9:30	12.1	90.7	7.6	139	3.3	6
1/31/23 9:45	12.1	90.6	7.6	139	3.4	26
1/31/23 10:00	12.2	91.2	7.6	140	3.3	6
1/31/23 10:15	12.2	91.5	7.7	140	3.4	6
1/31/23 10:30	12.2	91.8	7.7	140	3.4	7
1/31/23 10:45	12.2	91.8	7.7	140	3.4	16
1/31/23 11:00	12.2	91.6	7.7	140	3.5	6
1/31/23 11:15	12.2	91.9	7.7	140	3.5	6
1/31/23 11:30	12.2	92.0	7.7	140	3.5	6
1/31/23 11:45	12.2	92.0	7.7	139	3.6	6
1/31/23 12:00	12.2	92.2	7.7	139	3.6	6
1/31/23 12:15	12.2	92.1	7.7	139	3.7	6
1/31/23 12:30	12.2	92.2	7.7	139	3.7	6
1/31/23 12:45	12.2	92.2	7.7	139	3.8	6
1/31/23 13:00	12.2	92.2	7.7	140	3.7	6
1/31/23 13:15	12.2	92.4	7.7	139	3.8	6
1/31/23 13:30	12.2	92.8	7.7	140	3.8	6
1/31/23 13:45	12.2	92.7	7.7	140	3.8	6
1/31/23 14:00	12.1	92.3	7.7	139	3.9	6
1/31/23 14:15	12.2	92.5	7.7	139	3.9	6
1/31/23 14:30	12.2	92.5	7.7	140	3.9	6
1/31/23 14:45	12.2	92.6	7.7	140	3.9	6

**Klamath River below Iron Gate Dam
(11516530)**



datetime	DO (mg/L)	DO (%)	pH	Specific	Water	Turbidity (FNU)
				Conductance (µS/cm)	Temperature (°C)	
1/31/23 15:00	12.1	92.4	7.7	139	3.9	6
1/31/23 15:15	12.1	92.3	7.7	139	3.9	6
1/31/23 15:30	12.1	92.3	7.7	140	3.9	6
1/31/23 15:45	12.1	92.3	7.7	140	3.9	6
1/31/23 16:00	12.1	92.1	7.7	140	3.9	6
1/31/23 16:15	12.1	92.1	7.7	140	4.0	6
1/31/23 16:30	12.1	91.9	7.7	139	4.0	6
1/31/23 16:45	12.1	91.9	7.7	140	3.9	6
1/31/23 17:00	12.0	91.4	7.7	139	3.9	6
1/31/23 17:15	12.0	91.3	7.7	140	3.9	6
1/31/23 17:30	12.0	91.0	7.6	139	3.9	6
1/31/23 17:45	11.9	90.8	7.6	139	3.9	6
1/31/23 18:00	11.9	90.7	7.6	139	3.8	6
1/31/23 18:15	11.9	90.7	7.6	139	3.8	6
1/31/23 18:30	11.9	90.7	7.6	139	3.8	6
1/31/23 18:45	11.9	90.7	7.6	139	3.8	6
1/31/23 19:00	11.9	90.7	7.6	139	3.8	6
1/31/23 19:15	11.9	90.7	7.6	139	3.8	6
1/31/23 19:30	12.0	90.8	7.6	139	3.8	6
1/31/23 19:45	12.0	90.8	7.6	139	3.8	6
1/31/23 20:00	11.9	90.7	7.6	139	3.8	6
1/31/23 20:15	11.9	90.5	7.6	139	3.8	6
1/31/23 20:30	11.9	90.1	7.6	139	3.8	6
1/31/23 20:45	11.8	89.6	7.6	139	3.8	6
1/31/23 21:00	11.8	89.6	7.6	140	3.8	6
1/31/23 21:15	11.9	90.0	7.6	140	3.7	6
1/31/23 21:30	11.9	89.9	7.6	140	3.7	5
1/31/23 21:45	11.8	89.4	7.6	140	3.7	5
1/31/23 22:00	11.8	89.2	7.6	140	3.7	6
1/31/23 22:15	11.7	88.9	7.6	139	3.7	6
1/31/23 22:30	11.8	89.4	7.6	140	3.7	6
1/31/23 22:45	11.9	89.7	7.6	140	3.7	6
1/31/23 23:00	11.8	89.5	7.6	140	3.7	6
1/31/23 23:15	11.8	89.2	7.6	140	3.7	5
1/31/23 23:30	11.8	89.4	7.6	141	3.6	6
1/31/23 23:45	11.8	89.3	7.6	141	3.6	5



Klamath River above Fall Creek near Copco, CA – Daggett Bridge (USGS 11511990)

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/1/23 0:00	11.4	7.8	143	3.4	5
1/1/23 0:15	11.4	7.8	143	3.4	5
1/1/23 0:30	11.4	7.8	143	3.4	5
1/1/23 0:45	11.4	7.8	143	3.4	5
1/1/23 1:00	11.4	7.8	143	3.4	5
1/1/23 1:15	11.4	7.8	143	3.3	5
1/1/23 1:30	11.4	7.8	143	3.3	5
1/1/23 1:45	11.4	7.8	143	3.3	5
1/1/23 2:00	11.4	7.8	143	3.3	5
1/1/23 2:15	11.4	7.8	143	3.3	5
1/1/23 2:30	11.4	7.8	143	3.3	5
1/1/23 2:45	11.4	7.8	143	3.3	5
1/1/23 3:00	11.4	7.8	143	3.3	5
1/1/23 3:15	11.4	7.8	143	3.3	5
1/1/23 3:30	11.4	7.8	143	3.3	5
1/1/23 3:45	11.4	7.8	143	3.3	5
1/1/23 4:00	11.4	7.8	143	3.4	5
1/1/23 4:15	11.4	7.8	143	3.4	5
1/1/23 4:30	11.4	7.8	143	3.4	5
1/1/23 4:45	11.4	7.8	142	3.4	5
1/1/23 5:00	11.4	7.8	142	3.4	5
1/1/23 5:15	11.4	7.8	142	3.4	5
1/1/23 5:30	11.4	7.8	142	3.4	5
1/1/23 5:45	11.4	7.8	142	3.4	5
1/1/23 6:00	11.4	7.8	142	3.4	5
1/1/23 6:15	11.4	7.8	142	3.4	5
1/1/23 6:30	11.4	7.8	142	3.4	6
1/1/23 6:45	11.4	7.8	142	3.4	5
1/1/23 7:00	11.4	7.8	142	3.4	6
1/1/23 7:15	11.4	7.8	141	3.4	6
1/1/23 7:30	11.4	7.8	141	3.5	6
1/1/23 7:45	11.4	7.8	141	3.5	6
1/1/23 8:00	11.4	7.8	141	3.5	6
1/1/23 8:15	11.4	7.8	141	3.5	6
1/1/23 8:30	11.4	7.8	141	3.5	6
1/1/23 8:45	11.4	7.8	140	3.5	6
1/1/23 9:00	11.4	7.8	140	3.5	6
1/1/23 9:15	11.4	7.8	140	3.6	6
1/1/23 9:30	11.4	7.8	140	3.6	6
1/1/23 9:45	11.4	7.8	140	3.6	6
1/1/23 10:00	11.4	7.8	139	3.6	6
1/1/23 10:15	11.4	7.8	139	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/1/23 10:30	11.5	7.8	139	3.7	6
1/1/23 10:45	11.5	7.8	139	3.7	6
1/1/23 11:00	11.5	7.8	139	3.8	6
1/1/23 11:15	11.5	7.8	139	3.8	6
1/1/23 11:30	11.5	7.8	138	3.8	6
1/1/23 11:45	11.6	7.8	138	3.8	6
1/1/23 12:00	11.6	7.8	138	3.8	6
1/1/23 12:15	11.6	7.8	138	3.9	6
1/1/23 12:30	11.6	7.8	138	3.9	6
1/1/23 12:45	11.6	7.8	138	3.9	6
1/1/23 13:00	11.6	7.8	138	3.9	7
1/1/23 13:15	11.6	7.8	138	3.9	6
1/1/23 13:30	11.6	7.8	138	3.9	6
1/1/23 13:45	11.6	7.8	138	3.9	6
1/1/23 14:00	11.6	7.8	138	3.9	6
1/1/23 14:15	11.6	7.8	138	3.9	7
1/1/23 14:30	11.6	7.8	138	3.9	7
1/1/23 14:45	11.5	7.8	138	3.9	6
1/1/23 15:00	11.5	7.8	138	3.9	6
1/1/23 15:15	11.5	7.8	138	3.9	6
1/1/23 15:30	11.5	7.8	138	3.9	6
1/1/23 15:45	11.5	7.8	138	3.9	7
1/1/23 16:00	11.5	7.8	138	3.9	7
1/1/23 16:15	11.5	7.8	138	3.9	7
1/1/23 16:30	11.4	7.8	138	3.9	6
1/1/23 16:45	11.4	7.8	138	3.8	7
1/1/23 17:00	11.4	7.8	138	3.8	7
1/1/23 17:15	11.4	7.8	138	3.8	7
1/1/23 17:30	11.4	7.8	137	3.8	6
1/1/23 17:45	11.4	7.8	137	3.8	7
1/1/23 18:00	11.4	7.8	137	3.8	7
1/1/23 18:15	11.4	7.8	137	3.8	6
1/1/23 18:30	11.4	7.8	137	3.8	7
1/1/23 18:45	11.4	7.8	137	3.8	6
1/1/23 19:00	11.4	7.8	137	3.8	7
1/1/23 19:15	11.4	7.8	137	3.8	7
1/1/23 19:30	11.4	7.8	137	3.8	7
1/1/23 19:45	11.4	7.8	137	3.8	7
1/1/23 20:00	11.4	7.8	137	3.8	7
1/1/23 20:15	11.4	7.8	137	3.8	6
1/1/23 20:30	11.4	7.8	137	3.8	7
1/1/23 20:45	11.4	7.8	137	3.8	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/1/23 21:00	11.4	7.8	137	3.8	6
1/1/23 21:15	11.4	7.8	137	3.8	7
1/1/23 21:30	11.4	7.8	137	3.8	6
1/1/23 21:45	11.4	7.8	137	3.8	7
1/1/23 22:00	11.4	7.8	137	3.8	6
1/1/23 22:15	11.4	7.8	137	3.8	6
1/1/23 22:30	11.4	7.8	137	3.8	7
1/1/23 22:45	11.4	7.8	137	3.8	6
1/1/23 23:00	11.4	7.8	137	3.8	6
1/1/23 23:15	11.4	7.8	137	3.8	6
1/1/23 23:30	11.4	7.8	137	3.8	7
1/1/23 23:45	11.4	7.8	138	3.8	7
1/2/23 0:00	11.4	7.8	138	3.8	7
1/2/23 0:15	11.4	7.8	138	3.8	6
1/2/23 0:30	11.4	7.8	138	3.7	6
1/2/23 0:45	11.4	7.8	138	3.7	6
1/2/23 1:00	11.4	7.8	138	3.7	7
1/2/23 1:15	11.4	7.8	138	3.7	6
1/2/23 1:30	11.4	7.8	138	3.7	6
1/2/23 1:45	11.4	7.8	138	3.7	6
1/2/23 2:00	11.4	7.8	138	3.7	6
1/2/23 2:15	11.4	7.8	138	3.7	6
1/2/23 2:30	11.4	7.8	138	3.7	6
1/2/23 2:45	11.4	7.8	138	3.7	6
1/2/23 3:00	11.4	7.8	138	3.7	6
1/2/23 3:15	11.4	7.8	138	3.7	6
1/2/23 3:30	11.4	7.8	138	3.7	6
1/2/23 3:45	11.4	7.8	138	3.7	6
1/2/23 4:00	11.4	7.8	138	3.7	6
1/2/23 4:15	11.4	7.8	138	3.7	6
1/2/23 4:30	11.4	7.8	138	3.7	6
1/2/23 4:45	11.4	7.8	138	3.7	6
1/2/23 5:00	11.4	7.8	138	3.7	6
1/2/23 5:15	11.4	7.8	138	3.7	6
1/2/23 5:30	11.4	7.8	138	3.7	6
1/2/23 5:45	11.4	7.8	138	3.7	6
1/2/23 6:00	11.4	7.8	138	3.7	6
1/2/23 6:15	11.4	7.8	138	3.7	6
1/2/23 6:30	11.4	7.8	138	3.7	6
1/2/23 6:45	11.4	7.8	138	3.7	6
1/2/23 7:00	11.4	7.8	138	3.7	6
1/2/23 7:15	11.4	7.8	138	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/2/23 7:30	11.4	7.8	138	3.7	6
1/2/23 7:45	11.4	7.8	137	3.7	6
1/2/23 8:00	11.4	7.8	137	3.7	6
1/2/23 8:15	11.4	7.8	137	3.7	7
1/2/23 8:30	11.4	7.8	137	3.7	7
1/2/23 8:45	11.4	7.8	137	3.7	7
1/2/23 9:00	11.4	7.8	137	3.7	6
1/2/23 9:15	11.4	7.8	137	3.7	6
1/2/23 9:30	11.4	7.8	137	3.8	7
1/2/23 9:45	11.5	7.8	137	3.8	6
1/2/23 10:00	11.5	7.8	137	3.8	7
1/2/23 10:15	11.5	7.8	137	3.8	7
1/2/23 10:30	11.5	7.8	137	3.8	7
1/2/23 10:45	11.6	7.8	137	3.8	7
1/2/23 11:00	11.6	7.8	137	3.8	7
1/2/23 11:15	11.6	7.8	137	3.8	7
1/2/23 11:30	11.6	7.8	137	3.8	7
1/2/23 11:45	11.6	7.8	137	3.8	7
1/2/23 12:00	11.6	7.8	137	3.8	6
1/2/23 12:15	11.6	7.8	137	3.8	6
1/2/23 12:30	11.5	7.8	137	3.8	6
1/2/23 12:45	11.5	7.8	137	3.8	7
1/2/23 13:00	11.5	7.8	137	3.8	7
1/2/23 13:15	11.5	7.8	137	3.8	7
1/2/23 13:30	11.5	7.8	137	3.8	6
1/2/23 13:45	11.5	7.8	137	3.8	7
1/2/23 14:00	11.5	7.8	137	3.8	7
1/2/23 14:15	11.5	7.8	137	3.8	6
1/2/23 14:30	11.5	7.8	137	3.8	7
1/2/23 14:45	11.5	7.8	137	3.8	7
1/2/23 15:00	11.5	7.8	137	3.8	7
1/2/23 15:15	11.5	7.8	137	3.8	7
1/2/23 15:30	11.5	7.8	138	3.8	6
1/2/23 15:45	11.5	7.8	138	3.8	6
1/2/23 16:00	11.5	7.8	138	3.8	6
1/2/23 16:15	11.5	7.8	138	3.8	7
1/2/23 16:30	11.5	7.8	138	3.8	6
1/2/23 16:45	11.5	7.8	138	3.8	7
1/2/23 17:00	11.4	7.8	138	3.8	6
1/2/23 17:15	11.4	7.8	138	3.8	6
1/2/23 17:30	11.4	7.8	138	3.8	7
1/2/23 17:45	11.4	7.8	138	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/2/23 18:00	11.4	7.8	138	3.8	7
1/2/23 18:15	11.4	7.8	138	3.8	7
1/2/23 18:30	11.4	7.8	138	3.8	7
1/2/23 18:45	11.4	7.8	138	3.8	6
1/2/23 19:00	11.4	7.8	138	3.8	7
1/2/23 19:15	11.4	7.8	138	3.8	7
1/2/23 19:30	11.4	7.8	138	3.8	7
1/2/23 19:45	11.4	7.8	138	3.8	6
1/2/23 20:00	11.4	7.8	138	3.8	7
1/2/23 20:15	11.4	7.8	138	3.8	7
1/2/23 20:30	11.4	7.8	138	3.8	7
1/2/23 20:45	11.4	7.8	138	3.8	6
1/2/23 21:00	11.4	7.8	138	3.8	7
1/2/23 21:15	11.4	7.8	138	3.8	6
1/2/23 21:30	11.4	7.8	138	3.8	7
1/2/23 21:45	11.4	7.8	138	3.8	6
1/2/23 22:00	11.4	7.8	138	3.8	7
1/2/23 22:15	11.4	7.8	138	3.8	7
1/2/23 22:30	11.4	7.8	138	3.8	6
1/2/23 22:45	11.4	7.8	138	3.8	7
1/2/23 23:00	11.4	7.8	138	3.8	7
1/2/23 23:15	11.4	7.8	138	3.8	6
1/2/23 23:30	11.4	7.8	138	3.7	7
1/2/23 23:45	11.4	7.8	138	3.7	7
1/3/23 0:00	11.4	7.8	138	3.7	7
1/3/23 0:15	11.4	7.8	138	3.7	7
1/3/23 0:30	11.4	7.8	138	3.7	6
1/3/23 0:45	11.4	7.8	138	3.7	7
1/3/23 1:00	11.4	7.8	138	3.7	7
1/3/23 1:15	11.4	7.8	138	3.7	7
1/3/23 1:30	11.4	7.8	138	3.7	7
1/3/23 1:45	11.4	7.8	138	3.7	7
1/3/23 2:00	11.4	7.8	138	3.7	7
1/3/23 2:15	11.4	7.8	138	3.7	7
1/3/23 2:30	11.4	7.8	138	3.7	7
1/3/23 2:45	11.4	7.8	138	3.7	7
1/3/23 3:00	11.4	7.8	138	3.7	7
1/3/23 3:15	11.4	7.8	138	3.7	7
1/3/23 3:30	11.4	7.8	138	3.7	7
1/3/23 3:45	11.4	7.8	138	3.7	7
1/3/23 4:00	11.4	7.8	138	3.7	7
1/3/23 4:15	11.4	7.8	138	3.7	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/3/23 4:30	11.4	7.8	138	3.7	7
1/3/23 4:45	11.4	7.8	138	3.7	7
1/3/23 5:00	11.4	7.8	138	3.7	6
1/3/23 5:15	11.4	7.8	138	3.7	7
1/3/23 5:30	11.4	7.8	138	3.7	6
1/3/23 5:45	11.4	7.8	138	3.7	6
1/3/23 6:00	11.4	7.8	138	3.7	6
1/3/23 6:15	11.4	7.8	138	3.7	7
1/3/23 6:30	11.4	7.8	138	3.7	7
1/3/23 6:45	11.4	7.8	138	3.7	7
1/3/23 7:00	11.4	7.8	138	3.7	6
1/3/23 7:15	11.4	7.8	138	3.7	7
1/3/23 7:30	11.4	7.8	138	3.7	7
1/3/23 7:45	11.4	7.8	138	3.7	7
1/3/23 8:00	11.4	7.8	138	3.7	7
1/3/23 8:15	11.4	7.8	138	3.7	7
1/3/23 8:30	11.4	7.8	138	3.7	7
1/3/23 8:45	11.4	7.8	138	3.7	7
1/3/23 9:00	11.4	7.8	138	3.7	7
1/3/23 9:15	11.4	7.8	138	3.7	7
1/3/23 9:30	11.4	7.8	138	3.7	7
1/3/23 9:45	11.5	7.8	138	3.8	7
1/3/23 10:00	11.5	7.8	138	3.8	7
1/3/23 10:15	11.5	7.8	138	3.8	7
1/3/23 10:30	11.5	7.8	138	3.8	7
1/3/23 10:45	11.5	7.8	137	3.8	7
1/3/23 11:00	11.6	7.8	137	3.8	7
1/3/23 11:15	11.6	7.8	137	3.8	7
1/3/23 11:30	11.6	7.8	137	3.8	7
1/3/23 11:45	11.6	7.8	137	3.8	7
1/3/23 12:00	11.5	7.8	137	3.8	7
1/3/23 12:15	11.5	7.8	137	3.8	7
1/3/23 12:30	11.5	7.8	138	3.8	7
1/3/23 12:45	11.5	7.8	137	3.8	7
1/3/23 13:00	11.5	7.8	137	3.8	7
1/3/23 13:15	11.5	7.8	137	3.8	7
1/3/23 13:30	11.5	7.8	137	3.8	7
1/3/23 13:45	11.5	7.8	137	3.8	7
1/3/23 14:00	11.5	7.8	137	3.8	7
1/3/23 14:15	11.5	7.8	137	3.8	7
1/3/23 14:30	11.5	7.8	137	3.8	7
1/3/23 14:45	11.5	7.8	137	3.8	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/3/23 15:00	11.5	7.8	137	3.8	7
1/3/23 15:15	11.5	7.8	137	3.8	7
1/3/23 15:30	11.5	7.8	138	3.8	7
1/3/23 15:45	11.5	7.8	138	3.8	7
1/3/23 16:00	11.5	7.8	138	3.8	7
1/3/23 16:15	11.4	7.8	138	3.8	7
1/3/23 16:30	11.4	7.8	138	3.8	6
1/3/23 16:45	11.4	7.8	138	3.8	7
1/3/23 17:00	11.4	7.8	138	3.8	7
1/3/23 17:15	11.4	7.8	138	3.8	7
1/3/23 17:30	11.4	7.8	138	3.8	6
1/3/23 17:45	11.4	7.8	138	3.8	7
1/3/23 18:00	11.4	7.8	138	3.8	7
1/3/23 18:15	11.4	7.8	138	3.8	7
1/3/23 18:30	11.4	7.8	138	3.8	7
1/3/23 18:45	11.4	7.8	138	3.8	7
1/3/23 19:00	11.4	7.8	138	3.8	7
1/3/23 19:15	11.4	7.8	138	3.8	7
1/3/23 19:30	11.4	7.8	138	3.8	7
1/3/23 19:45	11.4	7.8	138	3.8	7
1/3/23 20:00	11.4	7.8	138	3.8	7
1/3/23 20:15	11.4	7.8	138	3.8	6
1/3/23 20:30	11.4	7.8	138	3.7	7
1/3/23 20:45	11.4	7.8	138	3.7	7
1/3/23 21:00	11.4	7.8	138	3.7	6
1/3/23 21:15	11.4	7.8	138	3.7	6
1/3/23 21:30	11.4	7.8	138	3.7	6
1/3/23 21:45	11.4	7.8	138	3.7	6
1/3/23 22:00	11.4	7.8	138	3.7	6
1/3/23 22:15	11.4	7.8	138	3.7	7
1/3/23 22:30	11.4	7.8	138	3.7	6
1/3/23 22:45	11.4	7.8	138	3.7	6
1/3/23 23:00	11.4	7.8	138	3.7	6
1/3/23 23:15	11.4	7.8	138	3.7	6
1/3/23 23:30	11.4	7.8	138	3.7	6
1/3/23 23:45	11.4	7.8	138	3.7	6
1/4/23 0:00	11.4	7.8	138	3.7	6
1/4/23 0:15	11.4	7.8	138	3.7	6
1/4/23 0:30	11.4	7.8	138	3.7	6
1/4/23 0:45	11.3	7.8	138	3.7	7
1/4/23 1:00	11.3	7.8	138	3.7	6
1/4/23 1:15	11.3	7.7	138	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/4/23 1:30	11.3	7.7	138	3.7	6
1/4/23 1:45	11.3	7.7	138	3.7	6
1/4/23 2:00	11.3	7.7	138	3.7	6
1/4/23 2:15	11.3	7.7	138	3.7	6
1/4/23 2:30	11.3	7.7	138	3.7	6
1/4/23 2:45	11.3	7.7	139	3.6	6
1/4/23 3:00	11.3	7.7	138	3.6	6
1/4/23 3:15	11.2	7.7	139	3.6	6
1/4/23 3:30	11.3	7.7	139	3.6	6
1/4/23 3:45	11.3	7.7	139	3.6	6
1/4/23 4:00	11.3	7.7	139	3.6	6
1/4/23 4:15	11.2	7.7	140	3.6	6
1/4/23 4:30	11.4	7.7	139	3.6	6
1/4/23 4:45	11.4	7.7	139	3.6	6
1/4/23 5:00	11.5	7.7	139	3.6	6
1/4/23 5:15	11.3	7.7	140	3.6	6
1/4/23 5:30	11.4	7.7	138	3.6	7
1/4/23 5:45	11.4	7.7	138	3.6	7
1/4/23 6:00	11.4	7.7	138	3.6	7
1/4/23 6:15	11.5	7.7	138	3.6	6
1/4/23 6:30	11.5	7.8	138	3.6	6
1/4/23 6:45	11.5	7.8	138	3.6	6
1/4/23 7:00	11.5	7.7	138	3.6	6
1/4/23 7:15	11.5	7.7	138	3.6	6
1/4/23 7:30	11.5	7.8	138	3.6	6
1/4/23 7:45	11.5	7.8	138	3.6	6
1/4/23 8:00	11.5	7.7	138	3.6	6
1/4/23 8:15	11.5	7.8	138	3.6	6
1/4/23 8:30	11.5	7.8	138	3.6	6
1/4/23 8:45	11.5	7.8	138	3.6	6
1/4/23 9:00	11.5	7.8	138	3.6	6
1/4/23 9:15	11.5	7.8	138	3.6	6
1/4/23 9:30	11.4	7.8	138	3.6	6
1/4/23 9:45	11.5	7.8	138	3.6	6
1/4/23 10:00	11.5	7.8	138	3.6	6
1/4/23 10:15	11.5	7.8	138	3.6	6
1/4/23 10:30	11.5	7.8	138	3.7	6
1/4/23 10:45	11.5	7.8	138	3.7	6
1/4/23 11:00	11.6	7.8	139	3.7	6
1/4/23 11:15	11.5	7.8	139	3.7	6
1/4/23 11:30	11.6	7.8	139	3.7	6
1/4/23 11:45	11.6	7.8	139	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/4/23 12:00	11.6	7.8	139	3.7	6
1/4/23 12:15	11.7	7.8	138	3.7	6
1/4/23 12:30	11.7	7.8	139	3.8	6
1/4/23 12:45	11.8	7.8	139	3.8	6
1/4/23 13:00	11.7	7.8	140	4.0	6
1/4/23 13:15	12	7.8	139	3.8	6
1/4/23 13:30	12.1	7.8	139	3.9	6
1/4/23 13:45	12.1	7.8	139	3.9	6
1/4/23 14:00	12.2	7.8	139	3.9	6
1/4/23 14:15	12.2	7.8	139	3.9	6
1/4/23 14:30	12.3	7.8	139	3.9	6
1/4/23 14:45	12.3	7.9	139	3.9	6
1/4/23 15:00	12.3	7.8	139	4.0	6
1/4/23 15:15	12.4	7.9	139	3.9	6
1/4/23 15:30	12.3	7.8	140	4.0	6
1/4/23 15:45	12.3	7.8	140	4.0	6
1/4/23 16:00	12.4	7.9	139	4.0	6
1/4/23 16:15	12.5	7.9	139	4.0	6
1/4/23 16:30	11.7	7.8	138	3.7	6
1/4/23 16:45	11.6	7.8	138	3.8	6
1/4/23 17:00	11.5	7.8	138	3.7	6
1/4/23 17:15	11.5	7.8	138	3.7	7
1/4/23 17:30	11.5	7.8	138	3.7	6
1/4/23 17:45	11.5	7.8	138	3.6	6
1/4/23 18:00	11.4	7.8	138	3.6	6
1/4/23 18:15	11.5	7.8	138	3.6	6
1/4/23 18:30	11.4	7.8	138	3.6	6
1/4/23 18:45	11.4	7.7	138	3.6	6
1/4/23 19:00	11.4	7.8	138	3.6	6
1/4/23 19:15	11.5	7.8	138	3.6	6
1/4/23 19:30	11.4	7.8	138	3.6	6
1/4/23 19:45	11.4	7.8	138	3.6	6
1/4/23 20:00	11.4	7.8	138	3.6	6
1/4/23 20:15	11.4	7.8	138	3.6	6
1/4/23 20:30	11.4	7.8	138	3.6	6
1/4/23 20:45	11.4	7.8	138	3.6	6
1/4/23 21:00	11.4	7.8	138	3.6	6
1/4/23 21:15	11.4	7.7	138	3.6	6
1/4/23 21:30	11.4	7.7	138	3.6	6
1/4/23 21:45	11.4	7.8	138	3.6	6
1/4/23 22:00	11.4	7.7	138	3.6	6
1/4/23 22:15	11.4	7.8	138	3.6	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/4/23 22:30	11.4	7.8	138	3.6	6
1/4/23 22:45	11.4	7.7	138	3.7	6
1/4/23 23:00	11.3	7.7	139	3.7	6
1/4/23 23:15	11.4	7.7	138	3.7	6
1/4/23 23:30	11.4	7.7	138	3.7	6
1/4/23 23:45	11.4	7.7	138	3.7	6
1/5/23 0:00	11.4	7.7	138	3.7	6
1/5/23 0:15	11.4	7.7	137	3.7	6
1/5/23 0:30	11.4	7.8	137	3.7	6
1/5/23 0:45	11.4	7.8	137	3.7	6
1/5/23 1:00	11.4	7.8	137	3.7	6
1/5/23 1:15	11.3	7.7	138	3.8	6
1/5/23 1:30	11.4	7.7	138	3.7	6
1/5/23 1:45	11.3	7.7	138	3.8	6
1/5/23 2:00	11.3	7.7	138	3.8	6
1/5/23 2:15	11.4	7.7	138	3.8	6
1/5/23 2:30	11.3	7.7	139	3.9	6
1/5/23 2:45	11.5	7.7	137	3.8	6
1/5/23 3:00	11.5	7.7	138	3.8	6
1/5/23 3:15	11.5	7.7	138	3.8	6
1/5/23 3:30	11.4	7.7	138	3.8	6
1/5/23 3:45	11.4	7.7	138	3.8	6
1/5/23 4:00	11.4	7.7	138	3.8	6
1/5/23 4:15	11.4	7.7	138	3.9	9
1/5/23 4:30	11.5	7.7	138	3.8	9
1/5/23 4:45	11.5	7.7	138	3.8	9
1/5/23 5:00	11.4	7.7	139	3.9	9
1/5/23 5:15	11.5	7.7	138	3.9	10
1/5/23 5:30	11.4	7.7	139	3.9	10
1/5/23 5:45	11.4	7.7	139	4.0	10
1/5/23 6:00	11.4	7.7	139	3.9	10
1/5/23 6:15	11.4	7.7	138	3.7	7
1/5/23 6:30	11.4	7.7	132	3.7	8
1/5/23 6:45	11.4	7.7	138	3.6	7
1/5/23 7:00	11.4	7.7	138	3.6	7
1/5/23 7:15	11.4	7.7	138	3.6	7
1/5/23 7:30	11.4	7.7	138	3.6	7
1/5/23 7:45	11.4	7.7	138	3.6	7
1/5/23 8:00	11.4	7.7	138	3.6	6
1/5/23 8:15	11.4	7.7	138	3.6	6
1/5/23 8:30	11.4	7.7	138	3.7	6
1/5/23 8:45	11.4	7.7	138	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/5/23 9:00	11.4	7.7	138	3.7	6
1/5/23 9:15	11.5	7.7	138	3.7	6
1/5/23 9:30	11.4	7.8	138	3.7	6
1/5/23 9:45	11.4	7.8	138	3.7	6
1/5/23 10:00	11.5	7.8	138	3.7	6
1/5/23 10:15	11.4	7.8	140	3.9	6
1/5/23 10:30	11.6	7.8	138	3.9	6
1/5/23 10:45	12.6	7.8	138	4.0	25
1/5/23 11:00	12.7	7.9	138	4.0	15
1/5/23 11:15	12.7	7.9	138	4.0	11
1/5/23 11:30	12.7	7.9	138	4.1	10
1/5/23 11:45	12.7	8	138	4.1	9
1/5/23 12:00	12.7	8	138	4.1	8
1/5/23 12:15	12.7	8	138	4.2	8
1/5/23 12:30	12.6	8	140	4.3	8
1/5/23 12:45	12.7	8	138	4.2	8
1/5/23 13:00	12.6	8	139	4.3	8
1/5/23 13:15	12.6	8	138	4.2	8
1/5/23 13:30	12.5	7.9	140	4.3	7
1/5/23 13:45	12.5	7.9	139	4.3	7
1/5/23 14:00	12.5	7.9	139	4.3	9
1/5/23 14:15	12.5	7.9	139	4.3	7
1/5/23 14:30	12.5	7.9	138	4.3	7
1/5/23 14:45	12.5	7.9	138	4.3	7
1/5/23 15:00	12.4	7.9	140	4.4	7
1/5/23 15:15	12.5	7.9	139	4.3	7
1/5/23 15:30	12.4	7.9	139	4.3	7
1/5/23 15:45	12.4	7.9	139	4.3	7
1/5/23 16:00	12.4	7.9	139	4.3	7
1/5/23 16:15	12.4	7.9	139	4.3	7
1/5/23 16:30	12.5	7.9	139	4.1	10
1/5/23 16:45	11.5	7.7	138	3.8	7
1/5/23 17:00	11.5	7.8	138	3.7	7
1/5/23 17:15	11.6	7.7	138	3.7	7
1/5/23 17:30	11.5	7.7	138	3.7	6
1/5/23 17:45	11.5	7.7	138	3.7	6
1/5/23 18:00	11.5	7.7	138	3.7	6
1/5/23 18:15	11.5	7.7	138	3.7	6
1/5/23 18:30	11.5	7.7	138	3.7	6
1/5/23 18:45	11.5	7.7	138	3.7	6
1/5/23 19:00	11.5	7.7	138	3.7	6
1/5/23 19:15	11.5	7.7	138	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/5/23 19:30	11.5	7.7	138	3.7	6
1/5/23 19:45	11.5	7.7	138	3.7	6
1/5/23 20:00	11.4	7.7	138	3.7	6
1/5/23 20:15	11.5	7.7	138	3.7	6
1/5/23 20:30	11.4	7.7	138	3.7	6
1/5/23 20:45	11.4	7.7	138	3.7	6
1/5/23 21:00	11.4	7.7	138	3.7	6
1/5/23 21:15	11.4	7.7	138	3.7	6
1/5/23 21:30	11.4	7.7	138	3.7	6
1/5/23 21:45	11.4	7.7	138	3.7	6
1/5/23 22:00	11.4	7.7	138	3.7	6
1/5/23 22:15	11.4	7.7	138	3.7	6
1/5/23 22:30	11.4	7.7	138	3.7	6
1/5/23 22:45	11.4	7.7	138	3.7	6
1/5/23 23:00	11.4	7.7	138	3.7	6
1/5/23 23:15	11.4	7.7	138	3.7	6
1/5/23 23:30	11.3	7.7	139	3.7	6
1/5/23 23:45	11.3	7.7	139	3.7	6
1/6/23 0:00	11.3	7.7	139	3.7	6
1/6/23 0:15	11.3	7.7	139	3.7	6
1/6/23 0:30	11.3	7.7	139	3.7	6
1/6/23 0:45	11.3	7.7	139	3.7	6
1/6/23 1:00	11.3	7.7	139	3.7	6
1/6/23 1:15	11.3	7.7	139	3.7	6
1/6/23 1:30	11.3	7.7	139	3.7	6
1/6/23 1:45	11.3	7.7	139	3.6	6
1/6/23 2:00	11.3	7.7	139	3.7	6
1/6/23 2:15	11.3	7.7	139	3.6	6
1/6/23 2:30	11.3	7.7	139	3.6	6
1/6/23 2:45	11.2	7.7	140	3.7	6
1/6/23 3:00	11.3	7.7	139	3.6	6
1/6/23 3:15	11.3	7.7	139	3.6	6
1/6/23 3:30	11.4	7.7	139	3.6	6
1/6/23 3:45	11.4	7.7	139	3.6	6
1/6/23 4:00	11.4	7.7	139	3.6	6
1/6/23 4:15	11.4	7.7	139	3.6	6
1/6/23 4:30	11.4	7.7	139	3.6	6
1/6/23 4:45	11.4	7.7	139	3.6	6
1/6/23 5:00	11.5	7.7	139	3.6	6
1/6/23 5:15	11.5	7.7	139	3.6	6
1/6/23 5:30	11.5	7.7	139	3.7	6
1/6/23 5:45	11.5	7.7	140	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/6/23 6:00	11.4	7.7	140	3.7	6
1/6/23 6:15	11.4	7.7	138	3.6	6
1/6/23 6:30	11.4	7.7	138	3.7	6
1/6/23 6:45	11.4	7.7	138	3.7	6
1/6/23 7:00	11.4	7.7	138	3.7	6
1/6/23 7:15	11.4	7.7	138	3.7	6
1/6/23 7:30	11.4	7.7	138	3.7	6
1/6/23 7:45	11.4	7.7	138	3.7	6
1/6/23 8:00	11.4	7.7	138	3.7	6
1/6/23 8:15	11.4	7.7	138	3.7	6
1/6/23 8:30	11.4	7.7	138	3.7	6
1/6/23 8:45	11.4	7.7	138	3.7	6
1/6/23 9:00	11.4	7.7	138	3.7	6
1/6/23 9:15	11.4	7.7	138	3.7	6
1/6/23 9:30	11.4	7.7	138	3.7	6
1/6/23 9:45	11.4	7.7	138	3.7	6
1/6/23 10:00	11.4	7.7	138	3.7	6
1/6/23 10:15	11.4	7.7	138	3.7	6
1/6/23 10:30	11.4	7.7	139	3.8	6
1/6/23 10:45	11.4	7.8	139	3.8	6
1/6/23 11:00	11.4	7.8	139	3.8	6
1/6/23 11:15	11.4	7.8	139	3.8	6
1/6/23 11:30	11.5	7.8	139	3.8	6
1/6/23 11:45	11.5	7.8	139	3.8	6
1/6/23 12:00	11.6	7.8	139	3.9	6
1/6/23 12:15	11.5	7.8	139	3.9	6
1/6/23 12:30	11.6	7.8	139	4.0	6
1/6/23 12:45	11.6	7.8	139	4.0	6
1/6/23 13:00	11.7	7.8	139	4.0	6
1/6/23 13:15	11.8	7.8	139	4.0	6
1/6/23 13:30	11.8	7.8	139	4.0	6
1/6/23 13:45	11.8	7.8	140	4.1	6
1/6/23 14:00	11.9	7.8	140	4.2	6
1/6/23 14:15	12	7.8	140	4.2	6
1/6/23 14:30	12.1	7.8	140	4.2	6
1/6/23 14:45	12	7.8	142	4.4	6
1/6/23 15:00	12.2	7.8	140	4.3	6
1/6/23 15:15	12.3	7.8	140	4.3	6
1/6/23 15:30	12.3	7.8	140	4.3	6
1/6/23 15:45	12.4	7.9	141	4.3	6
1/6/23 16:00	12.3	7.8	141	4.4	6
1/6/23 16:15	12.3	7.9	143	4.4	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/6/23 16:30	12.3	7.8	142	4.4	6
1/6/23 16:45	12.2	7.8	139	4.1	6
1/6/23 17:00	11.6	7.7	138	3.9	6
1/6/23 17:15	11.4	7.7	138	3.8	6
1/6/23 17:30	11.4	7.7	138	3.8	6
1/6/23 17:45	11.4	7.7	138	3.7	6
1/6/23 18:00	11.4	7.7	138	3.7	6
1/6/23 18:15	11.4	7.7	138	3.7	6
1/6/23 18:30	11.4	7.7	138	3.7	6
1/6/23 18:45	11.4	7.7	138	3.7	6
1/6/23 19:00	11.4	7.7	138	3.7	6
1/6/23 19:15	11.4	7.7	138	3.7	6
1/6/23 19:30	11.4	7.7	138	3.7	6
1/6/23 19:45	11.4	7.7	138	3.7	6
1/6/23 20:00	11.4	7.7	138	3.7	6
1/6/23 20:15	11.4	7.7	138	3.7	6
1/6/23 20:30	11.4	7.7	138	3.8	6
1/6/23 20:45	11.4	7.7	138	3.7	6
1/6/23 21:00	11.4	7.7	138	3.8	6
1/6/23 21:15	11.4	7.7	138	3.7	6
1/6/23 21:30	11.4	7.7	138	3.8	6
1/6/23 21:45	11.4	7.7	138	3.7	6
1/6/23 22:00	11.4	7.7	138	3.8	6
1/6/23 22:15	11.4	7.7	138	3.8	6
1/6/23 22:30	11.4	7.7	138	3.8	6
1/6/23 22:45	11.3	7.7	138	3.8	6
1/6/23 23:00	11.3	7.7	139	3.8	6
1/6/23 23:15	11.3	7.7	138	3.8	6
1/6/23 23:30	11.2	7.7	141	4.0	6
1/6/23 23:45	11.2	7.7	139	3.8	6
1/7/23 0:00	11.2	7.7	140	3.9	6
1/7/23 0:15	11.2	7.7	139	3.8	6
1/7/23 0:30	11.2	7.7	139	3.8	6
1/7/23 0:45	11.2	7.7	139	3.8	6
1/7/23 1:00	11.2	7.7	139	3.8	6
1/7/23 1:15	11.1	7.7	139	3.8	6
1/7/23 1:30	11.2	7.7	139	3.8	6
1/7/23 1:45	11.2	7.7	139	3.8	6
1/7/23 2:00	11.2	7.7	140	3.9	6
1/7/23 2:15	11.2	7.7	140	3.9	6
1/7/23 2:30	11.3	7.7	139	3.8	6
1/7/23 2:45	11.2	7.7	139	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/7/23 3:00	11.4	7.7	139	3.8	6
1/7/23 3:15	11.3	7.7	140	3.9	6
1/7/23 3:30	11.3	7.7	140	3.9	6
1/7/23 3:45	11.3	7.7	140	3.8	6
1/7/23 4:00	11.4	7.7	139	3.9	6
1/7/23 4:15	11.3	7.7	140	3.9	6
1/7/23 4:30	11.4	7.7	140	3.9	6
1/7/23 4:45	11.4	7.7	140	3.9	6
1/7/23 5:00	11.4	7.7	140	3.9	6
1/7/23 5:15	11.4	7.7	140	3.9	6
1/7/23 5:30	11.3	7.7	143	4.1	6
1/7/23 5:45	11.5	7.7	140	4.0	6
1/7/23 6:00	11.5	7.7	140	4.0	6
1/7/23 6:15	11.4	7.7	138	3.8	6
1/7/23 6:30	11.4	7.7	138	3.8	6
1/7/23 6:45	11.3	7.7	138	3.8	6
1/7/23 7:00	11.4	7.7	138	3.8	6
1/7/23 7:15	11.4	7.7	138	3.8	6
1/7/23 7:30	11.3	7.7	138	3.8	6
1/7/23 7:45	11.3	7.7	138	3.8	6
1/7/23 8:00	11.3	7.7	138	3.8	6
1/7/23 8:15	11.4	7.7	138	3.8	6
1/7/23 8:30	11.3	7.7	138	3.8	6
1/7/23 8:45	11.4	7.7	138	3.8	6
1/7/23 9:00	11.4	7.7	138	3.8	6
1/7/23 9:15	11.3	7.7	138	3.8	6
1/7/23 9:30	11.3	7.7	138	3.8	6
1/7/23 9:45	11.3	7.7	138	3.8	6
1/7/23 10:00	11.4	7.7	138	3.8	6
1/7/23 10:15	11.3	7.7	140	4.0	6
1/7/23 10:30	11.4	7.8	139	3.8	6
1/7/23 10:45	11.4	7.7	139	3.9	6
1/7/23 11:00	11.4	7.7	138	3.9	6
1/7/23 11:15	11.4	7.7	139	3.9	6
1/7/23 11:30	11.5	7.8	139	3.9	6
1/7/23 11:45	11.5	7.8	139	4.0	6
1/7/23 12:00	11.6	7.8	139	4.0	6
1/7/23 12:15	11.6	7.8	139	4.0	6
1/7/23 12:30	11.7	7.8	139	4.1	6
1/7/23 12:45	11.6	7.8	140	4.1	6
1/7/23 13:00	11.7	7.8	140	4.1	6
1/7/23 13:15	11.6	7.8	141	4.2	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/7/23 13:30	11.7	7.8	140	4.2	6
1/7/23 13:45	11.7	7.8	141	4.2	6
1/7/23 14:00	11.9	7.8	141	4.2	6
1/7/23 14:15	11.7	7.8	144	4.6	6
1/7/23 14:30	12.1	7.8	141	4.3	6
1/7/23 14:45	12	7.8	142	4.5	6
1/7/23 15:00	12.1	7.8	141	4.5	6
1/7/23 15:15	12.2	7.8	141	4.4	6
1/7/23 15:30	12.1	7.8	142	4.5	6
1/7/23 15:45	12.3	7.8	140	4.2	6
1/7/23 16:00	12.3	7.8	140	4.3	6
1/7/23 16:15	11.8	7.8	139	4.0	6
1/7/23 16:30	11.6	7.7	138	3.9	6
1/7/23 16:45	11.4	7.7	138	3.8	6
1/7/23 17:00	11.4	7.7	138	3.8	6
1/7/23 17:15	11.4	7.7	138	3.8	6
1/7/23 17:30	11.4	7.7	138	3.8	6
1/7/23 17:45	11.4	7.7	138	3.8	6
1/7/23 18:00	11.4	7.7	138	3.8	6
1/7/23 18:15	11.4	7.7	138	3.8	6
1/7/23 18:30	11.4	7.7	138	3.8	6
1/7/23 18:45	11.4	7.7	138	3.8	6
1/7/23 19:00	11.3	7.7	138	3.8	6
1/7/23 19:15	11.3	7.7	138	3.8	6
1/7/23 19:30	11.3	7.7	138	3.8	6
1/7/23 19:45	11.3	7.7	138	3.8	6
1/7/23 20:00	11.3	7.7	138	3.8	6
1/7/23 20:15	11.3	7.7	138	3.8	6
1/7/23 20:30	11.3	7.7	138	3.8	6
1/7/23 20:45	11.3	7.7	138	3.8	6
1/7/23 21:00	11.3	7.7	138	3.8	6
1/7/23 21:15	11.3	7.7	138	3.8	6
1/7/23 21:30	11.3	7.7	138	3.8	6
1/7/23 21:45	11.3	7.7	138	3.8	6
1/7/23 22:00	11.3	7.7	138	3.8	6
1/7/23 22:15	11.3	7.7	138	3.8	6
1/7/23 22:30	11.3	7.7	138	3.8	6
1/7/23 22:45	11.3	7.7	139	3.8	6
1/7/23 23:00	11.3	7.7	139	3.8	6
1/7/23 23:15	11.2	7.7	139	3.8	6
1/7/23 23:30	11.2	7.7	139	3.9	6
1/7/23 23:45	11.2	7.7	139	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/8/23 0:00	11.2	7.7	139	3.8	6
1/8/23 0:15	11.2	7.7	139	3.8	6
1/8/23 0:30	11.2	7.7	140	3.9	6
1/8/23 0:45	11.2	7.7	140	3.9	6
1/8/23 1:00	11.2	7.7	139	3.8	6
1/8/23 1:15	11.2	7.7	139	3.8	6
1/8/23 1:30	11.2	7.7	139	3.8	6
1/8/23 1:45	11.2	7.7	139	3.9	6
1/8/23 2:00	11.2	7.7	139	3.9	6
1/8/23 2:15	11.2	7.7	139	3.9	6
1/8/23 2:30	11.3	7.7	139	3.9	6
1/8/23 2:45	11.2	7.7	139	3.9	6
1/8/23 3:00	11.4	7.7	139	3.9	6
1/8/23 3:15	11.4	7.7	139	3.9	6
1/8/23 3:30	11.4	7.7	139	3.9	6
1/8/23 3:45	11.4	7.7	139	3.9	6
1/8/23 4:00	11.4	7.7	139	3.9	6
1/8/23 4:15	11.4	7.7	139	3.9	6
1/8/23 4:30	11.4	7.7	139	3.9	6
1/8/23 4:45	11.4	7.7	139	3.9	6
1/8/23 5:00	11.4	7.7	139	3.9	6
1/8/23 5:15	11.4	7.7	139	3.9	6
1/8/23 5:30	11.4	7.7	139	3.9	6
1/8/23 5:45	11.4	7.7	140	3.9	6
1/8/23 6:00	11.4	7.7	140	3.9	6
1/8/23 6:15	11.4	7.7	140	3.9	6
1/8/23 6:30	11.4	7.7	140	3.9	6
1/8/23 6:45	11.4	7.7	140	3.9	6
1/8/23 7:00	11.4	7.7	140	3.9	6
1/8/23 7:15	11.4	7.7	140	3.9	6
1/8/23 7:30	11.4	7.7	140	3.9	6
1/8/23 7:45	11.4	7.7	140	4.0	6
1/8/23 8:00	11.4	7.7	140	4.0	6
1/8/23 8:15	11.4	7.7	140	4.0	6
1/8/23 8:30	11.3	7.7	141	4.0	6
1/8/23 8:45	11.3	7.7	141	4.0	6
1/8/23 9:00	11.3	7.7	142	4.1	6
1/8/23 9:15	11.2	7.7	143	4.3	6
1/8/23 9:30	11.2	7.7	145	4.4	6
1/8/23 9:45	11	7.7	147	4.8	5
1/8/23 10:00	11.2	7.7	146	4.5	5
1/8/23 10:15	11.2	7.7	144	4.4	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/8/23 10:30	11.3	7.7	144	4.3	6
1/8/23 10:45	11.4	7.7	143	4.3	6
1/8/23 11:00	11.4	7.7	143	4.3	6
1/8/23 11:15	11.2	7.7	147	4.7	5
1/8/23 11:30	11.5	7.7	144	4.4	6
1/8/23 11:45	11.4	7.7	145	4.7	5
1/8/23 12:00	11.4	7.7	144	4.7	5
1/8/23 12:15	11.3	7.7	149	5.0	5
1/8/23 12:30	11.8	7.8	143	4.4	6
1/8/23 12:45	11.5	7.7	146	5.0	5
1/8/23 13:00	11.7	7.8	145	4.9	5
1/8/23 13:15	11.9	7.8	144	4.6	6
1/8/23 13:30	12	7.8	143	4.6	6
1/8/23 13:45	12	7.8	143	4.6	6
1/8/23 14:00	12.1	7.8	141	4.5	6
1/8/23 14:15	11.9	7.8	143	4.8	5
1/8/23 14:30	11.7	7.8	147	5.1	5
1/8/23 14:45	11.7	7.8	146	5.2	5
1/8/23 15:00	11.7	7.8	146	5.2	5
1/8/23 15:15	11.8	7.8	146	5.2	5
1/8/23 15:30	11.7	7.8	147	5.4	5
1/8/23 15:45	11.6	7.8	150	5.5	5
1/8/23 16:00	11.8	7.8	147	5.3	5
1/8/23 16:15	12.1	7.8	139	4.3	6
1/8/23 16:30	11.5	7.7	138	4.0	6
1/8/23 16:45	11.3	7.7	138	3.8	6
1/8/23 17:00	11.3	7.7	138	3.8	6
1/8/23 17:15	11.3	7.7	138	3.8	6
1/8/23 17:30	11.3	7.7	138	3.8	6
1/8/23 17:45	11.3	7.7	138	3.8	6
1/8/23 18:00	11.3	7.7	138	3.8	6
1/8/23 18:15	11.3	7.7	138	3.8	6
1/8/23 18:30	11.3	7.7	138	3.8	6
1/8/23 18:45	11.3	7.7	138	3.8	6
1/8/23 19:00	11.3	7.7	138	3.8	6
1/8/23 19:15	11.3	7.7	138	3.8	6
1/8/23 19:30	11.3	7.7	138	3.8	6
1/8/23 19:45	11.3	7.7	138	3.8	6
1/8/23 20:00	11.3	7.7	138	3.8	6
1/8/23 20:15	11.3	7.7	138	3.8	6
1/8/23 20:30	11.3	7.7	138	3.8	6
1/8/23 20:45	11.3	7.7	138	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/8/23 21:00	11.3	7.7	138	3.8	6
1/8/23 21:15	11.3	7.7	138	3.8	6
1/8/23 21:30	11.3	7.7	138	3.8	6
1/8/23 21:45	11.2	7.7	138	3.8	6
1/8/23 22:00	11.2	7.7	139	3.8	6
1/8/23 22:15	11.2	7.7	139	3.8	6
1/8/23 22:30	11.2	7.7	139	3.8	6
1/8/23 22:45	11.1	7.7	139	3.8	6
1/8/23 23:00	11.2	7.7	139	3.8	6
1/8/23 23:15	11.1	7.7	139	3.8	6
1/8/23 23:30	11.2	7.7	139	3.8	6
1/8/23 23:45	11.1	7.7	139	3.8	6
1/9/23 0:00	11.1	7.7	140	3.9	6
1/9/23 0:15	11.1	7.7	139	3.8	6
1/9/23 0:30	11.2	7.7	139	3.8	6
1/9/23 0:45	11.1	7.7	139	3.8	6
1/9/23 1:00	11.2	7.7	139	3.8	6
1/9/23 1:15	11.2	7.7	139	3.8	6
1/9/23 1:30	11.2	7.7	139	3.8	6
1/9/23 1:45	11.3	7.7	139	3.8	6
1/9/23 2:00	11.2	7.7	140	3.9	6
1/9/23 2:15	11.3	7.7	139	3.8	6
1/9/23 2:30	11.3	7.7	139	3.9	6
1/9/23 2:45	11.3	7.7	139	3.9	6
1/9/23 3:00	11.3	7.7	139	3.9	6
1/9/23 3:15	11.3	7.7	140	3.9	6
1/9/23 3:30	11.3	7.7	139	3.9	6
1/9/23 3:45	11.4	7.7	140	3.9	6
1/9/23 4:00	11.4	7.7	139	3.9	6
1/9/23 4:15	11.4	7.7	139	3.9	6
1/9/23 4:30	11.5	7.7	139	3.9	6
1/9/23 4:45	11.4	7.7	139	3.9	6
1/9/23 5:00	11.4	7.7	139	4.0	6
1/9/23 5:15	11.3	7.7	138	3.8	6
1/9/23 5:30	11.2	7.7	138	3.8	6
1/9/23 5:45	11.3	7.7	138	3.8	6
1/9/23 6:00	11.3	7.7	138	3.8	6
1/9/23 6:15	11.3	7.7	138	3.8	6
1/9/23 6:30	11.3	7.7	138	3.8	6
1/9/23 6:45	11.3	7.7	138	3.8	6
1/9/23 7:00	11.3	7.7	138	3.8	6
1/9/23 7:15	11.3	7.7	138	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/9/23 7:30	11.3	7.7	138	3.8	6
1/9/23 7:45	11.3	7.7	138	3.8	6
1/9/23 8:00	11.3	7.7	138	3.8	6
1/9/23 8:15	11.3	7.7	138	3.8	6
1/9/23 8:30	11.3	7.7	138	3.8	6
1/9/23 8:45	11.3	7.7	138	3.8	6
1/9/23 9:00	11.3	7.7	138	3.8	6
1/9/23 9:15	11.3	7.7	138	3.8	6
1/9/23 9:30	11.3	7.7	138	3.8	6
1/9/23 9:45	11.3	7.7	138	3.8	6
1/9/23 10:00	11.3	7.7	138	3.8	6
1/9/23 10:15	11.4	7.7	138	3.9	6
1/9/23 10:30	11.3	7.7	139	4.0	6
1/9/23 10:45	11.3	7.7	138	3.9	6
1/9/23 11:00	11.3	7.7	139	4.0	6
1/9/23 11:15	11.4	7.7	138	4.0	6
1/9/23 11:30	11.1	7.7	145	4.5	6
1/9/23 11:45	11.3	7.7	140	4.2	6
1/9/23 12:00	11.3	7.7	139	4.0	6
1/9/23 12:15	11.4	7.8	140	4.2	6
1/9/23 12:30	11.3	7.7	141	4.3	6
1/9/23 12:45	11.4	7.7	139	4.2	6
1/9/23 13:00	11.4	7.7	140	4.3	6
1/9/23 13:15	11.5	7.8	139	4.2	6
1/9/23 13:30	11.6	7.8	139	4.2	6
1/9/23 13:45	11.6	7.8	139	4.4	6
1/9/23 14:00	11.6	7.8	139	4.3	7
1/9/23 14:15	11.7	7.8	139	4.5	6
1/9/23 14:30	11.7	7.8	140	4.5	6
1/9/23 14:45	11.7	7.8	139	4.6	6
1/9/23 15:00	11.7	7.8	142	4.7	7
1/9/23 15:15	11.9	7.8	141	4.5	7
1/9/23 15:30	11.7	7.8	143	4.9	7
1/9/23 15:45	12	7.8	140	4.5	7
1/9/23 16:00	11.9	7.8	139	4.7	6
1/9/23 16:15	12	7.8	139	4.7	7
1/9/23 16:30	12.1	7.8	138	4.6	7
1/9/23 16:45	11.8	7.8	138	4.2	6
1/9/23 17:00	11.4	7.7	138	4.0	6
1/9/23 17:15	11.4	7.7	138	3.9	6
1/9/23 17:30	11.4	7.7	138	3.9	6
1/9/23 17:45	11.3	7.7	138	3.9	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/9/23 18:00	11.3	7.7	138	3.8	6
1/9/23 18:15	11.3	7.7	138	3.8	6
1/9/23 18:30	11.3	7.7	138	3.8	6
1/9/23 18:45	11.3	7.7	138	3.8	6
1/9/23 19:00	11.3	7.7	138	3.8	6
1/9/23 19:15	11.3	7.7	138	3.8	6
1/9/23 19:30	11.3	7.7	138	3.8	6
1/9/23 19:45	11.3	7.7	138	3.8	6
1/9/23 20:00	11.3	7.7	138	3.8	6
1/9/23 20:15	11.3	7.7	138	3.8	6
1/9/23 20:30	11.3	7.7	138	3.8	6
1/9/23 20:45	11.3	7.7	138	3.8	6
1/9/23 21:00	11.3	7.7	138	3.8	6
1/9/23 21:15	11.3	7.7	138	3.8	6
1/9/23 21:30	11.3	7.7	138	3.8	6
1/9/23 21:45	11.3	7.7	138	3.8	6
1/9/23 22:00	11.3	7.7	138	3.8	6
1/9/23 22:15	11.3	7.7	138	3.8	6
1/9/23 22:30	11.3	7.7	137	3.8	6
1/9/23 22:45	11.3	7.7	137	3.8	6
1/9/23 23:00	11.3	7.7	137	3.8	6
1/9/23 23:15	11.3	7.7	137	3.8	6
1/9/23 23:30	11.3	7.7	137	3.8	6
1/9/23 23:45	11.3	7.7	137	3.8	6
1/10/23 0:00	11.3	7.7	137	3.8	6
1/10/23 0:15	11.3	7.7	137	3.8	6
1/10/23 0:30	11.3	7.7	137	3.8	6
1/10/23 0:45	11.3	7.7	137	3.8	6
1/10/23 1:00	11.3	7.7	138	3.8	6
1/10/23 1:15	11.3	7.7	138	3.8	6
1/10/23 1:30	11.3	7.7	138	3.8	6
1/10/23 1:45	11.3	7.7	138	3.8	6
1/10/23 2:00	11.3	7.7	138	3.7	6
1/10/23 2:15	11.2	7.7	139	3.8	6
1/10/23 2:30	11.2	7.7	138	3.8	6
1/10/23 2:45	11.2	7.7	138	3.8	6
1/10/23 3:00	11.2	7.7	138	3.7	6
1/10/23 3:15	11.2	7.7	138	3.7	6
1/10/23 3:30	11.2	7.7	138	3.7	6
1/10/23 3:45	11.2	7.7	138	3.7	6
1/10/23 4:00	11.1	7.7	138	3.7	6
1/10/23 4:15	11.2	7.7	138	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/10/23 4:30	11.1	7.7	138	3.7	6
1/10/23 4:45	11.2	7.7	138	3.7	6
1/10/23 5:00	11.2	7.7	138	3.7	6
1/10/23 5:15	11.2	7.7	138	3.7	6
1/10/23 5:30	11.4	7.7	138	3.7	6
1/10/23 5:45	11.3	7.7	138	3.8	6
1/10/23 6:00	11.3	7.7	138	3.7	6
1/10/23 6:15	11.3	7.7	137	3.8	6
1/10/23 6:30	11.3	7.7	137	3.8	6
1/10/23 6:45	11.3	7.7	137	3.8	6
1/10/23 7:00	11.3	7.7	137	3.8	6
1/10/23 7:15	11.3	7.7	137	3.8	6
1/10/23 7:30	11.3	7.7	137	3.8	6
1/10/23 7:45	11.3	7.7	137	3.8	6
1/10/23 8:00	11.3	7.7	137	3.8	6
1/10/23 8:15	11.3	7.7	137	3.8	6
1/10/23 8:30	11.3	7.7	137	3.8	6
1/10/23 8:45	11.3	7.7	137	3.8	6
1/10/23 9:00	11.4	7.7	137	3.8	6
1/10/23 9:15	11.4	7.7	137	3.8	6
1/10/23 9:30	11.4	7.7	137	3.8	6
1/10/23 9:45	11.4	7.7	138	3.8	6
1/10/23 10:00	11.4	7.7	138	3.9	6
1/10/23 10:15	11.4	7.7	138	3.9	6
1/10/23 10:30	11.4	7.7	138	3.9	6
1/10/23 10:45	11.4	7.7	138	3.9	6
1/10/23 11:00	11.4	7.7	138	3.9	6
1/10/23 11:15	11.4	7.7	138	3.9	6
1/10/23 11:30	11.3	7.7	139	4.0	6
1/10/23 11:45	11.3	7.7	139	4.0	6
1/10/23 12:00	11.3	7.7	139	4.0	6
1/10/23 12:15	11.3	7.7	138	4.0	6
1/10/23 12:30	11.3	7.7	138	4.0	6
1/10/23 12:45	11.4	7.7	138	4.1	6
1/10/23 13:00	11.5	7.8	138	4.0	6
1/10/23 13:15	11.5	7.8	138	4.2	6
1/10/23 13:30	11.4	7.8	140	4.2	6
1/10/23 13:45	11.5	7.8	139	4.2	6
1/10/23 14:00	11.5	7.8	140	4.3	6
1/10/23 14:15	11.6	7.8	141	4.4	6
1/10/23 14:30	11.6	7.8	140	4.4	6
1/10/23 14:45	11.7	7.8	140	4.4	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/10/23 15:00	11.6	7.8	143	4.6	6
1/10/23 15:15	11.8	7.8	141	4.4	6
1/10/23 15:30	11.8	7.8	140	4.4	6
1/10/23 15:45	11.8	7.8	140	4.5	6
1/10/23 16:00	11.7	7.8	142	4.6	6
1/10/23 16:15	12	7.8	140	4.4	6
1/10/23 16:30	12.2	7.8	138	4.3	6
1/10/23 16:45	11.6	7.8	138	4.0	6
1/10/23 17:00	11.5	7.7	137	4.0	6
1/10/23 17:15	11.4	7.7	137	3.9	6
1/10/23 17:30	11.4	7.7	137	3.9	6
1/10/23 17:45	11.4	7.7	137	3.9	6
1/10/23 18:00	11.4	7.7	137	3.8	6
1/10/23 18:15	11.4	7.7	137	3.8	6
1/10/23 18:30	11.4	7.7	137	3.8	6
1/10/23 18:45	11.4	7.7	137	3.8	6
1/10/23 19:00	11.4	7.7	137	3.8	6
1/10/23 19:15	11.4	7.7	137	3.8	6
1/10/23 19:30	11.4	7.7	137	3.8	6
1/10/23 19:45	11.3	7.7	137	3.8	6
1/10/23 20:00	11.4	7.7	137	3.8	6
1/10/23 20:15	11.4	7.7	137	3.8	6
1/10/23 20:30	11.4	7.7	137	3.8	6
1/10/23 20:45	11.4	7.7	137	3.8	6
1/10/23 21:00	11.3	7.7	137	3.8	6
1/10/23 21:15	11.4	7.7	137	3.8	6
1/10/23 21:30	11.3	7.7	137	3.8	6
1/10/23 21:45	11.3	7.7	137	3.8	6
1/10/23 22:00	11.4	7.7	137	3.8	6
1/10/23 22:15	11.4	7.7	137	3.8	6
1/10/23 22:30	11.4	7.7	137	3.8	6
1/10/23 22:45	11.4	7.7	137	3.8	6
1/10/23 23:00	11.4	7.7	137	3.8	6
1/10/23 23:15	11.4	7.7	137	3.8	6
1/10/23 23:30	11.4	7.7	137	3.8	6
1/10/23 23:45	11.4	7.7	137	3.8	6
1/11/23 0:00	11.4	7.7	137	3.8	6
1/11/23 0:15	11.3	7.7	138	3.8	6
1/11/23 0:30	11.3	7.7	138	3.8	6
1/11/23 0:45	11.3	7.7	138	3.8	6
1/11/23 1:00	11.3	7.7	138	3.8	6
1/11/23 1:15	11.3	7.7	137	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/11/23 1:30	11.3	7.7	138	3.8	6
1/11/23 1:45	11.3	7.7	138	3.8	6
1/11/23 2:00	11.2	7.7	138	3.8	6
1/11/23 2:15	11.3	7.7	138	3.8	6
1/11/23 2:30	11.2	7.7	138	3.8	6
1/11/23 2:45	11.3	7.7	138	3.8	6
1/11/23 3:00	11.2	7.7	138	3.8	6
1/11/23 3:15	11.2	7.7	138	3.8	6
1/11/23 3:30	11.2	7.7	138	3.8	6
1/11/23 3:45	11.2	7.7	138	3.7	6
1/11/23 4:00	11.1	7.7	139	3.8	6
1/11/23 4:15	11.2	7.7	138	3.7	6
1/11/23 4:30	11.2	7.7	138	3.7	6
1/11/23 4:45	11.3	7.7	138	3.7	6
1/11/23 5:00	11.3	7.7	138	3.7	6
1/11/23 5:15	11.3	7.7	138	3.7	6
1/11/23 5:30	11.4	7.7	138	3.8	6
1/11/23 5:45	11.3	7.7	137	3.7	6
1/11/23 6:00	11.3	7.7	137	3.8	6
1/11/23 6:15	11.3	7.7	137	3.8	6
1/11/23 6:30	11.4	7.7	137	3.8	6
1/11/23 6:45	11.4	7.7	137	3.8	6
1/11/23 7:00	11.4	7.7	137	3.8	6
1/11/23 7:15	11.4	7.7	137	3.8	6
1/11/23 7:30	11.4	7.7	137	3.8	6
1/11/23 7:45	11.4	7.7	137	3.8	6
1/11/23 8:00	11.4	7.7	137	3.8	6
1/11/23 8:15	11.4	7.7	137	3.8	6
1/11/23 8:30	11.4	7.7	137	3.8	6
1/11/23 8:45	11.4	7.7	137	3.8	6
1/11/23 9:00	11.4	7.7	137	3.8	6
1/11/23 9:15	11.4	7.7	137	3.8	6
1/11/23 9:30	11.4	7.7	137	3.8	6
1/11/23 9:45	11.3	7.7	138	3.8	6
1/11/23 10:00	11.3	7.7	137	3.8	6
1/11/23 10:15	11.3	7.7	137	3.8	6
1/11/23 10:30	11.3	7.7	138	3.8	6
1/11/23 10:45	11.3	7.7	138	3.8	6
1/11/23 11:00	11.3	7.7	137	3.9	6
1/11/23 11:15	11.3	7.7	138	3.9	6
1/11/23 11:30	11.3	7.7	138	3.9	6
1/11/23 11:45	11.3	7.7	138	3.9	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/11/23 12:00	11.3	7.7	138	3.9	6
1/11/23 12:15	11.3	7.7	138	3.9	6
1/11/23 12:30	11.4	7.7	138	3.9	6
1/11/23 12:45	11.4	7.7	138	3.9	6
1/11/23 13:00	11.4	7.7	138	3.9	6
1/11/23 13:15	11.4	7.7	138	3.9	6
1/11/23 13:30	11.4	7.7	138	4.0	6
1/11/23 13:45	11.4	7.7	138	3.9	6
1/11/23 14:00	11.4	7.7	138	3.9	6
1/11/23 14:15	11.4	7.7	139	4.0	6
1/11/23 14:30	11.5	7.7	139	4.0	6
1/11/23 14:45	11.6	7.7	139	4.0	6
1/11/23 15:00	11.5	7.7	140	4.2	6
1/11/23 15:15	11.7	7.8	139	4.1	6
1/11/23 15:30	11.8	7.8	138	4.0	6
1/11/23 15:45	11.8	7.8	139	4.1	6
1/11/23 16:00	11.9	7.8	138	4.0	6
1/11/23 16:15	12	7.8	138	4.0	6
1/11/23 16:30	12	7.8	138	4.0	6
1/11/23 16:45	11.5	7.7	138	3.9	6
1/11/23 17:00	11.5	7.7	137	3.9	6
1/11/23 17:15	11.4	7.7	137	3.8	6
1/11/23 17:30	11.4	7.7	137	3.8	6
1/11/23 17:45	11.4	7.7	137	3.8	6
1/11/23 18:00	11.4	7.7	137	3.8	6
1/11/23 18:15	11.4	7.7	137	3.8	6
1/11/23 18:30	11.4	7.7	137	3.8	6
1/11/23 18:45	11.4	7.7	137	3.8	6
1/11/23 19:00	11.4	7.7	137	3.8	6
1/11/23 19:15	11.4	7.7	137	3.8	6
1/11/23 19:30	11.4	7.7	137	3.8	6
1/11/23 19:45	11.4	7.7	137	3.8	6
1/11/23 20:00	11.4	7.7	137	3.8	6
1/11/23 20:15	11.4	7.7	137	3.8	6
1/11/23 20:30	11.4	7.7	137	3.8	6
1/11/23 20:45	11.4	7.7	137	3.8	6
1/11/23 21:00	11.4	7.7	137	3.8	6
1/11/23 21:15	11.4	7.7	137	3.8	6
1/11/23 21:30	11.4	7.7	137	3.8	6
1/11/23 21:45	11.4	7.7	137	3.8	6
1/11/23 22:00	11.4	7.7	137	3.8	6
1/11/23 22:15	11.4	7.7	137	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/11/23 22:30	11.4	7.7	137	3.8	6
1/11/23 22:45	11.4	7.7	137	3.8	6
1/11/23 23:00	11.4	7.7	137	3.8	6
1/11/23 23:15	11.4	7.7	137	3.8	6
1/11/23 23:30	11.4	7.7	137	3.8	6
1/11/23 23:45	11.4	7.7	137	3.8	6
1/12/23 0:00	11.4	7.7	137	3.8	6
1/12/23 0:15	11.4	7.7	137	3.8	6
1/12/23 0:30	11.3	7.7	137	3.8	6
1/12/23 0:45	11.3	7.7	137	3.8	6
1/12/23 1:00	11.3	7.7	137	3.8	6
1/12/23 1:15	11.3	7.7	137	3.8	6
1/12/23 1:30	11.3	7.7	137	3.8	6
1/12/23 1:45	11.3	7.7	137	3.8	6
1/12/23 2:00	11.3	7.7	138	3.8	6
1/12/23 2:15	11.3	7.7	138	3.8	6
1/12/23 2:30	11.2	7.7	138	3.8	6
1/12/23 2:45	11.2	7.7	139	3.9	6
1/12/23 3:00	11.2	7.7	138	3.9	6
1/12/23 3:15	11.2	7.7	138	3.9	6
1/12/23 3:30	11.2	7.7	138	3.9	6
1/12/23 3:45	11.2	7.7	138	3.9	6
1/12/23 4:00	11.2	7.7	139	3.9	6
1/12/23 4:15	11.2	7.7	139	3.9	6
1/12/23 4:30	11.3	7.7	138	3.9	6
1/12/23 4:45	11.2	7.7	138	3.9	6
1/12/23 5:00	11.3	7.7	138	3.9	6
1/12/23 5:15	11.4	7.7	138	3.9	6
1/12/23 5:30	11.4	7.7	138	4.0	6
1/12/23 5:45	11.3	7.7	137	3.9	6
1/12/23 6:00	11.3	7.7	137	3.9	6
1/12/23 6:15	11.3	7.7	137	3.8	6
1/12/23 6:30	11.4	7.7	137	3.8	6
1/12/23 6:45	11.3	7.7	137	3.9	6
1/12/23 7:00	11.3	7.7	137	3.8	6
1/12/23 7:15	11.3	7.7	137	3.8	6
1/12/23 7:30	11.3	7.7	137	3.9	6
1/12/23 7:45	11.4	7.7	137	3.8	6
1/12/23 8:00	11.3	7.7	137	3.9	6
1/12/23 8:15	11.4	7.7	137	3.9	6
1/12/23 8:30	11.4	7.7	137	3.9	6
1/12/23 8:45	11.4	7.7	137	3.9	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/12/23 9:00	11.4	7.7	137	3.9	6
1/12/23 9:15	11.4	7.7	137	3.9	6
1/12/23 9:30	11.4	7.7	137	3.9	6
1/12/23 9:45	11.4	7.7	137	3.9	6
1/12/23 10:00	11.4	7.7	137	3.9	6
1/12/23 10:15	11.4	7.7	137	3.9	6
1/12/23 10:30	11.4	7.7	137	3.9	6
1/12/23 10:45	11.4	7.7	137	4.0	6
1/12/23 11:00	11.3	7.7	137	4.0	6
1/12/23 11:15	11.4	7.7	137	4.0	6
1/12/23 11:30	11.4	7.7	137	4.0	6
1/12/23 11:45	11.4	7.7	137	4.0	6
1/12/23 12:00	11.4	7.7	137	4.0	6
1/12/23 12:15	11.4	7.7	138	4.1	6
1/12/23 12:30	11.4	7.7	138	4.2	6
1/12/23 12:45	11.4	7.7	138	4.2	6
1/12/23 13:00	11.5	7.7	138	4.2	6
1/12/23 13:15	11.5	7.7	138	4.2	6
1/12/23 13:30	11.5	7.7	138	4.3	6
1/12/23 13:45	11.6	7.8	139	4.4	6
1/12/23 14:00	11.8	7.8	138	4.4	6
1/12/23 14:15	11.8	7.8	138	4.4	6
1/12/23 14:30	11.9	7.8	138	4.5	6
1/12/23 14:45	11.7	7.8	140	4.7	6
1/12/23 15:00	11.6	7.8	141	5.0	6
1/12/23 15:15	11.6	7.8	142	5.1	6
1/12/23 15:30	11.7	7.8	141	5.0	6
1/12/23 15:45	11.7	7.8	142	5.1	6
1/12/23 16:00	11.8	7.8	141	5.0	6
1/12/23 16:15	11.8	7.8	140	5.1	6
1/12/23 16:30	12.3	7.8	138	4.6	6
1/12/23 16:45	11.6	7.8	137	4.2	6
1/12/23 17:00	11.6	7.7	137	4.2	6
1/12/23 17:15	11.4	7.7	137	4.0	6
1/12/23 17:30	11.4	7.7	137	4.0	6
1/12/23 17:45	11.4	7.7	137	4.0	6
1/12/23 18:00	11.4	7.7	137	4.0	6
1/12/23 18:15	11.4	7.7	137	4.0	6
1/12/23 18:30	11.4	7.7	137	4.0	6
1/12/23 18:45	11.4	7.7	137	4.0	6
1/12/23 19:00	11.4	7.7	137	4.0	6
1/12/23 19:15	11.4	7.7	137	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/12/23 19:30	11.4	7.7	137	4.0	6
1/12/23 19:45	11.4	7.7	137	4.0	6
1/12/23 20:00	11.4	7.7	137	4.0	6
1/12/23 20:15	11.4	7.7	137	4.0	6
1/12/23 20:30	11.3	7.7	137	4.0	6
1/12/23 20:45	11.4	7.7	137	4.0	6
1/12/23 21:00	11.4	7.7	136	4.0	6
1/12/23 21:15	11.3	7.7	136	4.0	6
1/12/23 21:30	11.3	7.7	136	4.0	6
1/12/23 21:45	11.3	7.7	136	4.0	6
1/12/23 22:00	11.3	7.7	136	4.0	6
1/12/23 22:15	11.3	7.7	136	4.0	6
1/12/23 22:30	11.4	7.7	136	4.0	7
1/12/23 22:45	11.4	7.7	136	4.0	7
1/12/23 23:00	11.4	7.7	136	4.0	6
1/12/23 23:15	11.4	7.7	136	4.0	6
1/12/23 23:30	11.3	7.7	136	4.0	6
1/12/23 23:45	11.4	7.7	136	4.0	6
1/13/23 0:00	11.4	7.7	136	4.0	7
1/13/23 0:15	11.4	7.7	136	4.0	6
1/13/23 0:30	11.4	7.7	136	4.1	6
1/13/23 0:45	11.4	7.7	136	4.1	7
1/13/23 1:00	11.4	7.7	136	4.1	7
1/13/23 1:15	11.4	7.7	136	4.1	7
1/13/23 1:30	11.3	7.7	136	4.1	7
1/13/23 1:45	11.3	7.7	137	4.1	7
1/13/23 2:00	11.3	7.7	137	4.1	7
1/13/23 2:15	11.3	7.7	136	4.1	6
1/13/23 2:30	11.3	7.7	137	4.2	6
1/13/23 2:45	11.3	7.7	137	4.2	7
1/13/23 3:00	11.3	7.7	137	4.2	7
1/13/23 3:15	11.3	7.7	137	4.2	7
1/13/23 3:30	11.3	7.7	137	4.3	7
1/13/23 3:45	11.3	7.7	137	4.3	7
1/13/23 4:00	11.2	7.7	139	4.6	6
1/13/23 4:15	11.2	7.7	139	4.5	6
1/13/23 4:30	11.3	7.7	139	4.5	6
1/13/23 4:45	11.3	7.7	139	4.5	6
1/13/23 5:00	11.4	7.7	138	4.5	6
1/13/23 5:15	11.4	7.7	137	4.5	6
1/13/23 5:30	11.5	7.7	137	4.2	6
1/13/23 5:45	11.3	7.7	136	4.1	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/13/23 6:00	11.3	7.7	136	4.0	7
1/13/23 6:15	11.3	7.7	136	4.0	6
1/13/23 6:30	11.3	7.7	136	4.0	7
1/13/23 6:45	11.3	7.7	136	4.0	6
1/13/23 7:00	11.3	7.7	136	4.0	6
1/13/23 7:15	11.3	7.7	136	4.0	7
1/13/23 7:30	11.3	7.7	136	4.0	6
1/13/23 7:45	11.3	7.7	136	4.0	6
1/13/23 8:00	11.3	7.7	136	4.0	6
1/13/23 8:15	11.3	7.7	136	4.0	7
1/13/23 8:30	11.3	7.7	136	4.0	7
1/13/23 8:45	11.3	7.7	136	4.0	6
1/13/23 9:00	11.3	7.7	136	4.0	7
1/13/23 9:15	11.3	7.7	136	4.0	6
1/13/23 9:30	11.3	7.7	136	4.0	6
1/13/23 9:45	11.4	7.7	137	4.0	6
1/13/23 10:00	11.3	7.7	137	4.0	6
1/13/23 10:15	11.4	7.7	137	4.0	6
1/13/23 10:30	11.4	7.7	137	4.1	6
1/13/23 10:45	11.4	7.7	137	4.1	6
1/13/23 11:00	11.4	7.7	136	4.1	6
1/13/23 11:15	11.4	7.7	137	4.1	6
1/13/23 11:30	11.4	7.7	137	4.1	6
1/13/23 11:45	11.4	7.7	137	4.1	6
1/13/23 12:00	11.4	7.7	136	4.1	6
1/13/23 12:15	11.4	7.7	137	4.2	6
1/13/23 12:30	11.4	7.8	136	4.2	6
1/13/23 12:45	11.4	7.7	137	4.2	6
1/13/23 13:00	11.5	7.8	137	4.2	6
1/13/23 13:15	11.5	7.8	137	4.3	6
1/13/23 13:30	11.5	7.8	137	4.3	6
1/13/23 13:45	11.5	7.8	137	4.3	6
1/13/23 14:00	11.6	7.8	137	4.3	6
1/13/23 14:15	11.6	7.8	137	4.4	6
1/13/23 14:30	11.7	7.8	137	4.4	6
1/13/23 14:45	11.7	7.8	137	4.5	6
1/13/23 15:00	11.8	7.8	137	4.4	6
1/13/23 15:15	11.8	7.8	137	4.4	6
1/13/23 15:30	11.8	7.8	138	4.5	6
1/13/23 15:45	11.8	7.8	137	4.5	6
1/13/23 16:00	11.8	7.8	137	4.5	6
1/13/23 16:15	11.9	7.8	138	4.5	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/13/23 16:30	11.6	7.8	137	4.2	6
1/13/23 16:45	11.5	7.7	137	4.2	6
1/13/23 17:00	11.4	7.7	137	4.1	6
1/13/23 17:15	11.3	7.7	137	4.0	6
1/13/23 17:30	11.3	7.7	137	4.0	6
1/13/23 17:45	11.3	7.7	137	4.0	6
1/13/23 18:00	11.3	7.7	137	4.0	6
1/13/23 18:15	11.3	7.7	137	4.0	6
1/13/23 18:30	11.3	7.7	137	4.0	6
1/13/23 18:45	11.3	7.7	137	4.0	6
1/13/23 19:00	11.3	7.7	137	4.0	6
1/13/23 19:15	11.3	7.7	137	4.0	6
1/13/23 19:30	11.3	7.7	137	4.0	7
1/13/23 19:45	11.3	7.7	137	4.0	6
1/13/23 20:00	11.3	7.7	137	4.0	6
1/13/23 20:15	11.3	7.7	137	4.0	6
1/13/23 20:30	11.3	7.7	137	4.0	6
1/13/23 20:45	11.3	7.7	137	4.0	6
1/13/23 21:00	11.3	7.7	137	4.0	6
1/13/23 21:15	11.3	7.7	137	4.0	6
1/13/23 21:30	11.3	7.7	137	4.0	6
1/13/23 21:45	11.3	7.7	136	4.0	6
1/13/23 22:00	11.3	7.7	136	4.0	6
1/13/23 22:15	11.3	7.7	136	4.0	6
1/13/23 22:30	11.3	7.7	136	4.0	6
1/13/23 22:45	11.3	7.7	136	4.0	6
1/13/23 23:00	11.3	7.7	136	4.0	6
1/13/23 23:15	11.3	7.7	136	4.0	6
1/13/23 23:30	11.3	7.7	136	4.0	6
1/13/23 23:45	11.3	7.7	136	4.0	6
1/14/23 0:00	11.3	7.7	136	4.0	6
1/14/23 0:15	11.3	7.7	136	4.0	6
1/14/23 0:30	11.3	7.7	137	4.0	6
1/14/23 0:45	11.3	7.7	136	4.0	7
1/14/23 1:00	11.3	7.7	137	4.0	6
1/14/23 1:15	11.2	7.7	137	4.0	7
1/14/23 1:30	11.2	7.7	137	4.0	7
1/14/23 1:45	11.2	7.7	137	4.0	6
1/14/23 2:00	11.2	7.7	137	4.0	6
1/14/23 2:15	11.2	7.7	137	4.0	7
1/14/23 2:30	11.2	7.7	137	4.0	6
1/14/23 2:45	11.2	7.7	137	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/14/23 3:00	11.2	7.7	137	4.0	6
1/14/23 3:15	11.2	7.7	137	4.0	6
1/14/23 3:30	11.2	7.7	137	4.0	6
1/14/23 3:45	11.1	7.7	137	4.0	6
1/14/23 4:00	11.1	7.7	137	4.0	6
1/14/23 4:15	11.1	7.7	137	4.0	6
1/14/23 4:30	11.1	7.7	138	4.1	6
1/14/23 4:45	11.2	7.7	137	4.1	6
1/14/23 5:00	11.2	7.7	137	4.1	6
1/14/23 5:15	11.2	7.7	137	4.1	6
1/14/23 5:30	11.3	7.7	137	4.0	6
1/14/23 5:45	11.2	7.7	137	4.0	6
1/14/23 6:00	11.2	7.7	136	4.0	6
1/14/23 6:15	11.3	7.7	136	4.0	6
1/14/23 6:30	11.3	7.7	136	4.0	6
1/14/23 6:45	11.3	7.7	136	4.0	6
1/14/23 7:00	11.3	7.7	136	4.0	6
1/14/23 7:15	11.3	7.7	136	4.0	6
1/14/23 7:30	11.3	7.7	136	4.0	6
1/14/23 7:45	11.3	7.7	136	4.0	6
1/14/23 8:00	11.3	7.7	136	4.0	6
1/14/23 8:15	11.3	7.7	136	4.0	6
1/14/23 8:30	11.3	7.7	136	4.0	6
1/14/23 8:45	11.3	7.7	136	4.0	6
1/14/23 9:00	11.3	7.7	136	4.0	6
1/14/23 9:15	11.3	7.7	136	4.0	6
1/14/23 9:30	11.3	7.7	136	4.0	6
1/14/23 9:45	11.3	7.7	136	4.0	6
1/14/23 10:00	11.3	7.7	136	4.0	6
1/14/23 10:15	11.3	7.7	136	4.0	6
1/14/23 10:30	11.3	7.7	136	4.0	6
1/14/23 10:45	11.3	7.7	136	4.0	6
1/14/23 11:00	11.3	7.7	136	4.0	6
1/14/23 11:15	11.3	7.7	136	4.0	7
1/14/23 11:30	11.3	7.7	136	4.0	6
1/14/23 11:45	11.3	7.7	136	4.0	6
1/14/23 12:00	11.3	7.7	137	4.2	6
1/14/23 12:15	11.3	7.7	137	4.1	6
1/14/23 12:30	11.2	7.7	138	4.2	6
1/14/23 12:45	11.3	7.7	137	4.1	6
1/14/23 13:00	11.3	7.7	136	4.1	6
1/14/23 13:15	11.3	7.7	138	4.2	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/14/23 13:30	11.3	7.7	137	4.2	6
1/14/23 13:45	11.3	7.7	137	4.3	6
1/14/23 14:00	11.4	7.7	137	4.2	6
1/14/23 14:15	11.4	7.7	137	4.3	6
1/14/23 14:30	11.4	7.7	137	4.3	6
1/14/23 14:45	11.4	7.7	137	4.3	6
1/14/23 15:00	11.4	7.8	137	4.3	6
1/14/23 15:15	11.5	7.8	137	4.4	6
1/14/23 15:30	11.6	7.8	137	4.4	6
1/14/23 15:45	11.6	7.8	137	4.4	6
1/14/23 16:00	11.6	7.8	138	4.5	6
1/14/23 16:15	11.7	7.8	137	4.5	6
1/14/23 16:30	11.6	7.8	137	4.6	6
1/14/23 16:45	11.7	7.8	137	4.4	6
1/14/23 17:00	11.8	7.8	137	4.4	6
1/14/23 17:15	11.4	7.7	136	4.2	6
1/14/23 17:30	11.3	7.7	136	4.1	7
1/14/23 17:45	11.2	7.7	136	4.1	6
1/14/23 18:00	11.2	7.7	136	4.0	6
1/14/23 18:15	11.3	7.7	136	4.0	6
1/14/23 18:30	11.3	7.7	136	4.0	6
1/14/23 18:45	11.3	7.7	136	4.0	6
1/14/23 19:00	11.3	7.7	136	4.0	6
1/14/23 19:15	11.3	7.7	136	4.0	6
1/14/23 19:30	11.3	7.7	136	4.0	7
1/14/23 19:45	11.3	7.7	136	4.0	6
1/14/23 20:00	11.3	7.7	136	4.0	6
1/14/23 20:15	11.3	7.7	136	4.0	6
1/14/23 20:30	11.3	7.7	136	4.0	7
1/14/23 20:45	11.3	7.7	136	4.0	6
1/14/23 21:00	11.3	7.7	136	4.0	7
1/14/23 21:15	11.3	7.7	136	4.0	7
1/14/23 21:30	11.3	7.7	136	4.1	7
1/14/23 21:45	11.3	7.7	136	4.1	7
1/14/23 22:00	11.3	7.7	136	4.1	7
1/14/23 22:15	11.3	7.7	136	4.1	6
1/14/23 22:30	11.3	7.7	136	4.1	7
1/14/23 22:45	11.3	7.7	136	4.1	7
1/14/23 23:00	11.3	7.7	136	4.1	7
1/14/23 23:15	11.3	7.7	136	4.1	7
1/14/23 23:30	11.3	7.7	136	4.1	7
1/14/23 23:45	11.3	7.7	136	4.1	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/15/23 0:00	11.3	7.7	136	4.1	7
1/15/23 0:15	11.3	7.7	136	4.0	7
1/15/23 0:30	11.2	7.7	136	4.0	7
1/15/23 0:45	11.3	7.7	136	4.0	7
1/15/23 1:00	11.2	7.7	136	4.1	7
1/15/23 1:15	11.2	7.7	136	4.0	7
1/15/23 1:30	11.2	7.7	136	4.0	7
1/15/23 1:45	11.2	7.7	136	4.0	6
1/15/23 2:00	11.2	7.7	136	4.0	6
1/15/23 2:15	11.2	7.7	136	4.0	6
1/15/23 2:30	11.2	7.7	137	4.0	7
1/15/23 2:45	11.2	7.7	136	4.0	6
1/15/23 3:00	11.2	7.7	136	4.0	7
1/15/23 3:15	11.2	7.7	136	4.0	6
1/15/23 3:30	11.1	7.7	136	4.0	6
1/15/23 3:45	11.2	7.7	136	4.0	7
1/15/23 4:00	11.1	7.7	136	4.0	6
1/15/23 4:15	11.1	7.7	137	4.0	7
1/15/23 4:30	11.1	7.7	137	4.0	6
1/15/23 4:45	11.1	7.7	137	4.0	6
1/15/23 5:00	11.1	7.7	136	4.0	6
1/15/23 5:15	11.3	7.7	136	4.0	6
1/15/23 5:30	11.2	7.7	136	4.0	6
1/15/23 5:45	11.2	7.7	136	4.0	7
1/15/23 6:00	11.2	7.7	136	4.0	7
1/15/23 6:15	11.2	7.7	136	4.0	7
1/15/23 6:30	11.3	7.7	136	4.0	7
1/15/23 6:45	11.3	7.7	136	4.0	6
1/15/23 7:00	11.3	7.7	136	4.0	7
1/15/23 7:15	11.3	7.7	136	4.0	7
1/15/23 7:30	11.3	7.7	136	4.0	6
1/15/23 7:45	11.3	7.7	136	4.0	7
1/15/23 8:00	11.3	7.7	136	4.0	6
1/15/23 8:15	11.3	7.7	136	4.0	7
1/15/23 8:30	11.3	7.7	136	4.0	6
1/15/23 8:45	11.3	7.7	136	4.0	6
1/15/23 9:00	11.3	7.7	136	4.0	7
1/15/23 9:15	11.3	7.7	136	4.1	7
1/15/23 9:30	11.3	7.7	136	4.1	7
1/15/23 9:45	11.3	7.7	136	4.1	7
1/15/23 10:00	11.3	7.7	136	4.1	6
1/15/23 10:15	11.3	7.7	136	4.1	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific	Water	Turbidity (FNU)
			Conductance	Temperature (°C)	
1/15/23 10:30	11.3	7.7	136	4.1	6
1/15/23 10:45	11.3	7.7	136	4.1	6
1/15/23 11:00	11.3	7.7	136	4.2	6
1/15/23 11:15	11.3	7.7	137	4.2	6
1/15/23 11:30	11.3	7.7	136	4.2	6
1/15/23 11:45	11.4	7.7	136	4.2	6
1/15/23 12:00	11.4	7.7	136	4.2	6
1/15/23 12:15	11.5	7.8	136	4.3	6
1/15/23 12:30	11.4	7.7	136	4.3	6
1/15/23 12:45	11.4	7.8	136	4.3	6
1/15/23 13:00	11.5	7.8	136	4.3	6
1/15/23 13:15	11.5	7.8	136	4.3	6
1/15/23 13:30	11.6	7.8	136	4.3	6
1/15/23 13:45	11.6	7.8	136	4.4	6
1/15/23 14:00	11.6	7.8	137	4.4	6
1/15/23 14:15	11.6	7.8	137	4.5	6
1/15/23 14:30	11.6	7.8	136	4.6	6
1/15/23 14:45	11.7	7.8	137	4.7	6
1/15/23 15:00	11.8	7.8	137	4.8	6
1/15/23 15:15	11.9	7.8	137	4.6	6
1/15/23 15:30	11.9	7.8	137	4.6	6
1/15/23 15:45	12	7.8	136	4.5	6
1/15/23 16:00	11.9	7.8	137	4.6	6
1/15/23 16:15	12	7.8	137	4.5	6
1/15/23 16:30	12	7.8	136	4.4	6
1/15/23 16:45	12.1	7.8	136	4.4	6
1/15/23 17:00	11.5	7.7	136	4.2	7
1/15/23 17:15	11.4	7.7	136	4.2	7
1/15/23 17:30	11.3	7.7	136	4.1	7
1/15/23 17:45	11.3	7.7	136	4.1	7
1/15/23 18:00	11.3	7.7	136	4.1	7
1/15/23 18:15	11.3	7.7	136	4.1	7
1/15/23 18:30	11.3	7.7	136	4.1	7
1/15/23 18:45	11.3	7.7	136	4.1	6
1/15/23 19:00	11.3	7.7	136	4.1	7
1/15/23 19:15	11.3	7.7	136	4.1	6
1/15/23 19:30	11.2	7.7	136	4.1	6
1/15/23 19:45	11.2	7.7	136	4.0	6
1/15/23 20:00	11.2	7.7	136	4.0	7
1/15/23 20:15	11.2	7.7	136	4.0	6
1/15/23 20:30	11.2	7.7	136	4.0	7
1/15/23 20:45	11.2	7.7	136	4.0	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/15/23 21:00	11.2	7.7	136	4.0	7
1/15/23 21:15	11.2	7.7	136	4.0	7
1/15/23 21:30	11.2	7.7	136	4.0	7
1/15/23 21:45	11.3	7.7	136	4.0	7
1/15/23 22:00	11.3	7.7	136	4.0	7
1/15/23 22:15	11.2	7.7	136	4.0	7
1/15/23 22:30	11.3	7.7	136	4.0	7
1/15/23 22:45	11.2	7.7	136	4.1	6
1/15/23 23:00	11.2	7.7	136	4.1	7
1/15/23 23:15	11.2	7.7	136	4.1	7
1/15/23 23:30	11.2	7.7	136	4.1	7
1/15/23 23:45	11.3	7.7	136	4.1	6
1/16/23 0:00	11.2	7.7	136	4.0	7
1/16/23 0:15	11.2	7.7	136	4.1	6
1/16/23 0:30	11.2	7.7	136	4.0	7
1/16/23 0:45	11.2	7.7	136	4.0	6
1/16/23 1:00	11.2	7.7	136	4.0	6
1/16/23 1:15	11.2	7.7	136	4.0	6
1/16/23 1:30	11.2	7.7	136	4.0	7
1/16/23 1:45	11.2	7.7	136	4.0	7
1/16/23 2:00	11.2	7.7	136	4.0	6
1/16/23 2:15	11.1	7.7	136	4.0	6
1/16/23 2:30	11.2	7.7	136	4.0	6
1/16/23 2:45	11.2	7.7	136	4.0	7
1/16/23 3:00	11.2	7.7	136	4.0	7
1/16/23 3:15	11.2	7.7	136	3.9	6
1/16/23 3:30	11.2	7.7	136	3.9	6
1/16/23 3:45	11.1	7.7	136	3.9	6
1/16/23 4:00	11.1	7.7	136	3.9	6
1/16/23 4:15	11.1	7.7	136	3.9	6
1/16/23 4:30	11.2	7.7	136	3.9	6
1/16/23 4:45	11.2	7.7	137	3.9	6
1/16/23 5:00	11.2	7.7	136	3.9	6
1/16/23 5:15	11.4	7.6	136	3.9	6
1/16/23 5:30	11.3	7.7	136	4.0	6
1/16/23 5:45	11.2	7.7	136	3.9	7
1/16/23 6:00	11.2	7.7	136	4.0	6
1/16/23 6:15	11.2	7.7	136	4.0	7
1/16/23 6:30	11.3	7.7	136	4.0	7
1/16/23 6:45	11.3	7.7	136	4.0	7
1/16/23 7:00	11.2	7.7	136	4.0	6
1/16/23 7:15	11.2	7.7	136	4.0	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/16/23 7:30	11.2	7.7	136	4.0	7
1/16/23 7:45	11.2	7.7	136	4.0	6
1/16/23 8:00	11.2	7.7	136	4.0	6
1/16/23 8:15	11.2	7.7	136	4.0	7
1/16/23 8:30	11.3	7.7	136	4.0	6
1/16/23 8:45	11.3	7.7	136	4.0	7
1/16/23 9:00	11.3	7.7	136	4.0	6
1/16/23 9:15	11.3	7.7	136	4.0	6
1/16/23 9:30	11.3	7.7	136	4.0	6
1/16/23 9:45	11.3	7.7	136	4.0	6
1/16/23 10:00	11.3	7.7	136	4.0	7
1/16/23 10:15	11.3	7.7	136	4.1	6
1/16/23 10:30	11.3	7.7	136	4.1	6
1/16/23 10:45	11.3	7.7	136	4.1	7
1/16/23 11:00	11.3	7.7	136	4.1	6
1/16/23 11:15	11.3	7.7	136	4.2	6
1/16/23 11:30	11.4	7.7	137	4.2	6
1/16/23 11:45	11.3	7.7	136	4.2	6
1/16/23 12:00	11.4	7.7	136	4.2	6
1/16/23 12:15	11.4	7.7	136	4.2	6
1/16/23 12:30	11.5	7.8	136	4.3	6
1/16/23 12:45	11.4	7.7	136	4.2	6
1/16/23 13:00	11.5	7.8	136	4.3	6
1/16/23 13:15	11.5	7.8	136	4.4	6
1/16/23 13:30	11.6	7.8	136	4.4	6
1/16/23 13:45	11.6	7.8	137	4.4	6
1/16/23 14:00	11.6	7.8	137	4.5	6
1/16/23 14:15	11.6	7.8	137	4.5	6
1/16/23 14:30	11.7	7.8	138	4.7	6
1/16/23 14:45	11.7	7.8	139	4.7	6
1/16/23 15:00	11.8	7.8	139	4.7	6
1/16/23 15:15	11.9	7.8	138	4.6	6
1/16/23 15:30	12	7.8	138	4.8	6
1/16/23 15:45	12.1	7.8	138	4.6	6
1/16/23 16:00	12.1	7.8	137	4.7	6
1/16/23 16:15	12.2	7.8	136	4.6	6
1/16/23 16:30	11.9	7.8	136	4.4	6
1/16/23 16:45	11.5	7.7	136	4.2	6
1/16/23 17:00	11.4	7.7	136	4.2	7
1/16/23 17:15	11.3	7.7	136	4.1	6
1/16/23 17:30	11.3	7.7	136	4.1	6
1/16/23 17:45	11.3	7.7	136	4.1	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/16/23 18:00	11.3	7.7	136	4.0	7
1/16/23 18:15	11.3	7.7	136	4.0	6
1/16/23 18:30	11.3	7.7	136	4.0	7
1/16/23 18:45	11.3	7.7	136	4.0	7
1/16/23 19:00	11.2	7.7	136	4.0	6
1/16/23 19:15	11.2	7.7	136	4.0	7
1/16/23 19:30	11.2	7.7	136	4.0	6
1/16/23 19:45	11.2	7.7	136	4.0	7
1/16/23 20:00	11.2	7.7	136	4.0	6
1/16/23 20:15	11.2	7.7	136	4.0	6
1/16/23 20:30	11.2	7.7	136	4.0	6
1/16/23 20:45	11.2	7.7	136	4.0	7
1/16/23 21:00	11.2	7.7	136	4.0	6
1/16/23 21:15	11.3	7.7	136	4.0	6
1/16/23 21:30	11.3	7.7	136	4.0	6
1/16/23 21:45	11.3	7.7	136	4.0	6
1/16/23 22:00	11.3	7.7	136	4.0	6
1/16/23 22:15	11.3	7.7	136	4.0	6
1/16/23 22:30	11.3	7.7	136	4.0	6
1/16/23 22:45	11.3	7.7	136	4.0	7
1/16/23 23:00	11.3	7.7	136	4.0	6
1/16/23 23:15	11.3	7.7	136	4.0	6
1/16/23 23:30	11.3	7.7	136	4.0	6
1/16/23 23:45	11.3	7.7	136	4.0	6
1/17/23 0:00	11.3	7.7	136	4.0	6
1/17/23 0:15	11.3	7.7	136	4.0	6
1/17/23 0:30	11.2	7.7	136	4.0	6
1/17/23 0:45	11.2	7.7	136	4.0	6
1/17/23 1:00	11.2	7.7	136	4.0	6
1/17/23 1:15	11.2	7.7	136	4.0	6
1/17/23 1:30	11.2	7.7	136	3.9	7
1/17/23 1:45	11.2	7.7	136	3.9	6
1/17/23 2:00	11.2	7.7	136	3.9	6
1/17/23 2:15	11.2	7.7	136	3.9	6
1/17/23 2:30	11.2	7.7	136	3.9	6
1/17/23 2:45	11.2	7.7	136	3.9	6
1/17/23 3:00	11.2	7.7	136	3.9	6
1/17/23 3:15	11.2	7.7	136	3.9	7
1/17/23 3:30	11.1	7.7	136	3.9	6
1/17/23 3:45	11.1	7.7	136	3.9	6
1/17/23 4:00	11.1	7.7	136	3.8	6
1/17/23 4:15	11.1	7.7	136	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/17/23 4:30	11.1	7.7	136	3.8	6
1/17/23 4:45	11.1	7.7	137	3.8	6
1/17/23 5:00	11.2	7.7	136	3.7	6
1/17/23 5:15	11.4	7.7	136	3.7	6
1/17/23 5:30	11.3	7.7	136	3.9	7
1/17/23 5:45	11.2	7.7	136	3.9	6
1/17/23 6:00	11.2	7.7	136	3.9	6
1/17/23 6:15	11.2	7.7	136	3.9	6
1/17/23 6:30	11.3	7.7	136	3.9	6
1/17/23 6:45	11.3	7.7	136	3.9	6
1/17/23 7:00	11.3	7.7	136	3.9	6
1/17/23 7:15	11.3	7.7	136	3.9	6
1/17/23 7:30	11.3	7.7	136	3.9	6
1/17/23 7:45	11.3	7.7	136	3.9	6
1/17/23 8:00	11.3	7.7	136	3.9	6
1/17/23 8:15	11.3	7.7	136	3.9	6
1/17/23 8:30	11.3	7.7	136	4.0	7
1/17/23 8:45	11.3	7.7	136	4.0	6
1/17/23 9:00	11.3	7.7	136	4.0	6
1/17/23 9:15	11.3	7.7	136	4.0	6
1/17/23 9:30	11.3	7.7	136	4.0	6
1/17/23 9:45	11.3	7.7	136	4.0	7
1/17/23 10:00	11.3	7.7	136	4.0	6
1/17/23 10:15	11.3	7.7	136	4.0	6
1/17/23 10:30	11.3	7.7	136	4.0	6
1/17/23 10:45	11.3	7.7	136	4.1	6
1/17/23 11:00	11.3	7.7	136	4.1	6
1/17/23 11:15	11.4	7.7	136	4.1	6
1/17/23 11:30	11.4	7.7	136	4.2	6
1/17/23 11:45	11.4	7.7	136	4.2	6
1/17/23 12:00	11.5	7.8	136	4.2	6
1/17/23 12:15	11.4	7.7	136	4.2	6
1/17/23 12:30	11.5	7.7	136	4.3	6
1/17/23 12:45	11.5	7.7	136	4.3	6
1/17/23 13:00	11.6	7.8	136	4.3	6
1/17/23 13:15	11.6	7.8	136	4.3	6
1/17/23 13:30	11.7	7.8	136	4.3	6
1/17/23 13:45	11.7	7.8	136	4.4	6
1/17/23 14:00	11.8	7.8	136	4.4	6
1/17/23 14:15	11.9	7.8	136	4.4	6
1/17/23 14:30	12.3	7.8	136	4.5	6
1/17/23 14:45	11.6	7.8	136	4.2	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/17/23 15:00	11.5	7.7	136	4.2	6
1/17/23 15:15	11.4	7.7	136	4.2	6
1/17/23 15:30	11.3	7.7	136	4.1	6
1/17/23 15:45	11.3	7.7	136	4.1	6
1/17/23 16:00	11.2	7.7	136	4.1	6
1/17/23 16:15	11.2	7.7	136	4.0	6
1/17/23 16:30	11.2	7.7	136	4.0	6
1/17/23 16:45	11.2	7.7	136	4.0	6
1/17/23 17:00	11.2	7.7	136	4.0	6
1/17/23 17:15	11.2	7.7	136	4.0	6
1/17/23 17:30	11.2	7.7	136	4.0	6
1/17/23 17:45	11.2	7.7	136	4.0	6
1/17/23 18:00	11.2	7.7	136	4.0	6
1/17/23 18:15	11.2	7.7	136	4.0	6
1/17/23 18:30	11.2	7.7	136	4.0	7
1/17/23 18:45	11.2	7.7	136	4.0	7
1/17/23 19:00	11.2	7.7	136	4.0	6
1/17/23 19:15	11.2	7.7	136	4.0	6
1/17/23 19:30	11.2	7.7	136	4.0	6
1/17/23 19:45	11.2	7.7	136	4.0	6
1/17/23 20:00	11.2	7.7	136	4.0	6
1/17/23 20:15	11.2	7.7	136	4.0	6
1/17/23 20:30	11.2	7.7	136	4.0	6
1/17/23 20:45	11.2	7.7	136	4.0	6
1/17/23 21:00	11.2	7.7	136	4.0	6
1/17/23 21:15	11.2	7.7	136	4.0	6
1/17/23 21:30	11.2	7.7	136	4.0	7
1/17/23 21:45	11.2	7.7	136	4.0	7
1/17/23 22:00	11.2	7.7	136	4.0	6
1/17/23 22:15	11.2	7.7	136	4.0	6
1/17/23 22:30	11.2	7.7	136	4.0	6
1/17/23 22:45	11.2	7.7	136	4.0	6
1/17/23 23:00	11.2	7.7	136	4.0	6
1/17/23 23:15	11.2	7.7	136	4.0	6
1/17/23 23:30	11.2	7.7	136	4.0	6
1/17/23 23:45	11.2	7.7	136	4.0	6
1/18/23 0:00	11.2	7.7	136	4.0	6
1/18/23 0:15	11.2	7.7	136	4.0	6
1/18/23 0:30	11.1	7.7	136	4.0	7
1/18/23 0:45	11.1	7.7	136	4.0	6
1/18/23 1:00	11.1	7.7	136	4.0	6
1/18/23 1:15	11.1	7.7	136	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/18/23 1:30	11.1	7.7	136	4.0	6
1/18/23 1:45	11.1	7.7	136	4.0	7
1/18/23 2:00	11.1	7.7	136	4.0	6
1/18/23 2:15	11.1	7.7	136	4.0	6
1/18/23 2:30	11.1	7.7	136	3.9	7
1/18/23 2:45	11.1	7.7	136	4.0	6
1/18/23 3:00	11	7.7	136	3.9	6
1/18/23 3:15	11.1	7.7	136	3.9	6
1/18/23 3:30	11	7.7	136	3.9	7
1/18/23 3:45	11.1	7.7	136	3.9	6
1/18/23 4:00	11	7.7	136	3.9	6
1/18/23 4:15	11.1	7.7	136	3.8	6
1/18/23 4:30	11.1	7.7	136	3.8	6
1/18/23 4:45	11.2	7.7	136	3.8	6
1/18/23 5:00	11.3	7.7	136	3.8	6
1/18/23 5:15	11.3	7.7	136	3.7	6
1/18/23 5:30	11.2	7.7	136	3.9	7
1/18/23 5:45	11.2	7.7	136	3.9	6
1/18/23 6:00	11.2	7.7	136	4.0	6
1/18/23 6:15	11.2	7.7	136	4.0	6
1/18/23 6:30	11.2	7.7	136	4.0	6
1/18/23 6:45	11.2	7.7	136	4.0	6
1/18/23 7:00	11.2	7.7	136	4.0	6
1/18/23 7:15	11.2	7.7	136	4.0	6
1/18/23 7:30	11.2	7.7	136	4.0	6
1/18/23 7:45	11.2	7.7	136	4.0	6
1/18/23 8:00	11.2	7.7	136	4.0	6
1/18/23 8:15	11.2	7.7	136	4.0	6
1/18/23 8:30	11.2	7.7	136	4.0	6
1/18/23 8:45	11.2	7.7	136	4.0	6
1/18/23 9:00	11.2	7.7	136	4.0	6
1/18/23 9:15	11.2	7.7	136	4.0	7
1/18/23 9:30	11.2	7.7	136	4.0	6
1/18/23 9:45	11.2	7.7	136	4.0	6
1/18/23 10:00	11.2	7.7	136	4.0	6
1/18/23 10:15	11.2	7.7	136	4.0	6
1/18/23 10:30	11.2	7.7	136	4.0	6
1/18/23 10:45	11.3	7.7	136	4.1	6
1/18/23 11:00	11.2	7.7	136	4.2	6
1/18/23 11:15	11.3	7.7	136	4.1	6
1/18/23 11:30	11.2	7.7	137	4.1	6
1/18/23 11:45	11.3	7.7	136	4.1	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/18/23 12:00	11.3	7.7	136	4.1	6
1/18/23 12:15	11.3	7.7	136	4.2	6
1/18/23 12:30	11.3	7.7	136	4.2	6
1/18/23 12:45	11.4	7.7	136	4.2	6
1/18/23 13:00	11.4	7.7	136	4.2	6
1/18/23 13:15	11.4	7.7	136	4.2	6
1/18/23 13:30	11.5	7.7	136	4.2	6
1/18/23 13:45	11.5	7.7	136	4.2	6
1/18/23 14:00	11.6	7.7	136	4.2	6
1/18/23 14:15	11.6	7.7	136	4.2	6
1/18/23 14:30	11.8	7.8	136	4.2	6
1/18/23 14:45	11.8	7.8	136	4.2	6
1/18/23 15:00	11.8	7.8	136	4.2	6
1/18/23 15:15	11.9	7.8	136	4.2	6
1/18/23 15:30	12	7.8	136	4.2	6
1/18/23 15:45	12.2	7.8	136	4.2	6
1/18/23 16:00	12.1	7.8	136	4.2	6
1/18/23 16:15	12.1	7.8	136	4.2	6
1/18/23 16:30	12.1	7.8	136	4.2	6
1/18/23 16:45	12.2	7.8	136	4.1	6
1/18/23 17:00	12.1	7.8	136	4.1	6
1/18/23 17:15	11.5	7.7	135	4.0	6
1/18/23 17:30	11.4	7.7	135	4.0	6
1/18/23 17:45	11.3	7.7	135	4.0	6
1/18/23 18:00	11.3	7.7	135	4.0	6
1/18/23 18:15	11.2	7.7	136	4.0	6
1/18/23 18:30	11.2	7.7	136	4.0	6
1/18/23 18:45	11.2	7.7	136	4.0	6
1/18/23 19:00	11.2	7.7	136	4.0	6
1/18/23 19:15	11.2	7.7	136	4.0	6
1/18/23 19:30	11.2	7.7	136	4.0	6
1/18/23 19:45	11.2	7.7	136	4.0	6
1/18/23 20:00	11.2	7.7	136	4.0	6
1/18/23 20:15	11.2	7.7	136	4.0	6
1/18/23 20:30	11.2	7.7	136	4.0	6
1/18/23 20:45	11.2	7.7	136	4.0	6
1/18/23 21:00	11.2	7.7	136	4.0	6
1/18/23 21:15	11.2	7.7	136	4.0	6
1/18/23 21:30	11.2	7.7	136	4.0	6
1/18/23 21:45	11.2	7.7	136	4.0	6
1/18/23 22:00	11.2	7.7	136	4.0	6
1/18/23 22:15	11.2	7.7	136	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/18/23 22:30	11.2	7.7	136	4.0	6
1/18/23 22:45	11.2	7.7	136	4.0	6
1/18/23 23:00	11.2	7.7	136	4.0	6
1/18/23 23:15	11.2	7.7	136	4.0	6
1/18/23 23:30	11.2	7.7	136	4.0	6
1/18/23 23:45	11.2	7.7	136	4.0	6
1/19/23 0:00	11.2	7.7	136	4.0	6
1/19/23 0:15	11.2	7.7	136	4.0	6
1/19/23 0:30	11.2	7.7	136	4.0	6
1/19/23 0:45	11.2	7.7	136	4.0	7
1/19/23 1:00	11.2	7.7	136	4.0	6
1/19/23 1:15	11.2	7.7	136	4.0	7
1/19/23 1:30	11.2	7.7	136	4.0	6
1/19/23 1:45	11.2	7.7	136	4.0	6
1/19/23 2:00	11.1	7.7	136	4.0	6
1/19/23 2:15	11.2	7.7	136	4.0	7
1/19/23 2:30	11.1	7.7	136	4.0	6
1/19/23 2:45	11.1	7.7	136	4.0	7
1/19/23 3:00	11.1	7.7	136	4.0	6
1/19/23 3:15	11.1	7.7	136	4.0	6
1/19/23 3:30	11.1	7.7	136	4.0	6
1/19/23 3:45	11.1	7.7	136	4.0	6
1/19/23 4:00	11.1	7.7	136	4.0	6
1/19/23 4:15	11.1	7.7	136	4.0	6
1/19/23 4:30	11.1	7.7	136	3.9	6
1/19/23 4:45	11.1	7.7	136	3.9	6
1/19/23 5:00	11	7.7	137	3.9	6
1/19/23 5:15	11.2	7.7	136	3.9	6
1/19/23 5:30	11.3	7.7	136	3.9	6
1/19/23 5:45	11.2	7.7	136	3.9	6
1/19/23 6:00	11.2	7.7	136	4.0	6
1/19/23 6:15	11.2	7.7	136	4.0	6
1/19/23 6:30	11.2	7.7	136	4.0	6
1/19/23 6:45	11.2	7.7	136	4.0	6
1/19/23 7:00	11.2	7.7	136	4.0	6
1/19/23 7:15	11.2	7.7	136	4.0	6
1/19/23 7:30	11.2	7.7	136	4.0	7
1/19/23 7:45	11.2	7.7	136	4.0	7
1/19/23 8:00	11.2	7.7	136	4.0	6
1/19/23 8:15	11.2	7.7	136	4.0	6
1/19/23 8:30	11.3	7.7	136	4.0	6
1/19/23 8:45	11.3	7.7	135	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/19/23 9:00	11.3	7.7	135	4.0	7
1/19/23 9:15	11.3	7.7	135	4.0	6
1/19/23 9:30	11.3	7.7	135	4.0	6
1/19/23 9:45	11.3	7.7	135	4.0	6
1/19/23 10:00	11.3	7.7	135	4.0	6
1/19/23 10:15	11.3	7.7	135	4.0	6
1/19/23 10:30	11.3	7.7	135	4.1	6
1/19/23 10:45	11.3	7.7	135	4.1	6
1/19/23 11:00	11.3	7.7	136	4.1	6
1/19/23 11:15	11.4	7.7	135	4.1	6
1/19/23 11:30	11.3	7.7	136	4.1	6
1/19/23 11:45	11.3	7.7	136	4.2	6
1/19/23 12:00	11.4	7.7	136	4.2	6
1/19/23 12:15	11.4	7.7	136	4.2	6
1/19/23 12:30	11.4	7.7	136	4.2	6
1/19/23 12:45	11.5	7.7	137	4.4	6
1/19/23 13:00	11.4	7.7	136	4.4	7
1/19/23 13:15	11.5	7.8	137	4.5	6
1/19/23 13:30	11.5	7.8	137	4.5	7
1/19/23 13:45	11.5	7.8	136	4.5	6
1/19/23 14:00	11.6	7.8	136	4.5	6
1/19/23 14:15	11.6	7.8	136	4.5	6
1/19/23 14:30	11.6	7.8	136	4.5	6
1/19/23 14:45	11.7	7.8	136	4.5	6
1/19/23 15:00	11.8	7.8	136	4.5	6
1/19/23 15:15	11.8	7.8	136	4.6	6
1/19/23 15:30	11.9	7.8	136	4.6	6
1/19/23 15:45	12	7.8	136	4.6	6
1/19/23 16:00	12	7.8	136	4.6	6
1/19/23 16:15	12.3	7.9	136	4.6	6
1/19/23 16:30	11.7	7.8	136	4.3	7
1/19/23 16:45	11.5	7.7	135	4.2	6
1/19/23 17:00	11.4	7.7	136	4.1	6
1/19/23 17:15	11.3	7.7	136	4.1	6
1/19/23 17:30	11.3	7.7	136	4.1	7
1/19/23 17:45	11.3	7.7	136	4.1	6
1/19/23 18:00	11.2	7.7	136	4.1	7
1/19/23 18:15	11.2	7.7	136	4.1	6
1/19/23 18:30	11.2	7.7	136	4.1	6
1/19/23 18:45	11.2	7.7	135	4.1	6
1/19/23 19:00	11.2	7.7	135	4.1	7
1/19/23 19:15	11.2	7.7	135	4.1	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/19/23 19:30	11.2	7.7	135	4.0	7
1/19/23 19:45	11.2	7.7	135	4.1	6
1/19/23 20:00	11.2	7.7	135	4.1	6
1/19/23 20:15	11.2	7.7	135	4.1	6
1/19/23 20:30	11.2	7.7	135	4.1	6
1/19/23 20:45	11.2	7.7	135	4.1	6
1/19/23 21:00	11.2	7.7	135	4.1	6
1/19/23 21:15	11.2	7.7	135	4.1	6
1/19/23 21:30	11.2	7.7	135	4.0	6
1/19/23 21:45	11.2	7.7	135	4.0	6
1/19/23 22:00	11.2	7.7	135	4.0	6
1/19/23 22:15	11.2	7.7	135	4.0	7
1/19/23 22:30	11.2	7.7	135	4.0	6
1/19/23 22:45	11.2	7.7	135	4.0	7
1/19/23 23:00	11.2	7.7	135	4.0	7
1/19/23 23:15	11.2	7.7	135	4.0	6
1/19/23 23:30	11.2	7.7	135	4.0	7
1/19/23 23:45	11.2	7.7	135	4.0	6
1/20/23 0:00	11.2	7.7	135	4.0	6
1/20/23 0:15	11.2	7.7	135	4.0	6
1/20/23 0:30	11.2	7.7	136	4.0	6
1/20/23 0:45	11.2	7.7	136	4.0	6
1/20/23 1:00	11.2	7.7	136	4.0	7
1/20/23 1:15	11.2	7.7	136	4.0	7
1/20/23 1:30	11.2	7.7	136	4.0	7
1/20/23 1:45	11.2	7.7	136	4.0	7
1/20/23 2:00	11.2	7.7	136	3.9	7
1/20/23 2:15	11.1	7.7	136	3.9	7
1/20/23 2:30	11.1	7.7	136	3.9	7
1/20/23 2:45	11.2	7.7	136	3.9	6
1/20/23 3:00	11.1	7.7	136	3.9	6
1/20/23 3:15	11.1	7.7	136	3.9	6
1/20/23 3:30	11.1	7.7	136	3.8	6
1/20/23 3:45	11.1	7.7	136	3.8	6
1/20/23 4:00	11.2	7.7	136	3.7	6
1/20/23 4:15	11.2	7.7	136	3.7	6
1/20/23 4:30	11.3	7.7	136	3.7	6
1/20/23 4:45	11.3	7.7	136	3.7	6
1/20/23 5:00	11.3	7.7	136	3.7	6
1/20/23 5:15	11.4	7.6	136	3.6	6
1/20/23 5:30	11.3	7.7	136	3.9	6
1/20/23 5:45	11.3	7.7	136	3.9	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/20/23 6:00	11.3	7.7	136	3.9	6
1/20/23 6:15	11.2	7.7	135	3.9	7
1/20/23 6:30	11.2	7.7	135	4.0	6
1/20/23 6:45	11.2	7.7	135	4.0	6
1/20/23 7:00	11.2	7.7	135	4.0	7
1/20/23 7:15	11.2	7.7	135	4.0	6
1/20/23 7:30	11.2	7.7	135	4.0	6
1/20/23 7:45	11.2	7.7	135	4.0	7
1/20/23 8:00	11.2	7.7	135	4.0	7
1/20/23 8:15	11.2	7.7	135	4.0	7
1/20/23 8:30	11.2	7.7	135	4.0	6
1/20/23 8:45	11.2	7.7	135	4.0	7
1/20/23 9:00	11.3	7.7	135	4.0	7
1/20/23 9:15	11.3	7.7	135	4.0	7
1/20/23 9:30	11.3	7.7	135	4.0	7
1/20/23 9:45	11.3	7.7	135	4.0	7
1/20/23 10:00	11.3	7.7	135	4.0	6
1/20/23 10:15	11.3	7.7	135	4.0	7
1/20/23 10:30	11.3	7.7	135	4.0	7
1/20/23 10:45	11.3	7.7	136	4.0	6
1/20/23 11:00	11.4	7.7	136	4.1	7
1/20/23 11:15	11.4	7.7	136	4.1	6
1/20/23 11:30	11.4	7.7	136	4.2	6
1/20/23 11:45	11.4	7.7	136	4.2	6
1/20/23 12:00	11.4	7.7	136	4.2	6
1/20/23 12:15	11.5	7.7	136	4.3	6
1/20/23 12:30	11.4	7.7	136	4.3	6
1/20/23 12:45	11.5	7.7	136	4.3	6
1/20/23 13:00	11.5	7.7	136	4.4	6
1/20/23 13:15	11.5	7.7	137	4.5	6
1/20/23 13:30	11.5	7.8	138	4.7	6
1/20/23 13:45	11.6	7.8	138	4.7	6
1/20/23 14:00	11.5	7.8	139	4.8	6
1/20/23 14:15	11.6	7.8	138	4.7	6
1/20/23 14:30	11.7	7.8	138	4.6	6
1/20/23 14:45	11.9	7.8	137	4.6	6
1/20/23 15:00	11.9	7.8	137	4.5	6
1/20/23 15:15	11.9	7.8	137	4.5	6
1/20/23 15:30	12.1	7.8	136	4.4	6
1/20/23 15:45	12.1	7.8	136	4.5	6
1/20/23 16:00	12.2	7.8	136	4.4	6
1/20/23 16:15	12.2	7.8	136	4.3	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/20/23 16:30	11.6	7.7	135	4.2	7
1/20/23 16:45	11.5	7.7	135	4.1	6
1/20/23 17:00	11.4	7.7	135	4.1	6
1/20/23 17:15	11.3	7.7	135	4.1	7
1/20/23 17:30	11.3	7.7	135	4.0	7
1/20/23 17:45	11.3	7.7	135	4.0	7
1/20/23 18:00	11.3	7.7	135	4.0	7
1/20/23 18:15	11.2	7.7	135	4.0	6
1/20/23 18:30	11.2	7.7	135	4.0	7
1/20/23 18:45	11.2	7.7	135	4.0	7
1/20/23 19:00	11.2	7.7	135	4.0	6
1/20/23 19:15	11.2	7.7	135	4.0	7
1/20/23 19:30	11.2	7.7	135	4.0	7
1/20/23 19:45	11.2	7.7	135	4.0	7
1/20/23 20:00	11.2	7.7	135	4.0	6
1/20/23 20:15	11.2	7.7	135	4.0	7
1/20/23 20:30	11.2	7.7	135	4.0	6
1/20/23 20:45	11.2	7.7	135	4.0	6
1/20/23 21:00	11.2	7.7	135	4.0	6
1/20/23 21:15	11.2	7.7	135	4.0	7
1/20/23 21:30	11.2	7.7	135	4.0	6
1/20/23 21:45	11.2	7.7	135	4.0	7
1/20/23 22:00	11.2	7.7	135	4.0	6
1/20/23 22:15	11.2	7.7	135	4.0	7
1/20/23 22:30	11.2	7.7	135	4.0	6
1/20/23 22:45	11.2	7.7	135	4.0	7
1/20/23 23:00	11.2	7.7	135	4.0	6
1/20/23 23:15	11.2	7.7	135	4.0	7
1/20/23 23:30	11.2	7.7	135	4.0	7
1/20/23 23:45	11.2	7.7	135	4.0	6
1/21/23 0:00	11.2	7.7	135	4.0	6
1/21/23 0:15	11.2	7.7	135	4.0	6
1/21/23 0:30	11.2	7.7	136	4.0	6
1/21/23 0:45	11.2	7.7	136	4.0	7
1/21/23 1:00	11.2	7.7	136	4.0	7
1/21/23 1:15	11.2	7.7	136	3.9	6
1/21/23 1:30	11.2	7.7	136	3.9	7
1/21/23 1:45	11.2	7.7	136	3.9	6
1/21/23 2:00	11.2	7.7	136	3.9	7
1/21/23 2:15	11.1	7.7	136	3.9	6
1/21/23 2:30	11.1	7.7	136	3.9	6
1/21/23 2:45	11.1	7.6	136	3.9	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/21/23 3:00	11.2	7.6	136	3.8	6
1/21/23 3:15	11.1	7.7	136	3.8	6
1/21/23 3:30	11.2	7.7	136	3.8	6
1/21/23 3:45	11.2	7.7	136	3.7	6
1/21/23 4:00	11.2	7.7	136	3.6	6
1/21/23 4:15	11.2	7.6	136	3.6	6
1/21/23 4:30	11.4	7.7	136	3.6	6
1/21/23 4:45	11.4	7.7	136	3.6	6
1/21/23 5:00	11.5	7.7	136	3.6	6
1/21/23 5:15	11.4	7.6	137	3.5	6
1/21/23 5:30	11.6	7.6	136	3.5	6
1/21/23 5:45	11.3	7.7	136	3.8	7
1/21/23 6:00	11.3	7.7	136	3.8	7
1/21/23 6:15	11.2	7.7	136	3.9	7
1/21/23 6:30	11.2	7.7	135	3.9	7
1/21/23 6:45	11.2	7.7	135	3.9	7
1/21/23 7:00	11.2	7.7	135	3.9	7
1/21/23 7:15	11.2	7.7	136	3.9	7
1/21/23 7:30	11.2	7.7	135	3.9	7
1/21/23 7:45	11.2	7.7	135	3.9	6
1/21/23 8:00	11.2	7.7	135	3.9	6
1/21/23 8:15	11.2	7.7	135	3.9	7
1/21/23 8:30	11.3	7.7	135	3.9	7
1/21/23 8:45	11.3	7.7	135	3.9	6
1/21/23 9:00	11.3	7.7	135	4.0	7
1/21/23 9:15	11.3	7.7	135	4.0	6
1/21/23 9:30	11.3	7.7	136	4.0	6
1/21/23 9:45	11.3	7.7	136	4.0	7
1/21/23 10:00	11.3	7.7	136	4.0	6
1/21/23 10:15	11.3	7.7	136	4.0	7
1/21/23 10:30	11.3	7.7	138	4.1	6
1/21/23 10:45	11.3	7.7	136	4.1	7
1/21/23 11:00	11.3	7.7	137	4.1	6
1/21/23 11:15	11.4	7.7	137	4.2	6
1/21/23 11:30	11.3	7.7	138	4.2	6
1/21/23 11:45	11.4	7.7	137	4.2	6
1/21/23 12:00	11.3	7.7	138	4.4	6
1/21/23 12:15	11.4	7.7	137	4.3	6
1/21/23 12:30	11.4	7.7	138	4.4	6
1/21/23 12:45	11.5	7.7	137	4.3	6
1/21/23 13:00	11.6	7.7	137	4.4	6
1/21/23 13:15	11.5	7.7	137	4.4	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/21/23 13:30	11.6	7.7	137	4.4	6
1/21/23 13:45	11.7	7.7	137	4.4	6
1/21/23 14:00	11.7	7.8	138	4.4	6
1/21/23 14:15	11.8	7.8	137	4.3	6
1/21/23 14:30	11.9	7.8	136	4.3	6
1/21/23 14:45	11.9	7.8	137	4.4	6
1/21/23 15:00	12	7.8	137	4.3	6
1/21/23 15:15	12.1	7.8	137	4.3	6
1/21/23 15:30	12.1	7.8	138	4.4	6
1/21/23 15:45	12.2	7.8	137	4.3	6
1/21/23 16:00	12.2	7.8	136	4.3	6
1/21/23 16:15	12.5	7.9	136	4.3	6
1/21/23 16:30	11.6	7.7	136	4.1	6
1/21/23 16:45	11.5	7.7	136	4.2	7
1/21/23 17:00	11.4	7.7	136	4.1	6
1/21/23 17:15	11.3	7.7	136	4.1	7
1/21/23 17:30	11.3	7.7	136	4.1	7
1/21/23 17:45	11.3	7.7	136	4.0	7
1/21/23 18:00	11.2	7.7	136	4.0	7
1/21/23 18:15	11.2	7.7	136	4.0	6
1/21/23 18:30	11.2	7.7	136	4.0	7
1/21/23 18:45	11.2	7.7	136	4.0	7
1/21/23 19:00	11.2	7.7	136	4.0	7
1/21/23 19:15	11.2	7.7	136	4.0	6
1/21/23 19:30	11.2	7.7	136	4.0	7
1/21/23 19:45	11.2	7.7	136	4.0	7
1/21/23 20:00	11.2	7.7	136	4.0	7
1/21/23 20:15	11.2	7.7	136	4.0	7
1/21/23 20:30	11.2	7.7	136	4.0	6
1/21/23 20:45	11.2	7.7	136	4.1	7
1/21/23 21:00	11.2	7.7	136	4.1	7
1/21/23 21:15	11.2	7.7	136	4.1	6
1/21/23 21:30	11.2	7.7	136	4.1	7
1/21/23 21:45	11.2	7.7	136	4.1	7
1/21/23 22:00	11.2	7.7	136	4.1	7
1/21/23 22:15	11.2	7.7	136	4.0	7
1/21/23 22:30	11.2	7.7	136	4.0	6
1/21/23 22:45	11.2	7.7	136	4.0	7
1/21/23 23:00	11.2	7.7	136	4.0	7
1/21/23 23:15	11.2	7.7	136	4.0	7
1/21/23 23:30	11.2	7.7	136	4.0	7
1/21/23 23:45	11.2	7.7	136	4.0	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/22/23 0:00	11.2	7.7	136	4.0	6
1/22/23 0:15	11.2	7.7	136	4.0	6
1/22/23 0:30	11.1	7.7	136	4.0	6
1/22/23 0:45	11.2	7.7	136	4.0	6
1/22/23 1:00	11.1	7.7	136	4.0	7
1/22/23 1:15	11.1	7.7	136	4.0	7
1/22/23 1:30	11.1	7.7	136	4.0	6
1/22/23 1:45	11.1	7.7	136	4.0	7
1/22/23 2:00	11.1	7.7	136	4.0	7
1/22/23 2:15	11.1	7.7	136	4.0	6
1/22/23 2:30	11	7.7	137	4.0	6
1/22/23 2:45	11.1	7.7	136	3.9	6
1/22/23 3:00	11.1	7.7	136	3.9	6
1/22/23 3:15	11.1	7.7	136	3.9	6
1/22/23 3:30	11.1	7.7	137	3.9	6
1/22/23 3:45	11.1	7.7	137	3.8	6
1/22/23 4:00	11.1	7.7	136	3.8	6
1/22/23 4:15	11.3	7.6	137	3.8	6
1/22/23 4:30	11.2	7.7	136	3.9	7
1/22/23 4:45	11.2	7.7	136	3.9	7
1/22/23 5:00	11.2	7.6	136	4.0	7
1/22/23 5:15	11.2	7.7	136	4.0	7
1/22/23 5:30	11.2	7.7	136	4.0	7
1/22/23 5:45	11.2	7.7	136	4.0	7
1/22/23 6:00	11.2	7.7	136	4.0	6
1/22/23 6:15	11.2	7.7	136	4.0	7
1/22/23 6:30	11.2	7.7	136	4.0	7
1/22/23 6:45	11.2	7.7	136	4.0	6
1/22/23 7:00	11.2	7.7	136	4.0	7
1/22/23 7:15	11.2	7.7	136	4.0	7
1/22/23 7:30	11.2	7.6	136	4.0	7
1/22/23 7:45	11.2	7.7	136	4.0	7
1/22/23 8:00	11.2	7.7	136	4.0	6
1/22/23 8:15	11.2	7.7	136	4.0	7
1/22/23 8:30	11.2	7.7	136	4.0	7
1/22/23 8:45	11.2	7.7	136	4.0	7
1/22/23 9:00	11.2	7.7	136	4.0	6
1/22/23 9:15	11.2	7.7	136	4.0	6
1/22/23 9:30	11.2	7.7	136	4.0	6
1/22/23 9:45	11.2	7.7	136	4.0	7
1/22/23 10:00	11.2	7.7	136	4.0	7
1/22/23 10:15	11.3	7.7	136	4.1	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/22/23 10:30	11.2	7.7	136	4.1	7
1/22/23 10:45	11.3	7.7	136	4.1	6
1/22/23 11:00	11.2	7.7	137	4.3	6
1/22/23 11:15	11.3	7.7	137	4.2	7
1/22/23 11:30	11.3	7.7	137	4.2	6
1/22/23 11:45	11.3	7.7	137	4.3	6
1/22/23 12:00	11.2	7.7	140	4.5	6
1/22/23 12:15	11.3	7.7	138	4.4	6
1/22/23 12:30	11.2	7.7	140	4.7	6
1/22/23 12:45	11.4	7.7	139	4.5	6
1/22/23 13:00	11.4	7.7	138	4.5	6
1/22/23 13:15	11.7	7.7	137	4.4	6
1/22/23 13:30	11.7	7.7	137	4.3	6
1/22/23 13:45	11.8	7.7	137	4.4	6
1/22/23 14:00	11.9	7.8	138	4.4	6
1/22/23 14:15	11.9	7.8	137	4.5	6
1/22/23 14:30	12	7.8	138	4.5	6
1/22/23 14:45	12.1	7.8	138	4.6	6
1/22/23 15:00	12.1	7.8	138	4.6	6
1/22/23 15:15	12.2	7.8	139	4.7	6
1/22/23 15:30	12.2	7.8	139	4.7	6
1/22/23 15:45	12.4	7.8	138	4.6	6
1/22/23 16:00	12.4	7.8	138	4.6	6
1/22/23 16:15	12.5	7.8	136	4.5	6
1/22/23 16:30	11.5	7.7	136	4.2	7
1/22/23 16:45	11.5	7.7	136	4.2	6
1/22/23 17:00	11.4	7.7	136	4.1	6
1/22/23 17:15	11.3	7.7	136	4.1	7
1/22/23 17:30	11.2	7.7	136	4.1	7
1/22/23 17:45	11.2	7.7	136	4.0	7
1/22/23 18:00	11.2	7.7	136	4.0	7
1/22/23 18:15	11.2	7.7	136	4.0	7
1/22/23 18:30	11.2	7.7	136	4.0	6
1/22/23 18:45	11.2	7.7	136	4.0	7
1/22/23 19:00	11.2	7.7	136	4.0	6
1/22/23 19:15	11.2	7.7	136	4.0	7
1/22/23 19:30	11.2	7.7	136	4.0	7
1/22/23 19:45	11.2	7.7	136	4.0	6
1/22/23 20:00	11.2	7.7	136	4.0	6
1/22/23 20:15	11.2	7.7	136	4.0	6
1/22/23 20:30	11.2	7.7	136	4.0	7
1/22/23 20:45	11.2	7.7	136	4.0	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/22/23 21:00	11.1	7.7	136	4.0	7
1/22/23 21:15	11.2	7.7	136	4.0	6
1/22/23 21:30	11.2	7.7	136	4.0	6
1/22/23 21:45	11.2	7.7	136	4.0	7
1/22/23 22:00	11.2	7.7	136	4.0	7
1/22/23 22:15	11.2	7.7	136	4.0	6
1/22/23 22:30	11.2	7.7	136	4.0	7
1/22/23 22:45	11.2	7.7	136	4.0	7
1/22/23 23:00	11.2	7.7	136	4.0	6
1/22/23 23:15	11.2	7.6	136	4.0	7
1/22/23 23:30	11.2	7.7	136	4.0	6
1/22/23 23:45	11.2	7.6	136	4.0	7
1/23/23 0:00	11.2	7.7	136	4.0	6
1/23/23 0:15	11.2	7.7	136	4.0	6
1/23/23 0:30	11.1	7.7	136	4.0	7
1/23/23 0:45	11.1	7.7	136	4.0	6
1/23/23 1:00	11.1	7.7	137	3.9	7
1/23/23 1:15	11.1	7.7	136	3.9	6
1/23/23 1:30	11.1	7.6	137	3.9	6
1/23/23 1:45	11.1	7.6	137	3.9	6
1/23/23 2:00	11.1	7.6	137	3.9	6
1/23/23 2:15	11.1	7.6	137	3.9	6
1/23/23 2:30	11.1	7.6	137	3.9	6
1/23/23 2:45	11.1	7.6	137	3.8	7
1/23/23 3:00	11	7.6	137	3.9	6
1/23/23 3:15	11.1	7.7	137	3.8	6
1/23/23 3:30	11	7.6	137	3.8	6
1/23/23 3:45	11.1	7.6	137	3.8	6
1/23/23 4:00	11	7.6	137	3.8	6
1/23/23 4:15	11.1	7.6	137	3.7	6
1/23/23 4:30	11.2	7.6	137	3.6	6
1/23/23 4:45	11.3	7.6	137	3.8	6
1/23/23 5:00	11.2	7.6	136	3.8	6
1/23/23 5:15	11.2	7.7	136	3.9	6
1/23/23 5:30	11.2	7.7	136	3.9	6
1/23/23 5:45	11.2	7.7	136	3.9	7
1/23/23 6:00	11.2	7.6	136	3.9	6
1/23/23 6:15	11.2	7.6	136	3.9	7
1/23/23 6:30	11.2	7.6	136	3.9	7
1/23/23 6:45	11.2	7.7	136	3.9	7
1/23/23 7:00	11.2	7.7	136	3.9	7
1/23/23 7:15	11.2	7.7	136	3.9	7

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/23/23 7:30	11.2	7.6	136	3.9	7
1/23/23 7:45	11.2	7.7	136	3.9	6
1/23/23 8:00	11.2	7.7	136	3.9	6
1/23/23 8:15	11.2	7.7	136	3.9	6
1/23/23 8:30	11.2	7.7	136	3.9	6
1/23/23 8:45	11.2	7.7	136	3.9	7
1/23/23 9:00	11.2	7.7	136	3.9	6
1/23/23 9:15	11.2	7.7	136	3.9	6
1/23/23 9:30	11.2	7.7	136	3.9	6
1/23/23 9:45	11.3	7.7	136	4.0	6
1/23/23 10:00	11.3	7.7	137	3.9	6
1/23/23 10:15	11.2	7.7	136	4.0	6
1/23/23 10:30	11.2	7.7	137	4.0	6
1/23/23 10:45	11.3	7.7	136	4.0	6
1/23/23 11:00	11.3	7.7	137	4.1	7
1/23/23 11:15	11.3	7.7	137	4.1	6
1/23/23 11:30	11.4	7.7	137	4.1	6
1/23/23 11:45	11.4	7.7	137	4.2	6
1/23/23 12:00	11.5	7.7	136	4.2	6
1/23/23 12:15	11.5	7.7	137	4.3	6
1/23/23 12:30	11.6	7.7	136	4.2	6
1/23/23 12:45	11.6	7.8	137	4.3	6
1/23/23 13:00	11.7	7.8	137	4.3	6
1/23/23 13:15	11.7	7.8	137	4.3	6
1/23/23 13:30	11.7	7.7	137	4.3	6
1/23/23 13:45	11.7	7.8	137	4.5	6
1/23/23 14:00	11.8	7.8	138	4.5	6
1/23/23 14:15	12	7.8	138	4.5	6
1/23/23 14:30	12	7.8	139	4.7	6
1/23/23 14:45	12.1	7.8	138	4.6	6
1/23/23 15:00	12.2	7.8	139	4.8	6
1/23/23 15:15	12.3	7.8	138	4.7	6
1/23/23 15:30	12.4	7.8	138	4.6	6
1/23/23 15:45	12.5	7.8	137	4.6	6
1/23/23 16:00	12.5	7.8	137	4.5	6
1/23/23 16:15	12.5	7.8	137	4.5	6
1/23/23 16:30	12.6	7.8	137	4.5	6
1/23/23 16:45	11.6	7.7	137	4.2	6
1/23/23 17:00	11.5	7.7	137	4.1	6
1/23/23 17:15	11.4	7.7	136	4.1	7
1/23/23 17:30	11.3	7.7	136	4.0	7
1/23/23 17:45	11.3	7.7	136	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/23/23 18:00	11.2	7.7	136	4.0	6
1/23/23 18:15	11.2	7.7	136	4.0	6
1/23/23 18:30	11.2	7.7	136	4.0	6
1/23/23 18:45	11.2	7.7	136	4.0	6
1/23/23 19:00	11.2	7.7	136	4.0	6
1/23/23 19:15	11.2	7.7	136	4.0	6
1/23/23 19:30	11.2	7.7	136	4.0	7
1/23/23 19:45	11.2	7.7	136	3.9	6
1/23/23 20:00	11.2	7.6	136	4.0	6
1/23/23 20:15	11.2	7.7	136	3.9	6
1/23/23 20:30	11.2	7.7	136	3.9	7
1/23/23 20:45	11.2	7.7	136	3.9	7
1/23/23 21:00	11.2	7.7	136	4.0	6
1/23/23 21:15	11.2	7.7	136	4.0	6
1/23/23 21:30	11.2	7.7	136	4.0	6
1/23/23 21:45	11.2	7.6	136	4.0	6
1/23/23 22:00	11.2	7.7	136	4.0	7
1/23/23 22:15	11.2	7.7	136	4.0	7
1/23/23 22:30	11.2	7.7	136	4.0	7
1/23/23 22:45	11.2	7.7	137	4.0	6
1/23/23 23:00	11.2	7.7	137	4.0	7
1/23/23 23:15	11.2	7.7	137	4.0	7
1/23/23 23:30	11.2	7.7	137	4.0	6
1/23/23 23:45	11.2	7.7	137	4.0	6
1/24/23 0:00	11.2	7.7	137	4.0	7
1/24/23 0:15	11.2	7.7	137	4.0	6
1/24/23 0:30	11.2	7.7	137	4.0	7
1/24/23 0:45	11.2	7.7	137	3.9	6
1/24/23 1:00	11.2	7.7	137	3.9	6
1/24/23 1:15	11.2	7.6	137	3.9	6
1/24/23 1:30	11.2	7.7	137	3.9	7
1/24/23 1:45	11.2	7.6	137	3.9	7
1/24/23 2:00	11.1	7.6	137	3.9	6
1/24/23 2:15	11.1	7.6	137	3.9	6
1/24/23 2:30	11.1	7.6	137	3.9	6
1/24/23 2:45	11.1	7.6	137	3.9	6
1/24/23 3:00	11.1	7.6	137	3.8	6
1/24/23 3:15	11.1	7.6	137	3.8	6
1/24/23 3:30	11.1	7.6	137	3.8	6
1/24/23 3:45	11.1	7.6	137	3.8	6
1/24/23 4:00	11.1	7.6	137	3.7	6
1/24/23 4:15	11.1	7.6	137	3.7	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/24/23 4:30	11.2	7.6	137	3.6	6
1/24/23 4:45	11.2	7.6	138	3.7	6
1/24/23 5:00	11.2	7.6	138	3.6	6
1/24/23 5:15	11.2	7.6	137	3.6	6
1/24/23 5:30	11.2	7.6	138	3.6	6
1/24/23 5:45	11.3	7.6	138	3.6	6
1/24/23 6:00	11.3	7.6	138	3.6	6
1/24/23 6:15	11.3	7.6	138	3.6	6
1/24/23 6:30	11.4	7.6	138	3.6	6
1/24/23 6:45	11.4	7.6	138	3.6	6
1/24/23 7:00	11.4	7.6	138	3.6	6
1/24/23 7:15	11.4	7.6	138	3.6	6
1/24/23 7:30	11.4	7.6	138	3.5	7
1/24/23 7:45	11.5	7.6	138	3.5	6
1/24/23 8:00	11.5	7.6	138	3.5	6
1/24/23 8:15	11.5	7.6	138	3.5	6
1/24/23 8:30	11.5	7.6	138	3.4	6
1/24/23 8:45	11.5	7.6	138	3.5	6
1/24/23 9:00	11.6	7.6	138	3.4	6
1/24/23 9:15	11.6	7.6	138	3.5	6
1/24/23 9:30	11.6	7.6	138	3.5	6
1/24/23 9:45	11.6	7.6	138	3.5	6
1/24/23 10:00	11.7	7.6	138	3.5	6
1/24/23 10:15	11.6	7.6	138	3.6	6
1/24/23 10:30	11.7	7.6	138	3.6	6
1/24/23 10:45	11.7	7.6	138	3.6	6
1/24/23 11:00	11.8	7.6	138	3.7	6
1/24/23 11:15	11.8	7.6	137	3.7	6
1/24/23 11:30	12	7.7	138	3.8	6
1/24/23 11:45	12	7.7	138	3.9	6
1/24/23 12:00	12	7.7	138	3.9	6
1/24/23 12:15	12.1	7.7	139	4.0	6
1/24/23 12:30	12.2	7.7	138	4.1	6
1/24/23 12:45	12.2	7.8	139	4.2	6
1/24/23 13:00	12.3	7.8	139	4.4	6
1/24/23 13:15	12.2	7.7	140	4.4	6
1/24/23 13:30	12.2	7.7	141	4.7	6
1/24/23 13:45	12.4	7.9	142	4.6	6
1/24/23 14:00	12.4	7.9	142	4.8	6
1/24/23 14:15	12.4	7.8	141	4.6	6
1/24/23 14:30	12.5	7.9	141	4.8	6
1/24/23 14:45	12.6	7.8	142	4.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/24/23 15:00	12.6	7.8	141	4.9	6
1/24/23 15:15	12.6	7.8	142	4.8	6
1/24/23 15:30	12.7	7.8	141	4.9	6
1/24/23 15:45	12.7	7.8	141	4.8	6
1/24/23 16:00	12.7	7.8	142	4.7	6
1/24/23 16:15	12.2	7.8	137	4.1	7
1/24/23 16:30	11.5	7.7	137	4.0	7
1/24/23 16:45	11.2	7.7	137	4.0	7
1/24/23 17:00	11.2	7.7	137	4.0	7
1/24/23 17:15	11.2	7.7	137	4.0	6
1/24/23 17:30	11.2	7.7	137	4.0	6
1/24/23 17:45	11.2	7.6	137	4.0	7
1/24/23 18:00	11.2	7.7	137	4.0	7
1/24/23 18:15	11.2	7.7	137	4.0	7
1/24/23 18:30	11.2	7.7	137	4.0	6
1/24/23 18:45	11.2	7.7	137	4.0	6
1/24/23 19:00	11.2	7.7	137	4.0	6
1/24/23 19:15	11.2	7.7	137	4.0	6
1/24/23 19:30	11.2	7.7	137	4.0	6
1/24/23 19:45	11.2	7.7	137	4.0	6
1/24/23 20:00	11.2	7.7	137	4.0	6
1/24/23 20:15	11.2	7.7	137	4.0	6
1/24/23 20:30	11.2	7.7	137	4.0	6
1/24/23 20:45	11.2	7.7	138	4.0	6
1/24/23 21:00	11.2	7.7	137	4.0	6
1/24/23 21:15	11.2	7.7	137	4.0	6
1/24/23 21:30	11.2	7.7	137	4.0	6
1/24/23 21:45	11.2	7.7	137	4.0	6
1/24/23 22:00	11.2	7.7	137	4.0	6
1/24/23 22:15	11.2	7.7	137	4.0	6
1/24/23 22:30	11.1	7.7	137	4.0	6
1/24/23 22:45	11.1	7.7	137	4.0	7
1/24/23 23:00	11.1	7.7	138	4.0	7
1/24/23 23:15	11.1	7.7	138	4.0	6
1/24/23 23:30	11	7.7	139	4.0	6
1/24/23 23:45	11	7.7	138	4.0	6
1/25/23 0:00	11	7.7	139	4.0	6
1/25/23 0:15	11	7.7	138	4.0	6
1/25/23 0:30	11	7.7	140	4.0	6
1/25/23 0:45	11	7.6	139	3.9	6
1/25/23 1:00	11	7.7	141	4.1	6
1/25/23 1:15	11	7.6	139	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/25/23 1:30	10.9	7.6	140	4.1	6
1/25/23 1:45	11	7.6	139	3.9	6
1/25/23 2:00	11	7.6	139	4.0	6
1/25/23 2:15	11.1	7.6	139	3.9	6
1/25/23 2:30	11.2	7.6	138	3.8	6
1/25/23 2:45	11.1	7.6	139	3.8	6
1/25/23 3:00	11.3	7.7	139	3.8	6
1/25/23 3:15	11.2	7.6	139	3.8	6
1/25/23 3:30	11.3	7.6	139	3.7	6
1/25/23 3:45	11.3	7.7	139	3.8	6
1/25/23 4:00	11.4	7.6	139	3.7	6
1/25/23 4:15	11.4	7.6	139	3.7	6
1/25/23 4:30	11.4	7.6	139	3.7	6
1/25/23 4:45	11.5	7.6	139	3.7	6
1/25/23 5:00	11.6	7.6	138	3.6	6
1/25/23 5:15	11.2	7.6	138	3.8	6
1/25/23 5:30	11.2	7.6	137	3.9	6
1/25/23 5:45	11.2	7.7	137	3.9	6
1/25/23 6:00	11.2	7.6	137	4.0	6
1/25/23 6:15	11.2	7.6	137	4.0	6
1/25/23 6:30	11.2	7.7	138	4.0	6
1/25/23 6:45	11.2	7.7	138	4.0	6
1/25/23 7:00	11.2	7.7	138	4.0	6
1/25/23 7:15	11.2	7.6	138	4.0	6
1/25/23 7:30	11.2	7.7	138	4.0	6
1/25/23 7:45	11.2	7.7	138	4.0	6
1/25/23 8:00	11.2	7.7	138	4.0	6
1/25/23 8:15	11.2	7.7	138	4.0	6
1/25/23 8:30	11.2	7.7	138	4.0	6
1/25/23 8:45	11.1	7.7	138	3.9	6
1/25/23 9:00	11.2	7.7	138	3.9	6
1/25/23 9:15	11.2	7.7	138	3.9	6
1/25/23 9:30	11.2	7.7	138	4.0	6
1/25/23 9:45	11.3	7.7	138	4.0	6
1/25/23 10:00	11.2	7.7	139	4.0	6
1/25/23 10:15	11.2	7.7	139	4.1	6
1/25/23 10:30	11.2	7.7	141	4.3	6
1/25/23 10:45	11.2	7.7	140	4.2	6
1/25/23 11:00	11.2	7.7	140	4.2	6
1/25/23 11:15	11.3	7.7	139	4.2	6
1/25/23 11:30	11.2	7.7	141	4.4	6
1/25/23 11:45	11.4	7.7	140	4.3	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/25/23 12:00	11.3	7.7	141	4.5	6
1/25/23 12:15	11.5	7.7	140	4.4	6
1/25/23 12:30	11.5	7.8	140	4.4	6
1/25/23 12:45	11.6	7.7	140	4.5	6
1/25/23 13:00	11.7	7.8	142	4.5	6
1/25/23 13:15	11.8	7.8	141	4.6	6
1/25/23 13:30	11.8	7.8	143	4.7	6
1/25/23 13:45	12	7.8	141	4.6	6
1/25/23 14:00	12	7.8	143	4.8	6
1/25/23 14:15	12.2	7.8	142	4.7	6
1/25/23 14:30	12.1	7.8	142	4.8	6
1/25/23 14:45	12.3	7.8	140	4.7	6
1/25/23 15:00	12.3	7.8	140	4.8	6
1/25/23 15:15	12.4	7.8	140	4.7	6
1/25/23 15:30	12.6	7.9	139	4.7	6
1/25/23 15:45	12.5	7.8	139	4.7	6
1/25/23 16:00	12.5	7.8	139	4.7	6
1/25/23 16:15	11.6	7.7	138	4.3	6
1/25/23 16:30	11.3	7.7	138	4.2	6
1/25/23 16:45	11.2	7.7	139	4.1	6
1/25/23 17:00	11.2	7.6	139	4.0	6
1/25/23 17:15	11.2	7.7	139	4.0	6
1/25/23 17:30	11.2	7.7	139	4.0	6
1/25/23 17:45	11.2	7.7	139	4.0	6
1/25/23 18:00	11.2	7.6	139	4.0	6
1/25/23 18:15	11.2	7.7	139	4.0	6
1/25/23 18:30	11.2	7.7	139	4.0	6
1/25/23 18:45	11.2	7.7	139	4.0	6
1/25/23 19:00	11.2	7.7	139	4.0	6
1/25/23 19:15	11.2	7.7	140	4.0	6
1/25/23 19:30	11.2	7.7	140	4.0	6
1/25/23 19:45	11.2	7.6	140	4.0	6
1/25/23 20:00	11.2	7.7	140	4.0	6
1/25/23 20:15	11.2	7.7	140	4.0	6
1/25/23 20:30	11.2	7.7	140	4.0	6
1/25/23 20:45	11.2	7.7	140	4.0	6
1/25/23 21:00	11.2	7.7	140	4.0	6
1/25/23 21:15	11.2	7.7	140	4.0	6
1/25/23 21:30	11.2	7.7	140	4.0	6
1/25/23 21:45	11.2	7.7	140	4.0	6
1/25/23 22:00	11.2	7.7	140	4.0	6
1/25/23 22:15	11.2	7.7	140	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/25/23 22:30	11.2	7.7	140	4.0	6
1/25/23 22:45	11.2	7.7	141	4.0	6
1/25/23 23:00	11.1	7.7	141	4.0	6
1/25/23 23:15	11.1	7.7	141	4.0	6
1/25/23 23:30	11.1	7.7	141	4.0	6
1/25/23 23:45	11.1	7.7	141	4.0	6
1/26/23 0:00	11.1	7.6	141	4.0	6
1/26/23 0:15	11.1	7.7	141	4.0	6
1/26/23 0:30	11.1	7.7	142	4.0	6
1/26/23 0:45	11.1	7.6	141	4.0	6
1/26/23 1:00	11	7.6	142	4.0	6
1/26/23 1:15	11	7.6	141	4.0	6
1/26/23 1:30	10.9	7.6	143	4.2	6
1/26/23 1:45	11	7.6	141	4.0	6
1/26/23 2:00	11	7.6	141	4.0	6
1/26/23 2:15	11.1	7.7	141	3.9	6
1/26/23 2:30	11.2	7.7	141	3.9	6
1/26/23 2:45	11.2	7.6	141	3.8	6
1/26/23 3:00	11.3	7.7	141	3.8	6
1/26/23 3:15	11.2	7.6	141	3.8	6
1/26/23 3:30	11.3	7.7	141	3.8	6
1/26/23 3:45	11.2	7.7	141	3.8	6
1/26/23 4:00	11.3	7.7	141	3.8	6
1/26/23 4:15	11.3	7.6	141	3.8	6
1/26/23 4:30	11.4	7.7	141	3.7	6
1/26/23 4:45	11.4	7.6	141	3.7	6
1/26/23 5:00	11.4	7.7	141	3.7	6
1/26/23 5:15	11.5	7.6	141	3.7	6
1/26/23 5:30	11.5	7.6	141	3.7	6
1/26/23 5:45	11.5	7.6	141	3.7	6
1/26/23 6:00	11.5	7.6	141	3.7	6
1/26/23 6:15	11.5	7.6	141	3.6	6
1/26/23 6:30	11.6	7.6	141	3.6	6
1/26/23 6:45	11.6	7.6	141	3.7	6
1/26/23 7:00	11.5	7.6	141	3.6	6
1/26/23 7:15	11.6	7.6	141	3.6	6
1/26/23 7:30	11.6	7.6	141	3.6	6
1/26/23 7:45	11.6	7.6	141	3.6	6
1/26/23 8:00	11.6	7.6	141	3.6	6
1/26/23 8:15	11.6	7.6	141	3.6	6
1/26/23 8:30	11.6	7.6	141	3.6	6
1/26/23 8:45	11.6	7.6	141	3.6	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/26/23 9:00	11.7	7.6	141	3.6	6
1/26/23 9:15	11.6	7.6	142	3.6	6
1/26/23 9:30	11.8	7.6	141	3.6	6
1/26/23 9:45	11.8	7.7	141	3.6	6
1/26/23 10:00	11.9	7.7	141	3.6	6
1/26/23 10:15	11.8	7.6	141	3.7	6
1/26/23 10:30	11.9	7.7	141	3.7	6
1/26/23 10:45	11.9	7.6	141	3.8	6
1/26/23 11:00	11.9	7.7	141	3.8	6
1/26/23 11:15	12	7.7	141	3.8	6
1/26/23 11:30	12	7.7	141	3.9	6
1/26/23 11:45	12	7.7	141	4.0	6
1/26/23 12:00	12.1	7.7	141	4.0	6
1/26/23 12:15	12.1	7.7	142	4.1	6
1/26/23 12:30	12.2	7.7	141	4.1	6
1/26/23 12:45	12.2	7.7	141	4.2	6
1/26/23 13:00	12.4	7.8	141	4.3	6
1/26/23 13:15	12.4	7.8	142	4.4	6
1/26/23 13:30	12.3	7.8	142	4.6	6
1/26/23 13:45	12.8	8	142	4.6	6
1/26/23 14:00	12.5	7.8	143	4.7	6
1/26/23 14:15	12.7	7.9	142	4.6	6
1/26/23 14:30	12.7	7.8	142	4.6	6
1/26/23 14:45	12.7	7.8	142	4.7	6
1/26/23 15:00	12.8	7.8	141	4.6	6
1/26/23 15:15	12.8	7.8	142	4.6	6
1/26/23 15:30	12.8	7.9	141	4.7	6
1/26/23 15:45	12.8	7.9	142	4.7	6
1/26/23 16:00	12.8	7.8	141	4.6	6
1/26/23 16:15	13.1	7.9	141	4.6	6
1/26/23 16:30	11.7	7.7	140	4.1	6
1/26/23 16:45	11.4	7.7	142	4.1	6
1/26/23 17:00	11.3	7.7	142	4.1	6
1/26/23 17:15	11.2	7.7	142	4.0	6
1/26/23 17:30	11.2	7.7	142	4.0	6
1/26/23 17:45	11.2	7.7	142	4.0	6
1/26/23 18:00	11.2	7.7	143	4.0	6
1/26/23 18:15	11.3	7.7	143	4.0	6
1/26/23 18:30	11.3	7.7	143	4.0	6
1/26/23 18:45	11.3	7.7	143	4.0	6
1/26/23 19:00	11.3	7.7	143	4.0	6
1/26/23 19:15	11.3	7.7	143	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/26/23 19:30	11.3	7.7	143	4.0	6
1/26/23 19:45	11.3	7.7	143	4.0	6
1/26/23 20:00	11.3	7.7	143	4.0	6
1/26/23 20:15	11.3	7.7	143	4.0	6
1/26/23 20:30	11.3	7.7	143	4.0	6
1/26/23 20:45	11.3	7.7	143	4.0	6
1/26/23 21:00	11.3	7.7	143	4.0	6
1/26/23 21:15	11.2	7.7	144	4.0	6
1/26/23 21:30	11.2	7.7	144	4.0	6
1/26/23 21:45	11.2	7.7	144	4.0	6
1/26/23 22:00	11.2	7.7	144	4.0	6
1/26/23 22:15	11.2	7.7	144	4.0	6
1/26/23 22:30	11.2	7.7	144	4.0	6
1/26/23 22:45	11.2	7.7	144	4.0	6
1/26/23 23:00	11.1	7.7	145	4.0	6
1/26/23 23:15	11.2	7.7	144	4.0	6
1/26/23 23:30	11.2	7.7	144	4.0	6
1/26/23 23:45	11.1	7.6	144	4.0	6
1/27/23 0:00	11.2	7.7	144	4.0	6
1/27/23 0:15	11.1	7.7	144	4.0	6
1/27/23 0:30	11.2	7.7	144	3.9	6
1/27/23 0:45	11.2	7.7	144	3.9	6
1/27/23 1:00	11.2	7.7	144	3.9	6
1/27/23 1:15	11.2	7.7	144	3.9	6
1/27/23 1:30	11.3	7.7	144	3.8	6
1/27/23 1:45	11.4	7.7	144	3.8	6
1/27/23 2:00	11.4	7.7	144	3.8	6
1/27/23 2:15	11.4	7.7	144	3.8	6
1/27/23 2:30	11.4	7.7	144	3.8	6
1/27/23 2:45	11.4	7.7	144	3.8	6
1/27/23 3:00	11.5	7.7	144	3.8	6
1/27/23 3:15	11.5	7.7	144	3.8	6
1/27/23 3:30	11.6	7.7	144	3.8	6
1/27/23 3:45	11.6	7.6	144	3.8	6
1/27/23 4:00	11.6	7.7	144	3.8	6
1/27/23 4:15	11.6	7.6	144	3.8	6
1/27/23 4:30	11.6	7.7	144	3.7	6
1/27/23 4:45	11.6	7.6	144	3.8	6
1/27/23 5:00	11.6	7.6	144	3.7	6
1/27/23 5:15	11.4	7.6	144	3.8	6
1/27/23 5:30	11.4	7.6	143	3.9	6
1/27/23 5:45	11.3	7.7	144	4.0	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/27/23 6:00	11.3	7.7	144	4.0	6
1/27/23 6:15	11.3	7.7	144	4.0	6
1/27/23 6:30	11.3	7.7	144	4.0	6
1/27/23 6:45	11.3	7.7	144	4.0	6
1/27/23 7:00	11.3	7.7	144	4.0	6
1/27/23 7:15	11.3	7.7	144	4.0	6
1/27/23 7:30	11.3	7.7	144	4.0	6
1/27/23 7:45	11.3	7.7	144	4.0	6
1/27/23 8:00	11.3	7.7	144	4.0	6
1/27/23 8:15	11.2	7.7	144	4.0	6
1/27/23 8:30	11.3	7.7	144	4.0	6
1/27/23 8:45	11.2	7.7	144	4.0	6
1/27/23 9:00	11.2	7.7	144	4.0	6
1/27/23 9:15	11.2	7.7	145	4.0	6
1/27/23 9:30	11.2	7.7	145	4.0	6
1/27/23 9:45	11.1	7.7	148	4.3	6
1/27/23 10:00	11.2	7.7	145	4.0	6
1/27/23 10:15	11.2	7.7	146	4.1	6
1/27/23 10:30	11.3	7.7	145	4.1	6
1/27/23 10:45	11.3	7.7	145	4.1	6
1/27/23 11:00	11.3	7.7	145	4.1	6
1/27/23 11:15	11.3	7.7	146	4.2	6
1/27/23 11:30	11.4	7.7	145	4.1	6
1/27/23 11:45	11.3	7.7	146	4.2	6
1/27/23 12:00	11.4	7.7	145	4.1	6
1/27/23 12:15	11.4	7.7	145	4.1	6
1/27/23 12:30	11.5	7.7	145	4.2	6
1/27/23 12:45	11.5	7.7	145	4.1	6
1/27/23 13:00	11.6	7.7	145	4.2	6
1/27/23 13:15	11.8	7.7	145	4.2	6
1/27/23 13:30	11.9	7.8	145	4.3	6
1/27/23 13:45	11.9	7.8	145	4.5	6
1/27/23 14:00	12.1	7.8	145	4.6	6
1/27/23 14:15	12.1	7.8	146	4.6	6
1/27/23 14:30	12.4	7.8	145	4.6	6
1/27/23 14:45	12.4	7.8	145	4.6	6
1/27/23 15:00	12.5	7.8	145	4.7	6
1/27/23 15:15	12.5	7.8	145	4.7	6
1/27/23 15:30	12.6	7.8	144	4.7	6
1/27/23 15:45	12.6	7.9	144	4.8	6
1/27/23 16:00	12.7	7.9	144	4.9	6
1/27/23 16:15	12.5	7.8	144	4.5	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/27/23 16:30	11.8	7.7	143	4.3	6
1/27/23 16:45	11.4	7.7	145	4.1	6
1/27/23 17:00	11.3	7.7	145	4.0	6
1/27/23 17:15	11.3	7.7	146	4.0	6
1/27/23 17:30	11.3	7.7	146	4.0	6
1/27/23 17:45	11.3	7.7	146	4.0	6
1/27/23 18:00	11.3	7.7	146	4.0	6
1/27/23 18:15	11.3	7.7	146	4.0	6
1/27/23 18:30	11.3	7.7	146	4.0	6
1/27/23 18:45	11.3	7.7	146	4.0	6
1/27/23 19:00	11.3	7.7	145	4.0	6
1/27/23 19:15	11.3	7.7	145	4.0	6
1/27/23 19:30	11.3	7.7	145	4.0	6
1/27/23 19:45	11.3	7.7	145	4.0	6
1/27/23 20:00	11.3	7.7	145	4.0	6
1/27/23 20:15	11.3	7.7	145	4.0	6
1/27/23 20:30	11.3	7.7	145	4.0	6
1/27/23 20:45	11.3	7.7	146	4.0	6
1/27/23 21:00	11.3	7.7	146	4.0	6
1/27/23 21:15	11.3	7.7	146	4.0	6
1/27/23 21:30	11.3	7.7	146	4.0	6
1/27/23 21:45	11.3	7.7	146	4.0	6
1/27/23 22:00	11.3	7.7	147	4.0	6
1/27/23 22:15	11.3	7.7	147	4.0	6
1/27/23 22:30	11.3	7.7	147	4.0	6
1/27/23 22:45	11.3	7.7	147	3.9	6
1/27/23 23:00	11.2	7.7	147	4.0	6
1/27/23 23:15	11.2	7.7	147	3.9	6
1/27/23 23:30	11.2	7.7	147	4.0	6
1/27/23 23:45	11.2	7.7	147	3.9	6
1/28/23 0:00	11.2	7.7	148	4.0	6
1/28/23 0:15	11.2	7.7	147	3.9	6
1/28/23 0:30	11.2	7.7	148	3.9	6
1/28/23 0:45	11.2	7.7	148	3.9	6
1/28/23 1:00	11.2	7.7	148	3.9	6
1/28/23 1:15	11.2	7.7	148	3.9	6
1/28/23 1:30	11.1	7.7	148	3.9	6
1/28/23 1:45	11.2	7.7	147	3.8	6
1/28/23 2:00	11.2	7.7	147	3.8	6
1/28/23 2:15	11.2	7.6	147	3.8	6
1/28/23 2:30	11.2	7.7	147	3.8	6
1/28/23 2:45	11.2	7.7	147	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/28/23 3:00	11.2	7.7	147	3.8	6
1/28/23 3:15	11.2	7.6	147	3.8	6
1/28/23 3:30	11.2	7.7	147	3.7	6
1/28/23 3:45	11.2	7.6	147	3.7	6
1/28/23 4:00	11.3	7.7	147	3.7	6
1/28/23 4:15	11.4	7.6	147	3.7	6
1/28/23 4:30	11.4	7.7	147	3.7	6
1/28/23 4:45	11.5	7.6	147	3.7	6
1/28/23 5:00	11.4	7.6	147	3.6	6
1/28/23 5:15	11.4	7.6	147	3.8	6
1/28/23 5:30	11.4	7.7	146	3.8	6
1/28/23 5:45	11.3	7.7	148	3.9	6
1/28/23 6:00	11.3	7.7	148	3.9	6
1/28/23 6:15	11.3	7.7	148	3.9	6
1/28/23 6:30	11.3	7.7	149	3.9	6
1/28/23 6:45	11.3	7.7	149	3.9	6
1/28/23 7:00	11.3	7.7	149	3.9	6
1/28/23 7:15	11.3	7.7	149	3.9	6
1/28/23 7:30	11.4	7.7	149	3.9	6
1/28/23 7:45	11.4	7.7	150	3.9	6
1/28/23 8:00	11.4	7.7	150	3.9	6
1/28/23 8:15	11.4	7.7	149	3.9	6
1/28/23 8:30	11.3	7.7	149	3.9	6
1/28/23 8:45	11.3	7.7	149	3.9	6
1/28/23 9:00	11.3	7.7	149	3.9	6
1/28/23 9:15	11.4	7.7	149	3.9	6
1/28/23 9:30	11.2	7.7	148	4.2	6
1/28/23 9:45	11.3	7.7	150	3.9	6
1/28/23 10:00	11.4	7.7	149	3.9	6
1/28/23 10:15	11.4	7.7	150	4.0	6
1/28/23 10:30	11.4	7.7	150	4.0	6
1/28/23 10:45	11.4	7.7	151	4.1	6
1/28/23 11:00	11.4	7.7	150	4.1	6
1/28/23 11:15	11.4	7.7	151	4.2	6
1/28/23 11:30	11.4	7.7	150	4.2	6
1/28/23 11:45	11.5	7.7	151	4.3	6
1/28/23 12:00	11.5	7.7	151	4.3	6
1/28/23 12:15	11.6	7.7	151	4.3	6
1/28/23 12:30	11.5	7.7	150	4.4	6
1/28/23 12:45	11.7	7.8	151	4.3	6
1/28/23 13:00	11.6	7.7	150	4.3	6
1/28/23 13:15	11.8	7.8	150	4.4	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/28/23 13:30	11.8	7.8	150	4.4	6
1/28/23 13:45	11.9	7.8	150	4.5	6
1/28/23 14:00	11.9	7.8	150	4.4	6
1/28/23 14:15	12	7.8	150	4.5	6
1/28/23 14:30	12.1	7.8	150	4.4	6
1/28/23 14:45	12.2	7.8	150	4.6	6
1/28/23 15:00	12.3	7.8	150	4.5	6
1/28/23 15:15	12.4	7.8	149	4.5	6
1/28/23 15:30	12.4	7.8	149	4.5	6
1/28/23 15:45	12.4	7.9	149	4.5	6
1/28/23 16:00	12.5	7.8	149	4.5	6
1/28/23 16:15	12.3	7.8	149	4.3	6
1/28/23 16:30	11.6	7.7	148	4.1	6
1/28/23 16:45	11.4	7.7	150	4.0	6
1/28/23 17:00	11.4	7.7	150	4.0	6
1/28/23 17:15	11.4	7.7	150	3.9	6
1/28/23 17:30	11.4	7.7	150	3.9	6
1/28/23 17:45	11.4	7.7	151	3.9	6
1/28/23 18:00	11.4	7.7	151	3.9	6
1/28/23 18:15	11.4	7.7	151	3.9	6
1/28/23 18:30	11.4	7.7	151	3.9	6
1/28/23 18:45	11.4	7.7	151	3.9	6
1/28/23 19:00	11.4	7.7	150	3.9	6
1/28/23 19:15	11.4	7.7	150	3.9	6
1/28/23 19:30	11.4	7.7	150	3.9	6
1/28/23 19:45	11.4	7.7	150	3.9	6
1/28/23 20:00	11.4	7.7	150	3.9	6
1/28/23 20:15	11.4	7.7	150	3.9	6
1/28/23 20:30	11.4	7.7	150	3.9	6
1/28/23 20:45	11.3	7.7	150	3.9	6
1/28/23 21:00	11.3	7.7	150	3.9	6
1/28/23 21:15	11.3	7.7	150	3.9	6
1/28/23 21:30	11.3	7.7	150	3.9	6
1/28/23 21:45	11.3	7.7	149	3.9	6
1/28/23 22:00	11.3	7.7	149	3.9	6
1/28/23 22:15	11.3	7.7	149	3.9	6
1/28/23 22:30	11.3	7.7	149	3.9	6
1/28/23 22:45	11.3	7.7	149	4.0	6
1/28/23 23:00	11.3	7.7	149	3.9	6
1/28/23 23:15	11.3	7.7	149	3.9	6
1/28/23 23:30	11.3	7.7	149	3.9	6
1/28/23 23:45	11.2	7.7	149	3.9	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/29/23 0:00	11.2	7.7	150	3.9	6
1/29/23 0:15	11.2	7.7	150	3.9	6
1/29/23 0:30	11.2	7.7	150	3.9	6
1/29/23 0:45	11.2	7.7	150	3.9	6
1/29/23 1:00	11.2	7.7	150	3.9	6
1/29/23 1:15	11.2	7.7	150	3.9	6
1/29/23 1:30	11.2	7.7	150	3.9	6
1/29/23 1:45	11.2	7.7	150	3.9	6
1/29/23 2:00	11.2	7.7	149	3.9	6
1/29/23 2:15	11.2	7.7	149	3.9	6
1/29/23 2:30	11.2	7.7	149	3.8	6
1/29/23 2:45	11.3	7.7	149	3.8	6
1/29/23 3:00	11.3	7.7	149	3.8	6
1/29/23 3:15	11.3	7.7	149	3.8	6
1/29/23 3:30	11.5	7.7	149	3.8	6
1/29/23 3:45	11.4	7.7	149	3.8	6
1/29/23 4:00	11.5	7.7	149	3.8	6
1/29/23 4:15	11.5	7.7	149	3.8	6
1/29/23 4:30	11.6	7.7	149	3.7	6
1/29/23 4:45	11.6	7.7	149	3.7	6
1/29/23 5:00	11.6	7.7	149	3.7	6
1/29/23 5:15	11.6	7.7	149	3.7	6
1/29/23 5:30	11.6	7.7	149	3.7	6
1/29/23 5:45	11.6	7.7	149	3.7	6
1/29/23 6:00	11.6	7.7	149	3.6	6
1/29/23 6:15	11.6	7.7	149	3.7	6
1/29/23 6:30	11.6	7.7	149	3.6	6
1/29/23 6:45	11.6	7.7	149	3.6	6
1/29/23 7:00	11.6	7.7	149	3.6	6
1/29/23 7:15	11.6	7.7	149	3.6	6
1/29/23 7:30	11.7	7.7	149	3.6	6
1/29/23 7:45	11.6	7.7	149	3.5	6
1/29/23 8:00	11.7	7.7	149	3.5	6
1/29/23 8:15	11.7	7.7	149	3.5	6
1/29/23 8:30	11.7	7.7	149	3.5	6
1/29/23 8:45	11.7	7.7	149	3.5	6
1/29/23 9:00	11.8	7.7	149	3.4	6
1/29/23 9:15	11.8	7.7	149	3.5	6
1/29/23 9:30	11.8	7.7	149	3.5	6
1/29/23 9:45	11.8	7.7	149	3.5	6
1/29/23 10:00	11.8	7.7	149	3.5	6
1/29/23 10:15	11.7	7.7	150	3.6	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/29/23 10:30	11.8	7.7	150	3.6	6
1/29/23 10:45	11.9	7.7	150	3.6	6
1/29/23 11:00	11.8	7.7	150	3.6	6
1/29/23 11:15	11.9	7.7	150	3.7	6
1/29/23 11:30	11.9	7.7	150	3.7	6
1/29/23 11:45	11.9	7.7	150	3.8	6
1/29/23 12:00	11.9	7.7	150	3.8	6
1/29/23 12:15	12	7.8	150	3.9	5
1/29/23 12:30	11.9	7.8	151	4.0	5
1/29/23 12:45	11.9	7.8	151	4.3	5
1/29/23 13:00	11.9	7.8	151	4.0	5
1/29/23 13:15	12	7.8	151	4.0	6
1/29/23 13:30	12	7.8	150	4.0	5
1/29/23 13:45	12	7.8	150	4.1	5
1/29/23 14:00	12	7.8	150	4.0	5
1/29/23 14:15	12	7.8	150	4.0	5
1/29/23 14:30	12	7.8	150	4.0	5
1/29/23 14:45	12	7.8	150	4.1	5
1/29/23 15:00	12.3	7.8	150	4.0	6
1/29/23 15:15	12.3	7.8	150	4.0	6
1/29/23 15:30	12.3	7.8	150	4.0	6
1/29/23 15:45	12.3	7.8	150	4.0	6
1/29/23 16:00	12.5	7.8	150	4.0	6
1/29/23 16:15	12.3	7.8	148	3.8	6
1/29/23 16:30	11.6	7.7	147	3.8	6
1/29/23 16:45	11.5	7.7	147	3.8	6
1/29/23 17:00	11.5	7.7	147	3.8	6
1/29/23 17:15	11.5	7.7	147	3.8	6
1/29/23 17:30	11.5	7.7	147	3.8	6
1/29/23 17:45	11.5	7.7	147	3.8	6
1/29/23 18:00	11.5	7.7	147	3.8	6
1/29/23 18:15	11.5	7.7	147	3.8	6
1/29/23 18:30	11.5	7.7	148	3.8	6
1/29/23 18:45	11.5	7.7	148	3.8	6
1/29/23 19:00	11.5	7.7	148	3.8	6
1/29/23 19:15	11.5	7.7	149	3.8	6
1/29/23 19:30	11.5	7.7	149	3.8	6
1/29/23 19:45	11.6	7.7	149	3.8	6
1/29/23 20:00	11.6	7.7	149	3.8	6
1/29/23 20:15	11.6	7.7	149	3.8	6
1/29/23 20:30	11.6	7.7	149	3.8	6
1/29/23 20:45	11.6	7.7	149	3.8	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/29/23 21:00	11.6	7.7	149	3.8	6
1/29/23 21:15	11.6	7.7	149	3.8	6
1/29/23 21:30	11.6	7.7	149	3.7	6
1/29/23 21:45	11.6	7.7	149	3.7	6
1/29/23 22:00	11.6	7.7	149	3.7	6
1/29/23 22:15	11.6	7.7	149	3.7	6
1/29/23 22:30	11.6	7.7	149	3.7	6
1/29/23 22:45	11.5	7.7	149	3.7	6
1/29/23 23:00	11.5	7.7	149	3.7	6
1/29/23 23:15	11.5	7.7	149	3.7	6
1/29/23 23:30	11.5	7.7	150	3.7	6
1/29/23 23:45	11.5	7.7	149	3.7	6
1/30/23 0:00	11.5	7.7	150	3.7	6
1/30/23 0:15	11.5	7.7	150	3.6	6
1/30/23 0:30	11.4	7.7	151	3.7	6
1/30/23 0:45	11.4	7.7	150	3.6	6
1/30/23 1:00	11.4	7.7	150	3.7	6
1/30/23 1:15	11.4	7.7	150	3.6	6
1/30/23 1:30	11.4	7.7	150	3.6	6
1/30/23 1:45	11.4	7.7	150	3.5	6
1/30/23 2:00	11.5	7.7	150	3.5	6
1/30/23 2:15	11.4	7.7	150	3.4	6
1/30/23 2:30	11.5	7.7	150	3.4	6
1/30/23 2:45	11.5	7.7	150	3.4	6
1/30/23 3:00	11.5	7.7	150	3.4	6
1/30/23 3:15	11.5	7.7	150	3.3	6
1/30/23 3:30	11.5	7.7	150	3.3	6
1/30/23 3:45	11.5	7.7	150	3.3	6
1/30/23 4:00	11.5	7.7	150	3.3	6
1/30/23 4:15	11.5	7.7	150	3.2	6
1/30/23 4:30	11.4	7.7	150	3.2	6
1/30/23 4:45	11.8	7.7	149	3.2	6
1/30/23 5:00	11.7	7.7	149	3.2	6
1/30/23 5:15	11.7	7.7	149	3.3	6
1/30/23 5:30	11.7	7.7	149	3.4	6
1/30/23 5:45	11.7	7.7	149	3.4	6
1/30/23 6:00	11.7	7.7	149	3.4	6
1/30/23 6:15	11.7	7.7	149	3.4	6
1/30/23 6:30	11.7	7.7	149	3.4	6
1/30/23 6:45	11.7	7.7	149	3.5	6
1/30/23 7:00	11.7	7.7	149	3.5	6
1/30/23 7:15	11.7	7.7	149	3.4	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/30/23 7:30	11.7	7.7	149	3.4	6
1/30/23 7:45	11.7	7.7	149	3.4	6
1/30/23 8:00	11.7	7.7	149	3.4	6
1/30/23 8:15	11.7	7.7	149	3.4	6
1/30/23 8:30	11.7	7.7	149	3.4	6
1/30/23 8:45	11.7	7.7	149	3.4	6
1/30/23 9:00	11.7	7.7	149	3.4	6
1/30/23 9:15	11.7	7.7	149	3.4	6
1/30/23 9:30	11.8	7.7	149	3.4	6
1/30/23 9:45	11.8	7.7	149	3.5	6
1/30/23 10:00	11.8	7.7	149	3.5	6
1/30/23 10:15	11.8	7.8	149	3.5	6
1/30/23 10:30	11.8	7.8	149	3.5	6
1/30/23 10:45	11.9	7.8	149	3.5	6
1/30/23 11:00	11.9	7.8	150	3.5	6
1/30/23 11:15	11.9	7.8	150	3.5	6
1/30/23 11:30	11.9	7.8	150	3.6	6
1/30/23 11:45	11.8	7.8	150	3.6	6
1/30/23 12:00	11.9	7.8	149	3.6	6
1/30/23 12:15	11.9	7.8	150	3.6	6
1/30/23 12:30	11.9	7.8	150	3.6	6
1/30/23 12:45	12	7.8	149	3.6	6
1/30/23 13:00	11.9	7.8	149	3.7	6
1/30/23 13:15	12	7.8	149	3.7	6
1/30/23 13:30	12	7.8	150	3.7	6
1/30/23 13:45	12	7.8	149	3.7	6
1/30/23 14:00	12	7.8	150	3.7	6
1/30/23 14:15	12	7.8	149	3.8	6
1/30/23 14:30	12.1	7.8	149	3.8	6
1/30/23 14:45	12	7.8	149	3.8	6
1/30/23 15:00	12	7.8	149	3.8	6
1/30/23 15:15	12	7.8	149	3.8	6
1/30/23 15:30	12.7	7.9	149	3.7	6
1/30/23 15:45	12.1	7.8	150	3.5	6
1/30/23 16:00	12	7.8	150	3.5	6
1/30/23 16:15	11.9	7.8	150	3.5	6
1/30/23 16:30	11.9	7.7	150	3.5	6
1/30/23 16:45	11.8	7.7	150	3.5	6
1/30/23 17:00	11.8	7.8	150	3.5	6
1/30/23 17:15	11.8	7.7	150	3.5	6
1/30/23 17:30	11.8	7.7	150	3.5	6
1/30/23 17:45	11.8	7.7	150	3.5	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/30/23 18:00	11.8	7.7	150	3.5	6
1/30/23 18:15	11.8	7.8	150	3.5	6
1/30/23 18:30	11.8	7.7	150	3.5	6
1/30/23 18:45	11.8	7.7	150	3.5	6
1/30/23 19:00	11.8	7.7	150	3.5	6
1/30/23 19:15	11.8	7.7	150	3.4	6
1/30/23 19:30	11.8	7.7	150	3.4	6
1/30/23 19:45	11.8	7.7	150	3.4	6
1/30/23 20:00	11.8	7.7	151	3.4	6
1/30/23 20:15	11.8	7.7	151	3.4	6
1/30/23 20:30	11.8	7.7	151	3.4	6
1/30/23 20:45	11.8	7.7	151	3.4	6
1/30/23 21:00	11.8	7.7	151	3.4	6
1/30/23 21:15	11.8	7.7	151	3.4	6
1/30/23 21:30	11.8	7.7	151	3.4	6
1/30/23 21:45	11.8	7.7	151	3.4	6
1/30/23 22:00	11.8	7.7	151	3.4	6
1/30/23 22:15	11.8	7.7	151	3.4	6
1/30/23 22:30	11.8	7.7	151	3.4	6
1/30/23 22:45	11.8	7.7	151	3.4	6
1/30/23 23:00	11.8	7.7	151	3.4	6
1/30/23 23:15	11.8	7.7	151	3.4	6
1/30/23 23:30	11.8	7.7	151	3.4	6
1/30/23 23:45	11.8	7.7	151	3.4	6
1/31/23 0:00	11.8	7.7	152	3.4	6
1/31/23 0:15	11.8	7.7	152	3.4	6
1/31/23 0:30	11.8	7.7	152	3.4	6
1/31/23 0:45	11.8	7.7	152	3.4	6
1/31/23 1:00	11.8	7.7	152	3.4	6
1/31/23 1:15	11.8	7.7	152	3.4	6
1/31/23 1:30	11.8	7.7	152	3.4	6
1/31/23 1:45	11.8	7.7	152	3.4	6
1/31/23 2:00	11.8	7.7	152	3.4	6
1/31/23 2:15	11.8	7.7	152	3.4	6
1/31/23 2:30	11.8	7.7	152	3.4	6
1/31/23 2:45	11.8	7.7	152	3.4	6
1/31/23 3:00	11.7	7.8	152	3.4	6
1/31/23 3:15	11.7	7.7	152	3.4	6
1/31/23 3:30	11.7	7.7	152	3.4	6
1/31/23 3:45	11.7	7.7	152	3.3	6
1/31/23 4:00	11.7	7.7	152	3.3	6
1/31/23 4:15	11.7	7.7	152	3.3	6

Klamath River above Fall Creek near Copco, Daggett Bridge (11511990)



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/31/23 4:30	11.7	7.7	152	3.3	6
1/31/23 4:45	11.7	7.7	152	3.3	6
1/31/23 5:00	11.7	7.7	152	3.3	6
1/31/23 5:15	11.7	7.7	152	3.3	6
1/31/23 5:30	11.7	7.7	152	3.3	6
1/31/23 5:45	11.7	7.7	152	3.3	6
1/31/23 6:00	11.7	7.7	152	3.3	6
1/31/23 6:15	11.6	7.7	152	3.2	6
1/31/23 6:30	11.7	7.7	152	3.2	6
1/31/23 6:45	11.7	7.7	152	3.1	6
1/31/23 7:00	11.7	7.7	152	3.1	6
1/31/23 7:15	11.7	7.7	152	3.1	6
1/31/23 7:30	11.7	7.7	152	3.1	6
1/31/23 7:45	11.7	7.7	152	3.0	6
1/31/23 8:00	11.8	7.7	152	3.0	6
1/31/23 8:15	11.8	7.7	152	3.0	6
1/31/23 8:30	11.9	7.7	152	3.0	6
1/31/23 8:45	11.9	7.7	153	3.0	6
1/31/23 9:00	12	7.7	152	3.0	6
1/31/23 9:15	12	7.7	153	3.0	6
1/31/23 9:30	12.1	7.7	152	3.0	6
1/31/23 9:45	12.2	7.7	152	3.0	6
1/31/23 10:00	12.2	7.7	152	3.0	6
1/31/23 10:15	12.2	7.7	153	3.0	6
1/31/23 10:30	12.2	7.7	152	3.0	6
1/31/23 10:45	12.2	7.7	152	3.0	6
1/31/23 11:00	12.4	7.7	152	3.0	6
1/31/23 11:15	12.5	7.7	152	3.0	6
1/31/23 11:30	12.5	7.8	152	3.1	6
1/31/23 11:45	12.6	7.8	152	3.1	6
1/31/23 12:00	12.9	7.8	152	2.7	7
1/31/23 12:15	13.1	7.8	153	2.6	7
1/31/23 12:30	13.2	7.8	153	2.6	7
1/31/23 12:45	13.2	7.8	153	2.5	7
1/31/23 13:00	13.4	7.9	153	2.5	8
1/31/23 13:15	13.4	7.9	153	2.5	7
1/31/23 13:30	13.4	7.9	153	2.5	7
1/31/23 13:45	13.4	7.9	153	2.5	7
1/31/23 14:00	13.4	7.9	153	2.6	7
1/31/23 14:15	13.5	7.9	153	2.6	7
1/31/23 14:30	13.6	7.9	153	2.6	7
1/31/23 14:45	13.6	7.9	153	2.7	7

**Klamath River above Fall Creek near Copco, Daggett Bridge
(11511990)**



datetime	DO (mg/L)	pH	Specific Conductance	Water Temperature (°C)	Turbidity (FNU)
1/31/23 15:00	13.5	7.9	153	2.7	7
1/31/23 15:15	13.4	7.9	153	2.8	7
1/31/23 15:30	13.5	7.9	153	2.8	7
1/31/23 15:45	13.4	7.9	153	2.8	7
1/31/23 16:00	13.4	7.9	153	2.9	7
1/31/23 16:15	13.4	7.9	153	3.0	7
1/31/23 16:30	13.4	7.9	152	3.1	7
1/31/23 16:45	13.4	7.9	152	3.1	7
1/31/23 17:00	13.4	7.9	152	3.2	7
1/31/23 17:15	13.4	7.9	152	3.2	6
1/31/23 17:30	13.4	7.9	152	3.2	6
1/31/23 17:45	13.3	7.9	152	3.3	6
1/31/23 18:00	13.3	7.9	152	3.3	6
1/31/23 18:15	13.3	7.9	152	3.4	6
1/31/23 18:30	13.3	7.9	152	3.4	6
1/31/23 18:45	13.2	7.9	152	3.4	7
1/31/23 19:00	13.2	7.9	152	3.4	6
1/31/23 19:15	13.2	7.9	152	3.4	6
1/31/23 19:30	13.1	7.9	152	3.3	6
1/31/23 19:45	13.2	7.9	152	3.3	6
1/31/23 20:00	13	7.9	152	3.3	6
1/31/23 20:15	13	7.9	152	3.3	6
1/31/23 20:30	12.9	7.9	152	3.3	6
1/31/23 20:45	12.9	7.8	152	3.3	6
1/31/23 21:00	12.8	7.8	152	3.2	6
1/31/23 21:15	12.8	7.9	152	3.2	7
1/31/23 21:30	12.3	7.8	152	3.3	7
1/31/23 21:45	11.9	7.7	152	3.4	6
1/31/23 22:00	11.7	7.7	152	3.4	6
1/31/23 22:15	11.7	7.7	151	3.4	6
1/31/23 22:30	11.7	7.7	151	3.4	6
1/31/23 22:45	11.7	7.7	151	3.4	6
1/31/23 23:00	11.7	7.7	151	3.4	6
1/31/23 23:15	11.7	7.7	151	3.4	6
1/31/23 23:30	11.6	7.7	151	3.4	6
1/31/23 23:45	11.6	7.7	151	3.4	6



Klamath River below J.C. Boyle Powerplant near Keno, OR (USGS 11510700)

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/1/23 0:00	358	11	8.0	136	6.6	4
1/1/23 0:15	358	11	8.0	136	6.6	4
1/1/23 0:30	358	11	8.0	136	6.6	4
1/1/23 0:45	358	11	8.0	136	6.6	4
1/1/23 1:00	358	11	8.0	136	6.6	4
1/1/23 1:15	358	11	7.9	136	6.6	4
1/1/23 1:30	358	11	8.0	136	6.6	4
1/1/23 1:45	358	11	8.0	136	6.5	4
1/1/23 2:00	358	11	8.0	136	6.5	4
1/1/23 2:15	358	11	8.0	136	6.5	4
1/1/23 2:30	358	11	8.0	136	6.5	4
1/1/23 2:45	358	11	8.0	136	6.4	4
1/1/23 3:00	358	11	8.0	136	6.4	4
1/1/23 3:15	358	11	8.0	136	6.4	4
1/1/23 3:30	358	11	8.0	136	6.4	4
1/1/23 3:45	358	11	8.0	136	6.4	4
1/1/23 4:00	362	11	8.0	136	6.4	4
1/1/23 4:15	487	11.1	8.0	136	6.4	4
1/1/23 4:30	571	11.2	7.9	135	5.9	5
1/1/23 4:45	615	11.4	7.8	134	5.2	6
1/1/23 5:00	615	11.5	7.8	133	4.8	6
1/1/23 5:15	615	11.6	7.8	133	4.6	6
1/1/23 5:30	621	11.6	7.8	133	4.5	6
1/1/23 5:45	621	11.6	7.8	133	4.5	6
1/1/23 6:00	644	11.6	7.8	133	4.5	6
1/1/23 6:15	674	11.6	7.8	133	4.4	6
1/1/23 6:30	674	11.6	7.8	133	4.2	6
1/1/23 6:45	674	11.7	7.8	133	4.2	6
1/1/23 7:00	674	11.7	7.8	133	4.1	6
1/1/23 7:15	674	11.7	7.8	133	4.1	6
1/1/23 7:30	674	11.7	7.8	132	4.1	6
1/1/23 7:45	674	11.7	7.8	132	4.1	6
1/1/23 8:00	680	11.7	7.8	132	4.1	6
1/1/23 8:15	674	11.8	7.8	132	4.1	6
1/1/23 8:30	674	11.8	7.8	132	4.1	6
1/1/23 8:45	674	11.8	7.8	132	4.1	6
1/1/23 9:00	674	11.8	7.9	132	4.1	6
1/1/23 9:15	674	11.8	7.8	132	4.1	6
1/1/23 9:30	674	11.9	7.9	132	4.1	6
1/1/23 9:45	674	11.9	7.8	132	4.1	6
1/1/23 10:00	674	11.9	7.9	132	4.1	6
1/1/23 10:15	674	11.9	7.8	132	4.1	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/1/23 10:30	674	11.9	7.9	132	4.1	6
1/1/23 10:45	674	11.9	7.9	132	4.2	6
1/1/23 11:00	674	11.9	7.9	132	4.2	6
1/1/23 11:15	674	11.9	7.9	132	4.2	6
1/1/23 11:30	674	11.9	7.9	132	4.3	6
1/1/23 11:45	674	11.9	7.9	132	4.3	6
1/1/23 12:00	674	11.9	7.9	132	4.4	6
1/1/23 12:15	674	11.9	7.9	132	4.4	6
1/1/23 12:30	674	11.9	7.9	132	4.4	6
1/1/23 12:45	674	11.9	7.9	132	4.5	6
1/1/23 13:00	674	11.9	7.9	132	4.5	6
1/1/23 13:15	674	11.8	7.9	132	4.5	6
1/1/23 13:30	674	11.8	7.9	132	4.5	6
1/1/23 13:45	674	11.8	7.9	132	4.5	6
1/1/23 14:00	674	11.8	7.9	132	4.5	6
1/1/23 14:15	674	11.8	7.9	132	4.5	6
1/1/23 14:30	674	11.8	7.9	132	4.5	6
1/1/23 14:45	674	11.8	7.9	132	4.5	6
1/1/23 15:00	674	11.8	7.9	132	4.5	6
1/1/23 15:15	674	11.8	7.9	132	4.5	6
1/1/23 15:30	668	11.7	7.9	132	4.5	6
1/1/23 15:45	674	11.8	7.9	132	4.4	6
1/1/23 16:00	674	11.8	7.9	132	4.4	6
1/1/23 16:15	674	11.7	7.9	132	4.4	6
1/1/23 16:30	674	11.7	7.9	132	4.4	6
1/1/23 16:45	674	11.7	7.9	132	4.4	6
1/1/23 17:00	674	11.7	7.9	132	4.4	6
1/1/23 17:15	674	11.7	7.8	132	4.4	6
1/1/23 17:30	674	11.7	7.9	132	4.4	6
1/1/23 17:45	674	11.7	7.8	132	4.4	6
1/1/23 18:00	674	11.7	7.8	132	4.4	6
1/1/23 18:15	674	11.7	7.9	132	4.4	6
1/1/23 18:30	674	11.7	7.8	132	4.4	6
1/1/23 18:45	674	11.7	7.8	132	4.4	6
1/1/23 19:00	674	11.7	7.9	132	4.4	6
1/1/23 19:15	674	11.7	7.8	132	4.4	6
1/1/23 19:30	674	11.7	7.8	131	4.4	6
1/1/23 19:45	674	11.7	7.8	131	4.3	6
1/1/23 20:00	674	11.7	7.8	131	4.3	6
1/1/23 20:15	674	11.7	7.8	131	4.3	6
1/1/23 20:30	674	11.7	7.8	131	4.3	6
1/1/23 20:45	674	11.7	7.9	131	4.3	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/1/23 21:00	674	11.7	7.8	131	4.3	6
1/1/23 21:15	680	11.7	7.8	131	4.3	6
1/1/23 21:30	680	11.7	7.8	131	4.3	6
1/1/23 21:45	680	11.7	7.8	131	4.3	6
1/1/23 22:00	674	11.7	7.8	131	4.3	6
1/1/23 22:15	674	11.7	7.8	131	4.3	6
1/1/23 22:30	674	11.7	7.8	131	4.3	6
1/1/23 22:45	674	11.7	7.8	131	4.3	6
1/1/23 23:00	674	11.7	7.8	131	4.3	6
1/1/23 23:15	680	11.7	7.8	131	4.3	6
1/1/23 23:30	674	11.7	7.8	131	4.2	6
1/1/23 23:45	674	11.7	7.8	131	4.2	6
1/2/23 0:00	674	11.7	7.8	131	4.2	7
1/2/23 0:15	674	11.7	7.8	131	4.2	6
1/2/23 0:30	674	11.7	7.8	131	4.2	7
1/2/23 0:45	674	11.7	7.8	131	4.2	7
1/2/23 1:00	680	11.7	7.8	131	4.2	6
1/2/23 1:15	674	11.7	7.8	131	4.2	7
1/2/23 1:30	674	11.7	7.8	130	4.2	7
1/2/23 1:45	674	11.7	7.8	130	4.2	7
1/2/23 2:00	674	11.7	7.8	130	4.2	7
1/2/23 2:15	674	11.7	7.8	130	4.2	7
1/2/23 2:30	674	11.7	7.8	130	4.2	7
1/2/23 2:45	674	11.7	7.8	130	4.2	7
1/2/23 3:00	674	11.7	7.8	130	4.2	7
1/2/23 3:15	674	11.7	7.8	130	4.2	7
1/2/23 3:30	674	11.7	7.8	130	4.2	7
1/2/23 3:45	674	11.7	7.8	130	4.2	7
1/2/23 4:00	674	11.7	7.8	130	4.2	7
1/2/23 4:15	674	11.7	7.8	130	4.2	7
1/2/23 4:30	674	11.7	7.8	130	4.2	7
1/2/23 4:45	674	11.7	7.8	130	4.2	7
1/2/23 5:00	674	11.7	7.8	130	4.2	7
1/2/23 5:15	674	11.7	7.8	129	4.2	7
1/2/23 5:30	668	11.7	7.8	129	4.2	7
1/2/23 5:45	674	11.7	7.8	129	4.2	7
1/2/23 6:00	674	11.7	7.8	129	4.2	7
1/2/23 6:15	674	11.7	7.8	129	4.2	7
1/2/23 6:30	674	11.7	7.8	129	4.2	7
1/2/23 6:45	674	11.7	7.8	129	4.2	7
1/2/23 7:00	674	11.7	7.8	129	4.2	7
1/2/23 7:15	674	11.7	7.8	129	4.2	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/2/23 7:30	674	11.7	7.8	129	4.2	7
1/2/23 7:45	674	11.7	7.8	129	4.2	7
1/2/23 8:00	674	11.7	7.8	129	4.2	7
1/2/23 8:15	674	11.7	7.8	129	4.2	7
1/2/23 8:30	674	11.7	7.8	129	4.2	7
1/2/23 8:45	674	11.8	7.8	129	4.2	7
1/2/23 9:00	674	11.8	7.8	129	4.2	7
1/2/23 9:15	674	11.8	7.9	129	4.2	7
1/2/23 9:30	674	11.8	7.9	129	4.2	7
1/2/23 9:45	674	11.8	7.8	129	4.3	7
1/2/23 10:00	674	11.8	7.9	129	4.3	7
1/2/23 10:15	674	11.8	7.9	129	4.3	7
1/2/23 10:30	674	11.9	7.9	129	4.3	7
1/2/23 10:45	674	11.9	7.9	129	4.4	7
1/2/23 11:00	674	11.9	7.9	129	4.4	7
1/2/23 11:15	674	11.9	8.0	129	4.4	7
1/2/23 11:30	674	11.9	8.0	129	4.5	7
1/2/23 11:45	674	11.8	7.9	129	4.5	7
1/2/23 12:00	668	11.8	8.0	129	4.5	7
1/2/23 12:15	674	11.8	7.9	129	4.5	7
1/2/23 12:30	674	11.8	7.9	129	4.5	7
1/2/23 12:45	674	11.8	7.9	129	4.5	7
1/2/23 13:00	674	11.8	8.0	129	4.6	7
1/2/23 13:15	674	11.7	7.9	129	4.6	7
1/2/23 13:30	674	11.7	7.9	129	4.6	7
1/2/23 13:45	674	11.7	7.9	129	4.6	7
1/2/23 14:00	674	11.6	7.9	129	4.5	7
1/2/23 14:15	674	11.6	7.9	129	4.5	7
1/2/23 14:30	674	11.7	7.9	129	4.5	7
1/2/23 14:45	674	11.7	7.9	129	4.5	7
1/2/23 15:00	674	11.7	7.9	129	4.5	7
1/2/23 15:15	674	11.7	7.9	129	4.5	7
1/2/23 15:30	674	11.7	7.9	129	4.5	7
1/2/23 15:45	674	11.7	7.9	129	4.5	7
1/2/23 16:00	674	11.6	7.8	129	4.5	7
1/2/23 16:15	674	11.6	7.9	129	4.5	7
1/2/23 16:30	674	11.6	7.8	129	4.5	7
1/2/23 16:45	674	11.6	7.8	129	4.5	7
1/2/23 17:00	674	11.6	7.9	129	4.5	7
1/2/23 17:15	674	11.6	7.8	129	4.5	7
1/2/23 17:30	674	11.6	7.8	129	4.5	7
1/2/23 17:45	674	11.6	7.8	129	4.5	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/2/23 18:00	674	11.6	7.8	129	4.5	8
1/2/23 18:15	674	11.6	7.8	129	4.5	7
1/2/23 18:30	674	11.6	7.8	129	4.5	7
1/2/23 18:45	674	11.6	7.8	129	4.5	7
1/2/23 19:00	674	11.6	7.8	129	4.5	7
1/2/23 19:15	674	11.6	7.8	129	4.5	8
1/2/23 19:30	674	11.6	7.8	129	4.5	7
1/2/23 19:45	674	11.6	7.8	129	4.5	8
1/2/23 20:00	674	11.6	7.8	129	4.5	8
1/2/23 20:15	674	11.6	7.8	129	4.5	8
1/2/23 20:30	674	11.6	7.8	129	4.5	8
1/2/23 20:45	674	11.6	7.8	129	4.5	8
1/2/23 21:00	674	11.6	7.8	129	4.5	8
1/2/23 21:15	674	11.6	7.8	129	4.5	8
1/2/23 21:30	674	11.6	7.8	129	4.5	8
1/2/23 21:45	674	11.6	7.8	129	4.5	8
1/2/23 22:00	674	11.6	7.8	129	4.5	8
1/2/23 22:15	674	11.6	7.8	129	4.5	8
1/2/23 22:30	674	11.6	7.8	129	4.5	8
1/2/23 22:45	674	11.6	7.8	129	4.5	8
1/2/23 23:00	668	11.6	7.8	129	4.5	8
1/2/23 23:15	674	11.6	7.8	129	4.5	8
1/2/23 23:30	674	11.6	7.8	129	4.5	8
1/2/23 23:45	674	11.6	7.8	129	4.5	8
1/3/23 0:00	674	11.6	7.8	129	4.5	8
1/3/23 0:15	674	11.6	7.8	129	4.5	8
1/3/23 0:30	674	11.6	7.8	129	4.5	8
1/3/23 0:45	674	11.6	7.8	129	4.5	8
1/3/23 1:00	674	11.6	7.8	129	4.5	8
1/3/23 1:15	674	11.6	7.8	129	4.5	8
1/3/23 1:30	674	11.6	7.8	129	4.5	8
1/3/23 1:45	674	11.6	7.8	129	4.5	8
1/3/23 2:00	674	11.6	7.8	129	4.5	8
1/3/23 2:15	674	11.6	7.8	128	4.5	8
1/3/23 2:30	674	11.6	7.8	128	4.5	8
1/3/23 2:45	674	11.6	7.8	128	4.5	8
1/3/23 3:00	674	11.6	7.8	128	4.5	8
1/3/23 3:15	674	11.6	7.8	128	4.5	8
1/3/23 3:30	674	11.6	7.8	128	4.5	8
1/3/23 3:45	674	11.6	7.8	128	4.5	8
1/3/23 4:00	674	11.6	7.8	128	4.4	8
1/3/23 4:15	674	11.7	7.8	128	4.4	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/3/23 4:30	674	11.7	7.8	128	4.4	8
1/3/23 4:45	674	11.7	7.8	128	4.4	8
1/3/23 5:00	674	11.7	7.8	128	4.4	8
1/3/23 5:15	674	11.7	7.8	128	4.4	8
1/3/23 5:30	674	11.7	7.8	128	4.4	8
1/3/23 5:45	674	11.7	7.8	129	4.3	8
1/3/23 6:00	674	11.7	7.8	129	4.3	8
1/3/23 6:15	674	11.7	7.8	129	4.3	8
1/3/23 6:30	674	11.7	7.8	129	4.3	8
1/3/23 6:45	674	11.7	7.8	129	4.3	8
1/3/23 7:00	674	11.7	7.8	129	4.3	8
1/3/23 7:15	674	11.7	7.8	129	4.3	8
1/3/23 7:30	674	11.7	7.8	129	4.3	8
1/3/23 7:45	674	11.7	7.8	129	4.3	8
1/3/23 8:00	674	11.7	7.8	129	4.3	8
1/3/23 8:15	668	11.7	7.8	129	4.3	8
1/3/23 8:30	674	11.7	7.8	129	4.3	8
1/3/23 8:45	668	11.7	7.8	129	4.3	7
1/3/23 9:00	674	11.8	7.8	129	4.3	7
1/3/23 9:15	674	11.8	7.8	129	4.3	7
1/3/23 9:30	674	11.8	7.8	129	4.3	8
1/3/23 9:45	674	11.8	7.9	129	4.4	8
1/3/23 10:00	668	11.9	7.9	129	4.4	8
1/3/23 10:15	674	11.9	7.8	129	4.4	7
1/3/23 10:30	668	11.9	7.9	129	4.4	7
1/3/23 10:45	668	11.8	7.9	129	4.4	7
1/3/23 11:00	668	11.9	7.9	129	4.4	7
1/3/23 11:15	668	11.9	7.9	129	4.4	7
1/3/23 11:30	668	11.9	7.9	129	4.4	7
1/3/23 11:45	674	11.9	7.9	129	4.4	7
1/3/23 12:00	674	11.9	7.9	129	4.5	7
1/3/23 12:15	674	11.9	7.9	129	4.5	7
1/3/23 12:30	668	11.8	7.9	129	4.5	7
1/3/23 12:45	674	11.8	7.9	130	4.5	7
1/3/23 13:00	674	11.8	7.9	130	4.5	7
1/3/23 13:15	674	11.8	7.9	130	4.5	7
1/3/23 13:30	674	11.8	7.9	130	4.5	7
1/3/23 13:45	668	11.9	7.9	130	4.5	7
1/3/23 14:00	674	11.9	7.9	130	4.5	7
1/3/23 14:15	674	11.8	7.9	130	4.5	7
1/3/23 14:30	674	11.8	7.9	130	4.5	7
1/3/23 14:45	674	11.8	7.9	130	4.5	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/3/23 15:00	674	11.8	7.9	130	4.5	7
1/3/23 15:15	674	11.8	7.9	130	4.5	7
1/3/23 15:30	674	11.8	7.9	130	4.5	7
1/3/23 15:45	674	11.7	7.9	130	4.5	7
1/3/23 16:00	668	11.7	7.9	130	4.5	7
1/3/23 16:15	668	11.7	7.9	130	4.5	7
1/3/23 16:30	674	11.7	7.9	130	4.5	7
1/3/23 16:45	674	11.7	7.8	130	4.5	7
1/3/23 17:00	674	11.6	7.9	130	4.5	7
1/3/23 17:15	674	11.6	7.8	130	4.5	7
1/3/23 17:30	674	11.6	7.8	130	4.5	7
1/3/23 17:45	668	11.6	7.9	130	4.5	7
1/3/23 18:00	674	11.6	7.8	130	4.5	7
1/3/23 18:15	674	11.6	7.8	130	4.5	7
1/3/23 18:30	668	11.6	7.8	130	4.4	7
1/3/23 18:45	668	11.6	7.8	130	4.4	7
1/3/23 19:00	674	11.7	7.8	130	4.4	7
1/3/23 19:15	674	11.7	7.8	130	4.4	7
1/3/23 19:30	668	11.7	7.8	131	4.4	7
1/3/23 19:45	674	11.7	7.8	131	4.4	7
1/3/23 20:00	674	11.7	7.8	131	4.4	7
1/3/23 20:15	674	11.7	7.8	131	4.4	7
1/3/23 20:30	674	11.7	7.8	131	4.4	7
1/3/23 20:45	674	11.7	7.8	131	4.4	7
1/3/23 21:00	674	11.7	7.8	131	4.4	7
1/3/23 21:15	674	11.7	7.8	131	4.3	7
1/3/23 21:30	674	11.7	7.8	131	4.3	7
1/3/23 21:45	674	11.7	7.8	131	4.3	7
1/3/23 22:00	674	11.7	7.8	131	4.3	7
1/3/23 22:15	674	11.7	7.8	131	4.3	7
1/3/23 22:30	674	11.7	7.8	131	4.3	7
1/3/23 22:45	674	11.7	7.8	131	4.3	7
1/3/23 23:00	674	11.7	7.8	131	4.3	7
1/3/23 23:15	674	11.7	7.8	131	4.3	7
1/3/23 23:30	674	11.7	7.8	131	4.3	7
1/3/23 23:45	668	11.7	7.8	131	4.2	7
1/4/23 0:00	604	11.7	7.8	131	4.2	7
1/4/23 0:15	533	11.7	7.8	131	4.4	7
1/4/23 0:30	453	11.6	7.9	132	4.6	7
1/4/23 0:45	358	11.4	7.8	132	4.8	6
1/4/23 1:00	354	11.3	7.9	133	5.3	6
1/4/23 1:15	354	11.1	8.0	134	5.8	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/4/23 1:30	354	11	7.9	134	6.1	5
1/4/23 1:45	354	11	8.0	135	6.2	4
1/4/23 2:00	354	11	8.0	135	6.3	4
1/4/23 2:15	354	11	8.0	135	6.4	4
1/4/23 2:30	354	11	8.0	135	6.4	4
1/4/23 2:45	354	11	8.0	135	6.4	4
1/4/23 3:00	354	11	8.0	135	6.4	4
1/4/23 3:15	354	11	8.0	135	6.4	4
1/4/23 3:30	354	11	8.0	135	6.4	4
1/4/23 3:45	354	11	8.0	135	6.4	4
1/4/23 4:00	354	11	7.9	135	6.4	4
1/4/23 4:15	354	11	8.0	135	6.4	4
1/4/23 4:30	354	11	8.0	135	6.4	4
1/4/23 4:45	354	11	8.0	135	6.4	4
1/4/23 5:00	354	11	8.0	135	6.4	4
1/4/23 5:15	354	11	8.0	135	6.4	4
1/4/23 5:30	354	11	8.0	135	6.4	4
1/4/23 5:45	354	11	8.0	135	6.4	4
1/4/23 6:00	354	11	8.0	135	6.4	4
1/4/23 6:15	354	11	8.0	135	6.4	4
1/4/23 6:30	354	11	8.0	135	6.4	4
1/4/23 6:45	354	11	8.0	135	6.4	4
1/4/23 7:00	354	11	8.0	135	6.4	4
1/4/23 7:15	354	11	8.0	135	6.4	4
1/4/23 7:30	354	11	7.9	135	6.4	4
1/4/23 7:45	358	11	8.0	135	6.4	4
1/4/23 8:00	354	11	8.0	135	6.5	4
1/4/23 8:15	358	11	8.0	135	6.5	4
1/4/23 8:30	358	11	8.0	135	6.5	4
1/4/23 8:45	354	11	8.0	135	6.5	4
1/4/23 9:00	354	11	8.0	135	6.5	4
1/4/23 9:15	354	11	8.0	135	6.5	4
1/4/23 9:30	354	11	8.0	135	6.5	4
1/4/23 9:45	354	11.1	8.0	135	6.5	4
1/4/23 10:00	354	11.1	8.0	135	6.6	4
1/4/23 10:15	354	11.2	8.0	135	6.6	4
1/4/23 10:30	354	11.3	8.1	135	6.6	4
1/4/23 10:45	358	11.3	8.1	135	6.6	4
1/4/23 11:00	354	11.3	8.1	135	6.6	4
1/4/23 11:15	354	11.3	8.1	135	6.7	4
1/4/23 11:30	354	11.3	8.2	135	6.7	4
1/4/23 11:45	354	11.3	8.2	135	6.8	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/4/23 12:00	354	11.3	8.2	135	6.8	4
1/4/23 12:15	358	11.3	8.2	135	6.8	4
1/4/23 12:30	358	11.3	8.2	135	6.8	4
1/4/23 12:45	354	11.3	8.2	135	6.9	4
1/4/23 13:00	358	11.2	8.2	135	6.9	4
1/4/23 13:15	358	11.2	8.2	135	6.9	4
1/4/23 13:30	358	11.1	8.2	135	6.9	4
1/4/23 13:45	358	11.1	8.2	135	6.9	4
1/4/23 14:00	358	11.2	8.2	135	6.9	4
1/4/23 14:15	384	11.2	8.2	135	6.9	4
1/4/23 14:30	497	11.2	8.2	135	6.9	4
1/4/23 14:45	582	11.3	8.1	133	6.3	5
1/4/23 15:00	674	11.4	8.0	132	5.6	6
1/4/23 15:15	748	11.6	8.0	131	4.9	7
1/4/23 15:30	867	11.8	7.9	131	4.4	7
1/4/23 15:45	1020	11.8	7.8	130	4.0	8
1/4/23 16:00	1160	11.9	7.8	130	3.6	8
1/4/23 16:15	1240	11.9	7.8	130	3.4	9
1/4/23 16:30	1360	11.9	7.7	130	3.2	9
1/4/23 16:45	1540	12.1	7.7	130	3.0	9
1/4/23 17:00	1660	12.2	7.7	130	2.8	9
1/4/23 17:15	1660	12.2	7.7	130	2.8	9
1/4/23 17:30	1670	12.2	7.7	130	2.7	9
1/4/23 17:45	1660	12.2	7.7	130	2.7	9
1/4/23 18:00	1640	12.2	7.7	130	2.7	9
1/4/23 18:15	1660	12.2	7.7	130	2.7	9
1/4/23 18:30	1650	12.2	7.7	130	2.7	9
1/4/23 18:45	1660	12.2	7.7	130	2.7	9
1/4/23 19:00	1660	12.1	7.7	130	2.7	9
1/4/23 19:15	1660	12.1	7.7	130	2.7	9
1/4/23 19:30	1660	12.1	7.7	130	2.7	9
1/4/23 19:45	1660	12.1	7.7	130	2.8	9
1/4/23 20:00	1660	12.1	7.7	130	2.7	9
1/4/23 20:15	1660	12.1	7.7	130	2.7	9
1/4/23 20:30	1660	12.1	7.7	130	2.7	9
1/4/23 20:45	1670	12.1	7.7	130	2.7	9
1/4/23 21:00	1670	12.1	7.7	130	2.7	9
1/4/23 21:15	1680	12.1	7.7	130	2.7	9
1/4/23 21:30	1670	12.1	7.7	130	2.7	9
1/4/23 21:45	1660	12.1	7.7	130	2.7	9
1/4/23 22:00	1650	12.1	7.7	130	2.7	9
1/4/23 22:15	1560	12.1	7.7	130	2.7	9

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/4/23 22:30	1410	12	7.7	130	2.8	9
1/4/23 22:45	1280	12	7.7	131	2.9	8
1/4/23 23:00	1150	11.9	7.7	131	3.1	8
1/4/23 23:15	1030	11.9	7.8	131	3.2	8
1/4/23 23:30	909	11.8	7.7	131	3.4	8
1/4/23 23:45	799	11.7	7.8	131	3.6	8
1/5/23 0:00	698	11.7	7.8	131	3.8	8
1/5/23 0:15	615	11.6	7.8	131	4.1	7
1/5/23 0:30	560	11.4	7.8	131	4.4	7
1/5/23 0:45	502	11.4	7.9	132	4.7	7
1/5/23 1:00	375	11.2	7.9	131	4.9	7
1/5/23 1:15	371	11.1	7.9	132	5.4	6
1/5/23 1:30	367	11	8.0	132	6.0	6
1/5/23 1:45	367	10.8	7.9	132	6.3	6
1/5/23 2:00	371	10.8	8.0	133	6.4	5
1/5/23 2:15	367	10.8	7.9	133	6.5	5
1/5/23 2:30	367	10.8	8.0	133	6.6	5
1/5/23 2:45	362	10.8	7.9	133	6.6	6
1/5/23 3:00	362	10.8	8.0	133	6.6	7
1/5/23 3:15	362	10.8	7.9	133	6.6	7
1/5/23 3:30	362	10.8	8.0	133	6.6	6
1/5/23 3:45	362	10.8	8.0	134	6.6	6
1/5/23 4:00	362	10.8	8.0	134	6.7	5
1/5/23 4:15	362	10.8	7.9	134	6.7	5
1/5/23 4:30	358	10.8	8.0	134	6.7	5
1/5/23 4:45	362	10.8	8.0	134	6.7	5
1/5/23 5:00	358	10.8	8.0	134	6.7	5
1/5/23 5:15	358	10.8	7.9	134	6.7	5
1/5/23 5:30	358	10.8	8.0	134	6.7	5
1/5/23 5:45	358	10.8	8.0	134	6.7	5
1/5/23 6:00	358	10.8	7.9	134	6.7	5
1/5/23 6:15	358	10.8	8.0	135	6.7	5
1/5/23 6:30	358	10.8	8.0	135	6.6	5
1/5/23 6:45	358	10.8	8.0	135	6.6	5
1/5/23 7:00	358	10.8	8.0	135	6.6	5
1/5/23 7:15	358	10.8	8.0	135	6.6	4
1/5/23 7:30	358	10.8	8.0	135	6.6	4
1/5/23 7:45	358	10.8	8.0	135	6.6	4
1/5/23 8:00	358	10.8	8.0	135	6.6	4
1/5/23 8:15	358	10.8	8.0	135	6.6	4
1/5/23 8:30	358	10.9	8.0	135	6.7	4
1/5/23 8:45	358	10.9	8.0	135	6.7	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/5/23 9:00	358	10.9	8.0	135	6.7	4
1/5/23 9:15	358	10.9	8.0	135	6.7	4
1/5/23 9:30	358	10.9	8.0	135	6.7	4
1/5/23 9:45	358	11	8.0	135	6.7	4
1/5/23 10:00	358	11	8.1	135	6.8	4
1/5/23 10:15	358	11.1	8.1	135	6.8	4
1/5/23 10:30	358	11.2	8.1	135	6.8	4
1/5/23 10:45	358	11.2	8.2	135	6.9	4
1/5/23 11:00	358	11.3	8.2	135	7.0	4
1/5/23 11:15	358	11.3	8.2	135	7.0	4
1/5/23 11:30	358	11.3	8.2	135	7.1	4
1/5/23 11:45	358	11.2	8.2	135	7.1	4
1/5/23 12:00	358	11.2	8.2	135	7.1	4
1/5/23 12:15	358	11.2	8.2	135	7.1	4
1/5/23 12:30	358	11.2	8.2	135	7.1	4
1/5/23 12:45	358	11.2	8.2	135	7.1	4
1/5/23 13:00	358	11.2	8.2	135	7.2	4
1/5/23 13:15	358	11.1	8.2	135	7.2	4
1/5/23 13:30	358	11.1	8.2	135	7.2	4
1/5/23 13:45	358	11.1	8.2	135	7.2	4
1/5/23 14:00	358	11.1	8.2	135	7.2	4
1/5/23 14:15	358	11	8.2	135	7.2	4
1/5/23 14:30	477	11	8.2	135	7.2	4
1/5/23 14:45	560	11.1	8.1	135	6.7	5
1/5/23 15:00	656	11.3	8.0	133	6.0	6
1/5/23 15:15	735	11.5	8.0	133	5.3	7
1/5/23 15:30	819	11.6	7.9	132	4.8	7
1/5/23 15:45	973	11.7	7.9	132	4.4	8
1/5/23 16:00	1130	11.8	7.8	132	4.0	8
1/5/23 16:15	1260	11.8	7.7	132	3.6	8
1/5/23 16:30	1320	11.9	7.8	132	3.4	8
1/5/23 16:45	1480	12	7.8	132	3.2	8
1/5/23 17:00	1660	12.2	7.7	132	3.0	8
1/5/23 17:15	1690	12.3	7.7	132	2.8	8
1/5/23 17:30	1690	12.3	7.7	132	2.7	8
1/5/23 17:45	1710	12.3	7.7	132	2.7	8
1/5/23 18:00	1710	12.3	7.7	132	2.7	8
1/5/23 18:15	1710	12.3	7.7	132	2.7	8
1/5/23 18:30	1690	12.3	7.7	132	2.7	8
1/5/23 18:45	1690	12.3	7.7	132	2.7	8
1/5/23 19:00	1690	12.3	7.7	132	2.7	8
1/5/23 19:15	1710	12.3	7.7	132	2.7	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/5/23 19:30	1690	12.3	7.7	132	2.7	8
1/5/23 19:45	1710	12.3	7.7	132	2.6	9
1/5/23 20:00	1690	12.3	7.7	132	2.6	9
1/5/23 20:15	1690	12.3	7.7	132	2.6	9
1/5/23 20:30	1710	12.3	7.7	132	2.6	9
1/5/23 20:45	1710	12.3	7.7	132	2.6	8
1/5/23 21:00	1690	12.3	7.7	132	2.6	8
1/5/23 21:15	1710	12.3	7.7	133	2.6	8
1/5/23 21:30	1690	12.3	7.7	133	2.6	8
1/5/23 21:45	1690	12.3	7.7	133	2.6	8
1/5/23 22:00	1690	12.3	7.7	133	2.6	8
1/5/23 22:15	1600	12.3	7.7	133	2.6	8
1/5/23 22:30	1450	12.2	7.7	133	2.7	8
1/5/23 22:45	1310	12.2	7.7	133	2.8	8
1/5/23 23:00	1180	12.1	7.7	133	2.9	8
1/5/23 23:15	1060	12.1	7.8	134	3.1	8
1/5/23 23:30	959	12	7.7	134	3.2	7
1/5/23 23:45	833	12	7.8	134	3.4	7
1/6/23 0:00	735	11.9	7.8	134	3.6	7
1/6/23 0:15	644	11.8	7.8	134	3.8	7
1/6/23 0:30	565	11.7	7.8	134	4.1	7
1/6/23 0:45	492	11.6	7.8	135	4.4	6
1/6/23 1:00	362	11.5	7.8	135	4.6	6
1/6/23 1:15	354	11.4	7.9	135	5.1	5
1/6/23 1:30	354	11.2	7.9	136	5.8	5
1/6/23 1:45	354	11.1	7.9	136	6.1	4
1/6/23 2:00	354	11	8.0	136	6.2	4
1/6/23 2:15	354	11	8.0	136	6.3	4
1/6/23 2:30	354	11	8.0	136	6.4	4
1/6/23 2:45	354	11	7.9	136	6.4	4
1/6/23 3:00	354	11	8.0	136	6.4	4
1/6/23 3:15	354	11	8.0	137	6.4	4
1/6/23 3:30	354	11	8.0	137	6.5	4
1/6/23 3:45	354	11	8.0	137	6.5	4
1/6/23 4:00	354	11	8.0	137	6.5	4
1/6/23 4:15	358	11	8.0	137	6.5	4
1/6/23 4:30	354	11	8.0	137	6.5	4
1/6/23 4:45	354	11	8.0	137	6.5	4
1/6/23 5:00	354	11	8.0	137	6.5	4
1/6/23 5:15	354	11	8.0	137	6.5	4
1/6/23 5:30	354	11	8.0	137	6.5	4
1/6/23 5:45	354	11	8.0	137	6.5	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/6/23 6:00	354	11	8.0	137	6.5	4
1/6/23 6:15	354	11	8.0	137	6.5	4
1/6/23 6:30	354	11	7.9	137	6.5	4
1/6/23 6:45	354	11	8.0	137	6.5	4
1/6/23 7:00	354	11	8.0	137	6.5	4
1/6/23 7:15	354	11	8.0	137	6.5	4
1/6/23 7:30	354	11	8.0	137	6.5	4
1/6/23 7:45	354	11	8.0	137	6.5	4
1/6/23 8:00	354	11.1	8.0	137	6.5	4
1/6/23 8:15	358	11.1	8.0	137	6.6	4
1/6/23 8:30	354	11.1	8.0	137	6.6	4
1/6/23 8:45	354	11.2	8.0	137	6.6	4
1/6/23 9:00	354	11.2	8.0	137	6.6	4
1/6/23 9:15	354	11.3	8.1	137	6.6	4
1/6/23 9:30	358	11.3	8.0	137	6.6	4
1/6/23 9:45	354	11.4	8.1	137	6.6	4
1/6/23 10:00	354	11.4	8.1	137	6.7	4
1/6/23 10:15	354	11.4	8.1	137	6.7	4
1/6/23 10:30	354	11.4	8.2	137	6.7	4
1/6/23 10:45	354	11.3	8.1	137	6.7	4
1/6/23 11:00	354	11.3	8.1	137	6.7	4
1/6/23 11:15	354	11.3	8.2	137	6.7	4
1/6/23 11:30	358	11.3	8.1	137	6.8	4
1/6/23 11:45	354	11.3	8.2	137	6.8	4
1/6/23 12:00	358	11.4	8.2	137	6.8	4
1/6/23 12:15	354	11.4	8.2	137	6.8	4
1/6/23 12:30	354	11.4	8.2	137	6.9	4
1/6/23 12:45	358	11.4	8.2	137	6.9	4
1/6/23 13:00	358	11.4	8.2	137	6.9	4
1/6/23 13:15	354	11.4	8.2	137	6.9	4
1/6/23 13:30	358	11.4	8.2	137	7.0	4
1/6/23 13:45	354	11.4	8.2	137	7.0	4
1/6/23 14:00	354	11.4	8.2	137	7.0	4
1/6/23 14:15	358	11.4	8.2	137	7.0	4
1/6/23 14:30	458	11.3	8.2	137	7.0	4
1/6/23 14:45	533	11.3	8.2	137	6.8	4
1/6/23 15:00	621	11.5	8.0	136	6.0	5
1/6/23 15:15	716	11.6	8.0	136	5.3	6
1/6/23 15:30	773	11.8	7.9	135	4.8	6
1/6/23 15:45	902	11.9	7.8	135	4.4	7
1/6/23 16:00	1050	11.9	7.8	135	4.0	7
1/6/23 16:15	1210	11.9	7.8	135	3.6	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/6/23 16:30	1280	12	7.8	135	3.5	7
1/6/23 16:45	1390	12	7.8	135	3.4	8
1/6/23 17:00	1580	12.2	7.7	135	3.2	8
1/6/23 17:15	1670	12.2	7.7	134	3.0	8
1/6/23 17:30	1630	12.2	7.7	134	3.0	8
1/6/23 17:45	1670	12.2	7.7	134	2.9	8
1/6/23 18:00	1680	12.2	7.7	134	2.9	8
1/6/23 18:15	1680	12.2	7.7	134	2.9	8
1/6/23 18:30	1660	12.2	7.7	134	2.9	8
1/6/23 18:45	1670	12.2	7.7	134	2.9	8
1/6/23 19:00	1670	12.2	7.7	134	2.9	8
1/6/23 19:15	1670	12.2	7.7	134	2.9	8
1/6/23 19:30	1670	12.2	7.7	134	2.9	8
1/6/23 19:45	1670	12.2	7.7	134	2.9	8
1/6/23 20:00	1680	12.2	7.7	134	2.9	8
1/6/23 20:15	1680	12.2	7.7	134	2.9	8
1/6/23 20:30	1670	12.2	7.7	134	2.9	8
1/6/23 20:45	1670	12.2	7.7	134	2.9	8
1/6/23 21:00	1660	12.2	7.7	134	2.9	8
1/6/23 21:15	1640	12.2	7.7	134	2.9	8
1/6/23 21:30	1510	12.2	7.7	134	2.9	8
1/6/23 21:45	1380	12.2	7.7	134	3.0	8
1/6/23 22:00	1240	12.1	7.7	134	3.1	8
1/6/23 22:15	1110	12	7.8	134	3.3	8
1/6/23 22:30	996	12	7.8	134	3.4	8
1/6/23 22:45	874	11.9	7.8	134	3.6	7
1/6/23 23:00	767	11.9	7.8	134	3.8	7
1/6/23 23:15	686	11.8	7.8	134	4.0	7
1/6/23 23:30	604	11.7	7.8	135	4.2	7
1/6/23 23:45	544	11.6	7.8	135	4.5	6
1/7/23 0:00	380	11.5	7.9	135	4.7	6
1/7/23 0:15	354	11.4	7.9	136	5.0	6
1/7/23 0:30	354	11.2	7.9	136	5.8	5
1/7/23 0:45	354	11	7.9	137	6.2	4
1/7/23 1:00	354	11	8.0	137	6.4	4
1/7/23 1:15	354	11	8.0	137	6.5	4
1/7/23 1:30	354	10.9	8.0	137	6.6	4
1/7/23 1:45	354	10.9	8.0	137	6.7	4
1/7/23 2:00	354	10.9	8.0	137	6.7	4
1/7/23 2:15	354	10.9	8.0	137	6.7	4
1/7/23 2:30	354	10.9	8.0	137	6.8	4
1/7/23 2:45	354	10.9	7.9	137	6.8	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/7/23 3:00	354	10.9	8.0	137	6.8	4
1/7/23 3:15	354	10.9	8.0	137	6.8	4
1/7/23 3:30	354	10.9	8.0	137	6.8	4
1/7/23 3:45	354	10.9	8.0	137	6.8	4
1/7/23 4:00	358	10.9	8.0	137	6.8	4
1/7/23 4:15	354	10.9	8.0	137	6.8	4
1/7/23 4:30	354	10.9	8.0	137	6.8	4
1/7/23 4:45	354	10.9	8.0	137	6.8	4
1/7/23 5:00	354	10.9	8.0	137	6.8	4
1/7/23 5:15	354	10.9	8.0	137	6.9	4
1/7/23 5:30	354	10.9	8.0	137	6.9	4
1/7/23 5:45	354	10.9	8.0	137	6.9	4
1/7/23 6:00	354	10.9	8.0	137	6.9	4
1/7/23 6:15	354	10.9	8.0	137	6.9	4
1/7/23 6:30	354	10.9	8.0	137	6.9	4
1/7/23 6:45	354	10.9	8.0	137	6.9	4
1/7/23 7:00	354	10.9	8.0	137	6.9	4
1/7/23 7:15	354	10.9	8.0	137	6.9	4
1/7/23 7:30	354	10.9	8.0	137	6.9	4
1/7/23 7:45	358	10.9	8.0	137	6.9	4
1/7/23 8:00	354	10.9	8.0	137	6.9	4
1/7/23 8:15	354	10.9	8.0	137	6.9	4
1/7/23 8:30	358	10.9	8.0	137	6.9	4
1/7/23 8:45	354	11	8.0	137	6.9	4
1/7/23 9:00	354	11	8.0	137	6.9	4
1/7/23 9:15	354	11.1	8.0	136	6.9	4
1/7/23 9:30	354	11.1	8.1	136	6.9	4
1/7/23 9:45	354	11.2	8.1	136	6.9	4
1/7/23 10:00	354	11.2	8.1	136	6.9	4
1/7/23 10:15	354	11.2	8.1	136	7.0	4
1/7/23 10:30	354	11.3	8.1	136	7.0	4
1/7/23 10:45	354	11.3	8.2	136	7.0	4
1/7/23 11:00	354	11.3	8.2	136	7.1	4
1/7/23 11:15	358	11.3	8.2	136	7.1	4
1/7/23 11:30	354	11.3	8.2	136	7.1	4
1/7/23 11:45	358	11.3	8.2	136	7.1	4
1/7/23 12:00	354	11.2	8.2	136	7.1	4
1/7/23 12:15	358	11.2	8.2	136	7.1	4
1/7/23 12:30	354	11.2	8.2	136	7.1	4
1/7/23 12:45	354	11.2	8.2	136	7.2	4
1/7/23 13:00	354	11.2	8.2	136	7.2	4
1/7/23 13:15	358	11.2	8.2	136	7.2	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/7/23 13:30	358	11.2	8.2	136	7.2	4
1/7/23 13:45	354	11.2	8.2	136	7.2	4
1/7/23 14:00	354	11.1	8.2	136	7.2	4
1/7/23 14:15	467	11.1	8.2	136	7.2	4
1/7/23 14:30	539	11.2	8.2	136	6.9	5
1/7/23 14:45	633	11.3	8.0	135	6.2	6
1/7/23 15:00	716	11.5	8.0	134	5.5	6
1/7/23 15:15	780	11.6	7.9	134	5.0	7
1/7/23 15:30	923	11.7	7.8	134	4.7	7
1/7/23 15:45	1080	11.7	7.8	133	4.3	8
1/7/23 16:00	1230	11.8	7.8	133	4.0	8
1/7/23 16:15	1290	11.8	7.8	132	3.8	9
1/7/23 16:30	1420	11.9	7.8	132	3.6	9
1/7/23 16:45	1620	12.1	7.8	132	3.4	9
1/7/23 17:00	1710	12.1	7.7	132	3.2	9
1/7/23 17:15	1710	12.2	7.7	132	3.2	9
1/7/23 17:30	1710	12.2	7.7	132	3.2	9
1/7/23 17:45	1710	12.1	7.7	132	3.1	9
1/7/23 18:00	1690	12.1	7.7	132	3.1	9
1/7/23 18:15	1690	12.1	7.7	132	3.1	9
1/7/23 18:30	1690	12.1	7.7	132	3.1	9
1/7/23 18:45	1690	12.1	7.7	132	3.1	9
1/7/23 19:00	1680	12.1	7.7	132	3.1	9
1/7/23 19:15	1690	12.1	7.7	132	3.0	9
1/7/23 19:30	1720	12.1	7.7	132	3.0	9
1/7/23 19:45	1720	12.1	7.7	132	3.0	9
1/7/23 20:00	1720	12.1	7.7	131	3.0	9
1/7/23 20:15	1720	12.1	7.7	131	3.0	9
1/7/23 20:30	1730	12.1	7.7	131	3.0	9
1/7/23 20:45	1720	12.1	7.7	131	3.0	9
1/7/23 21:00	1710	12.1	7.7	131	3.0	9
1/7/23 21:15	1540	12.1	7.7	131	3.0	9
1/7/23 21:30	1390	12	7.7	132	3.1	9
1/7/23 21:45	1240	12	7.7	132	3.2	9
1/7/23 22:00	1120	11.9	7.7	132	3.4	9
1/7/23 22:15	1010	11.9	7.8	132	3.5	9
1/7/23 22:30	888	11.8	7.7	132	3.6	8
1/7/23 22:45	780	11.8	7.8	133	3.8	8
1/7/23 23:00	680	11.7	7.8	133	4.0	8
1/7/23 23:15	598	11.6	7.8	133	4.3	7
1/7/23 23:30	528	11.5	7.8	134	4.6	7
1/7/23 23:45	439	11.4	7.9	134	4.9	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/8/23 0:00	358	11.2	7.9	134	5.1	6
1/8/23 0:15	354	11.1	7.9	135	5.6	6
1/8/23 0:30	354	10.9	7.9	136	6.2	5
1/8/23 0:45	354	10.8	8.0	136	6.4	5
1/8/23 1:00	354	10.8	8.0	136	6.6	4
1/8/23 1:15	354	10.8	8.0	136	6.6	4
1/8/23 1:30	354	10.8	8.0	136	6.7	4
1/8/23 1:45	354	10.8	8.0	136	6.7	4
1/8/23 2:00	354	10.8	8.0	136	6.8	4
1/8/23 2:15	358	10.8	8.0	136	6.8	4
1/8/23 2:30	354	10.8	8.0	136	6.8	4
1/8/23 2:45	354	10.8	8.0	136	6.8	4
1/8/23 3:00	358	10.8	8.0	136	6.8	4
1/8/23 3:15	358	10.8	8.0	136	6.8	4
1/8/23 3:30	358	10.8	8.0	136	6.8	4
1/8/23 3:45	358	10.8	8.0	136	6.8	4
1/8/23 4:00	358	10.8	8.0	136	6.8	4
1/8/23 4:15	358	10.8	8.0	136	6.8	4
1/8/23 4:30	358	10.8	8.0	136	6.8	4
1/8/23 4:45	358	10.8	8.0	136	6.8	4
1/8/23 5:00	358	10.8	8.0	136	6.8	4
1/8/23 5:15	358	10.8	8.0	136	6.8	4
1/8/23 5:30	358	10.8	8.0	136	6.8	4
1/8/23 5:45	358	10.8	8.0	136	6.7	4
1/8/23 6:00	354	10.8	8.0	136	6.7	4
1/8/23 6:15	354	10.8	8.0	136	6.7	4
1/8/23 6:30	354	10.8	8.0	136	6.7	4
1/8/23 6:45	354	10.8	8.0	136	6.7	4
1/8/23 7:00	354	10.8	8.0	136	6.7	4
1/8/23 7:15	354	10.8	8.0	136	6.7	4
1/8/23 7:30	354	10.8	8.0	136	6.8	4
1/8/23 7:45	354	10.8	8.0	136	6.8	4
1/8/23 8:00	354	10.8	8.0	136	6.8	4
1/8/23 8:15	354	10.8	8.0	136	6.8	4
1/8/23 8:30	354	10.9	8.0	136	6.8	4
1/8/23 8:45	354	10.9	8.0	136	6.8	4
1/8/23 9:00	358	11	8.0	136	6.8	4
1/8/23 9:15	354	11.1	8.0	136	6.8	4
1/8/23 9:30	354	11.1	8.1	136	6.8	4
1/8/23 9:45	358	11.1	8.1	136	6.8	4
1/8/23 10:00	358	11.1	8.1	136	6.8	4
1/8/23 10:15	358	11.1	8.1	136	6.8	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/8/23 10:30	354	11.1	8.1	136	6.9	4
1/8/23 10:45	354	11.2	8.1	136	6.9	4
1/8/23 11:00	358	11.2	8.1	136	6.9	4
1/8/23 11:15	354	11.2	8.2	136	6.9	4
1/8/23 11:30	358	11.2	8.1	136	6.9	4
1/8/23 11:45	358	11.2	8.2	136	7.0	4
1/8/23 12:00	354	11.2	8.2	136	7.0	4
1/8/23 12:15	354	11.2	8.2	136	7.0	4
1/8/23 12:30	354	11.2	8.2	136	7.0	4
1/8/23 12:45	354	11.2	8.2	136	7.1	4
1/8/23 13:00	354	11.2	8.2	136	7.1	4
1/8/23 13:15	354	11.2	8.2	136	7.1	4
1/8/23 13:30	354	11.2	8.2	136	7.1	4
1/8/23 13:45	354	11.2	8.2	136	7.1	4
1/8/23 14:00	358	11.1	8.2	136	7.1	4
1/8/23 14:15	472	11.1	8.2	136	7.2	4
1/8/23 14:30	549	11.2	8.1	135	6.7	5
1/8/23 14:45	644	11.4	8.0	134	6.0	6
1/8/23 15:00	729	11.5	8.0	134	5.4	7
1/8/23 15:15	793	11.7	7.9	133	4.9	7
1/8/23 15:30	937	11.8	7.8	133	4.6	8
1/8/23 15:45	1100	11.8	7.8	133	4.2	8
1/8/23 16:00	1240	11.8	7.8	132	3.9	9
1/8/23 16:15	1290	11.9	7.7	132	3.7	9
1/8/23 16:30	1420	12	7.7	132	3.5	9
1/8/23 16:45	1610	12.1	7.7	132	3.3	9
1/8/23 17:00	1650	12.2	7.7	132	3.2	9
1/8/23 17:15	1650	12.2	7.7	132	3.2	9
1/8/23 17:30	1650	12.2	7.7	132	3.1	9
1/8/23 17:45	1640	12.2	7.7	132	3.1	9
1/8/23 18:00	1650	12.2	7.7	132	3.1	9
1/8/23 18:15	1640	12.2	7.7	132	3.1	9
1/8/23 18:30	1640	12.2	7.7	132	3.1	9
1/8/23 18:45	1650	12.2	7.7	132	3.1	9
1/8/23 19:00	1640	12.2	7.7	132	3.0	9
1/8/23 19:15	1660	12.2	7.7	132	3.1	9
1/8/23 19:30	1670	12.2	7.7	132	3.0	9
1/8/23 19:45	1650	12.2	7.7	133	3.0	9
1/8/23 20:00	1640	12.2	7.7	133	3.0	9
1/8/23 20:15	1540	12.1	7.7	133	3.0	9
1/8/23 20:30	1420	12.1	7.7	133	3.1	9
1/8/23 20:45	1280	12.1	7.8	133	3.2	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/8/23 21:00	1130	12	7.7	133	3.4	8
1/8/23 21:15	1020	11.9	7.8	133	3.5	8
1/8/23 21:30	895	11.9	7.8	134	3.6	8
1/8/23 21:45	793	11.8	7.8	134	3.8	8
1/8/23 22:00	686	11.7	7.8	134	4.0	7
1/8/23 22:15	604	11.6	7.8	134	4.3	7
1/8/23 22:30	549	11.5	7.8	134	4.6	7
1/8/23 22:45	443	11.4	7.9	135	4.8	6
1/8/23 23:00	358	11.3	7.9	135	5.0	6
1/8/23 23:15	354	11.1	7.9	136	5.5	5
1/8/23 23:30	354	11	8.0	136	6.0	5
1/8/23 23:45	354	10.9	8.0	136	6.3	4
1/9/23 0:00	354	10.9	8.0	137	6.4	4
1/9/23 0:15	354	10.9	8.0	137	6.5	4
1/9/23 0:30	354	10.9	8.0	137	6.6	4
1/9/23 0:45	354	10.8	8.0	137	6.6	4
1/9/23 1:00	354	10.8	8.0	137	6.6	4
1/9/23 1:15	354	10.8	8.0	137	6.7	4
1/9/23 1:30	354	10.8	8.0	137	6.7	4
1/9/23 1:45	354	10.8	8.0	137	6.7	4
1/9/23 2:00	354	10.8	8.0	137	6.7	4
1/9/23 2:15	354	10.8	8.0	137	6.7	4
1/9/23 2:30	354	10.8	8.0	137	6.8	4
1/9/23 2:45	354	10.8	8.0	137	6.8	4
1/9/23 3:00	358	10.8	8.0	137	6.8	4
1/9/23 3:15	354	10.8	8.0	137	6.8	4
1/9/23 3:30	354	10.8	8.0	137	6.8	4
1/9/23 3:45	354	10.8	8.0	137	6.8	4
1/9/23 4:00	354	10.8	8.0	137	6.8	4
1/9/23 4:15	354	10.8	8.0	137	6.8	4
1/9/23 4:30	354	10.8	8.0	137	6.9	4
1/9/23 4:45	354	10.7	8.0	137	6.9	4
1/9/23 5:00	354	10.7	8.0	137	6.9	4
1/9/23 5:15	358	10.7	8.0	137	6.9	4
1/9/23 5:30	354	10.7	8.0	137	6.9	4
1/9/23 5:45	354	10.7	8.0	137	6.9	4
1/9/23 6:00	354	10.7	8.0	137	6.9	4
1/9/23 6:15	358	10.7	8.0	137	6.9	4
1/9/23 6:30	358	10.7	8.0	137	6.9	4
1/9/23 6:45	358	10.7	8.0	136	6.9	4
1/9/23 7:00	362	10.7	8.0	136	6.9	4
1/9/23 7:15	358	10.7	8.0	136	6.9	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/9/23 7:30	362	10.7	8.0	136	6.9	4
1/9/23 7:45	362	10.7	8.0	136	6.9	4
1/9/23 8:00	362	10.7	8.0	136	6.9	4
1/9/23 8:15	362	10.8	8.0	136	6.9	4
1/9/23 8:30	358	10.8	8.0	136	6.9	4
1/9/23 8:45	362	10.8	8.0	136	6.9	4
1/9/23 9:00	362	10.8	8.0	136	6.9	4
1/9/23 9:15	362	10.9	8.0	136	6.9	4
1/9/23 9:30	358	10.9	8.0	136	6.9	4
1/9/23 9:45	362	10.9	8.1	136	6.9	4
1/9/23 10:00	362	11	8.1	136	6.9	4
1/9/23 10:15	362	11	8.1	136	7.0	4
1/9/23 10:30	362	11	8.1	136	7.0	4
1/9/23 10:45	358	11.1	8.1	136	7.0	4
1/9/23 11:00	358	11.1	8.1	136	7.0	4
1/9/23 11:15	358	11.1	8.1	136	7.0	4
1/9/23 11:30	358	11.1	8.2	136	7.1	4
1/9/23 11:45	358	11.2	8.2	136	7.1	4
1/9/23 12:00	358	11.2	8.2	136	7.1	4
1/9/23 12:15	358	11.2	8.2	136	7.2	4
1/9/23 12:30	358	11.2	8.2	136	7.2	4
1/9/23 12:45	358	11.1	8.2	136	7.2	4
1/9/23 13:00	358	11.1	8.2	136	7.2	4
1/9/23 13:15	358	11.1	8.2	136	7.3	4
1/9/23 13:30	358	11.1	8.2	137	7.3	4
1/9/23 13:45	358	11	8.2	137	7.3	4
1/9/23 14:00	358	11	8.2	137	7.3	4
1/9/23 14:15	448	11	8.2	137	7.3	4
1/9/23 14:30	523	11	8.2	137	7.1	5
1/9/23 14:45	615	11.2	8.0	136	6.4	5
1/9/23 15:00	710	11.4	8.0	135	5.7	6
1/9/23 15:15	773	11.5	7.9	135	5.2	7
1/9/23 15:30	902	11.6	7.9	134	4.8	7
1/9/23 15:45	1060	11.6	7.8	134	4.4	8
1/9/23 16:00	1200	11.7	7.8	134	4.1	8
1/9/23 16:15	1280	11.7	7.8	135	3.9	8
1/9/23 16:30	1400	11.8	7.8	136	3.7	8
1/9/23 16:45	1600	12	7.8	136	3.6	8
1/9/23 17:00	1710	12.1	7.7	136	3.4	8
1/9/23 17:15	1710	12.1	7.7	136	3.3	8
1/9/23 17:30	1720	12.1	7.7	136	3.3	8
1/9/23 17:45	1730	12.1	7.7	136	3.3	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/9/23 18:00	1730	12	7.7	136	3.2	8
1/9/23 18:15	1730	12	7.7	136	3.2	8
1/9/23 18:30	1720	12	7.7	136	3.2	8
1/9/23 18:45	1720	12.1	7.7	136	3.2	8
1/9/23 19:00	1730	12.1	7.7	136	3.2	8
1/9/23 19:15	1720	12	7.7	136	3.2	8
1/9/23 19:30	1720	12	7.7	136	3.2	8
1/9/23 19:45	1730	12	7.7	136	3.2	8
1/9/23 20:00	1740	12	7.7	136	3.2	8
1/9/23 20:15	1670	12	7.7	136	3.2	8
1/9/23 20:30	1500	12	7.7	136	3.2	8
1/9/23 20:45	1350	12	7.7	136	3.4	8
1/9/23 21:00	1220	11.9	7.8	136	3.4	8
1/9/23 21:15	1090	11.8	7.7	136	3.6	8
1/9/23 21:30	959	11.8	7.8	136	3.7	8
1/9/23 21:45	846	11.8	7.8	136	3.9	7
1/9/23 22:00	741	11.7	7.8	136	4.0	7
1/9/23 22:15	650	11.6	7.8	137	4.3	7
1/9/23 22:30	565	11.5	7.8	137	4.5	7
1/9/23 22:45	497	11.4	7.9	137	4.8	6
1/9/23 23:00	375	11.3	7.9	137	5.0	6
1/9/23 23:15	358	11.2	7.9	137	5.3	5
1/9/23 23:30	354	11	7.9	138	5.9	5
1/9/23 23:45	354	10.9	7.9	138	6.2	4
1/10/23 0:00	354	10.9	8.0	138	6.3	4
1/10/23 0:15	354	10.9	8.0	138	6.4	4
1/10/23 0:30	354	10.9	8.0	138	6.4	4
1/10/23 0:45	354	10.9	8.0	138	6.5	4
1/10/23 1:00	354	10.9	8.0	138	6.5	4
1/10/23 1:15	354	10.9	8.0	138	6.5	4
1/10/23 1:30	354	10.9	8.0	138	6.5	4
1/10/23 1:45	354	10.9	8.0	138	6.5	4
1/10/23 2:00	354	10.9	8.0	138	6.5	4
1/10/23 2:15	358	10.9	8.0	138	6.5	4
1/10/23 2:30	358	10.9	8.0	138	6.5	4
1/10/23 2:45	358	10.9	8.0	138	6.5	4
1/10/23 3:00	358	10.9	8.0	138	6.5	4
1/10/23 3:15	358	10.9	8.0	138	6.5	4
1/10/23 3:30	358	10.8	8.0	138	6.5	4
1/10/23 3:45	358	10.9	8.0	138	6.5	4
1/10/23 4:00	358	10.9	8.0	138	6.5	4
1/10/23 4:15	358	10.8	8.0	138	6.5	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/10/23 4:30	354	10.8	8.0	138	6.5	4
1/10/23 4:45	358	10.8	8.0	138	6.6	4
1/10/23 5:00	354	10.9	8.0	138	6.6	4
1/10/23 5:15	358	10.8	8.0	138	6.6	4
1/10/23 5:30	354	10.8	8.0	138	6.6	4
1/10/23 5:45	358	10.8	8.0	138	6.6	4
1/10/23 6:00	354	10.8	8.0	138	6.6	4
1/10/23 6:15	358	10.8	8.0	138	6.6	4
1/10/23 6:30	354	10.8	8.0	138	6.6	4
1/10/23 6:45	354	10.8	8.0	139	6.6	4
1/10/23 7:00	354	10.8	8.0	139	6.6	4
1/10/23 7:15	358	10.8	8.0	139	6.6	4
1/10/23 7:30	354	10.8	8.0	139	6.7	4
1/10/23 7:45	358	10.8	8.0	139	6.7	4
1/10/23 8:00	354	10.8	8.0	139	6.7	4
1/10/23 8:15	358	10.8	8.0	139	6.7	4
1/10/23 8:30	358	10.8	8.0	139	6.7	4
1/10/23 8:45	354	10.9	8.0	139	6.7	4
1/10/23 9:00	354	10.9	8.0	138	6.8	4
1/10/23 9:15	358	11	8.0	138	6.8	4
1/10/23 9:30	354	11	8.1	138	6.8	4
1/10/23 9:45	358	11	8.1	138	6.8	4
1/10/23 10:00	358	11.1	8.1	138	6.8	4
1/10/23 10:15	358	11.1	8.1	138	6.9	4
1/10/23 10:30	358	11.2	8.2	138	6.9	4
1/10/23 10:45	358	11.2	8.2	138	7.0	4
1/10/23 11:00	358	11.2	8.2	138	7.1	4
1/10/23 11:15	358	11.2	8.2	138	7.1	4
1/10/23 11:30	354	11.2	8.2	138	7.2	4
1/10/23 11:45	358	11.2	8.2	138	7.2	4
1/10/23 12:00	358	11.2	8.2	138	7.2	4
1/10/23 12:15	358	11.1	8.2	138	7.2	4
1/10/23 12:30	358	11	8.2	138	7.2	4
1/10/23 12:45	358	11	8.2	138	7.2	4
1/10/23 13:00	354	11	8.2	138	7.2	4
1/10/23 13:15	354	11	8.2	138	7.3	4
1/10/23 13:30	358	11	8.2	138	7.3	4
1/10/23 13:45	358	11	8.2	138	7.3	4
1/10/23 14:00	358	11	8.2	138	7.4	4
1/10/23 14:15	415	11	8.2	138	7.4	4
1/10/23 14:30	507	11	8.2	138	7.3	4
1/10/23 14:45	598	11.1	8.1	138	6.5	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/10/23 15:00	698	11.3	8.0	137	5.8	6
1/10/23 15:15	754	11.4	7.9	137	5.3	6
1/10/23 15:30	874	11.5	7.9	137	4.9	7
1/10/23 15:45	1020	11.6	7.8	137	4.5	7
1/10/23 16:00	1180	11.6	7.8	137	4.2	7
1/10/23 16:15	1250	11.6	7.8	138	4.0	8
1/10/23 16:30	1360	11.7	7.8	138	3.8	8
1/10/23 16:45	1560	11.9	7.8	138	3.6	8
1/10/23 17:00	1650	12	7.7	138	3.4	8
1/10/23 17:15	1640	12	7.7	138	3.3	8
1/10/23 17:30	1660	12	7.7	138	3.3	8
1/10/23 17:45	1650	12	7.7	138	3.3	8
1/10/23 18:00	1650	12	7.7	138	3.3	8
1/10/23 18:15	1650	12	7.7	138	3.3	8
1/10/23 18:30	1660	12	7.7	138	3.3	8
1/10/23 18:45	1660	12	7.7	138	3.2	8
1/10/23 19:00	1650	12	7.7	138	3.2	8
1/10/23 19:15	1640	12	7.7	138	3.2	8
1/10/23 19:30	1640	12	7.7	139	3.2	8
1/10/23 19:45	1650	12	7.7	139	3.2	8
1/10/23 20:00	1650	12	7.7	139	3.2	8
1/10/23 20:15	1640	12	7.7	139	3.2	8
1/10/23 20:30	1660	12	7.8	139	3.2	8
1/10/23 20:45	1650	12	7.7	139	3.2	8
1/10/23 21:00	1640	12	7.7	140	3.2	8
1/10/23 21:15	1590	12	7.8	140	3.2	8
1/10/23 21:30	1450	12	7.7	140	3.2	8
1/10/23 21:45	1310	12	7.8	140	3.3	8
1/10/23 22:00	1170	11.9	7.8	140	3.4	8
1/10/23 22:15	1050	11.8	7.7	140	3.6	7
1/10/23 22:30	930	11.8	7.8	140	3.7	7
1/10/23 22:45	819	11.7	7.8	140	3.9	7
1/10/23 23:00	723	11.7	7.8	140	4.1	7
1/10/23 23:15	627	11.6	7.8	140	4.3	6
1/10/23 23:30	565	11.5	7.8	140	4.6	6
1/10/23 23:45	512	11.4	7.9	140	4.8	6
1/11/23 0:00	367	11.3	7.9	140	5.0	6
1/11/23 0:15	358	11.2	7.9	140	5.3	5
1/11/23 0:30	354	11	8.0	140	6.0	5
1/11/23 0:45	354	11	7.9	140	6.3	4
1/11/23 1:00	354	10.9	8.0	140	6.4	4
1/11/23 1:15	354	10.9	7.9	140	6.5	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/11/23 1:30	354	10.9	8.0	140	6.5	4
1/11/23 1:45	354	10.9	8.0	140	6.6	4
1/11/23 2:00	354	10.9	8.0	140	6.6	4
1/11/23 2:15	354	10.9	8.0	140	6.6	4
1/11/23 2:30	354	10.9	8.0	140	6.6	4
1/11/23 2:45	354	10.9	8.0	140	6.6	4
1/11/23 3:00	358	10.9	8.0	140	6.6	4
1/11/23 3:15	358	10.9	8.0	140	6.6	4
1/11/23 3:30	358	10.9	8.0	140	6.6	4
1/11/23 3:45	358	10.9	8.0	140	6.6	4
1/11/23 4:00	358	10.9	8.0	140	6.6	4
1/11/23 4:15	358	10.9	8.0	140	6.6	4
1/11/23 4:30	358	10.9	8.0	140	6.6	4
1/11/23 4:45	358	10.9	8.0	140	6.6	4
1/11/23 5:00	358	10.9	8.0	140	6.6	4
1/11/23 5:15	358	10.9	8.0	140	6.6	4
1/11/23 5:30	358	10.9	8.0	140	6.6	4
1/11/23 5:45	358	10.9	8.0	140	6.6	4
1/11/23 6:00	358	10.9	8.0	140	6.6	4
1/11/23 6:15	358	10.9	8.0	140	6.6	4
1/11/23 6:30	358	10.9	8.0	140	6.6	4
1/11/23 6:45	358	10.9	8.0	140	6.6	4
1/11/23 7:00	354	11	8.0	140	6.6	4
1/11/23 7:15	358	11	8.0	141	6.6	4
1/11/23 7:30	358	11	8.0	141	6.6	4
1/11/23 7:45	358	11	8.0	141	6.6	4
1/11/23 8:00	358	11	8.0	140	6.6	4
1/11/23 8:15	358	11	8.0	140	6.5	4
1/11/23 8:30	358	11	8.0	140	6.5	4
1/11/23 8:45	358	11	8.0	140	6.4	4
1/11/23 9:00	362	11	8.0	140	6.4	4
1/11/23 9:15	358	11.1	8.0	140	6.4	4
1/11/23 9:30	358	11.1	8.0	140	6.4	4
1/11/23 9:45	358	11.1	8.0	140	6.5	4
1/11/23 10:00	358	11.1	8.0	140	6.5	4
1/11/23 10:15	358	11.2	8.0	140	6.5	4
1/11/23 10:30	358	11.2	8.0	140	6.5	4
1/11/23 10:45	358	11.3	8.0	140	6.5	4
1/11/23 11:00	358	11.3	8.1	140	6.5	4
1/11/23 11:15	358	11.4	8.1	140	6.6	4
1/11/23 11:30	358	11.4	8.1	140	6.6	4
1/11/23 11:45	358	11.4	8.1	140	6.6	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/11/23 12:00	358	11.4	8.2	140	6.7	4
1/11/23 12:15	358	11.3	8.2	140	6.7	4
1/11/23 12:30	358	11.3	8.2	140	6.7	4
1/11/23 12:45	358	11.3	8.1	140	6.7	4
1/11/23 13:00	358	11.2	8.2	140	6.8	4
1/11/23 13:15	358	11.2	8.2	140	6.8	4
1/11/23 13:30	358	11.2	8.1	140	6.8	4
1/11/23 13:45	358	11.2	8.2	140	6.8	4
1/11/23 14:00	358	11.1	8.1	140	6.8	4
1/11/23 14:15	424	11.1	8.1	140	6.8	4
1/11/23 14:30	518	11.1	8.1	140	6.8	4
1/11/23 14:45	610	11.3	8.0	140	6.1	5
1/11/23 15:00	704	11.4	7.9	140	5.4	6
1/11/23 15:15	761	11.6	7.9	140	4.9	6
1/11/23 15:30	881	11.7	7.9	140	4.5	6
1/11/23 15:45	1040	11.7	7.8	141	4.1	7
1/11/23 16:00	1200	11.8	7.8	141	3.8	7
1/11/23 16:15	1290	11.8	7.8	141	3.5	7
1/11/23 16:30	1360	11.9	7.7	141	3.4	8
1/11/23 16:45	1550	12.1	7.8	142	3.3	8
1/11/23 17:00	1680	12.2	7.8	142	3.1	8
1/11/23 17:15	1680	12.2	7.8	142	3.1	8
1/11/23 17:30	1710	12.2	7.7	142	3.0	8
1/11/23 17:45	1690	12.2	7.7	143	3.0	8
1/11/23 18:00	1690	12.1	7.7	143	3.0	8
1/11/23 18:15	1730	12.1	7.7	143	3.0	8
1/11/23 18:30	1730	12.1	7.7	143	3.0	8
1/11/23 18:45	1730	12.1	7.7	143	3.0	8
1/11/23 19:00	1720	12.1	7.8	143	3.0	8
1/11/23 19:15	1710	12.2	7.8	143	3.0	8
1/11/23 19:30	1710	12.1	7.7	143	3.0	8
1/11/23 19:45	1710	12.2	7.8	143	3.0	8
1/11/23 20:00	1710	12.1	7.8	143	3.0	8
1/11/23 20:15	1710	12.1	7.7	143	3.0	8
1/11/23 20:30	1710	12.1	7.7	144	3.0	8
1/11/23 20:45	1710	12.1	7.8	144	3.0	8
1/11/23 21:00	1720	12.1	7.7	144	3.0	8
1/11/23 21:15	1670	12.1	7.8	144	3.0	8
1/11/23 21:30	1500	12.1	7.7	144	3.0	8
1/11/23 21:45	1350	12.1	7.8	144	3.1	8
1/11/23 22:00	1210	12	7.8	144	3.2	8
1/11/23 22:15	1100	12	7.8	144	3.4	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/11/23 22:30	981	11.9	7.8	144	3.5	7
1/11/23 22:45	867	11.9	7.8	144	3.7	7
1/11/23 23:00	754	11.8	7.8	144	3.9	7
1/11/23 23:15	662	11.7	7.8	143	4.1	7
1/11/23 23:30	582	11.6	7.8	143	4.4	6
1/11/23 23:45	512	11.5	7.9	143	4.6	6
1/12/23 0:00	380	11.4	7.9	143	4.9	6
1/12/23 0:15	358	11.3	7.9	143	5.2	5
1/12/23 0:30	354	11.1	7.9	142	5.8	5
1/12/23 0:45	354	11	8.0	142	6.2	4
1/12/23 1:00	354	11	8.0	142	6.4	4
1/12/23 1:15	354	11	8.0	142	6.5	4
1/12/23 1:30	354	10.9	8.0	142	6.6	4
1/12/23 1:45	354	10.9	8.0	142	6.6	4
1/12/23 2:00	354	10.9	8.0	142	6.7	4
1/12/23 2:15	354	10.9	8.0	142	6.7	4
1/12/23 2:30	354	10.9	8.0	142	6.7	4
1/12/23 2:45	354	10.9	8.0	142	6.8	4
1/12/23 3:00	354	10.9	8.0	142	6.8	4
1/12/23 3:15	354	10.9	8.0	142	6.8	4
1/12/23 3:30	354	10.9	8.0	142	6.8	4
1/12/23 3:45	354	10.9	8.0	142	6.8	4
1/12/23 4:00	354	10.9	8.0	142	6.8	4
1/12/23 4:15	354	10.9	8.0	142	6.8	4
1/12/23 4:30	354	10.9	8.0	142	6.8	4
1/12/23 4:45	354	10.9	8.0	142	6.9	4
1/12/23 5:00	354	10.9	8.0	142	6.9	4
1/12/23 5:15	358	10.9	8.0	142	6.9	4
1/12/23 5:30	358	10.9	8.0	142	6.9	4
1/12/23 5:45	358	10.9	8.0	142	6.9	4
1/12/23 6:00	354	10.9	8.0	142	6.9	4
1/12/23 6:15	358	10.9	8.0	142	6.9	4
1/12/23 6:30	358	10.9	8.0	142	6.9	4
1/12/23 6:45	358	10.9	8.0	142	6.9	4
1/12/23 7:00	358	10.9	8.0	143	6.9	4
1/12/23 7:15	358	10.9	8.0	143	6.9	4
1/12/23 7:30	358	10.9	8.0	143	6.9	4
1/12/23 7:45	358	10.9	8.0	143	6.9	4
1/12/23 8:00	354	11	8.0	143	6.9	4
1/12/23 8:15	358	11	8.0	143	6.9	4
1/12/23 8:30	354	11	8.0	143	6.9	4
1/12/23 8:45	358	11	8.0	143	6.9	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/12/23 9:00	354	11	8.0	143	6.9	4
1/12/23 9:15	354	11.1	8.0	143	6.9	4
1/12/23 9:30	358	11.2	8.1	143	6.9	4
1/12/23 9:45	358	11.2	8.0	143	7.0	4
1/12/23 10:00	358	11.2	8.1	143	7.0	4
1/12/23 10:15	358	11.2	8.1	143	7.0	4
1/12/23 10:30	358	11.2	8.1	143	7.0	4
1/12/23 10:45	358	11.2	8.1	143	7.0	4
1/12/23 11:00	358	11.2	8.1	143	7.0	4
1/12/23 11:15	358	11.2	8.1	143	7.1	4
1/12/23 11:30	358	11.2	8.2	143	7.1	4
1/12/23 11:45	358	11.3	8.2	143	7.1	4
1/12/23 12:00	358	11.3	8.2	143	7.2	4
1/12/23 12:15	358	11.3	8.2	143	7.2	4
1/12/23 12:30	358	11.3	8.2	143	7.2	4
1/12/23 12:45	358	11.2	8.2	143	7.2	4
1/12/23 13:00	358	11.2	8.2	143	7.2	4
1/12/23 13:15	358	11.2	8.2	143	7.2	4
1/12/23 13:30	358	11.2	8.2	143	7.2	4
1/12/23 13:45	358	11.2	8.2	143	7.3	4
1/12/23 14:00	358	11.1	8.2	143	7.3	4
1/12/23 14:15	420	11.1	8.2	143	7.3	4
1/12/23 14:30	512	11.2	8.1	143	7.2	4
1/12/23 14:45	598	11.3	8.1	143	6.5	5
1/12/23 15:00	692	11.5	8.0	144	5.8	6
1/12/23 15:15	754	11.6	7.9	144	5.2	6
1/12/23 15:30	874	11.7	7.9	144	4.8	7
1/12/23 15:45	1020	11.7	7.8	145	4.4	7
1/12/23 16:00	1180	11.8	7.8	146	4.1	8
1/12/23 16:15	1290	11.8	7.8	147	3.8	8
1/12/23 16:30	1350	11.9	7.8	147	3.6	8
1/12/23 16:45	1510	12	7.8	147	3.5	8
1/12/23 17:00	1640	12.1	7.8	148	3.3	8
1/12/23 17:15	1650	12.1	7.8	148	3.2	8
1/12/23 17:30	1650	12.1	7.8	148	3.2	8
1/12/23 17:45	1640	12.1	7.7	148	3.2	8
1/12/23 18:00	1650	12.1	7.8	147	3.2	8
1/12/23 18:15	1640	12.1	7.8	148	3.1	8
1/12/23 18:30	1650	12.1	7.7	148	3.1	8
1/12/23 18:45	1650	12.1	7.8	148	3.1	8
1/12/23 19:00	1650	12.1	7.8	149	3.1	8
1/12/23 19:15	1660	12.1	7.8	149	3.1	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/12/23 19:30	1650	12.1	7.7	149	3.1	8
1/12/23 19:45	1650	12.1	7.8	149	3.0	8
1/12/23 20:00	1660	12.1	7.8	149	3.0	8
1/12/23 20:15	1690	12.1	7.8	149	3.0	8
1/12/23 20:30	1650	12.1	7.7	148	3.0	8
1/12/23 20:45	1650	12.1	7.8	149	3.0	8
1/12/23 21:00	1660	12.1	7.8	149	3.0	8
1/12/23 21:15	1620	12.1	7.7	149	3.0	8
1/12/23 21:30	1470	12.1	7.8	149	3.1	8
1/12/23 21:45	1320	12	7.8	149	3.2	8
1/12/23 22:00	1190	12	7.8	149	3.3	8
1/12/23 22:15	1050	11.9	7.8	149	3.5	8
1/12/23 22:30	944	11.8	7.8	149	3.6	8
1/12/23 22:45	826	11.8	7.8	148	3.8	7
1/12/23 23:00	729	11.7	7.8	148	4.0	7
1/12/23 23:15	638	11.6	7.9	147	4.3	7
1/12/23 23:30	571	11.5	7.9	147	4.6	7
1/12/23 23:45	507	11.4	7.9	147	4.9	6
1/13/23 0:00	362	11.3	7.9	146	5.1	6
1/13/23 0:15	354	11.2	7.9	146	5.5	5
1/13/23 0:30	354	11	7.9	145	6.2	5
1/13/23 0:45	354	10.9	8.0	144	6.5	4
1/13/23 1:00	354	10.9	8.0	144	6.7	4
1/13/23 1:15	354	10.8	8.0	144	6.8	4
1/13/23 1:30	354	10.8	8.0	144	6.9	4
1/13/23 1:45	354	10.9	8.0	144	6.9	4
1/13/23 2:00	354	10.8	8.0	144	6.9	4
1/13/23 2:15	354	10.8	8.0	144	7.0	4
1/13/23 2:30	354	10.8	8.0	144	7.0	4
1/13/23 2:45	354	10.8	8.0	144	7.0	4
1/13/23 3:00	354	10.8	8.0	144	7.0	4
1/13/23 3:15	358	10.8	8.0	144	7.0	4
1/13/23 3:30	358	10.8	8.0	144	7.0	4
1/13/23 3:45	358	10.8	8.0	144	7.0	4
1/13/23 4:00	354	10.8	8.0	144	7.0	4
1/13/23 4:15	358	10.8	8.0	144	7.0	4
1/13/23 4:30	354	10.8	8.0	144	7.0	4
1/13/23 4:45	354	10.8	8.0	144	7.0	4
1/13/23 5:00	354	10.8	8.0	144	7.0	4
1/13/23 5:15	354	10.8	8.0	144	7.0	4
1/13/23 5:30	354	10.8	8.0	144	7.0	4
1/13/23 5:45	354	10.8	8.0	144	7.0	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/13/23 6:00	354	10.8	8.0	144	7.0	4
1/13/23 6:15	354	10.8	8.0	144	6.9	4
1/13/23 6:30	354	10.8	8.0	144	6.9	4
1/13/23 6:45	354	10.8	8.0	145	6.9	4
1/13/23 7:00	354	10.8	8.0	145	6.9	4
1/13/23 7:15	358	10.8	8.0	145	6.9	4
1/13/23 7:30	354	10.8	8.0	145	6.9	4
1/13/23 7:45	354	10.9	8.0	145	6.9	4
1/13/23 8:00	354	10.9	8.0	145	6.9	4
1/13/23 8:15	354	10.9	8.0	145	6.9	4
1/13/23 8:30	354	10.9	8.0	145	6.9	4
1/13/23 8:45	354	11	8.0	145	6.9	4
1/13/23 9:00	354	11	8.0	144	6.9	4
1/13/23 9:15	354	11.1	8.1	144	6.9	4
1/13/23 9:30	358	11.1	8.1	144	7.0	4
1/13/23 9:45	358	11	8.1	144	7.0	4
1/13/23 10:00	358	11	8.1	145	7.0	4
1/13/23 10:15	358	11	8.1	145	7.0	4
1/13/23 10:30	358	11	8.1	145	7.0	4
1/13/23 10:45	358	11	8.1	145	7.0	4
1/13/23 11:00	358	11	8.1	144	7.0	4
1/13/23 11:15	358	11	8.1	144	7.1	4
1/13/23 11:30	358	11	8.1	144	7.1	4
1/13/23 11:45	358	11	8.1	144	7.1	4
1/13/23 12:00	354	11	8.1	144	7.1	4
1/13/23 12:15	354	11.1	8.1	144	7.2	4
1/13/23 12:30	358	11.1	8.1	144	7.2	4
1/13/23 12:45	358	11.1	8.2	144	7.2	4
1/13/23 13:00	354	11.1	8.2	144	7.2	4
1/13/23 13:15	354	11.1	8.2	144	7.2	4
1/13/23 13:30	354	11.1	8.2	144	7.2	4
1/13/23 13:45	358	11.1	8.2	144	7.2	4
1/13/23 14:00	358	11.1	8.2	144	7.2	4
1/13/23 14:15	448	11.1	8.2	144	7.2	4
1/13/23 14:30	528	11.1	8.2	144	7.0	4
1/13/23 14:45	627	11.3	8.1	146	6.3	5
1/13/23 15:00	716	11.4	8.0	147	5.6	6
1/13/23 15:15	773	11.6	7.9	147	5.1	7
1/13/23 15:30	902	11.6	7.9	148	4.8	7
1/13/23 15:45	1070	11.7	7.8	149	4.3	7
1/13/23 16:00	1200	11.7	7.8	149	4.0	8
1/13/23 16:15	1270	11.7	7.8	149	3.7	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/13/23 16:30	1390	11.8	7.8	150	3.5	8
1/13/23 16:45	1590	12	7.8	151	3.3	8
1/13/23 17:00	1720	12.1	7.7	151	3.1	8
1/13/23 17:15	1710	12.1	7.8	151	3.0	8
1/13/23 17:30	1720	12.1	7.8	151	3.0	8
1/13/23 17:45	1720	12.1	7.7	151	3.0	8
1/13/23 18:00	1710	12.1	7.7	151	3.0	8
1/13/23 18:15	1720	12.1	7.8	151	3.0	8
1/13/23 18:30	1720	12.1	7.7	152	3.0	8
1/13/23 18:45	1720	12.1	7.7	152	3.0	8
1/13/23 19:00	1710	12.1	7.8	152	3.0	8
1/13/23 19:15	1720	12.1	7.7	152	3.0	8
1/13/23 19:30	1720	12.1	7.7	152	3.0	8
1/13/23 19:45	1720	12.1	7.8	152	3.0	8
1/13/23 20:00	1720	12.1	7.8	152	3.0	8
1/13/23 20:15	1730	12.1	7.8	152	3.0	8
1/13/23 20:30	1720	12.1	7.7	152	3.0	8
1/13/23 20:45	1710	12.1	7.8	152	3.0	8
1/13/23 21:00	1710	12.1	7.7	152	3.0	8
1/13/23 21:15	1670	12.1	7.8	152	3.0	8
1/13/23 21:30	1500	12	7.8	152	3.1	8
1/13/23 21:45	1350	12	7.8	152	3.2	8
1/13/23 22:00	1210	12	7.8	152	3.3	8
1/13/23 22:15	1090	11.9	7.8	152	3.4	8
1/13/23 22:30	996	11.8	7.8	151	3.6	8
1/13/23 22:45	874	11.8	7.8	151	3.7	7
1/13/23 23:00	767	11.7	7.8	151	3.9	7
1/13/23 23:15	674	11.6	7.8	150	4.1	7
1/13/23 23:30	593	11.6	7.9	150	4.4	7
1/13/23 23:45	518	11.5	7.8	149	4.6	6
1/14/23 0:00	384	11.3	7.9	149	4.9	6
1/14/23 0:15	354	11.2	7.9	148	5.2	6
1/14/23 0:30	354	11.1	8.0	147	5.8	5
1/14/23 0:45	354	10.9	8.0	146	6.2	5
1/14/23 1:00	354	10.9	8.0	146	6.4	4
1/14/23 1:15	354	10.9	8.0	146	6.5	4
1/14/23 1:30	354	10.9	8.0	146	6.6	4
1/14/23 1:45	354	10.9	8.0	146	6.6	4
1/14/23 2:00	354	10.8	8.0	146	6.6	4
1/14/23 2:15	354	10.8	8.0	146	6.7	4
1/14/23 2:30	354	10.8	8.0	146	6.7	4
1/14/23 2:45	354	10.8	8.0	146	6.7	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/14/23 3:00	354	10.8	8.0	146	6.7	4
1/14/23 3:15	354	10.8	8.0	146	6.7	4
1/14/23 3:30	354	10.8	8.0	146	6.8	4
1/14/23 3:45	354	10.8	8.0	146	6.8	4
1/14/23 4:00	354	10.8	8.0	146	6.8	4
1/14/23 4:15	354	10.8	8.0	146	6.8	4
1/14/23 4:30	354	10.8	8.0	146	6.8	4
1/14/23 4:45	354	10.8	8.0	146	6.8	4
1/14/23 5:00	354	10.8	8.0	146	6.8	4
1/14/23 5:15	354	10.8	8.0	146	6.8	4
1/14/23 5:30	354	10.8	8.0	146	6.8	4
1/14/23 5:45	354	10.8	8.0	146	6.8	4
1/14/23 6:00	354	10.8	8.0	146	6.8	4
1/14/23 6:15	354	10.8	8.0	146	6.8	4
1/14/23 6:30	354	10.8	8.0	146	6.8	4
1/14/23 6:45	354	10.8	8.0	146	6.8	4
1/14/23 7:00	354	10.8	8.0	146	6.8	4
1/14/23 7:15	354	10.8	8.0	146	6.8	4
1/14/23 7:30	354	10.8	8.0	146	6.8	4
1/14/23 7:45	354	10.8	8.0	146	6.8	4
1/14/23 8:00	354	10.8	8.0	146	6.9	4
1/14/23 8:15	354	10.8	8.0	146	6.9	4
1/14/23 8:30	354	10.8	8.0	146	6.9	4
1/14/23 8:45	354	10.9	8.0	146	6.9	4
1/14/23 9:00	354	10.9	8.1	146	6.9	4
1/14/23 9:15	354	10.9	8.1	146	7.0	4
1/14/23 9:30	354	10.9	8.1	146	7.0	4
1/14/23 9:45	354	10.9	8.1	146	7.0	4
1/14/23 10:00	358	10.9	8.1	146	7.0	4
1/14/23 10:15	358	11	8.1	146	7.0	4
1/14/23 10:30	354	11	8.1	146	7.1	4
1/14/23 10:45	358	11	8.2	146	7.1	4
1/14/23 11:00	354	11	8.1	146	7.1	4
1/14/23 11:15	358	11	8.2	146	7.2	4
1/14/23 11:30	354	11	8.2	146	7.2	4
1/14/23 11:45	354	11	8.2	146	7.2	4
1/14/23 12:00	354	11	8.2	146	7.2	4
1/14/23 12:15	358	11	8.2	146	7.3	4
1/14/23 12:30	354	11.1	8.3	146	7.3	4
1/14/23 12:45	354	11	8.3	146	7.3	4
1/14/23 13:00	358	10.9	8.2	146	7.3	4
1/14/23 13:15	358	10.9	8.2	146	7.3	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/14/23 13:30	358	10.8	8.2	146	7.3	4
1/14/23 13:45	358	10.9	8.2	146	7.3	4
1/14/23 14:00	358	10.9	8.2	146	7.3	4
1/14/23 14:15	393	10.9	8.2	146	7.3	4
1/14/23 14:30	502	10.9	8.2	146	7.3	4
1/14/23 14:45	587	11	8.1	147	6.6	5
1/14/23 15:00	686	11.2	8.0	149	5.9	6
1/14/23 15:15	748	11.3	7.9	150	5.3	6
1/14/23 15:30	867	11.4	7.9	150	4.9	7
1/14/23 15:45	1010	11.5	7.9	151	4.6	7
1/14/23 16:00	1170	11.5	7.8	152	4.2	7
1/14/23 16:15	1290	11.6	7.8	153	4.0	8
1/14/23 16:30	1350	11.6	7.8	154	3.8	8
1/14/23 16:45	1530	11.8	7.8	154	3.7	8
1/14/23 17:00	1650	11.9	7.8	155	3.5	8
1/14/23 17:15	1660	11.9	7.8	155	3.4	8
1/14/23 17:30	1670	11.9	7.8	154	3.4	8
1/14/23 17:45	1660	11.9	7.8	154	3.4	8
1/14/23 18:00	1680	11.9	7.8	154	3.4	8
1/14/23 18:15	1670	11.9	7.8	155	3.3	8
1/14/23 18:30	1670	11.9	7.8	154	3.3	8
1/14/23 18:45	1660	11.9	7.7	155	3.3	8
1/14/23 19:00	1670	11.9	7.8	155	3.3	8
1/14/23 19:15	1630	11.9	7.8	155	3.3	8
1/14/23 19:30	1670	11.9	7.8	155	3.3	8
1/14/23 19:45	1660	11.9	7.8	155	3.3	8
1/14/23 20:00	1660	11.9	7.8	155	3.3	8
1/14/23 20:15	1630	11.9	7.8	155	3.3	8
1/14/23 20:30	1480	11.9	7.8	155	3.4	8
1/14/23 20:45	1350	11.8	7.8	154	3.4	8
1/14/23 21:00	1200	11.8	7.8	154	3.6	8
1/14/23 21:15	1070	11.7	7.8	154	3.7	8
1/14/23 21:30	959	11.7	7.8	153	3.8	8
1/14/23 21:45	839	11.6	7.8	153	4.0	7
1/14/23 22:00	741	11.5	7.8	153	4.2	7
1/14/23 22:15	650	11.5	7.9	152	4.4	7
1/14/23 22:30	571	11.4	7.9	152	4.6	6
1/14/23 22:45	528	11.3	7.9	151	4.9	6
1/14/23 23:00	375	11.2	7.9	150	5.1	6
1/14/23 23:15	354	11.1	7.9	150	5.4	6
1/14/23 23:30	354	10.9	8.0	148	6.0	5
1/14/23 23:45	354	10.8	8.0	147	6.4	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/15/23 0:00	354	10.8	8.0	147	6.5	4
1/15/23 0:15	354	10.7	8.0	147	6.6	4
1/15/23 0:30	354	10.7	8.0	147	6.7	4
1/15/23 0:45	354	10.7	8.0	147	6.7	4
1/15/23 1:00	354	10.7	8.0	147	6.7	4
1/15/23 1:15	354	10.7	8.0	147	6.7	4
1/15/23 1:30	354	10.7	8.0	147	6.8	4
1/15/23 1:45	354	10.7	8.0	147	6.8	4
1/15/23 2:00	358	10.7	8.0	147	6.8	4
1/15/23 2:15	354	10.7	8.0	147	6.8	4
1/15/23 2:30	358	10.7	8.0	147	6.8	4
1/15/23 2:45	354	10.7	8.0	147	6.8	4
1/15/23 3:00	354	10.7	8.0	147	6.8	4
1/15/23 3:15	354	10.7	8.0	147	6.8	4
1/15/23 3:30	354	10.7	8.0	147	6.8	4
1/15/23 3:45	354	10.7	8.0	147	6.8	4
1/15/23 4:00	354	10.7	8.0	147	6.8	4
1/15/23 4:15	354	10.7	8.0	147	6.8	4
1/15/23 4:30	358	10.7	8.0	147	6.8	4
1/15/23 4:45	354	10.7	8.0	147	6.8	4
1/15/23 5:00	354	10.7	8.0	147	6.8	4
1/15/23 5:15	354	10.7	8.0	147	6.8	4
1/15/23 5:30	354	10.7	8.0	147	6.8	4
1/15/23 5:45	354	10.7	8.0	147	6.8	4
1/15/23 6:00	354	10.8	8.0	147	6.8	4
1/15/23 6:15	354	10.8	8.0	147	6.8	4
1/15/23 6:30	354	10.8	8.0	147	6.8	4
1/15/23 6:45	354	10.7	8.0	147	6.8	4
1/15/23 7:00	354	10.8	8.0	147	6.8	4
1/15/23 7:15	354	10.8	8.0	147	6.8	4
1/15/23 7:30	354	10.7	8.0	147	6.8	4
1/15/23 7:45	354	10.8	8.0	147	6.9	4
1/15/23 8:00	354	10.8	8.0	147	6.9	4
1/15/23 8:15	354	10.8	8.0	147	6.9	4
1/15/23 8:30	354	10.8	8.0	147	6.9	4
1/15/23 8:45	354	10.8	8.0	147	6.9	4
1/15/23 9:00	358	10.9	8.0	147	6.9	4
1/15/23 9:15	358	11	8.1	147	6.9	4
1/15/23 9:30	354	11	8.1	147	7.0	4
1/15/23 9:45	358	11	8.1	147	7.0	4
1/15/23 10:00	358	11	8.1	147	7.0	4
1/15/23 10:15	358	11.1	8.1	147	7.0	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/15/23 10:30	354	11.1	8.2	147	7.1	4
1/15/23 10:45	358	11.1	8.2	147	7.1	4
1/15/23 11:00	354	11.1	8.2	147	7.1	4
1/15/23 11:15	358	11.2	8.2	147	7.2	4
1/15/23 11:30	358	11.1	8.2	147	7.2	4
1/15/23 11:45	358	11.1	8.2	147	7.2	4
1/15/23 12:00	354	11.1	8.2	147	7.2	4
1/15/23 12:15	354	11.1	8.2	147	7.2	4
1/15/23 12:30	354	11.1	8.2	147	7.2	4
1/15/23 12:45	354	11.1	8.3	147	7.2	4
1/15/23 13:00	354	11.1	8.2	147	7.3	4
1/15/23 13:15	358	11.1	8.2	147	7.3	4
1/15/23 13:30	354	11	8.3	147	7.3	4
1/15/23 13:45	358	11	8.2	147	7.3	4
1/15/23 14:00	358	11	8.2	147	7.3	4
1/15/23 14:15	397	11	8.2	147	7.3	4
1/15/23 14:30	507	11	8.2	147	7.2	4
1/15/23 14:45	598	11.1	8.1	149	6.5	5
1/15/23 15:00	704	11.2	8.0	150	5.8	6
1/15/23 15:15	767	11.4	7.9	151	5.2	6
1/15/23 15:30	881	11.5	7.9	152	4.9	7
1/15/23 15:45	1040	11.5	7.8	153	4.5	7
1/15/23 16:00	1200	11.6	7.8	154	4.2	7
1/15/23 16:15	1290	11.6	7.8	155	4.0	8
1/15/23 16:30	1370	11.7	7.8	156	3.8	8
1/15/23 16:45	1560	11.8	7.8	156	3.7	8
1/15/23 17:00	1710	11.9	7.8	157	3.5	8
1/15/23 17:15	1720	12	7.8	157	3.4	8
1/15/23 17:30	1710	11.9	7.8	157	3.4	8
1/15/23 17:45	1710	11.9	7.8	157	3.4	8
1/15/23 18:00	1710	11.9	7.8	157	3.4	8
1/15/23 18:15	1710	11.9	7.8	157	3.4	8
1/15/23 18:30	1710	11.9	7.8	157	3.4	8
1/15/23 18:45	1710	11.9	7.8	157	3.4	8
1/15/23 19:00	1710	11.9	7.8	157	3.4	8
1/15/23 19:15	1660	11.9	7.8	157	3.4	8
1/15/23 19:30	1510	11.9	7.8	157	3.4	8
1/15/23 19:45	1370	11.8	7.8	157	3.5	8
1/15/23 20:00	1230	11.8	7.8	156	3.6	8
1/15/23 20:15	1090	11.7	7.8	156	3.7	8
1/15/23 20:30	973	11.7	7.8	156	3.8	7
1/15/23 20:45	853	11.6	7.8	155	4.0	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/15/23 21:00	767	11.6	7.8	155	4.2	7
1/15/23 21:15	674	11.5	7.8	155	4.3	7
1/15/23 21:30	587	11.4	7.9	154	4.5	7
1/15/23 21:45	518	11.4	7.9	153	4.8	6
1/15/23 22:00	380	11.3	7.9	153	5.0	6
1/15/23 22:15	354	11.2	7.9	152	5.3	5
1/15/23 22:30	354	11	8.0	150	5.8	5
1/15/23 22:45	354	10.9	8.0	149	6.2	4
1/15/23 23:00	354	10.9	8.0	148	6.4	4
1/15/23 23:15	354	10.8	8.0	148	6.5	4
1/15/23 23:30	354	10.8	8.0	148	6.5	4
1/15/23 23:45	354	10.8	8.0	148	6.6	4
1/16/23 0:00	354	10.8	8.0	148	6.6	4
1/16/23 0:15	354	10.8	8.0	148	6.6	4
1/16/23 0:30	354	10.8	8.0	148	6.6	4
1/16/23 0:45	354	10.8	8.0	148	6.6	4
1/16/23 1:00	354	10.8	8.0	148	6.6	4
1/16/23 1:15	354	10.8	8.0	148	6.6	4
1/16/23 1:30	354	10.8	8.0	148	6.7	4
1/16/23 1:45	354	10.8	8.0	148	6.7	4
1/16/23 2:00	354	10.8	8.0	148	6.7	4
1/16/23 2:15	354	10.8	8.0	148	6.7	4
1/16/23 2:30	354	10.8	8.0	148	6.7	4
1/16/23 2:45	354	10.8	8.0	148	6.7	4
1/16/23 3:00	354	10.8	8.0	148	6.7	4
1/16/23 3:15	354	10.8	8.0	148	6.7	4
1/16/23 3:30	354	10.8	8.0	148	6.8	4
1/16/23 3:45	354	10.8	8.0	148	6.8	4
1/16/23 4:00	354	10.8	8.0	148	6.8	4
1/16/23 4:15	354	10.8	8.0	148	6.8	4
1/16/23 4:30	354	10.8	8.0	148	6.8	4
1/16/23 4:45	354	10.8	8.0	148	6.8	4
1/16/23 5:00	354	10.8	8.0	148	6.8	4
1/16/23 5:15	354	10.8	8.0	148	6.8	4
1/16/23 5:30	354	10.8	8.0	148	6.8	4
1/16/23 5:45	354	10.8	8.0	148	6.8	4
1/16/23 6:00	354	10.8	8.0	149	6.8	4
1/16/23 6:15	354	10.8	8.0	149	6.8	4
1/16/23 6:30	354	10.8	8.0	149	6.8	4
1/16/23 6:45	354	10.8	8.0	149	6.8	4
1/16/23 7:00	354	10.8	8.0	149	6.8	4
1/16/23 7:15	354	10.8	8.0	149	6.8	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/16/23 7:30	354	10.8	8.0	149	6.8	4
1/16/23 7:45	354	10.8	8.0	149	6.8	4
1/16/23 8:00	354	10.8	8.0	149	6.8	4
1/16/23 8:15	354	10.9	8.1	149	6.8	4
1/16/23 8:30	354	10.9	8.1	149	6.8	4
1/16/23 8:45	354	10.9	8.1	149	6.7	4
1/16/23 9:00	354	11	8.1	149	6.7	4
1/16/23 9:15	354	11	8.1	149	6.7	4
1/16/23 9:30	354	11	8.1	149	6.7	4
1/16/23 9:45	354	11	8.1	148	6.7	4
1/16/23 10:00	354	11.1	8.1	148	6.8	4
1/16/23 10:15	354	11.1	8.2	148	6.8	4
1/16/23 10:30	354	11.2	8.2	148	6.8	4
1/16/23 10:45	358	11.2	8.2	148	6.9	4
1/16/23 11:00	354	11.2	8.2	148	6.9	4
1/16/23 11:15	354	11.3	8.2	148	6.9	4
1/16/23 11:30	354	11.3	8.2	148	7.0	4
1/16/23 11:45	358	11.3	8.2	148	7.0	4
1/16/23 12:00	354	11.3	8.3	148	7.0	4
1/16/23 12:15	354	11.3	8.3	148	7.1	4
1/16/23 12:30	354	11.2	8.3	148	7.1	4
1/16/23 12:45	354	11.2	8.3	148	7.2	4
1/16/23 13:00	354	11.2	8.3	148	7.2	4
1/16/23 13:15	354	11.2	8.3	148	7.3	4
1/16/23 13:30	354	11.2	8.3	148	7.3	4
1/16/23 13:45	354	11.1	8.3	148	7.3	4
1/16/23 14:00	354	11	8.3	149	7.3	4
1/16/23 14:15	371	11	8.2	149	7.2	4
1/16/23 14:30	487	11	8.2	149	7.2	4
1/16/23 14:45	576	11.1	8.2	150	6.7	5
1/16/23 15:00	662	11.3	8.1	152	6.0	6
1/16/23 15:15	748	11.4	8.0	153	5.5	6
1/16/23 15:30	846	11.5	8.0	155	5.0	7
1/16/23 15:45	988	11.6	7.9	156	4.6	7
1/16/23 16:00	1160	11.6	7.9	157	4.3	7
1/16/23 16:15	1250	11.6	7.8	159	4.1	8
1/16/23 16:30	1340	11.7	7.8	160	4.0	8
1/16/23 16:45	1510	11.8	7.8	160	3.8	8
1/16/23 17:00	1660	11.9	7.8	160	3.6	8
1/16/23 17:15	1660	12	7.8	160	3.5	8
1/16/23 17:30	1670	12	7.8	160	3.5	8
1/16/23 17:45	1640	12	7.8	160	3.4	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/16/23 18:00	1650	12	7.8	160	3.4	8
1/16/23 18:15	1660	12	7.8	161	3.4	8
1/16/23 18:30	1640	12	7.8	161	3.4	8
1/16/23 18:45	1650	12	7.8	161	3.4	8
1/16/23 19:00	1650	12	7.8	161	3.4	8
1/16/23 19:15	1670	12	7.8	161	3.4	8
1/16/23 19:30	1650	12	7.8	161	3.4	8
1/16/23 19:45	1670	12	7.8	162	3.4	8
1/16/23 20:00	1660	12	7.8	162	3.4	8
1/16/23 20:15	1640	12	7.8	162	3.4	8
1/16/23 20:30	1480	11.9	7.8	162	3.4	8
1/16/23 20:45	1340	11.9	7.8	161	3.5	8
1/16/23 21:00	1200	11.8	7.8	161	3.6	7
1/16/23 21:15	1060	11.8	7.8	160	3.7	7
1/16/23 21:30	959	11.8	7.8	160	3.9	7
1/16/23 21:45	853	11.7	7.8	159	4.0	7
1/16/23 22:00	748	11.7	7.8	159	4.2	7
1/16/23 22:15	656	11.6	7.9	158	4.4	7
1/16/23 22:30	576	11.5	7.9	157	4.6	6
1/16/23 22:45	528	11.4	7.9	156	4.8	6
1/16/23 23:00	371	11.3	7.9	156	5.0	6
1/16/23 23:15	354	11.2	8.0	154	5.3	5
1/16/23 23:30	354	11.1	8.0	152	5.9	4
1/16/23 23:45	354	11	8.0	151	6.2	4
1/17/23 0:00	354	10.9	8.0	150	6.4	4
1/17/23 0:15	354	10.9	8.0	150	6.5	4
1/17/23 0:30	354	10.9	8.0	150	6.5	4
1/17/23 0:45	354	10.9	8.0	150	6.6	4
1/17/23 1:00	354	10.9	8.0	150	6.6	4
1/17/23 1:15	354	10.9	8.0	150	6.6	4
1/17/23 1:30	354	10.9	8.0	150	6.6	4
1/17/23 1:45	354	10.9	8.0	150	6.6	4
1/17/23 2:00	354	10.9	8.0	150	6.6	4
1/17/23 2:15	354	10.9	8.0	150	6.6	4
1/17/23 2:30	354	10.9	8.0	150	6.6	4
1/17/23 2:45	354	10.9	8.0	150	6.6	4
1/17/23 3:00	354	11	8.0	150	6.6	4
1/17/23 3:15	354	11	8.0	150	6.6	4
1/17/23 3:30	354	11	8.0	150	6.6	4
1/17/23 3:45	354	10.9	8.0	150	6.6	4
1/17/23 4:00	354	11	8.0	150	6.6	4
1/17/23 4:15	354	10.9	8.0	150	6.6	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	
	(cfs)	DO (mg/L)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
1/17/23 4:30	354	11	8.0	150	6.6	4
1/17/23 4:45	354	11	8.0	150	6.6	4
1/17/23 5:00	354	11	8.0	150	6.6	4
1/17/23 5:15	354	11	8.0	150	6.5	4
1/17/23 5:30	354	11	8.0	151	6.5	4
1/17/23 5:45	354	11	8.0	151	6.5	4
1/17/23 6:00	354	11	8.0	151	6.5	4
1/17/23 6:15	354	11	8.0	151	6.5	4
1/17/23 6:30	354	11	8.0	151	6.5	4
1/17/23 6:45	354	11	8.0	151	6.5	4
1/17/23 7:00	354	11	8.0	151	6.5	4
1/17/23 7:15	354	11	8.0	151	6.4	4
1/17/23 7:30	354	11	8.0	151	6.4	4
1/17/23 7:45	354	11	8.0	151	6.4	4
1/17/23 8:00	354	11.1	8.0	151	6.4	4
1/17/23 8:15	354	11.1	8.0	151	6.4	4
1/17/23 8:30	354	11.2	8.0	151	6.4	4
1/17/23 8:45	354	11.2	8.1	151	6.4	4
1/17/23 9:00	354	11.2	8.1	151	6.4	4
1/17/23 9:15	354	11.2	8.1	151	6.4	4
1/17/23 9:30	354	11.3	8.1	151	6.4	4
1/17/23 9:45	354	11.3	8.1	151	6.4	4
1/17/23 10:00	354	11.3	8.1	151	6.4	4
1/17/23 10:15	354	11.3	8.2	151	6.4	4
1/17/23 10:30	354	11.3	8.2	151	6.5	4
1/17/23 10:45	354	11.4	8.2	151	6.5	4
1/17/23 11:00	354	11.4	8.2	151	6.6	4
1/17/23 11:15	354	11.4	8.2	151	6.6	4
1/17/23 11:30	354	11.4	8.2	151	6.7	4
1/17/23 11:45	354	11.4	8.2	151	6.7	4
1/17/23 12:00	354	11.4	8.2	151	6.8	4
1/17/23 12:15	354	11.4	8.2	151	6.8	4
1/17/23 12:30	354	11.3	8.2	151	6.9	4
1/17/23 12:45	354	11.3	8.2	151	6.9	4
1/17/23 13:00	354	11.3	8.2	151	7.0	4
1/17/23 13:15	354	11.3	8.2	151	7.0	4
1/17/23 13:30	354	11.2	8.2	151	7.0	4
1/17/23 13:45	354	11.2	8.2	151	7.0	4
1/17/23 14:00	354	11.2	8.2	151	7.1	4
1/17/23 14:15	424	11.2	8.2	151	7.1	4
1/17/23 14:30	512	11.2	8.2	151	7.0	4
1/17/23 14:45	604	11.3	8.1	154	6.3	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	
	(cfs)	DO (mg/L)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
1/17/23 15:00	692	11.4	8.0	156	5.7	6
1/17/23 15:15	754	11.6	8.0	158	5.1	6
1/17/23 15:30	867	11.6	7.9	158	4.8	6
1/17/23 15:45	1030	11.7	7.9	160	4.4	7
1/17/23 16:00	1200	11.7	7.8	161	4.1	7
1/17/23 16:15	1260	11.7	7.8	163	4.0	7
1/17/23 16:30	1350	11.8	7.8	165	3.8	7
1/17/23 16:45	1530	11.9	7.8	165	3.7	7
1/17/23 17:00	1690	12	7.8	166	3.5	8
1/17/23 17:15	1720	12	7.8	166	3.5	8
1/17/23 17:30	1720	12	7.8	167	3.4	8
1/17/23 17:45	1710	12	7.8	167	3.4	8
1/17/23 18:00	1710	12	7.8	167	3.4	8
1/17/23 18:15	1690	12	7.8	167	3.4	8
1/17/23 18:30	1690	12	7.8	167	3.4	8
1/17/23 18:45	1690	12	7.8	167	3.4	8
1/17/23 19:00	1710	12	7.8	167	3.4	8
1/17/23 19:15	1710	12	7.8	167	3.4	8
1/17/23 19:30	1710	12	7.8	167	3.4	8
1/17/23 19:45	1690	12	7.8	167	3.4	8
1/17/23 20:00	1710	12	7.8	168	3.4	8
1/17/23 20:15	1650	12	7.8	168	3.4	8
1/17/23 20:30	1500	12	7.8	168	3.4	7
1/17/23 20:45	1350	11.9	7.8	168	3.5	8
1/17/23 21:00	1210	11.9	7.8	167	3.6	7
1/17/23 21:15	1080	11.8	7.8	167	3.8	7
1/17/23 21:30	959	11.8	7.8	166	3.9	7
1/17/23 21:45	846	11.8	7.8	166	4.0	7
1/17/23 22:00	741	11.7	7.9	165	4.2	6
1/17/23 22:15	650	11.6	7.9	164	4.4	6
1/17/23 22:30	565	11.5	7.9	163	4.6	6
1/17/23 22:45	497	11.4	7.9	161	4.9	6
1/17/23 23:00	367	11.4	7.9	160	5.1	5
1/17/23 23:15	354	11.2	7.9	158	5.4	5
1/17/23 23:30	354	11.1	8.0	155	6.0	4
1/17/23 23:45	354	11	8.0	154	6.3	4
1/18/23 0:00	354	11	8.0	153	6.4	4
1/18/23 0:15	354	11	8.0	153	6.5	4
1/18/23 0:30	354	11	8.0	153	6.5	4
1/18/23 0:45	354	11	8.0	153	6.6	4
1/18/23 1:00	354	11	8.0	153	6.6	4
1/18/23 1:15	354	11	8.0	153	6.6	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 1:30	354	11	8.0	153	6.6	4
1/18/23 1:45	349	11	8.0	153	6.6	4
1/18/23 2:00	349	11	8.0	153	6.6	4
1/18/23 2:15	354	11	8.0	153	6.6	4
1/18/23 2:30	354	11	8.0	153	6.6	4
1/18/23 2:45	354	11	8.0	153	6.6	4
1/18/23 3:00	354	11	8.0	153	6.6	4
1/18/23 3:15	354	11	8.0	153	6.6	4
1/18/23 3:30	354	11	8.0	153	6.6	4
1/18/23 3:45	354	11	8.0	153	6.6	4
1/18/23 4:00	354	11	8.0	153	6.6	4
1/18/23 4:15	358	11	8.0	153	6.6	4
1/18/23 4:30	354	11	8.0	153	6.6	4
1/18/23 4:45	354	11	8.0	153	6.6	4
1/18/23 5:00	354	11	8.0	153	6.6	4
1/18/23 5:15	354	11	8.0	153	6.6	4
1/18/23 5:30	354	11	8.0	153	6.6	4
1/18/23 5:45	354	11	8.0	153	6.6	4
1/18/23 6:00	354	11	8.0	154	6.6	4
1/18/23 6:15	354	11	8.0	154	6.6	4
1/18/23 6:30	354	11	8.0	154	6.6	4
1/18/23 6:45	354	11	8.0	154	6.6	4
1/18/23 7:00	354	11	8.0	154	6.6	4
1/18/23 7:15	354	11	8.0	154	6.6	4
1/18/23 7:30	354	11	8.0	154	6.6	4
1/18/23 7:45	354	11	8.0	154	6.6	4
1/18/23 8:00	354	11	8.0	154	6.6	4
1/18/23 8:15	354	11	8.0	154	6.6	4
1/18/23 8:30	354	11.1	8.0	154	6.6	4
1/18/23 8:45	354	11.1	8.1	154	6.6	4
1/18/23 9:00	354	11.1	8.0	154	6.6	4
1/18/23 9:15	354	11.2	8.1	154	6.6	4
1/18/23 9:30	354	11.2	8.1	154	6.6	4
1/18/23 9:45	354	11.2	8.1	154	6.6	4
1/18/23 10:00	354	11.2	8.1	154	6.6	4
1/18/23 10:15	354	11.3	8.1	154	6.7	4
1/18/23 10:30	354	11.3	8.1	154	6.7	4
1/18/23 10:45	354	11.3	8.2	154	6.7	4
1/18/23 11:00	354	11.3	8.2	154	6.7	4
1/18/23 11:15	354	11.3	8.2	154	6.8	4
1/18/23 11:30	354	11.3	8.2	154	6.8	4
1/18/23 11:45	354	11.3	8.2	154	6.8	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/18/23 12:00	354	11.3	8.2	154	6.8	4
1/18/23 12:15	354	11.3	8.2	154	6.8	4
1/18/23 12:30	354	11.3	8.2	154	6.8	4
1/18/23 12:45	354	11.3	8.2	154	6.9	4
1/18/23 13:00	354	11.3	8.3	154	6.9	4
1/18/23 13:15	354	11.3	8.2	154	7.0	4
1/18/23 13:30	354	11.3	8.3	154	7.0	4
1/18/23 13:45	354	11.3	8.3	154	7.0	4
1/18/23 14:00	354	11.2	8.3	154	7.0	4
1/18/23 14:15	411	11.2	8.2	154	7.0	4
1/18/23 14:30	507	11.1	8.2	154	7.0	4
1/18/23 14:45	593	11.2	8.1	158	6.3	5
1/18/23 15:00	686	11.4	8.0	160	5.7	5
1/18/23 15:15	754	11.5	8.0	162	5.1	6
1/18/23 15:30	874	11.6	7.9	164	4.6	6
1/18/23 15:45	1020	11.6	7.9	165	4.3	7
1/18/23 16:00	1200	11.7	7.8	167	3.9	7
1/18/23 16:15	1290	11.7	7.8	169	3.7	7
1/18/23 16:30	1360	11.8	7.8	170	3.6	7
1/18/23 16:45	1560	12	7.8	171	3.4	7
1/18/23 17:00		12.1	7.8	172	3.3	7
1/18/23 17:15		12.1	7.8	172	3.3	7
1/18/23 17:30		12.1	7.8	173	3.2	7
1/18/23 17:45		12.1	7.8	173	3.2	7
1/18/23 18:00	1670	12	7.8	173	3.2	7
1/18/23 18:15	1680	12	7.8	173	3.2	7
1/18/23 18:30	1690	12	7.8	173	3.2	7
1/18/23 18:45	1650	12	7.8	174	3.2	7
1/18/23 19:00	1670	12	7.8	174	3.3	7
1/18/23 19:15	1640	12	7.8	174	3.3	7
1/18/23 19:30	1680	12	7.8	174	3.3	7
1/18/23 19:45	1670	12	7.8	174	3.3	7
1/18/23 20:00	1660	12	7.8	174	3.3	7
1/18/23 20:15	1660	12	7.8	174	3.3	7
1/18/23 20:30	1660	12	7.8	174	3.3	7
1/18/23 20:45	1690	12	7.8	174	3.3	7
1/18/23 21:00	1640	12	7.8	175	3.3	7
1/18/23 21:15	1640	12	7.8	175	3.3	7
1/18/23 21:30	1490	12	7.8	175	3.3	7
1/18/23 21:45	1350	12	7.8	174	3.4	7
1/18/23 22:00	1210	11.9	7.8	173	3.5	7
1/18/23 22:15	1070	11.9	7.9	173	3.6	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/18/23 22:30	959	11.8	7.8	172	3.7	7
1/18/23 22:45	846	11.8	7.9	171	3.9	6
1/18/23 23:00	741	11.8	7.9	170	4.0	6
1/18/23 23:15	650	11.7	7.9	169	4.2	6
1/18/23 23:30	576	11.6	7.9	168	4.5	6
1/18/23 23:45	472	11.5	7.9	166	4.7	5
1/19/23 0:00	358	11.4	7.9	165	4.8	5
1/19/23 0:15	354	11.3	8.0	162	5.3	5
1/19/23 0:30	354	11.2	8.0	158	5.8	4
1/19/23 0:45	354	11.1	8.0	157	6.1	4
1/19/23 1:00	354	11.1	8.0	156	6.2	4
1/19/23 1:15	354	11	8.0	156	6.3	4
1/19/23 1:30	354	11	8.0	156	6.4	4
1/19/23 1:45	354	11	8.0	156	6.4	4
1/19/23 2:00	354	11	8.0	156	6.4	4
1/19/23 2:15	354	11	8.0	156	6.4	3
1/19/23 2:30	354	11	8.0	156	6.5	3
1/19/23 2:45	358	11	8.0	156	6.5	3
1/19/23 3:00	354	11	8.0	156	6.5	4
1/19/23 3:15	358	11.1	8.0	156	6.5	3
1/19/23 3:30	358	11.1	8.0	156	6.5	3
1/19/23 3:45	358	11.1	8.0	156	6.5	3
1/19/23 4:00	354	11.1	8.0	156	6.5	3
1/19/23 4:15	354	11.1	8.0	156	6.5	3
1/19/23 4:30	354	11.1	8.0	156	6.4	3
1/19/23 4:45	358	11.1	8.0	156	6.4	3
1/19/23 5:00	354	11.1	8.0	156	6.4	3
1/19/23 5:15	354	11.1	8.0	157	6.4	3
1/19/23 5:30	354	11.1	8.0	157	6.4	3
1/19/23 5:45	354	11.1	8.0	157	6.4	3
1/19/23 6:00	354	11.1	8.0	157	6.4	3
1/19/23 6:15	354	11.1	8.0	157	6.4	3
1/19/23 6:30	354	11.1	8.0	157	6.4	3
1/19/23 6:45	354	11.1	8.0	157	6.4	3
1/19/23 7:00	358	11.1	8.0	157	6.4	3
1/19/23 7:15	358	11.1	8.0	157	6.3	3
1/19/23 7:30	358	11.1	8.0	157	6.3	3
1/19/23 7:45	358	11.2	8.0	157	6.3	3
1/19/23 8:00	358	11.2	8.1	157	6.3	4
1/19/23 8:15	358	11.2	8.0	157	6.2	3
1/19/23 8:30	354	11.3	8.1	157	6.2	3
1/19/23 8:45	358	11.3	8.1	157	6.2	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/19/23 9:00	358	11.4	8.1	157	6.2	3
1/19/23 9:15	354	11.4	8.1	157	6.2	3
1/19/23 9:30	358	11.4	8.1	157	6.2	3
1/19/23 9:45	358	11.4	8.1	157	6.2	3
1/19/23 10:00	358	11.5	8.1	157	6.2	3
1/19/23 10:15	358	11.5	8.2	157	6.2	3
1/19/23 10:30	358	11.5	8.2	157	6.3	3
1/19/23 10:45	358	11.6	8.2	157	6.3	3
1/19/23 11:00	358	11.5	8.2	157	6.3	3
1/19/23 11:15	358	11.5	8.2	157	6.3	3
1/19/23 11:30	358	11.6	8.2	157	6.4	3
1/19/23 11:45	358	11.6	8.2	157	6.5	3
1/19/23 12:00	354	11.6	8.2	158	6.4	3
1/19/23 12:15	354	11.5	8.2	157	6.6	3
1/19/23 12:30	354	11.5	8.2	157	6.6	3
1/19/23 12:45	354	11.5	8.2	157	6.7	3
1/19/23 13:00	349	11.4	8.2	157	6.8	3
1/19/23 13:15	354	11.4	8.2	157	6.8	3
1/19/23 13:30	354	11.4	8.2	157	6.8	3
1/19/23 13:45	354	11.4	8.2	157	6.9	3
1/19/23 14:00	349	11.4	8.2	157	6.9	3
1/19/23 14:15	354	11.3	8.2	157	6.9	3
1/19/23 14:30	448	11.3	8.2	157	6.9	3
1/19/23 14:45	528	11.3	8.2	159	6.7	4
1/19/23 15:00	627	11.4	8.1	163	6.0	4
1/19/23 15:15	716	11.6	8.0	166	5.3	5
1/19/23 15:30	773	11.7	7.9	169	4.8	5
1/19/23 15:45	902	11.8	7.9	170	4.4	6
1/19/23 16:00	1060	11.8	7.9	173	4.1	6
1/19/23 16:15	1240	11.9	7.8	175	3.8	6
1/19/23 16:30	1290	11.9	7.8	176	3.6	6
1/19/23 16:45	1390	12	7.8	177	3.5	6
1/19/23 17:00	1570	12.2	7.8	178	3.3	7
1/19/23 17:15	1710	12.2	7.8	179	3.2	7
1/19/23 17:30	1710	12.3	7.8	180	3.1	7
1/19/23 17:45	1720	12.2	7.8	180	3.1	7
1/19/23 18:00	1710	12.2	7.8	180	3.1	7
1/19/23 18:15	1710	12.2	7.8	180	3.1	7
1/19/23 18:30	1710	12.2	7.8	180	3.1	7
1/19/23 18:45	1710	12.2	7.8	180	3.1	7
1/19/23 19:00	1710	12.2	7.8	180	3.1	7
1/19/23 19:15	1710	12.2	7.8	180	3.0	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/19/23 19:30	1720	12.2	7.8	180	3.0	7
1/19/23 19:45	1710	12.2	7.8	180	3.0	7
1/19/23 20:00	1710	12.2	7.8	180	3.0	7
1/19/23 20:15	1720	12.2	7.8	180	3.0	7
1/19/23 20:30	1720	12.2	7.8	180	3.0	7
1/19/23 20:45	1720	12.2	7.8	180	3.0	7
1/19/23 21:00	1710	12.2	7.8	180	3.0	7
1/19/23 21:15	1710	12.2	7.8	180	3.0	7
1/19/23 21:30	1710	12.2	7.8	181	3.0	7
1/19/23 21:45	1720	12.2	7.8	181	3.0	7
1/19/23 22:00	1710	12.2	7.8	181	3.0	6
1/19/23 22:15	1690	12.2	7.8	181	2.9	7
1/19/23 22:30	1710	12.2	7.8	182	2.9	6
1/19/23 22:45	1690	12.2	7.8	182	2.9	6
1/19/23 23:00	1710	12.2	7.8	182	2.9	7
1/19/23 23:15	1720	12.2	7.8	182	2.9	6
1/19/23 23:30	1720	12.2	7.8	182	2.9	6
1/19/23 23:45	1720	12.3	7.8	183	2.9	6
1/20/23 0:00	1720	12.3	7.8	183	2.9	6
1/20/23 0:15	1710	12.3	7.8	183	2.8	6
1/20/23 0:30	1580	12.3	7.8	183	2.8	6
1/20/23 0:45	1420	12.2	7.8	183	2.9	6
1/20/23 1:00	1290	12.2	7.8	182	3.0	6
1/20/23 1:15	1160	12.2	7.8	181	3.1	6
1/20/23 1:30	1020	12.1	7.8	181	3.2	6
1/20/23 1:45	909	12.1	7.8	180	3.3	6
1/20/23 2:00	799	12	7.9	178	3.5	6
1/20/23 2:15	735	12	7.8	177	3.6	5
1/20/23 2:30	729	11.9	7.9	176	3.8	5
1/20/23 2:45	735	11.9	7.9	176	3.9	5
1/20/23 3:00	729	11.9	7.9	176	3.9	5
1/20/23 3:15	735	12	7.8	176	3.9	5
1/20/23 3:30	729	12	7.9	176	3.9	5
1/20/23 3:45	729	12	7.9	176	3.8	5
1/20/23 4:00	729	12	7.9	176	3.8	5
1/20/23 4:15	729	12	7.9	176	3.8	5
1/20/23 4:30	729	12	7.9	176	3.8	5
1/20/23 4:45	615	12	7.8	176	3.8	5
1/20/23 5:00	523	12	7.9	175	3.8	5
1/20/23 5:15	587	11.8	7.9	171	4.3	5
1/20/23 5:30	686	11.8	7.9	172	4.3	5
1/20/23 5:45	723	11.9	7.9	174	4.0	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/20/23 6:00	716	12	7.9	176	3.8	5
1/20/23 6:15	716	12	7.9	176	3.8	5
1/20/23 6:30	723	12	7.9	176	3.8	5
1/20/23 6:45	723	12	7.9	176	3.8	5
1/20/23 7:00	716	12	7.9	176	3.8	5
1/20/23 7:15	723	12	7.9	176	3.8	5
1/20/23 7:30	716	12	7.9	177	3.8	5
1/20/23 7:45	716	12	7.9	177	3.8	5
1/20/23 8:00	723	12	7.9	177	3.8	5
1/20/23 8:15	723	12	7.9	176	3.8	5
1/20/23 8:30	723	12	7.9	176	3.8	5
1/20/23 8:45	723	12.1	7.9	176	3.8	6
1/20/23 9:00	723	12.1	7.9	176	3.8	5
1/20/23 9:15	723	12.1	7.9	176	3.8	5
1/20/23 9:30	723	12.1	7.9	176	3.8	5
1/20/23 9:45	723	12.1	7.9	176	3.8	5
1/20/23 10:00	723	12.1	7.9	177	3.8	5
1/20/23 10:15	723	12.1	7.9	177	3.8	5
1/20/23 10:30	723	12.1	7.9	177	3.9	5
1/20/23 10:45	723	12.2	7.9	177	3.9	5
1/20/23 11:00	723	12.2	7.9	176	4.0	5
1/20/23 11:15	723	12.2	7.9	177	4.0	5
1/20/23 11:30	723	12.2	8.0	177	4.0	5
1/20/23 11:45	723	12.2	8.0	177	4.1	5
1/20/23 12:00	723	12.1	7.9	177	4.1	5
1/20/23 12:15	723	12.1	8.0	177	4.2	5
1/20/23 12:30	723	12.1	8.0	177	4.2	5
1/20/23 12:45	723	12.1	8.0	177	4.2	5
1/20/23 13:00	723	12.1	8.0	177	4.3	5
1/20/23 13:15	723	12.1	8.0	177	4.3	5
1/20/23 13:30	723	12	7.9	177	4.3	5
1/20/23 13:45	723	12	8.0	177	4.4	5
1/20/23 14:00	723	12	8.0	177	4.4	5
1/20/23 14:15	716	12	8.0	177	4.4	5
1/20/23 14:30	723	12	8.0	177	4.3	5
1/20/23 14:45	723	12	8.0	177	4.3	5
1/20/23 15:00	716	12	7.9	177	4.3	5
1/20/23 15:15	723	11.9	8.0	177	4.3	5
1/20/23 15:30	723	11.9	8.0	177	4.3	5
1/20/23 15:45	723	11.9	7.9	177	4.2	5
1/20/23 16:00	723	11.9	7.9	178	4.2	5
1/20/23 16:15	723	11.9	7.9	178	4.2	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/20/23 16:30	723	11.9	7.9	178	4.2	5
1/20/23 16:45	723	11.9	7.9	178	4.2	5
1/20/23 17:00	723	11.9	7.9	178	4.2	5
1/20/23 17:15	723	11.9	7.9	178	4.1	5
1/20/23 17:30	723	11.9	7.9	178	4.1	5
1/20/23 17:45	723	11.9	7.9	178	4.1	5
1/20/23 18:00	723	11.9	7.9	178	4.1	5
1/20/23 18:15	716	11.9	7.9	178	4.1	5
1/20/23 18:30	723	11.9	7.9	178	4.1	5
1/20/23 18:45	723	11.9	7.9	178	4.1	5
1/20/23 19:00	716	11.9	7.9	178	4.0	5
1/20/23 19:15	723	11.9	7.9	178	4.0	5
1/20/23 19:30	716	11.9	7.9	178	4.0	5
1/20/23 19:45	723	12	7.9	178	4.0	5
1/20/23 20:00	723	12	7.9	178	4.0	5
1/20/23 20:15	723	12	7.9	178	4.0	5
1/20/23 20:30	723	12	7.9	178	4.0	5
1/20/23 20:45	723	12	7.9	178	4.0	5
1/20/23 21:00	723	12	7.9	178	4.0	5
1/20/23 21:15	723	12	7.9	179	3.9	5
1/20/23 21:30	716	12	7.9	179	3.9	5
1/20/23 21:45	723	12	7.8	179	3.9	5
1/20/23 22:00	723	12	7.9	179	3.9	5
1/20/23 22:15	723	12	7.9	179	3.9	5
1/20/23 22:30	723	12	7.9	179	3.9	5
1/20/23 22:45	723	12	7.9	179	3.9	5
1/20/23 23:00	723	12	7.9	179	3.8	5
1/20/23 23:15	723	12	7.8	179	3.8	5
1/20/23 23:30	723	12	7.9	179	3.8	5
1/20/23 23:45	723	12	7.9	179	3.8	5
1/21/23 0:00	723	12	7.9	179	3.8	5
1/21/23 0:15	723	12	7.9	179	3.8	5
1/21/23 0:30	729	12	7.9	179	3.8	5
1/21/23 0:45	723	12	7.9	179	3.8	5
1/21/23 1:00	723	12	7.9	179	3.8	5
1/21/23 1:15	723	12	7.9	179	3.7	5
1/21/23 1:30	723	12	7.9	179	3.7	5
1/21/23 1:45	723	12.1	7.9	179	3.7	5
1/21/23 2:00	723	12	7.9	179	3.7	5
1/21/23 2:15	723	12.1	7.8	179	3.7	5
1/21/23 2:30	723	12.1	7.9	179	3.7	5
1/21/23 2:45	723	12.1	7.9	179	3.7	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/21/23 3:00	723	12.1	7.9	179	3.7	5
1/21/23 3:15	723	12.1	7.9	179	3.7	5
1/21/23 3:30	723	12.1	7.9	179	3.7	5
1/21/23 3:45	723	12.1	7.9	179	3.7	5
1/21/23 4:00	716	12.1	7.9	179	3.7	5
1/21/23 4:15	723	12.1	7.9	179	3.6	5
1/21/23 4:30	723	12.1	7.9	179	3.6	5
1/21/23 4:45	716	12.1	7.9	179	3.6	5
1/21/23 5:00	723	12.1	7.9	179	3.6	5
1/21/23 5:15	723	12.1	7.9	179	3.6	5
1/21/23 5:30	723	12.1	7.9	179	3.6	5
1/21/23 5:45	723	12.1	7.9	179	3.6	5
1/21/23 6:00	723	12.1	7.9	179	3.6	5
1/21/23 6:15	723	12.1	7.9	179	3.6	5
1/21/23 6:30	716	12.1	7.8	179	3.6	5
1/21/23 6:45	723	12.1	7.9	179	3.6	5
1/21/23 7:00	723	12.1	7.9	179	3.6	5
1/21/23 7:15	723	12.1	7.9	179	3.6	5
1/21/23 7:30	723	12.1	7.9	179	3.6	5
1/21/23 7:45	723	12.1	7.9	179	3.6	5
1/21/23 8:00	723	12.1	7.9	179	3.6	5
1/21/23 8:15	723	12.1	7.9	179	3.6	5
1/21/23 8:30	716	12.2	7.9	179	3.6	5
1/21/23 8:45	723	12.2	7.9	179	3.6	5
1/21/23 9:00	723	12.2	7.9	179	3.6	5
1/21/23 9:15	716	12.2	7.9	179	3.7	5
1/21/23 9:30	723	12.2	8.0	179	3.7	5
1/21/23 9:45	723	12.2	8.0	179	3.7	5
1/21/23 10:00	723	12.2	7.9	179	3.7	5
1/21/23 10:15	723	12.2	7.9	179	3.7	5
1/21/23 10:30	723	12.2	8.0	179	3.8	5
1/21/23 10:45	723	12.3	8.0	179	3.8	5
1/21/23 11:00	723	12.3	7.9	179	3.9	5
1/21/23 11:15	723	12.2	8.0	179	3.9	5
1/21/23 11:30	723	12.2	8.0	179	4.0	5
1/21/23 11:45	723	12.2	8.0	180	4.0	5
1/21/23 12:00	716	12.2	7.9	180	4.0	5
1/21/23 12:15	723	12.2	8.0	180	4.0	5
1/21/23 12:30	716	12.2	8.0	180	4.1	5
1/21/23 12:45	723	12.2	8.0	180	4.1	5
1/21/23 13:00	723	12.2	8.0	180	4.2	5
1/21/23 13:15	716	12.2	8.0	180	4.2	5

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/21/23 13:30	723	12.2	8.0	180	4.2	5
1/21/23 13:45	716	12.1	8.0	180	4.2	5
1/21/23 14:00	723	12.1	8.0	180	4.2	5
1/21/23 14:15	716	12.1	8.0	180	4.2	5
1/21/23 14:30	716	12.1	8.0	180	4.2	5
1/21/23 14:45	716	12	8.0	180	4.2	5
1/21/23 15:00	723	12	8.0	180	4.2	5
1/21/23 15:15	716	12	8.0	180	4.2	5
1/21/23 15:30	723	12	8.0	180	4.2	5
1/21/23 15:45	716	12	8.0	180	4.2	5
1/21/23 16:00	723	12	7.9	180	4.2	5
1/21/23 16:15	723	12	7.9	180	4.1	5
1/21/23 16:30	826	12	7.9	180	4.1	5
1/21/23 16:45	981	12.1	7.9	182	3.8	5
1/21/23 17:00	1140	12.2	7.9	185	3.5	6
1/21/23 17:15	1240	12.3	7.8	187	3.2	6
1/21/23 17:30	1310	12.3	7.9	188	3.0	6
1/21/23 17:45	1470	12.4	7.9	188	2.9	6
1/21/23 18:00	1660	12.4	7.8	190	2.7	6
1/21/23 18:15	1680	12.5	7.8	190	2.6	6
1/21/23 18:30	1690	12.5	7.8	190	2.6	6
1/21/23 18:45	1690	12.5	7.8	190	2.6	6
1/21/23 19:00	1690	12.4	7.8	190	2.6	6
1/21/23 19:15	1690	12.4	7.8	190	2.6	6
1/21/23 19:30	1680	12.4	7.8	190	2.6	6
1/21/23 19:45	1680	12.4	7.8	190	2.6	6
1/21/23 20:00	1690	12.4	7.8	190	2.6	6
1/21/23 20:15	1680	12.4	7.8	190	2.6	6
1/21/23 20:30	1570	12.4	7.8	190	2.6	6
1/21/23 20:45	1420	12.4	7.8	189	2.7	6
1/21/23 21:00	1290	12.3	7.8	188	2.8	6
1/21/23 21:15	1150	12.2	7.8	187	3.0	6
1/21/23 21:30	1020	12.2	7.8	186	3.1	6
1/21/23 21:45	902	12.1	7.9	185	3.3	6
1/21/23 22:00	786	12.1	7.9	183	3.4	6
1/21/23 22:15	692	12	7.9	182	3.7	5
1/21/23 22:30	604	11.9	7.9	180	3.9	5
1/21/23 22:45	533	11.8	7.9	178	4.2	5
1/21/23 23:00	453	11.7	7.9	176	4.4	5
1/21/23 23:15	354	11.6	7.9	174	4.7	4
1/21/23 23:30	349	11.4	8.0	170	5.1	4
1/21/23 23:45	345	11.3	8.0	166	5.7	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/22/23 0:00	349	11.2	8.0	164	5.9	3
1/22/23 0:15	349	11.2	8.0	164	6.1	3
1/22/23 0:30	345	11.2	8.0	163	6.1	3
1/22/23 0:45	349	11.2	8.0	163	6.2	3
1/22/23 1:00	345	11.2	8.0	163	6.2	3
1/22/23 1:15	349	11.2	8.0	163	6.2	3
1/22/23 1:30	349	11.2	8.0	163	6.2	3
1/22/23 1:45	349	11.2	8.0	163	6.2	3
1/22/23 2:00	349	11.2	8.0	163	6.2	3
1/22/23 2:15	349	11.2	8.0	163	6.2	3
1/22/23 2:30	349	11.2	8.0	163	6.2	3
1/22/23 2:45	349	11.2	8.0	162	6.2	3
1/22/23 3:00	349	11.2	8.0	162	6.2	3
1/22/23 3:15	349	11.2	8.0	162	6.2	3
1/22/23 3:30	349	11.2	8.0	162	6.2	3
1/22/23 3:45	349	11.2	8.0	162	6.2	3
1/22/23 4:00	349	11.2	8.0	162	6.2	3
1/22/23 4:15	349	11.2	8.0	162	6.2	3
1/22/23 4:30	349	11.2	8.0	162	6.2	3
1/22/23 4:45	349	11.2	8.0	162	6.2	3
1/22/23 5:00	349	11.2	8.0	162	6.2	3
1/22/23 5:15	349	11.2	8.0	162	6.1	3
1/22/23 5:30	349	11.2	8.0	162	6.1	3
1/22/23 5:45	349	11.2	8.0	162	6.1	3
1/22/23 6:00	349	11.2	8.0	162	6.1	3
1/22/23 6:15	349	11.2	8.0	162	6.1	3
1/22/23 6:30	349	11.2	8.0	162	6.1	3
1/22/23 6:45	349	11.3	8.0	162	6.1	3
1/22/23 7:00	349	11.3	8.0	162	6.1	3
1/22/23 7:15	349	11.3	8.0	162	6.0	3
1/22/23 7:30	349	11.3	8.0	162	6.0	3
1/22/23 7:45	349	11.3	8.0	162	6.0	3
1/22/23 8:00	349	11.3	8.0	162	6.0	3
1/22/23 8:15	349	11.4	8.0	162	6.0	3
1/22/23 8:30	349	11.4	8.0	162	6.0	3
1/22/23 8:45	349	11.4	8.0	162	6.0	3
1/22/23 9:00	349	11.4	8.0	162	6.0	3
1/22/23 9:15	349	11.4	8.0	162	6.0	3
1/22/23 9:30	349	11.5	8.1	162	6.0	3
1/22/23 9:45	349	11.5	8.1	162	6.0	3
1/22/23 10:00	349	11.5	8.1	162	6.0	3
1/22/23 10:15	349	11.6	8.1	162	6.1	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/22/23 10:30	349	11.6	8.2	162	6.1	3
1/22/23 10:45	349	11.7	8.1	162	6.2	3
1/22/23 11:00	349	11.7	8.2	162	6.3	3
1/22/23 11:15	354	11.7	8.2	162	6.3	3
1/22/23 11:30	349	11.7	8.2	162	6.4	3
1/22/23 11:45	349	11.6	8.2	162	6.4	3
1/22/23 12:00	349	11.6	8.2	162	6.5	3
1/22/23 12:15	349	11.6	8.2	162	6.5	3
1/22/23 12:30	349	11.6	8.2	162	6.6	3
1/22/23 12:45	349	11.5	8.2	162	6.6	3
1/22/23 13:00	349	11.5	8.2	162	6.6	3
1/22/23 13:15	349	11.5	8.2	162	6.7	3
1/22/23 13:30	349	11.5	8.2	162	6.7	3
1/22/23 13:45	349	11.4	8.2	162	6.7	3
1/22/23 14:00	349	11.4	8.2	162	6.7	3
1/22/23 14:15	375	11.4	8.2	162	6.7	3
1/22/23 14:30	482	11.3	8.2	162	6.7	3
1/22/23 14:45	571	11.4	8.1	167	6.1	4
1/22/23 15:00	662	11.6	8.0	172	5.4	4
1/22/23 15:15	723	11.8	8.0	176	4.7	5
1/22/23 15:30	813	11.9	8.0	178	4.3	5
1/22/23 15:45	959	12	7.9	180	3.9	5
1/22/23 16:00	1120	12	7.9	183	3.6	6
1/22/23 16:15	1240	12.1	7.9	185	3.3	6
1/22/23 16:30	1320	12.2	7.9	186	3.1	6
1/22/23 16:45	1450	12.4	7.9	187	2.9	6
1/22/23 17:00	1630	12.5	7.8	188	2.7	6
1/22/23 17:15	1650	12.6	7.8	188	2.6	6
1/22/23 17:30	1670	12.6	7.8	188	2.5	6
1/22/23 17:45	1660	12.6	7.8	188	2.5	6
1/22/23 18:00	1670	12.5	7.8	188	2.5	6
1/22/23 18:15	1660	12.5	7.8	188	2.5	6
1/22/23 18:30	1670	12.5	7.8	188	2.5	6
1/22/23 18:45	1660	12.5	7.8	188	2.5	6
1/22/23 19:00	1670	12.5	7.8	188	2.5	6
1/22/23 19:15	1670	12.5	7.8	188	2.5	6
1/22/23 19:30	1660	12.5	7.8	188	2.5	6
1/22/23 19:45	1670	12.5	7.8	188	2.5	6
1/22/23 20:00	1670	12.5	7.8	188	2.5	6
1/22/23 20:15	1650	12.5	7.8	188	2.5	6
1/22/23 20:30	1660	12.5	7.8	188	2.5	6
1/22/23 20:45	1650	12.5	7.8	188	2.5	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S/cm}$)	Temperature ($^{\circ}\text{C}$)	
1/22/23 21:00	1640	12.5	7.8	188	2.5	6
1/22/23 21:15	1600	12.5	7.8	188	2.5	6
1/22/23 21:30	1450	12.5	7.8	188	2.6	6
1/22/23 21:45	1320	12.4	7.8	187	2.7	6
1/22/23 22:00	1180	12.4	7.8	186	2.8	6
1/22/23 22:15	1050	12.3	7.9	185	2.9	6
1/22/23 22:30	930	12.2	7.9	184	3.1	6
1/22/23 22:45	826	12.2	7.9	183	3.2	6
1/22/23 23:00	723	12.1	7.8	181	3.4	5
1/22/23 23:15	633	12	7.9	179	3.7	5
1/22/23 23:30	565	11.9	7.9	178	3.9	5
1/22/23 23:45	502	11.8	7.9	176	4.2	5
1/23/23 0:00	358	11.8	7.9	174	4.3	5
1/23/23 0:15	349	11.6	8.0	171	4.7	4
1/23/23 0:30	349	11.4	7.9	166	5.3	3
1/23/23 0:45	349	11.3	8.0	164	5.6	3
1/23/23 1:00	349	11.3	8.0	163	5.8	3
1/23/23 1:15	349	11.3	8.0	163	5.9	3
1/23/23 1:30	349	11.3	8.0	162	5.9	3
1/23/23 1:45	349	11.3	8.0	162	5.9	3
1/23/23 2:00	349	11.3	8.0	162	6.0	3
1/23/23 2:15	349	11.3	8.0	162	6.0	3
1/23/23 2:30	349	11.3	8.0	162	6.0	3
1/23/23 2:45	349	11.3	8.0	162	6.0	3
1/23/23 3:00	354	11.3	8.0	162	6.0	3
1/23/23 3:15	354	11.3	8.0	162	6.0	3
1/23/23 3:30	354	11.3	8.0	162	6.0	3
1/23/23 3:45	354	11.3	8.0	162	6.0	3
1/23/23 4:00	354	11.3	8.0	162	6.0	3
1/23/23 4:15	354	11.3	8.0	162	6.0	3
1/23/23 4:30	354	11.3	8.0	162	6.0	3
1/23/23 4:45	354	11.3	8.0	162	5.9	3
1/23/23 5:00	349	11.3	8.0	162	5.9	3
1/23/23 5:15	354	11.3	8.0	162	5.9	3
1/23/23 5:30	354	11.3	8.0	162	5.9	3
1/23/23 5:45	354	11.3	8.0	162	5.9	3
1/23/23 6:00	354	11.3	8.0	162	5.9	3
1/23/23 6:15	354	11.4	8.0	162	5.9	3
1/23/23 6:30	354	11.4	8.0	162	5.9	3
1/23/23 6:45	354	11.4	8.0	162	5.9	3
1/23/23 7:00	354	11.4	8.0	162	5.9	3
1/23/23 7:15	354	11.4	8.0	162	5.9	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/23/23 7:30	349	11.4	8.0	162	5.8	3
1/23/23 7:45	354	11.4	8.0	162	5.8	3
1/23/23 8:00	349	11.4	8.0	162	5.8	3
1/23/23 8:15	349	11.4	8.0	162	5.8	3
1/23/23 8:30	354	11.5	8.0	162	5.8	3
1/23/23 8:45	349	11.5	8.0	162	5.8	3
1/23/23 9:00	349	11.5	8.1	162	5.8	3
1/23/23 9:15	349	11.5	8.1	162	5.8	3
1/23/23 9:30	349	11.5	8.1	162	5.8	3
1/23/23 9:45	349	11.5	8.1	162	5.8	3
1/23/23 10:00	349	11.6	8.1	162	5.9	3
1/23/23 10:15	349	11.6	8.1	162	5.9	3
1/23/23 10:30	354	11.6	8.1	161	6.0	3
1/23/23 10:45	354	11.7	8.2	161	6.1	3
1/23/23 11:00	349	11.7	8.2	161	6.2	3
1/23/23 11:15	349	11.7	8.2	161	6.2	3
1/23/23 11:30	349	11.7	8.2	161	6.3	3
1/23/23 11:45	349	11.7	8.2	161	6.3	3
1/23/23 12:00	349	11.7	8.2	161	6.4	3
1/23/23 12:15	349	11.6	8.2	161	6.4	3
1/23/23 12:30	349	11.6	8.2	161	6.5	3
1/23/23 12:45	349	11.6	8.2	161	6.6	3
1/23/23 13:00	349	11.5	8.2	161	6.6	3
1/23/23 13:15	349	11.5	8.2	161	6.6	3
1/23/23 13:30	349	11.5	8.2	161	6.7	3
1/23/23 13:45	349	11.4	8.2	161	6.7	3
1/23/23 14:00	349	11.4	8.2	161	6.8	3
1/23/23 14:15	458	11.4	8.2	161	6.8	3
1/23/23 14:30	528	11.4	8.2	163	6.5	3
1/23/23 14:45	621	11.6	8.1	169	5.8	4
1/23/23 15:00	716	11.8	8.0	173	5.0	5
1/23/23 15:15	773	11.9	8.0	177	4.5	5
1/23/23 15:30	902	12	7.9	179	4.1	5
1/23/23 15:45	1070	12.1	7.9	181	3.7	6
1/23/23 16:00	1200	12.1	7.9	183	3.4	6
1/23/23 16:15	1290	12.2	7.9	184	3.3	6
1/23/23 16:30	1410	12.3	7.9	185	3.2	6
1/23/23 16:45	1590	12.4	7.9	185	3.0	6
1/23/23 17:00	1720	12.5	7.9	186	2.8	7
1/23/23 17:15	1710	12.5	7.8	187	2.8	7
1/23/23 17:30	1710	12.5	7.9	187	2.8	7
1/23/23 17:45	1710	12.4	7.8	187	2.8	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/23/23 18:00	1720	12.4	7.8	187	2.8	6
1/23/23 18:15	1720	12.4	7.8	187	2.8	6
1/23/23 18:30	1710	12.4	7.9	187	2.8	7
1/23/23 18:45	1690	12.5	7.9	187	2.8	7
1/23/23 19:00	1710	12.5	7.9	187	2.8	7
1/23/23 19:15	1710	12.5	7.8	187	2.8	6
1/23/23 19:30	1710	12.5	7.8	187	2.7	7
1/23/23 19:45	1710	12.5	7.9	187	2.7	6
1/23/23 20:00	1710	12.5	7.8	187	2.7	6
1/23/23 20:15	1710	12.5	7.9	187	2.7	7
1/23/23 20:30	1710	12.5	7.8	187	2.7	6
1/23/23 20:45	1710	12.5	7.8	187	2.7	7
1/23/23 21:00	1710	12.5	7.9	187	2.7	6
1/23/23 21:15	1650	12.5	7.9	187	2.7	7
1/23/23 21:30	1490	12.5	7.9	186	2.8	6
1/23/23 21:45	1350	12.4	7.9	186	2.8	6
1/23/23 22:00	1200	12.4	7.9	185	2.9	6
1/23/23 22:15	1070	12.3	7.9	184	3.1	6
1/23/23 22:30	959	12.2	7.9	183	3.2	6
1/23/23 22:45	833	12.2	7.8	182	3.4	6
1/23/23 23:00	735	12.1	7.9	180	3.6	6
1/23/23 23:15	638	12	7.9	179	3.8	5
1/23/23 23:30	565	12	7.9	177	4.0	5
1/23/23 23:45	497	11.8	7.9	175	4.2	5
1/24/23 0:00	367	11.8	7.9	173	4.5	5
1/24/23 0:15	349	11.6	7.9	170	4.8	4
1/24/23 0:30	349	11.4	8.0	166	5.4	4
1/24/23 0:45	349	11.4	8.0	164	5.7	3
1/24/23 1:00	349	11.3	8.0	163	5.8	3
1/24/23 1:15	349	11.3	8.0	162	5.9	3
1/24/23 1:30	349	11.3	8.0	162	6.0	3
1/24/23 1:45	349	11.3	8.0	162	6.0	3
1/24/23 2:00	349	11.3	8.0	162	6.0	3
1/24/23 2:15	349	11.3	8.0	162	6.0	3
1/24/23 2:30	349	11.3	8.0	162	6.0	3
1/24/23 2:45	349	11.3	8.0	162	6.0	3
1/24/23 3:00	349	11.3	8.0	162	6.0	3
1/24/23 3:15	349	11.3	8.0	162	6.0	3
1/24/23 3:30	349	11.3	8.0	162	6.0	3
1/24/23 3:45	349	11.3	8.0	162	6.0	3
1/24/23 4:00	354	11.3	8.0	162	6.0	3
1/24/23 4:15	349	11.4	8.0	162	6.0	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/24/23 4:30	349	11.4	8.0	162	6.0	3
1/24/23 4:45	349	11.4	8.0	162	6.0	3
1/24/23 5:00	349	11.4	8.0	162	6.0	3
1/24/23 5:15	349	11.4	8.0	162	6.0	3
1/24/23 5:30	349	11.4	8.0	162	6.0	3
1/24/23 5:45	349	11.4	8.0	162	5.9	3
1/24/23 6:00	354	11.4	8.0	162	5.9	3
1/24/23 6:15	354	11.4	8.0	162	5.9	3
1/24/23 6:30	349	11.4	8.0	162	5.9	3
1/24/23 6:45	354	11.4	8.0	162	5.9	3
1/24/23 7:00	354	11.4	8.0	162	5.9	3
1/24/23 7:15	354	11.4	8.0	162	5.9	3
1/24/23 7:30	349	11.4	8.0	162	5.9	3
1/24/23 7:45	349	11.4	8.0	162	5.9	3
1/24/23 8:00	349	11.4	8.0	162	5.9	3
1/24/23 8:15	349	11.5	8.0	162	5.8	3
1/24/23 8:30	349	11.5	8.0	161	5.8	3
1/24/23 8:45	349	11.5	8.1	161	5.8	3
1/24/23 9:00	354	11.5	8.1	161	5.8	3
1/24/23 9:15	354	11.6	8.1	161	5.8	3
1/24/23 9:30	354	11.6	8.1	161	5.9	3
1/24/23 9:45	354	11.6	8.1	161	5.9	3
1/24/23 10:00	354	11.6	8.1	161	5.9	3
1/24/23 10:15	354	11.6	8.1	161	6.0	3
1/24/23 10:30	354	11.7	8.1	161	6.0	3
1/24/23 10:45	354	11.7	8.2	161	6.1	3
1/24/23 11:00	354	11.8	8.2	161	6.2	3
1/24/23 11:15	354	11.8	8.2	161	6.3	3
1/24/23 11:30	354	11.8	8.2	161	6.3	3
1/24/23 11:45	354	11.7	8.2	161	6.4	3
1/24/23 12:00	349	11.7	8.2	161	6.4	3
1/24/23 12:15	349	11.7	8.2	161	6.5	3
1/24/23 12:30	349	11.6	8.2	161	6.6	3
1/24/23 12:45	354	11.6	8.2	161	6.6	3
1/24/23 13:00	349	11.6	8.2	161	6.7	3
1/24/23 13:15	349	11.5	8.2	161	6.8	3
1/24/23 13:30	349	11.5	8.2	161	6.8	3
1/24/23 13:45	354	11.5	8.2	161	6.8	3
1/24/23 14:00	358	11.4	8.2	161	6.9	3
1/24/23 14:15	477	11.4	8.2	161	6.9	3
1/24/23 14:30	560	11.5	8.1	165	6.4	4
1/24/23 14:45	650	11.7	8.1	170	5.6	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/24/23 15:00	729	11.8	8.0	174	5.0	5
1/24/23 15:15	813	12	8.0	176	4.5	5
1/24/23 15:30	951	12	7.9	178	4.1	6
1/24/23 15:45	1110	12.1	7.9	180	3.8	6
1/24/23 16:00	1260	12.1	7.9	182	3.6	6
1/24/23 16:15	1300	12.2	7.9	183	3.5	6
1/24/23 16:30	1440	12.3	7.9	184	3.3	6
1/24/23 16:45	1600	12.4	7.9	185	3.1	7
1/24/23 17:00	1640	12.5	7.8	186	3.0	7
1/24/23 17:15	1650	12.5	7.9	186	3.0	7
1/24/23 17:30	1630	12.4	7.9	186	3.0	7
1/24/23 17:45	1620	12.4	7.9	186	3.0	7
1/24/23 18:00	1650	12.4	7.9	186	3.0	7
1/24/23 18:15	1640	12.4	7.9	186	2.9	6
1/24/23 18:30	1640	12.4	7.8	186	2.9	7
1/24/23 18:45	1640	12.4	7.9	186	2.9	7
1/24/23 19:00	1620	12.4	7.8	186	2.9	7
1/24/23 19:15	1640	12.4	7.8	186	2.9	6
1/24/23 19:30	1630	12.5	7.9	186	2.9	7
1/24/23 19:45	1640	12.5	7.9	186	2.9	7
1/24/23 20:00	1640	12.5	7.9	186	2.9	7
1/24/23 20:15	1630	12.5	7.8	186	2.9	6
1/24/23 20:30	1650	12.5	7.9	186	2.9	7
1/24/23 20:45	1630	12.5	7.9	186	2.9	7
1/24/23 21:00	1640	12.5	7.8	186	2.9	7
1/24/23 21:15	1630	12.5	7.9	186	2.9	7
1/24/23 21:30	1630	12.5	7.9	186	2.9	6
1/24/23 21:45	1630	12.5	7.9	186	2.8	7
1/24/23 22:00	1630	12.5	7.9	186	2.8	7
1/24/23 22:15	1590	12.5	7.9	186	2.8	7
1/24/23 22:30	1450	12.5	7.9	185	2.9	6
1/24/23 22:45	1300	12.4	7.8	185	3.0	6
1/24/23 23:00	1170	12.4	7.9	184	3.1	6
1/24/23 23:15	1040	12.3	7.9	183	3.2	6
1/24/23 23:30	923	12.3	7.9	182	3.4	6
1/24/23 23:45	813	12.2	7.9	181	3.5	6
1/25/23 0:00	704	12.1	7.9	179	3.7	6
1/25/23 0:15	621	12	7.9	177	4.0	5
1/25/23 0:30	560	11.9	7.9	176	4.2	5
1/25/23 0:45	443	11.9	8.0	174	4.4	5
1/25/23 1:00	354	11.8	7.9	173	4.6	5
1/25/23 1:15	349	11.6	8.0	168	5.1	4

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/25/23 1:30	349	11.4	8.0	164	5.6	4
1/25/23 1:45	349	11.4	8.0	163	5.8	3
1/25/23 2:00	349	11.3	8.0	162	6.0	3
1/25/23 2:15	349	11.3	8.0	162	6.0	3
1/25/23 2:30	349	11.3	8.0	162	6.1	3
1/25/23 2:45	349	11.3	8.0	162	6.1	3
1/25/23 3:00	349	11.3	8.0	162	6.1	3
1/25/23 3:15	349	11.3	8.0	161	6.1	3
1/25/23 3:30	349	11.3	8.0	161	6.1	3
1/25/23 3:45	349	11.3	8.0	161	6.1	3
1/25/23 4:00	349	11.3	8.0	161	6.1	3
1/25/23 4:15	354	11.3	8.0	161	6.1	3
1/25/23 4:30	354	11.3	8.0	161	6.1	3
1/25/23 4:45	349	11.3	8.0	161	6.1	3
1/25/23 5:00	349	11.3	8.0	161	6.1	3
1/25/23 5:15	354	11.3	8.0	161	6.1	3
1/25/23 5:30	349	11.3	8.0	161	6.1	3
1/25/23 5:45	354	11.3	8.0	161	6.1	3
1/25/23 6:00	354	11.3	8.0	161	6.1	3
1/25/23 6:15	349	11.3	8.0	161	6.1	3
1/25/23 6:30	349	11.4	8.0	161	6.1	3
1/25/23 6:45	349	11.3	8.0	161	6.1	3
1/25/23 7:00	349	11.4	8.0	161	6.0	3
1/25/23 7:15	349	11.4	8.0	161	6.0	3
1/25/23 7:30	349	11.4	8.0	161	6.0	3
1/25/23 7:45	349	11.4	8.0	161	6.0	3
1/25/23 8:00	354	11.4	8.0	161	6.0	3
1/25/23 8:15	354	11.4	8.0	161	6.0	3
1/25/23 8:30	354	11.5	8.0	161	6.0	3
1/25/23 8:45	349	11.5	8.1	161	6.0	3
1/25/23 9:00	354	11.5	8.0	161	6.0	3
1/25/23 9:15	354	11.5	8.1	161	6.0	3
1/25/23 9:30	354	11.5	8.0	161	6.0	3
1/25/23 9:45	354	11.6	8.1	161	6.0	3
1/25/23 10:00	354	11.6	8.1	161	6.1	3
1/25/23 10:15	349	11.6	8.1	161	6.1	3
1/25/23 10:30	349	11.7	8.1	161	6.2	3
1/25/23 10:45	349	11.7	8.1	161	6.3	3
1/25/23 11:00	349	11.7	8.2	161	6.4	3
1/25/23 11:15	349	11.7	8.2	161	6.4	3
1/25/23 11:30	349	11.8	8.2	161	6.5	3
1/25/23 11:45	349	11.7	8.2	161	6.6	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/25/23 12:00	349	11.7	8.2	161	6.6	3
1/25/23 12:15	354	11.6	8.2	161	6.7	3
1/25/23 12:30	349	11.6	8.2	161	6.7	3
1/25/23 12:45	349	11.6	8.2	161	6.8	3
1/25/23 13:00	349	11.6	8.2	161	6.9	3
1/25/23 13:15	415	11.5	8.3	161	6.9	3
1/25/23 13:30	497	11.5	8.2	161	6.9	3
1/25/23 13:45	587	11.6	8.2	166	6.2	4
1/25/23 14:00	686	11.8	8.0	171	5.6	5
1/25/23 14:15	754	12	8.0	174	5.0	5
1/25/23 14:30	867	12.1	8.0	177	4.5	5
1/25/23 14:45	1030	12.1	7.9	179	4.1	6
1/25/23 15:00	1170	12.2	7.9	181	3.9	6
1/25/23 15:15	1240	12.2	7.9	182	3.8	6
1/25/23 15:30	1370	12.3	7.9	183	3.7	6
1/25/23 15:45	1550	12.4	7.9	184	3.5	7
1/25/23 16:00	1690	12.5	7.9	185	3.2	7
1/25/23 16:15	1690	12.5	7.9	185	3.2	7
1/25/23 16:30	1690	12.5	7.9	185	3.1	7
1/25/23 16:45	1710	12.5	7.9	185	3.1	7
1/25/23 17:00	1710	12.5	7.9	185	3.1	7
1/25/23 17:15	1720	12.5	7.8	185	3.1	7
1/25/23 17:30	1710	12.5	7.9	185	3.1	7
1/25/23 17:45	1690	12.5	7.8	185	3.1	7
1/25/23 18:00	1720	12.5	7.9	185	3.1	7
1/25/23 18:15	1720	12.5	7.9	185	3.1	7
1/25/23 18:30	1710	12.5	7.9	185	3.0	7
1/25/23 18:45	1710	12.5	7.9	185	3.0	7
1/25/23 19:00	1710	12.5	7.9	185	3.0	7
1/25/23 19:15	1690	12.5	7.9	185	3.0	7
1/25/23 19:30	1690	12.5	7.9	185	3.0	7
1/25/23 19:45	1690	12.5	7.9	185	3.0	7
1/25/23 20:00	1710	12.5	7.9	185	3.0	7
1/25/23 20:15	1710	12.5	7.9	185	3.0	7
1/25/23 20:30	1690	12.5	7.9	185	3.0	7
1/25/23 20:45	1710	12.5	7.9	185	3.0	7
1/25/23 21:00	1690	12.5	7.8	185	3.0	7
1/25/23 21:15	1690	12.5	7.9	185	3.0	7
1/25/23 21:30	1690	12.5	7.9	185	3.0	7
1/25/23 21:45	1690	12.5	7.9	185	2.9	7
1/25/23 22:00	1690	12.5	7.9	185	2.9	7
1/25/23 22:15	1690	12.5	7.9	185	2.9	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/25/23 22:30	1690	12.5	7.9	185	2.9	7
1/25/23 22:45	1680	12.5	7.9	185	2.9	7
1/25/23 23:00	1690	12.5	7.9	185	2.9	7
1/25/23 23:15	1690	12.5	7.9	185	2.9	7
1/25/23 23:30	1690	12.5	7.9	185	2.9	7
1/25/23 23:45	1690	12.5	7.9	185	2.9	7
1/26/23 0:00	1690	12.6	7.9	185	2.9	7
1/26/23 0:15	1690	12.6	7.9	185	3.0	7
1/26/23 0:30	1590	12.5	7.9	185	3.0	7
1/26/23 0:45	1430	12.5	7.9	184	3.0	7
1/26/23 1:00	1290	12.5	7.9	183	3.2	6
1/26/23 1:15	1160	12.4	7.9	182	3.3	6
1/26/23 1:30	1040	12.3	7.9	181	3.4	6
1/26/23 1:45	916	12.3	7.9	181	3.5	6
1/26/23 2:00	799	12.2	7.9	179	3.7	6
1/26/23 2:15	716	12.2	8.0	178	3.9	6
1/26/23 2:30	627	12.1	8.0	177	4.1	5
1/26/23 2:45	555	12	7.9	175	4.3	5
1/26/23 3:00	467	11.9	8.0	173	4.5	5
1/26/23 3:15	358	11.8	8.0	172	4.7	5
1/26/23 3:30	349	11.6	8.0	168	5.1	4
1/26/23 3:45	345	11.5	8.0	164	5.6	4
1/26/23 4:00	349	11.4	8.0	163	5.8	3
1/26/23 4:15	349	11.4	8.0	162	6.0	3
1/26/23 4:30	349	11.4	8.0	162	6.0	3
1/26/23 4:45	349	11.4	8.0	161	6.1	3
1/26/23 5:00	349	11.3	8.0	161	6.1	3
1/26/23 5:15	349	11.3	8.0	161	6.1	3
1/26/23 5:30	349	11.3	8.0	161	6.1	3
1/26/23 5:45	349	11.3	8.0	161	6.1	3
1/26/23 6:00	349	11.3	8.0	161	6.1	3
1/26/23 6:15	354	11.3	8.0	161	6.1	3
1/26/23 6:30	349	11.3	8.0	161	6.1	3
1/26/23 6:45	349	11.4	8.0	161	6.1	3
1/26/23 7:00	349	11.3	8.0	161	6.1	3
1/26/23 7:15	349	11.3	8.0	161	6.1	3
1/26/23 7:30	354	11.4	8.0	161	6.1	3
1/26/23 7:45	349	11.4	8.0	161	6.1	3
1/26/23 8:00	349	11.4	8.0	161	6.1	3
1/26/23 8:15	349	11.4	8.0	161	6.1	3
1/26/23 8:30	349	11.4	8.1	161	6.1	3
1/26/23 8:45	349	11.5	8.0	161	6.1	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/26/23 9:00	349	11.5	8.1	161	6.1	3
1/26/23 9:15	349	11.5	8.0	161	6.1	3
1/26/23 9:30	349	11.5	8.0	161	6.1	3
1/26/23 9:45	349	11.5	8.1	161	6.1	3
1/26/23 10:00	349	11.6	8.1	160	6.2	3
1/26/23 10:15	349	11.6	8.1	160	6.2	3
1/26/23 10:30	354	11.7	8.1	160	6.3	3
1/26/23 10:45	349	11.7	8.2	160	6.4	3
1/26/23 11:00	349	11.7	8.2	160	6.4	3
1/26/23 11:15	349	11.8	8.2	160	6.5	3
1/26/23 11:30	349	11.7	8.2	160	6.6	3
1/26/23 11:45	349	11.7	8.2	160	6.6	4
1/26/23 12:00	349	11.6	8.2	160	6.7	3
1/26/23 12:15	349	11.6	8.2	160	6.8	3
1/26/23 12:30	349	11.6	8.2	160	6.8	3
1/26/23 12:45	349	11.6	8.2	160	6.9	3
1/26/23 13:00	349	11.5	8.3	160	7.0	3
1/26/23 13:15	402	11.5	8.3	160	7.0	3
1/26/23 13:30	497	11.5	8.2	160	7.0	3
1/26/23 13:45	582	11.6	8.2	165	6.4	4
1/26/23 14:00	674	11.8	8.1	169	5.8	5
1/26/23 14:15	735	11.9	8.1	173	5.2	5
1/26/23 14:30	833	12	8.0	175	4.8	5
1/26/23 14:45	981	12.1	8.0	177	4.5	6
1/26/23 15:00	1150	12.2	8.0	179	4.2	6
1/26/23 15:15	1250	12.2	8.0	180	4.0	6
1/26/23 15:30	1310	12.2	8.0	181	3.9	6
1/26/23 15:45	1470	12.3	7.9	182	3.7	7
1/26/23 16:00	1630	12.4	7.9	183	3.5	7
1/26/23 16:15	1640	12.5	7.9	183	3.4	7
1/26/23 16:30	1640	12.5	7.9	183	3.3	7
1/26/23 16:45	1640	12.5	7.9	183	3.3	7
1/26/23 17:00	1640	12.5	7.9	183	3.3	7
1/26/23 17:15	1640	12.5	7.9	183	3.3	7
1/26/23 17:30	1640	12.5	7.9	183	3.3	7
1/26/23 17:45	1640	12.5	7.9	183	3.3	7
1/26/23 18:00	1630	12.5	7.9	183	3.2	7
1/26/23 18:15	1630	12.5	7.9	183	3.2	7
1/26/23 18:30	1640	12.5	7.9	183	3.2	7
1/26/23 18:45	1630	12.5	7.9	183	3.2	7
1/26/23 19:00	1650	12.5	7.9	183	3.2	7
1/26/23 19:15	1640	12.5	7.9	183	3.2	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/26/23 19:30	1640	12.5	7.9	183	3.2	7
1/26/23 19:45	1640	12.5	7.9	183	3.2	7
1/26/23 20:00	1630	12.5	7.9	183	3.2	7
1/26/23 20:15	1630	12.5	7.9	183	3.2	7
1/26/23 20:30	1630	12.5	7.9	183	3.2	7
1/26/23 20:45	1650	12.5	7.9	183	3.2	7
1/26/23 21:00	1630	12.5	7.9	182	3.2	7
1/26/23 21:15	1590	12.5	7.9	182	3.2	7
1/26/23 21:30	1450	12.4	7.9	182	3.2	7
1/26/23 21:45	1320	12.4	7.9	181	3.3	7
1/26/23 22:00	1160	12.4	7.9	181	3.4	6
1/26/23 22:15	1050	12.3	7.9	180	3.5	6
1/26/23 22:30	930	12.2	7.9	179	3.7	6
1/26/23 22:45	819	12.2	7.9	178	3.8	6
1/26/23 23:00	716	12.1	7.9	176	4.0	6
1/26/23 23:15	633	12	7.9	175	4.2	6
1/26/23 23:30	565	11.9	8.0	173	4.5	5
1/26/23 23:45	492	11.8	8.0	172	4.7	5
1/27/23 0:00	358	11.7	7.9	171	4.9	5
1/27/23 0:15	354	11.6	8.0	167	5.3	4
1/27/23 0:30	354	11.4	8.0	164	5.8	4
1/27/23 0:45	349	11.2	8.0	162	6.1	3
1/27/23 1:00	349	11.2	8.0	161	6.2	3
1/27/23 1:15	349	11.2	8.0	161	6.3	3
1/27/23 1:30	349	11.2	8.0	161	6.4	3
1/27/23 1:45	349	11.2	8.0	161	6.4	3
1/27/23 2:00	349	11.2	8.0	160	6.4	3
1/27/23 2:15	349	11.2	8.0	160	6.4	3
1/27/23 2:30	354	11.2	8.0	160	6.4	3
1/27/23 2:45	354	11.2	8.0	160	6.5	3
1/27/23 3:00	354	11.2	8.0	160	6.5	3
1/27/23 3:15	354	11.2	8.0	160	6.5	3
1/27/23 3:30	354	11.2	8.0	160	6.5	3
1/27/23 3:45	354	11.2	8.0	160	6.5	3
1/27/23 4:00	354	11.2	8.0	160	6.5	3
1/27/23 4:15	354	11.2	8.0	160	6.5	3
1/27/23 4:30	349	11.2	8.0	160	6.5	3
1/27/23 4:45	354	11.2	8.0	160	6.5	3
1/27/23 5:00	354	11.2	8.0	160	6.5	3
1/27/23 5:15	354	11.2	8.0	160	6.5	3
1/27/23 5:30	354	11.2	8.0	160	6.5	3
1/27/23 5:45	354	11.2	8.0	160	6.5	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/27/23 6:00	354	11.2	8.0	160	6.5	3
1/27/23 6:15	349	11.1	8.0	160	6.5	3
1/27/23 6:30	354	11.2	8.0	160	6.5	3
1/27/23 6:45	349	11.2	8.0	160	6.5	3
1/27/23 7:00	349	11.2	8.0	160	6.5	3
1/27/23 7:15	354	11.1	8.0	160	6.5	3
1/27/23 7:30	349	11.2	8.0	160	6.5	3
1/27/23 7:45	349	11.2	8.0	159	6.5	3
1/27/23 8:00	354	11.2	8.0	159	6.5	3
1/27/23 8:15	354	11.2	8.0	159	6.5	3
1/27/23 8:30	354	11.2	8.1	159	6.6	3
1/27/23 8:45	354	11.3	8.1	159	6.6	3
1/27/23 9:00	354	11.3	8.1	159	6.6	3
1/27/23 9:15	354	11.3	8.1	159	6.6	3
1/27/23 9:30	354	11.4	8.1	159	6.7	3
1/27/23 9:45	354	11.4	8.1	159	6.7	3
1/27/23 10:00	354	11.4	8.1	159	6.7	3
1/27/23 10:15	354	11.4	8.2	159	6.8	3
1/27/23 10:30	354	11.4	8.2	159	6.8	3
1/27/23 10:45	354	11.4	8.2	159	6.8	3
1/27/23 11:00	354	11.4	8.2	159	6.9	3
1/27/23 11:15	354	11.4	8.2	159	6.9	3
1/27/23 11:30	354	11.4	8.2	159	6.9	3
1/27/23 11:45	354	11.4	8.2	159	7.0	3
1/27/23 12:00	354	11.4	8.2	159	7.0	3
1/27/23 12:15	354	11.4	8.2	159	7.0	3
1/27/23 12:30	354	11.4	8.3	159	7.1	3
1/27/23 12:45	354	11.4	8.2	159	7.1	3
1/27/23 13:00	354	11.4	8.3	159	7.1	3
1/27/23 13:15	411	11.4	8.3	158	7.2	3
1/27/23 13:30	518	11.4	8.3	159	7.1	3
1/27/23 13:45	598	11.5	8.2	164	6.5	4
1/27/23 14:00	698	11.7	8.1	168	5.8	5
1/27/23 14:15	761	11.8	8.0	171	5.2	5
1/27/23 14:30	874	12	8.0	173	4.9	6
1/27/23 14:45	1030	12	8.0	175	4.6	6
1/27/23 15:00	1200	12.1	8.0	176	4.3	6
1/27/23 15:15	1270	12.1	8.0	177	4.2	7
1/27/23 15:30	1350	12.1	7.9	178	4.0	7
1/27/23 15:45	1550	12.2	8.0	179	3.8	7
1/27/23 16:00	1710	12.3	7.9	180	3.6	7
1/27/23 16:15	1720	12.4	8.0	180	3.5	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/27/23 16:30	1720	12.4	7.9	180	3.5	7
1/27/23 16:45	1710	12.4	7.9	180	3.4	7
1/27/23 17:00	1710	12.4	7.9	180	3.4	7
1/27/23 17:15	1690	12.4	7.9	180	3.4	7
1/27/23 17:30	1710	12.3	7.9	180	3.4	7
1/27/23 17:45	1690	12.4	7.9	180	3.4	7
1/27/23 18:00	1710	12.4	7.9	180	3.4	7
1/27/23 18:15	1720	12.4	7.9	180	3.4	7
1/27/23 18:30	1710	12.4	7.9	180	3.4	7
1/27/23 18:45	1690	12.4	7.9	180	3.4	7
1/27/23 19:00	1710	12.4	7.9	180	3.4	7
1/27/23 19:15	1710	12.4	7.9	180	3.4	7
1/27/23 19:30	1710	12.4	7.9	180	3.4	7
1/27/23 19:45	1710	12.4	7.9	180	3.4	7
1/27/23 20:00	1710	12.4	7.9	180	3.3	7
1/27/23 20:15	1710	12.4	7.9	180	3.3	7
1/27/23 20:30	1710	12.4	7.9	179	3.3	7
1/27/23 20:45	1690	12.4	7.9	179	3.3	7
1/27/23 21:00	1710	12.4	7.9	179	3.3	7
1/27/23 21:15	1690	12.4	7.9	179	3.3	7
1/27/23 21:30	1710	12.4	7.9	179	3.3	7
1/27/23 21:45	1710	12.4	7.9	179	3.3	7
1/27/23 22:00	1690	12.4	7.9	179	3.3	7
1/27/23 22:15	1620	12.4	7.9	179	3.3	7
1/27/23 22:30	1460	12.3	7.9	178	3.4	7
1/27/23 22:45	1320	12.3	7.9	178	3.4	7
1/27/23 23:00	1180	12.2	7.9	177	3.6	7
1/27/23 23:15	1050	12.1	7.9	176	3.7	7
1/27/23 23:30	930	12.1	7.9	175	3.8	6
1/27/23 23:45	819	12	7.9	174	4.0	6
1/28/23 0:00	716	11.9	7.9	173	4.2	6
1/28/23 0:15	627	11.9	8.0	171	4.4	6
1/28/23 0:30	555	11.8	8.0	170	4.6	6
1/28/23 0:45	482	11.6	8.0	169	4.8	5
1/28/23 1:00	362	11.6	8.0	167	5.0	5
1/28/23 1:15	354	11.4	8.0	165	5.4	4
1/28/23 1:30	354	11.2	8.0	161	5.9	4
1/28/23 1:45	349	11.1	8.0	160	6.1	3
1/28/23 2:00	349	11.1	8.0	159	6.3	3
1/28/23 2:15	349	11.1	8.0	159	6.3	3
1/28/23 2:30	349	11.1	8.0	159	6.4	3
1/28/23 2:45	349	11.1	8.0	159	6.4	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/28/23 3:00	354	11.1	8.0	159	6.4	3
1/28/23 3:15	354	11.1	8.0	159	6.4	3
1/28/23 3:30	354	11.1	8.0	159	6.4	3
1/28/23 3:45	354	11.1	8.0	158	6.4	3
1/28/23 4:00	354	11.1	8.0	158	6.4	3
1/28/23 4:15	354	11.1	8.0	158	6.4	3
1/28/23 4:30	354	11.1	8.0	158	6.4	3
1/28/23 4:45	354	11.1	8.0	158	6.4	3
1/28/23 5:00	354	11.1	8.0	158	6.4	3
1/28/23 5:15	354	11.1	8.0	158	6.4	3
1/28/23 5:30	354	11	8.0	158	6.4	3
1/28/23 5:45	354	11.1	8.0	158	6.4	3
1/28/23 6:00	354	11.1	8.0	158	6.4	3
1/28/23 6:15	354	11.1	8.0	158	6.4	3
1/28/23 6:30	354	11.1	8.0	158	6.4	3
1/28/23 6:45	354	11.1	8.0	158	6.4	3
1/28/23 7:00	354	11.1	8.0	158	6.4	3
1/28/23 7:15	354	11.1	8.0	158	6.4	3
1/28/23 7:30	354	11.1	8.0	158	6.4	3
1/28/23 7:45	354	11.1	8.0	158	6.4	3
1/28/23 8:00	354	11.1	8.1	158	6.4	3
1/28/23 8:15	354	11.1	8.1	157	6.4	3
1/28/23 8:30	354	11.2	8.0	157	6.4	3
1/28/23 8:45	354	11.2	8.1	157	6.4	3
1/28/23 9:00	354	11.2	8.0	157	6.4	3
1/28/23 9:15	354	11.2	8.1	157	6.4	3
1/28/23 9:30	354	11.2	8.1	157	6.4	3
1/28/23 9:45	354	11.2	8.0	157	6.4	3
1/28/23 10:00	354	11.3	8.1	157	6.5	3
1/28/23 10:15	354	11.3	8.1	157	6.5	3
1/28/23 10:30	354	11.4	8.2	157	6.6	3
1/28/23 10:45	354	11.4	8.2	157	6.7	3
1/28/23 11:00	354	11.4	8.2	157	6.8	3
1/28/23 11:15	354	11.4	8.2	157	6.8	3
1/28/23 11:30	354	11.4	8.2	157	6.9	3
1/28/23 11:45	354	11.4	8.2	157	6.9	3
1/28/23 12:00	354	11.4	8.2	157	7.0	3
1/28/23 12:15	354	11.4	8.3	157	7.0	3
1/28/23 12:30	354	11.3	8.3	157	7.1	3
1/28/23 12:45	354	11.3	8.3	156	7.2	3
1/28/23 13:00	354	11.3	8.2	156	7.2	3
1/28/23 13:15	349	11.2	8.3	156	7.2	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/28/23 13:30	354	11.2	8.2	157	7.3	3
1/28/23 13:45	354	11.2	8.3	157	7.3	3
1/28/23 14:00	354	11.2	8.3	157	7.3	3
1/28/23 14:15	406	11.1	8.3	157	7.3	3
1/28/23 14:30	497	11.1	8.2	157	7.2	3
1/28/23 14:45	587	11.2	8.2	161	6.6	4
1/28/23 15:00	680	11.4	8.1	165	5.9	5
1/28/23 15:15	748	11.6	8.1	167	5.4	5
1/28/23 15:30	860	11.8	8.0	169	5.0	6
1/28/23 15:45	1000	11.9	8.0	171	4.6	6
1/28/23 16:00	1170	11.9	8.0	172	4.4	6
1/28/23 16:15	1290	12	8.0	173	4.2	7
1/28/23 16:30	1340	12	8.0	174	4.1	7
1/28/23 16:45	1510	12.1	8.0	174	3.9	7
1/28/23 17:00	1650	12.2	7.9	175	3.7	7
1/28/23 17:15	1660	12.2	7.9	176	3.6	7
1/28/23 17:30	1660	12.2	7.9	175	3.6	7
1/28/23 17:45	1660	12.2	8.0	175	3.6	7
1/28/23 18:00	1660	12.2	7.9	175	3.6	7
1/28/23 18:15	1670	12.2	7.9	175	3.6	7
1/28/23 18:30	1650	12.2	7.9	175	3.6	7
1/28/23 18:45	1660	12.2	7.9	175	3.6	7
1/28/23 19:00	1650	12.2	7.9	175	3.6	7
1/28/23 19:15	1650	12.2	7.9	175	3.6	7
1/28/23 19:30	1660	12.2	7.9	175	3.6	7
1/28/23 19:45	1650	12.2	7.9	175	3.6	7
1/28/23 20:00	1660	12.2	7.9	175	3.6	7
1/28/23 20:15	1650	12.2	7.9	175	3.6	7
1/28/23 20:30	1650	12.2	7.9	175	3.5	7
1/28/23 20:45	1650	12.2	7.9	174	3.6	7
1/28/23 21:00	1660	12.2	7.9	174	3.6	7
1/28/23 21:15	1650	12.2	7.9	174	3.6	7
1/28/23 21:30	1640	12.2	7.9	174	3.6	7
1/28/23 21:45	1640	12.2	7.9	174	3.6	7
1/28/23 22:00	1640	12.2	7.9	174	3.6	7
1/28/23 22:15	1600	12.2	7.9	174	3.6	7
1/28/23 22:30	1450	12.1	7.9	173	3.6	7
1/28/23 22:45	1320	12.1	7.9	173	3.7	7
1/28/23 23:00	1170	12	7.9	172	3.8	7
1/28/23 23:15	1050	12	7.9	171	3.9	7
1/28/23 23:30	937	11.9	7.9	171	4.1	7
1/28/23 23:45	819	11.8	7.9	170	4.2	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge			Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 0:00	723	11.8	8.0	169	4.4	6
1/29/23 0:15	633	11.7	7.9	168	4.6	6
1/29/23 0:30	560	11.6	7.9	166	4.8	6
1/29/23 0:45	518	11.5	8.0	165	5.0	5
1/29/23 1:00	367	11.4	8.0	164	5.2	5
1/29/23 1:15	354	11.3	8.0	162	5.5	5
1/29/23 1:30	349	11.1	8.0	159	6.0	4
1/29/23 1:45	349	11	8.0	158	6.3	4
1/29/23 2:00	349	11	8.0	157	6.4	3
1/29/23 2:15	354	11	8.0	157	6.5	3
1/29/23 2:30	349	10.9	8.0	157	6.5	3
1/29/23 2:45	349	10.9	8.0	157	6.5	3
1/29/23 3:00	349	11	8.0	156	6.5	3
1/29/23 3:15	349	11	8.0	156	6.5	3
1/29/23 3:30	349	11	8.0	156	6.5	3
1/29/23 3:45	349	11	8.0	156	6.5	3
1/29/23 4:00	349	11	8.0	156	6.5	3
1/29/23 4:15	349	11	8.0	156	6.5	3
1/29/23 4:30	349	11	8.1	156	6.5	3
1/29/23 4:45	354	11	8.0	156	6.5	3
1/29/23 5:00	349	11	8.0	156	6.5	3
1/29/23 5:15	354	11	8.0	156	6.4	3
1/29/23 5:30	349	11	8.0	156	6.4	3
1/29/23 5:45	349	11	8.0	156	6.4	3
1/29/23 6:00	354	11	8.0	156	6.4	3
1/29/23 6:15	349	11	8.0	156	6.4	3
1/29/23 6:30	354	11	8.0	156	6.3	3
1/29/23 6:45	349	11	8.0	156	6.3	3
1/29/23 7:00	349	11.1	8.0	156	6.3	3
1/29/23 7:15	349	11.1	8.0	156	6.3	3
1/29/23 7:30	349	11.1	8.0	156	6.3	3
1/29/23 7:45	354	11.1	8.0	156	6.3	3
1/29/23 8:00	354	11.1	8.0	156	6.2	3
1/29/23 8:15	349	11.2	8.0	155	6.2	3
1/29/23 8:30	349	11.2	8.1	155	6.2	3
1/29/23 8:45	354	11.2	8.1	155	6.2	3
1/29/23 9:00	354	11.2	8.1	155	6.2	3
1/29/23 9:15	354	11.3	8.0	155	6.2	3
1/29/23 9:30	354	11.3	8.1	155	6.2	3
1/29/23 9:45	354	11.3	8.1	155	6.1	3
1/29/23 10:00	354	11.3	8.1	155	6.1	3
1/29/23 10:15	354	11.4	8.1	155	6.1	3

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/29/23 10:30	349	11.5	8.2	155	6.2	3
1/29/23 10:45	349	11.6	8.1	155	6.2	3
1/29/23 11:00	349	11.6	8.2	155	6.2	3
1/29/23 11:15	349	11.6	8.2	155	6.3	3
1/29/23 11:30	354	11.6	8.2	155	6.3	3
1/29/23 11:45	354	11.6	8.2	155	6.4	3
1/29/23 12:00	354	11.6	8.2	155	6.4	3
1/29/23 12:15	354	11.5	8.3	155	6.4	3
1/29/23 12:30	354	11.5	8.3	154	6.4	3
1/29/23 12:45	354	11.5	8.2	154	6.5	3
1/29/23 13:00	354	11.5	8.3	154	6.5	3
1/29/23 13:15	354	11.5	8.3	154	6.5	3
1/29/23 13:30	349	11.5	8.3	154	6.5	3
1/29/23 13:45	354	11.4	8.2	154	6.5	3
1/29/23 14:00	354	11.4	8.3	154	6.5	3
1/29/23 14:15	380	11.4	8.3	155	6.5	3
1/29/23 14:30	497	11.4	8.2	155	6.5	3
1/29/23 14:45	587	11.5	8.2	158	6.0	4
1/29/23 15:00	686	11.6	8.1	162	5.3	5
1/29/23 15:15	748	11.8	8.1	164	4.8	6
1/29/23 15:30	853	11.9	8.0	166	4.5	6
1/29/23 15:45	1000	12	8.0	167	4.2	6
1/29/23 16:00	1170	12.1	8.0	168	3.9	7
1/29/23 16:15	1290	12.2	8.0	169	3.8	7
1/29/23 16:30	1350	12.1	8.0	170	3.8	7
1/29/23 16:45	1520	12.2	7.9	170	3.7	7
1/29/23 17:00	1690	12.3	8.0	170	3.6	8
1/29/23 17:15	1710	12.3	8.0	170	3.5	7
1/29/23 17:30	1680	12.3	8.0	169	3.5	8
1/29/23 17:45	1710	12.3	7.9	169	3.5	8
1/29/23 18:00	1710	12.3	8.0	169	3.5	8
1/29/23 18:15	1710	12.3	8.0	170	3.5	8
1/29/23 18:30	1710	12.3	8.0	170	3.5	8
1/29/23 18:45	1690	12.3	7.9	170	3.5	8
1/29/23 19:00	1690	12.3	7.9	170	3.5	8
1/29/23 19:15	1690	12.3	7.9	170	3.4	8
1/29/23 19:30	1690	12.3	8.0	169	3.4	8
1/29/23 19:45	1690	12.3	7.9	169	3.4	8
1/29/23 20:00	1690	12.3	7.9	169	3.4	7
1/29/23 20:15	1640	12.3	7.9	169	3.4	8
1/29/23 20:30	1470	12.3	7.9	169	3.4	7
1/29/23 20:45	1350	12.2	7.9	168	3.5	7

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	
1/29/23 21:00	1200	12.2	7.9	168	3.5	7
1/29/23 21:15	1070	12.1	7.9	167	3.6	7
1/29/23 21:30	944	12.1	7.9	167	3.7	7
1/29/23 21:45	839	12.1	8.0	166	3.8	7
1/29/23 22:00	754	12	8.0	165	4.0	6
1/29/23 22:15	748	11.9	8.0	164	4.1	6
1/29/23 22:30	754	11.9	8.0	164	4.1	6
1/29/23 22:45	748	11.9	8.0	164	4.2	6
1/29/23 23:00	754	11.9	8.0	164	4.1	6
1/29/23 23:15	754	11.9	8.0	164	4.1	6
1/29/23 23:30	754	11.9	8.0	164	4.1	6
1/29/23 23:45	748	12	8.0	163	4.1	6
1/30/23 0:00	754	12	8.0	163	4.1	6
1/30/23 0:15	754	12	8.0	163	4.0	6
1/30/23 0:30	748	12	8.0	163	4.0	6
1/30/23 0:45	748	12	7.9	163	4.0	6
1/30/23 1:00	748	12	8.0	163	4.0	6
1/30/23 1:15	748	12	8.0	163	4.0	6
1/30/23 1:30	748	12	8.0	163	4.0	6
1/30/23 1:45	748	12	7.9	163	4.0	6
1/30/23 2:00	748	12	8.0	163	4.0	6
1/30/23 2:15	748	12	7.9	163	4.0	6
1/30/23 2:30	754	12	8.0	163	4.0	6
1/30/23 2:45	748	12	8.0	163	4.0	6
1/30/23 3:00	748	12	8.0	163	4.0	6
1/30/23 3:15	748	12	8.0	162	4.0	6
1/30/23 3:30	748	12	8.0	162	3.9	6
1/30/23 3:45	754	12	8.0	162	3.9	6
1/30/23 4:00	754	12	7.9	162	3.9	6
1/30/23 4:15	748	12	8.0	162	3.9	6
1/30/23 4:30	754	12	8.0	162	3.9	6
1/30/23 4:45	748	12	7.9	162	3.9	6
1/30/23 5:00	748	12	8.0	162	3.9	6
1/30/23 5:15	748	12	8.0	162	3.9	6
1/30/23 5:30	748	12	8.0	161	3.9	6
1/30/23 5:45	754	12	8.0	161	3.9	6
1/30/23 6:00	748	12	8.0	161	3.9	6
1/30/23 6:15	754	12	8.0	161	3.9	6
1/30/23 6:30	748	12	8.0	161	3.9	6
1/30/23 6:45	754	12	7.9	161	3.9	6
1/30/23 7:00	748	12	8.0	161	3.9	6
1/30/23 7:15	748	12.1	7.9	161	3.9	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/30/23 7:30	748	12.1	7.9	161	3.9	6
1/30/23 7:45	748	12.1	8.0	161	3.8	6
1/30/23 8:00	748	12.1	8.0	161	3.8	6
1/30/23 8:15	754	12.1	8.0	160	3.8	6
1/30/23 8:30	748	12.1	7.9	160	3.8	6
1/30/23 8:45	748	12.1	8.0	160	3.8	6
1/30/23 9:00	748	12.2	7.9	160	3.8	6
1/30/23 9:15	748	12.2	8.0	160	3.8	6
1/30/23 9:30	748	12.2	8.0	160	3.8	6
1/30/23 9:45	748	12.2	8.0	160	3.8	6
1/30/23 10:00	748	12.2	8.0	160	3.8	6
1/30/23 10:15	741	12.2	8.0	160	3.8	6
1/30/23 10:30	748	12.3	8.0	160	3.9	6
1/30/23 10:45	748	12.3	8.0	159	3.9	6
1/30/23 11:00	748	12.3	8.1	159	4.0	6
1/30/23 11:15	748	12.3	8.0	159	4.0	6
1/30/23 11:30	748	12.3	8.0	159	4.0	6
1/30/23 11:45	748	12.3	8.1	159	4.0	6
1/30/23 12:00	748	12.3	8.0	159	4.1	6
1/30/23 12:15	748	12.3	8.1	159	4.1	6
1/30/23 12:30	754	12.3	8.1	159	4.2	6
1/30/23 12:45	754	12.2	8.1	159	4.2	6
1/30/23 13:00	748	12.2	8.1	159	4.2	6
1/30/23 13:15	748	12.2	8.1	159	4.3	6
1/30/23 13:30	748	12.2	8.1	159	4.3	6
1/30/23 13:45	748	12.2	8.0	159	4.3	6
1/30/23 14:00	748	12.2	8.1	159	4.3	6
1/30/23 14:15	748	12.2	8.1	159	4.3	6
1/30/23 14:30	748	12.2	8.1	159	4.3	6
1/30/23 14:45	748	12.1	8.1	159	4.3	6
1/30/23 15:00	748	12.1	8.1	159	4.2	6
1/30/23 15:15	748	12.1	8.0	159	4.2	6
1/30/23 15:30	853	12.1	8.0	159	4.2	6
1/30/23 15:45	1000	12.2	8.0	159	4.0	7
1/30/23 16:00	1170	12.3	8.0	160	3.6	7
1/30/23 16:15	1290	12.4	8.0	161	3.4	7
1/30/23 16:30	1350	12.5	8.0	161	3.2	7
1/30/23 16:45	1510	12.5	8.0	161	3.1	8
1/30/23 17:00	1690	12.6	8.0	162	3.0	8
1/30/23 17:15	1710	12.6	8.0	162	2.9	8
1/30/23 17:30	1710	12.6	8.0	162	2.9	8
1/30/23 17:45	1710	12.6	8.0	162	2.9	8

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/30/23 18:00	1720	12.6	8.0	162	2.9	8
1/30/23 18:15	1720	12.6	7.9	162	2.9	8
1/30/23 18:30	1710	12.6	7.9	162	2.9	8
1/30/23 18:45	1690	12.5	8.0	162	2.9	8
1/30/23 19:00	1710	12.5	7.9	162	2.9	8
1/30/23 19:15	1710	12.5	7.9	162	2.9	8
1/30/23 19:30	1710	12.5	8.0	162	2.9	8
1/30/23 19:45	1710	12.5	8.0	162	2.9	8
1/30/23 20:00	1710	12.5	8.0	162	2.9	8
1/30/23 20:15	1650	12.5	7.9	162	2.9	8
1/30/23 20:30	1500	12.5	7.9	162	2.9	8
1/30/23 20:45	1350	12.4	7.9	161	3.0	8
1/30/23 21:00	1200	12.4	7.9	161	3.1	8
1/30/23 21:15	1090	12.3	7.9	160	3.2	7
1/30/23 21:30	966	12.3	7.9	160	3.3	7
1/30/23 21:45	839	12.2	7.9	159	3.5	7
1/30/23 22:00	767	12.2	8.0	159	3.6	7
1/30/23 22:15	754	12.1	7.9	158	3.8	6
1/30/23 22:30	754	12.1	8.0	158	3.8	6
1/30/23 22:45	754	12.1	8.0	158	3.9	6
1/30/23 23:00	754	12.1	8.0	158	3.9	6
1/30/23 23:15	754	12.1	7.9	158	3.9	6
1/30/23 23:30	754	12.1	8.0	158	3.9	6
1/30/23 23:45	754	12.1	8.0	158	3.8	6
1/31/23 0:00	754	12.1	8.0	158	3.8	6
1/31/23 0:15	754	12.1	7.9	158	3.8	6
1/31/23 0:30	754	12.1	8.0	158	3.8	6
1/31/23 0:45	754	12.1	7.9	158	3.8	6
1/31/23 1:00	754	12.1	8.0	158	3.8	6
1/31/23 1:15	754	12.1	8.0	158	3.8	6
1/31/23 1:30	754	12.1	7.9	158	3.8	6
1/31/23 1:45	754	12.1	7.9	158	3.8	6
1/31/23 2:00	754	12.1	7.9	158	3.8	6
1/31/23 2:15	754	12.1	8.0	158	3.8	6
1/31/23 2:30	754	12.1	7.9	158	3.8	6
1/31/23 2:45	754	12.1	8.0	158	3.7	6
1/31/23 3:00	754	12.1	8.0	158	3.7	6
1/31/23 3:15	754	12.1	7.9	158	3.7	6
1/31/23 3:30	754	12.2	8.0	158	3.7	6
1/31/23 3:45	754	12.1	8.0	158	3.7	6
1/31/23 4:00	754	12.1	8.0	158	3.7	6
1/31/23 4:15	754	12.1	8.0	158	3.7	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/31/23 4:30	754	12.2	8.0	157	3.7	6
1/31/23 4:45	748	12.2	7.9	157	3.7	6
1/31/23 5:00	754	12.1	7.9	157	3.7	6
1/31/23 5:15	754	12.2	7.9	157	3.7	6
1/31/23 5:30	754	12.2	7.9	157	3.7	6
1/31/23 5:45	754	12.2	8.0	157	3.7	6
1/31/23 6:00	754	12.2	8.0	157	3.7	6
1/31/23 6:15	754	12.2	8.0	157	3.6	6
1/31/23 6:30	754	12.2	8.0	157	3.6	6
1/31/23 6:45	754	12.2	8.0	157	3.6	6
1/31/23 7:00	754	12.2	8.0	157	3.6	6
1/31/23 7:15	754	12.2	8.0	157	3.6	6
1/31/23 7:30	754	12.2	7.9	157	3.6	6
1/31/23 7:45	754	12.2	7.9	157	3.6	6
1/31/23 8:00	754	12.2	8.0	157	3.6	7
1/31/23 8:15	754	12.2	8.0	157	3.6	6
1/31/23 8:30	754	12.2	7.9	157	3.6	7
1/31/23 8:45	754	12.3	8.0	156	3.6	6
1/31/23 9:00	754	12.3	8.0	156	3.6	6
1/31/23 9:15	754	12.3	8.0	156	3.6	6
1/31/23 9:30	754	12.3	8.0	156	3.6	6
1/31/23 9:45	754	12.3	8.0	156	3.6	7
1/31/23 10:00	754	12.4	8.0	156	3.7	6
1/31/23 10:15	754	12.4	8.0	156	3.7	6
1/31/23 10:30	754	12.4	8.1	156	3.8	6
1/31/23 10:45	761	12.4	8.1	156	3.8	6
1/31/23 11:00	754	12.4	8.1	156	3.9	6
1/31/23 11:15	754	12.4	8.1	156	3.9	6
1/31/23 11:30	754	12.4	8.1	156	4.0	6
1/31/23 11:45	754	12.4	8.1	156	4.0	6
1/31/23 12:00	754	12.4	8.1	156	4.0	6
1/31/23 12:15	754	12.4	8.1	156	4.1	6
1/31/23 12:30	754	12.4	8.1	155	4.1	7
1/31/23 12:45	748	12.4	8.1	155	4.2	6
1/31/23 13:00	748	12.3	8.2	155	4.2	6
1/31/23 13:15	748	12.3	8.1	155	4.2	7
1/31/23 13:30	748	12.3	8.2	155	4.2	7
1/31/23 13:45	754	12.3	8.2	155	4.2	7
1/31/23 14:00	748	12.3	8.2	155	4.2	7
1/31/23 14:15	748	12.3	8.2	155	4.2	7
1/31/23 14:30	748	12.3	8.2	155	4.2	7
1/31/23 14:45	748	12.3	8.2	155	4.2	6

**Klamath River below J. C. Boyle Dam
(11510700)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(µS/cm)	(°C)	
1/31/23 15:00	754	12.2	8.2	155	4.2	7
1/31/23 15:15	748	12.2	8.1	155	4.2	7
1/31/23 15:30	748	12.2	8.1	155	4.2	7
1/31/23 15:45	748	12.2	8.1	155	4.2	7
1/31/23 16:00	754	12.2	8.1	155	4.2	7
1/31/23 16:15	773	12.2	8.0	155	4.2	7
1/31/23 16:30	923	12.2	8.1	155	4.1	7
1/31/23 16:45	1080	12.4	8.1	156	3.8	7
1/31/23 17:00	1240	12.4	8.0	157	3.5	8
1/31/23 17:15	1320	12.5	8.0	157	3.2	8
1/31/23 17:30	1390	12.6	8.0	157	3.1	8
1/31/23 17:45	1580	12.6	8.0	158	3.0	8
1/31/23 18:00	1710	12.7	8.0	158	2.8	8
1/31/23 18:15	1720	12.8	7.9	158	2.7	8
1/31/23 18:30	1690	12.8	8.0	158	2.7	8
1/31/23 18:45	1710	12.8	8.0	158	2.7	8
1/31/23 19:00	1710	12.8	8.0	158	2.7	8
1/31/23 19:15	1710	12.7	7.9	158	2.7	8
1/31/23 19:30	1690	12.7	8.0	158	2.7	8
1/31/23 19:45	1690	12.7	8.0	158	2.7	9
1/31/23 20:00	1660	12.7	8.0	158	2.7	8
1/31/23 20:15	1480	12.7	8.0	158	2.7	8
1/31/23 20:30	1350	12.6	7.9	157	2.8	8
1/31/23 20:45	1210	12.5	7.9	157	2.9	8
1/31/23 21:00	1080	12.4	8.0	157	3.1	8
1/31/23 21:15	951	12.4	8.0	157	3.2	7
1/31/23 21:30	846	12.3	8.0	156	3.4	7
1/31/23 21:45	741	12.2	8.0	156	3.6	7
1/31/23 22:00	644	12.1	8.0	155	3.8	7
1/31/23 22:15	571	12	8.0	155	4.1	6
1/31/23 22:30	497	11.9	8.0	154	4.3	6
1/31/23 22:45	362	11.8	8.0	153	4.6	6
1/31/23 23:00	354	11.6	8.0	152	4.9	5
1/31/23 23:15	349	11.4	8.0	151	5.5	4
1/31/23 23:30	349	11.3	8.0	150	5.8	4
1/31/23 23:45	349	11.2	8.0	150	6.0	4



Klamath River at Keno, OR (USGS 11509500)

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/1/23 0:00	392	12.2	7.7	134	1.6	10
1/1/23 0:15	392	12.1	7.7	133	1.6	10
1/1/23 0:30	392	12.2	7.7	133	1.6	10
1/1/23 0:45	392	12.1	7.7	133	1.6	10
1/1/23 1:00	395	12.1	7.7	133	1.6	10
1/1/23 1:15	392	12.2	7.7	133	1.6	10
1/1/23 1:30	392	12.2	7.7	133	1.6	10
1/1/23 1:45	395	12.1	7.7	133	1.6	10
1/1/23 2:00	392	12.2	7.7	133	1.6	10
1/1/23 2:15	395	12.2	7.7	133	1.6	10
1/1/23 2:30	392	12.2	7.7	133	1.6	10
1/1/23 2:45	395	12.2	7.7	133	1.6	10
1/1/23 3:00	395	12.2	7.7	133	1.6	10
1/1/23 3:15	395	12.1	7.7	133	1.6	10
1/1/23 3:30	395	12.2	7.7	133	1.6	10
1/1/23 3:45	395	12.3	7.7	133	1.6	10
1/1/23 4:00	395	12.1	7.7	133	1.6	10
1/1/23 4:15	395	12.2	7.7	133	1.6	10
1/1/23 4:30	395	12.2	7.7	133	1.6	10
1/1/23 4:45	395	12.2	7.7	133	1.6	10
1/1/23 5:00	395	12.2	7.7	133	1.6	10
1/1/23 5:15	395	12.2	7.7	133	1.6	10
1/1/23 5:30	395	12.2	7.7	133	1.6	11
1/1/23 5:45	395	12.2	7.7	133	1.6	10
1/1/23 6:00	395	12.2	7.7	133	1.6	10
1/1/23 6:15	399	12.2	7.7	133	1.6	10
1/1/23 6:30	395	12.2	7.7	133	1.6	11
1/1/23 6:45	395	12.2	7.7	133	1.6	11
1/1/23 7:00	395	12.2	7.7	133	1.6	11
1/1/23 7:15	399	12.2	7.7	133	1.6	10
1/1/23 7:30	395	12.1	7.7	133	1.6	11
1/1/23 7:45	395	12.2	7.7	133	1.6	10
1/1/23 8:00	395	12.2	7.7	133	1.6	11
1/1/23 8:15	395	12.3	7.7	133	1.6	11
1/1/23 8:30	399	12.3	7.7	132	1.6	11
1/1/23 8:45	399	12.2	7.7	132	1.6	10
1/1/23 9:00	395	12.2	7.7	132	1.6	11
1/1/23 9:15	395	12.3	7.7	132	1.7	10
1/1/23 9:30	399	12.3	7.7	132	1.7	11
1/1/23 9:45	395	12.3	7.7	132	1.7	11
1/1/23 10:00	395	12.3	7.7	132	1.7	11
1/1/23 10:15	395	12.3	7.7	132	1.8	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/1/23 10:30	395	12.2	7.7	132	1.8	11
1/1/23 10:45	395	12.2	7.7	132	1.9	10
1/1/23 11:00	395	12.3	7.7	132	1.9	11
1/1/23 11:15	395	12.3	7.8	132	2.0	11
1/1/23 11:30	395	12.3	7.8	132	2.0	11
1/1/23 11:45	392	12.2	7.8	132	2.1	11
1/1/23 12:00	395	12.2	7.8	132	2.1	11
1/1/23 12:15	392	12.2	7.8	132	2.2	11
1/1/23 12:30	392	12.2	7.8	132	2.2	11
1/1/23 12:45	395	12.2	7.8	132	2.2	10
1/1/23 13:00	395	12.1	7.8	132	2.1	11
1/1/23 13:15	392	12.1	7.8	132	2.1	11
1/1/23 13:30	392	12	7.8	132	2.1	11
1/1/23 13:45	392	12.1	7.8	132	2.1	11
1/1/23 14:00	395	12.2	7.8	132	2.1	11
1/1/23 14:15	392	12.1	7.7	132	2.1	11
1/1/23 14:30	392	12	7.7	132	2.1	11
1/1/23 14:45	395	12.1	7.7	132	2.2	11
1/1/23 15:00	395	12.1	7.7	132	2.1	11
1/1/23 15:15	392	12.1	7.7	132	2.1	11
1/1/23 15:30	395	12.1	7.7	132	2.1	11
1/1/23 15:45	395	12.1	7.7	132	2.1	11
1/1/23 16:00	395	12.1	7.7	132	2.1	11
1/1/23 16:15	395	12.1	7.7	132	2.0	11
1/1/23 16:30	395	12.1	7.7	132	2.0	11
1/1/23 16:45	395	12.1	7.7	132	2.0	11
1/1/23 17:00	395	12.2	7.7	132	2.0	11
1/1/23 17:15	395	12.1	7.7	132	2.0	11
1/1/23 17:30	395	12.1	7.7	133	2.0	11
1/1/23 17:45	392	12	7.7	133	1.9	11
1/1/23 18:00	395	12.1	7.7	133	1.9	11
1/1/23 18:15	395	12.2	7.7	133	1.9	11
1/1/23 18:30	395	12.1	7.7	133	1.9	11
1/1/23 18:45	395	12.1	7.7	133	1.9	11
1/1/23 19:00	395	12.1	7.7	133	1.9	11
1/1/23 19:15	395	12.2	7.7	133	1.9	11
1/1/23 19:30	395	12.1	7.7	133	1.9	11
1/1/23 19:45	395	12.1	7.7	133	1.9	11
1/1/23 20:00	395	12.1	7.7	133	1.9	11
1/1/23 20:15	395	12.2	7.7	133	1.9	11
1/1/23 20:30	395	12.1	7.7	133	1.8	10
1/1/23 20:45	399	12.2	7.7	133	1.8	11

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/1/23 21:00	395	12.1	7.7	133	1.8	10
1/1/23 21:15	392	12.1	7.7	133	1.8	10
1/1/23 21:30	392	12.2	7.7	133	1.8	10
1/1/23 21:45	395	12.1	7.7	133	1.8	11
1/1/23 22:00	395	12.1	7.7	133	1.8	10
1/1/23 22:15	395	12.1	7.7	133	1.8	10
1/1/23 22:30	395	12.2	7.7	133	1.8	10
1/1/23 22:45	395	12	7.7	133	1.8	10
1/1/23 23:00	395	12.1	7.7	133	1.8	11
1/1/23 23:15	395	12.1	7.7	133	1.8	10
1/1/23 23:30	395	12.1	7.7	133	1.8	10
1/1/23 23:45	392	12.1	7.7	133	1.8	10
1/2/23 0:00	395	12.1	7.7	133	1.8	11
1/2/23 0:15	392	12.2	7.7	133	1.8	10
1/2/23 0:30	392	12.1	7.7	133	1.8	10
1/2/23 0:45	395	12.2	7.7	133	1.8	10
1/2/23 1:00	395	12.1	7.7	133	1.8	11
1/2/23 1:15	395	12.2	7.7	133	1.8	11
1/2/23 1:30	395	12.1	7.7	133	1.8	10
1/2/23 1:45	392	12.1	7.7	133	1.8	10
1/2/23 2:00	395	12.1	7.7	133	1.8	10
1/2/23 2:15	392	12.2	7.7	133	1.8	11
1/2/23 2:30	395	12.1	7.7	133	1.8	10
1/2/23 2:45	395	12.1	7.7	133	1.8	10
1/2/23 3:00	395	12.2	7.7	133	1.8	10
1/2/23 3:15	395	12.1	7.7	133	1.8	10
1/2/23 3:30	392	12.1	7.7	133	1.8	11
1/2/23 3:45	395	12.1	7.7	134	1.8	10
1/2/23 4:00	395	12.2	7.7	134	1.8	11
1/2/23 4:15	392	12.2	7.7	134	1.8	10
1/2/23 4:30	395	12.1	7.7	134	1.8	10
1/2/23 4:45	392	12.1	7.7	134	1.8	10
1/2/23 5:00	395	12.1	7.7	134	1.8	10
1/2/23 5:15	392	12	7.7	134	1.8	11
1/2/23 5:30	395	12.1	7.7	134	1.8	10
1/2/23 5:45	395	12.1	7.7	134	1.8	11
1/2/23 6:00	395	12.1	7.7	134	1.8	10
1/2/23 6:15	395	12.2	7.7	134	1.8	11
1/2/23 6:30	395	12.1	7.7	134	1.8	11
1/2/23 6:45	395	12	7.7	134	1.8	10
1/2/23 7:00	392	12.1	7.7	134	1.8	10
1/2/23 7:15	395	12.1	7.7	134	1.8	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/2/23 7:30	392	12.1	7.7	134	1.8	10
1/2/23 7:45	395	12.1	7.7	134	1.8	10
1/2/23 8:00	395	12.1	7.7	134	1.8	10
1/2/23 8:15	395	12.1	7.7	134	1.8	10
1/2/23 8:30	395	12.1	7.7	134	1.8	10
1/2/23 8:45	392	12.1	7.7	134	1.8	10
1/2/23 9:00	395	12.2	7.7	134	1.8	10
1/2/23 9:15	392	12.2	7.7	134	1.8	10
1/2/23 9:30	395	12.1	7.8	134	1.8	10
1/2/23 9:45	392	12.2	7.8	134	1.8	10
1/2/23 10:00	395	12.2	7.8	134	1.9	10
1/2/23 10:15	392	12.2	7.8	134	1.9	10
1/2/23 10:30	395	12.2	7.8	134	1.9	10
1/2/23 10:45	395	12.2	7.8	134	2.0	10
1/2/23 11:00	395	12.2	7.8	134	2.0	10
1/2/23 11:15	392	12.1	7.8	134	2.0	10
1/2/23 11:30	392	12.1	7.8	134	2.1	10
1/2/23 11:45	395	12.1	7.8	134	2.1	10
1/2/23 12:00	392	12.1	7.8	134	2.1	10
1/2/23 12:15	392	12.1	7.8	134	2.1	10
1/2/23 12:30	395	12.2	7.8	134	2.1	10
1/2/23 12:45	392	12.1	7.8	134	2.1	10
1/2/23 13:00	395	12.2	7.8	134	2.1	10
1/2/23 13:15	392	12	7.8	134	2.1	10
1/2/23 13:30	392	12	7.8	134	2.1	10
1/2/23 13:45	392	12	7.8	135	2.1	10
1/2/23 14:00	392	12.1	7.8	135	2.1	10
1/2/23 14:15	392	12.1	7.8	135	2.1	10
1/2/23 14:30	395	12	7.8	134	2.0	10
1/2/23 14:45	395	12.1	7.8	134	2.0	10
1/2/23 15:00	395	12.1	7.8	134	1.9	10
1/2/23 15:15	395	12.1	7.8	134	2.0	10
1/2/23 15:30	392	12.1	7.8	135	2.0	10
1/2/23 15:45	395	12	7.8	135	2.0	10
1/2/23 16:00	392	12.1	7.8	135	2.0	10
1/2/23 16:15	392	12	7.8	135	2.0	10
1/2/23 16:30	395	12.1	7.8	135	2.0	10
1/2/23 16:45	395	12	7.7	135	2.0	10
1/2/23 17:00	392	11.9	7.7	135	2.0	10
1/2/23 17:15	395	12	7.7	135	2.0	10
1/2/23 17:30	395	12.1	7.7	135	2.0	11
1/2/23 17:45	395	12	7.7	135	2.0	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/2/23 18:00	395	12	7.7	135	2.0	10
1/2/23 18:15	395	12	7.7	135	2.0	10
1/2/23 18:30	395	12	7.7	135	2.0	10
1/2/23 18:45	395	11.9	7.7	135	2.0	10
1/2/23 19:00	395	12	7.7	135	2.0	10
1/2/23 19:15	395	12	7.7	135	2.0	10
1/2/23 19:30	395	12	7.7	135	2.0	10
1/2/23 19:45	395	12	7.7	135	2.0	10
1/2/23 20:00	395	12	7.7	135	2.0	10
1/2/23 20:15	392	12.1	7.7	135	2.0	10
1/2/23 20:30	392	12	7.7	136	2.0	10
1/2/23 20:45	392	12	7.7	136	1.9	10
1/2/23 21:00	392	12.1	7.7	136	1.9	10
1/2/23 21:15	392	12.1	7.7	136	1.9	10
1/2/23 21:30	392	12	7.7	136	1.9	10
1/2/23 21:45	392	12	7.7	136	1.9	10
1/2/23 22:00	395	12.1	7.7	136	1.9	10
1/2/23 22:15	392	12.1	7.7	136	1.9	10
1/2/23 22:30	392	12.1	7.7	136	1.9	10
1/2/23 22:45	392	12	7.7	136	1.9	10
1/2/23 23:00	395	12.1	7.7	136	1.9	10
1/2/23 23:15	395	12	7.7	136	1.9	10
1/2/23 23:30	395	12	7.7	136	1.9	10
1/2/23 23:45	392	12	7.7	136	1.9	10
1/3/23 0:00	392	12	7.7	136	1.9	10
1/3/23 0:15	392	12.1	7.7	136	1.9	10
1/3/23 0:30	395	12.1	7.7	136	1.9	10
1/3/23 0:45	395	12	7.7	137	1.9	10
1/3/23 1:00	395	12.1	7.7	137	1.9	10
1/3/23 1:15	395	12.1	7.7	137	1.9	10
1/3/23 1:30	392	12	7.7	137	1.9	10
1/3/23 1:45	395	12.1	7.7	137	1.9	10
1/3/23 2:00	395	12.1	7.7	137	1.9	10
1/3/23 2:15	395	12	7.7	137	1.9	10
1/3/23 2:30	392	12.1	7.7	137	1.9	10
1/3/23 2:45	392	12	7.7	137	1.8	9
1/3/23 3:00	395	12.1	7.7	137	1.8	10
1/3/23 3:15	395	12.1	7.7	137	1.8	10
1/3/23 3:30	392	12	7.7	137	1.8	10
1/3/23 3:45	392	12	7.7	138	1.8	10
1/3/23 4:00	395	12	7.7	138	1.8	10
1/3/23 4:15	392	12.1	7.7	138	1.8	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/3/23 4:30	392	12.1	7.7	138	1.8	9
1/3/23 4:45	395	12	7.7	138	1.8	9
1/3/23 5:00	392	12.1	7.7	138	1.8	9
1/3/23 5:15	392	12.1	7.7	138	1.8	9
1/3/23 5:30	392	12.1	7.7	138	1.8	9
1/3/23 5:45	395	12	7.7	139	1.8	9
1/3/23 6:00	392	12.1	7.7	139	1.8	9
1/3/23 6:15	392	12	7.7	139	1.8	9
1/3/23 6:30	392	12.1	7.7	139	1.8	9
1/3/23 6:45	392	12.1	7.7	139	1.8	10
1/3/23 7:00	395	12.1	7.7	139	1.8	9
1/3/23 7:15	395	12.1	7.7	139	1.8	9
1/3/23 7:30	392	12.1	7.7	139	1.8	9
1/3/23 7:45	395	12	7.7	139	1.8	9
1/3/23 8:00	395	12.1	7.7	139	1.8	9
1/3/23 8:15	395	12.1	7.7	139	1.8	9
1/3/23 8:30	392	12.1	7.7	139	1.8	9
1/3/23 8:45	392	12.2	7.7	139	1.8	9
1/3/23 9:00	395	12.2	7.7	139	1.8	9
1/3/23 9:15	395	12.2	7.7	139	1.8	9
1/3/23 9:30	395	12.2	7.8	139	1.8	9
1/3/23 9:45	392	12.2	7.8	139	1.8	9
1/3/23 10:00	392	12.2	7.8	139	1.9	10
1/3/23 10:15	392	12.2	7.8	139	1.9	9
1/3/23 10:30	395	12.2	7.8	139	1.9	9
1/3/23 10:45	392	12.2	7.8	139	1.9	9
1/3/23 11:00	392	12.2	7.8	139	1.9	9
1/3/23 11:15	392	12.1	7.8	139	2.0	9
1/3/23 11:30	392	12.1	7.8	140	2.0	9
1/3/23 11:45	395	12.2	7.8	139	2.0	10
1/3/23 12:00	392	12.2	7.8	139	2.1	9
1/3/23 12:15	392	12.2	7.8	139	2.1	9
1/3/23 12:30	392	12.1	7.8	139	2.1	9
1/3/23 12:45	392	12.2	7.8	139	2.1	9
1/3/23 13:00	392	12.1	7.8	139	2.1	9
1/3/23 13:15	392	12.1	7.8	139	2.0	9
1/3/23 13:30	392	12	7.8	139	2.0	10
1/3/23 13:45	392	12.1	7.8	139	2.0	9
1/3/23 14:00	392	12	7.8	139	2.0	9
1/3/23 14:15	392	12.1	7.8	139	2.0	9
1/3/23 14:30	392	12.2	7.8	139	2.0	9
1/3/23 14:45	392	12.1	7.8	140	2.1	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/3/23 15:00	392	12.1	7.8	140	2.1	9
1/3/23 15:15	392	12.1	7.8	140	2.1	9
1/3/23 15:30	392	12.1	7.8	140	2.0	9
1/3/23 15:45	392	12.1	7.8	140	2.0	9
1/3/23 16:00	395	12	7.8	140	2.0	9
1/3/23 16:15	392	12.1	7.8	140	2.0	9
1/3/23 16:30	388	12.1	7.8	140	2.0	9
1/3/23 16:45	392	12	7.7	140	2.0	9
1/3/23 17:00	392	12.1	7.7	141	2.0	9
1/3/23 17:15	392	12	7.7	141	1.9	9
1/3/23 17:30	392	12	7.7	141	1.9	9
1/3/23 17:45	392	12	7.7	141	1.9	9
1/3/23 18:00	392	12	7.7	141	1.9	9
1/3/23 18:15	392	12.1	7.7	141	1.9	9
1/3/23 18:30	392	12.1	7.7	141	1.9	9
1/3/23 18:45	392	12	7.7	141	1.8	9
1/3/23 19:00	392	12.1	7.7	141	1.8	9
1/3/23 19:15	392	12.1	7.7	141	1.8	9
1/3/23 19:30	392	12	7.7	141	1.8	9
1/3/23 19:45	392	12.1	7.7	142	1.8	9
1/3/23 20:00	392	12.1	7.7	142	1.8	9
1/3/23 20:15	392	12.1	7.7	142	1.8	9
1/3/23 20:30	392	12.1	7.7	142	1.8	9
1/3/23 20:45	392	12.1	7.7	142	1.8	9
1/3/23 21:00	392	12.2	7.7	142	1.8	9
1/3/23 21:15	392	12.1	7.7	142	1.8	9
1/3/23 21:30	395	12.1	7.7	142	1.8	9
1/3/23 21:45	392	12.1	7.7	142	1.8	9
1/3/23 22:00	392	12	7.7	142	1.8	9
1/3/23 22:15	392	12.1	7.7	142	1.8	9
1/3/23 22:30	392	12.1	7.7	142	1.8	9
1/3/23 22:45	392	12	7.7	142	1.8	9
1/3/23 23:00	392	12.2	7.7	142	1.8	9
1/3/23 23:15	392	12.2	7.7	142	1.7	9
1/3/23 23:30	395	12.2	7.7	142	1.7	9
1/3/23 23:45	395	12.2	7.7	142	1.7	9
1/4/23 0:00	392	12.2	7.7	142	1.7	9
1/4/23 0:15	392	12.2	7.7	142	1.7	9
1/4/23 0:30	392	12.2	7.7	142	1.7	9
1/4/23 0:45	392	12.1	7.7	142	1.7	9
1/4/23 1:00	392	12.2	7.7	142	1.7	9
1/4/23 1:15	392	12.1	7.7	142	1.7	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/4/23 1:30	395	12.1	7.7	142	1.7	9
1/4/23 1:45	392	12.1	7.7	142	1.8	9
1/4/23 2:00	392	12.1	7.7	142	1.8	9
1/4/23 2:15	392	12.1	7.7	142	1.8	9
1/4/23 2:30	392	12.1	7.7	143	1.8	9
1/4/23 2:45	392	12	7.7	142	1.8	9
1/4/23 3:00	392	12.2	7.7	142	1.8	9
1/4/23 3:15	392	12	7.7	142	1.8	9
1/4/23 3:30	392	12.1	7.7	142	1.8	9
1/4/23 3:45	392	12.2	7.7	142	1.8	9
1/4/23 4:00	392	12.1	7.7	142	1.7	9
1/4/23 4:15	392	12.2	7.7	142	1.7	9
1/4/23 4:30	392	12.1	7.7	142	1.7	9
1/4/23 4:45	395	12.2	7.7	142	1.7	9
1/4/23 5:00	395	12.2	7.7	142	1.7	9
1/4/23 5:15	392	12.1	7.7	142	1.7	9
1/4/23 5:30	392	12.1	7.7	142	1.7	9
1/4/23 5:45	392	12.1	7.7	142	1.7	9
1/4/23 6:00	392	12.1	7.7	142	1.8	9
1/4/23 6:15	392	12.2	7.7	142	1.8	9
1/4/23 6:30	395	12.1	7.7	142	1.8	9
1/4/23 6:45	392	12.2	7.7	142	1.8	9
1/4/23 7:00	392	12.1	7.7	142	1.8	9
1/4/23 7:15	392	12.1	7.7	142	1.8	9
1/4/23 7:30	406	12.1	7.7	142	1.8	9
1/4/23 7:45	468	12.1	7.7	142	1.8	9
1/4/23 8:00	476	12.2	7.7	142	1.8	9
1/4/23 8:15	476	12.1	7.7	142	1.8	9
1/4/23 8:30	518	12.1	7.7	142	1.7	9
1/4/23 8:45	545	12.2	7.7	142	1.7	9
1/4/23 9:00	549	12.3	7.7	142	1.7	9
1/4/23 9:15	549	12.2	7.7	142	1.7	9
1/4/23 9:30	549	12.3	7.7	141	1.7	9
1/4/23 9:45	549	12.2	7.7	141	1.8	9
1/4/23 10:00	545	12.2	7.7	141	1.8	9
1/4/23 10:15	545	12.2	7.7	141	1.8	9
1/4/23 10:30	553	12.2	7.7	141	1.8	9
1/4/23 10:45	545	12.2	7.7	141	1.8	9
1/4/23 11:00	549	12.2	7.7	141	1.9	9
1/4/23 11:15	549	12.3	7.7	141	1.9	9
1/4/23 11:30	549	12.2	7.8	141	1.9	9
1/4/23 11:45	549	12.2	7.7	140	1.9	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/4/23 12:00	549	12.2	7.7	140	1.9	9
1/4/23 12:15	545	12.2	7.7	140	1.9	9
1/4/23 12:30	545	12.2	7.8	140	1.9	9
1/4/23 12:45	549	12.3	7.8	140	1.9	9
1/4/23 13:00	545	12.2	7.8	140	2.0	9
1/4/23 13:15	545	12.2	7.8	140	2.0	9
1/4/23 13:30	549	12.1	7.8	140	2.0	9
1/4/23 13:45	545	12.2	7.8	140	2.0	9
1/4/23 14:00	545	12.2	7.8	140	1.9	9
1/4/23 14:15	549	12.2	7.8	140	1.9	9
1/4/23 14:30	545	12.1	7.8	140	1.9	9
1/4/23 14:45	549	12.1	7.7	140	1.9	9
1/4/23 15:00	549	12.2	7.8	139	1.9	9
1/4/23 15:15	549	12.2	7.7	139	1.9	9
1/4/23 15:30	545	12.2	7.8	139	1.9	9
1/4/23 15:45	545	12.2	7.8	139	1.9	9
1/4/23 16:00	549	12.1	7.7	139	1.9	9
1/4/23 16:15	549	12.1	7.7	139	1.9	9
1/4/23 16:30	549	12.1	7.7	139	1.9	9
1/4/23 16:45	549	12.1	7.7	139	1.9	9
1/4/23 17:00	549	12.1	7.7	139	1.8	9
1/4/23 17:15	549	12.1	7.7	139	1.8	9
1/4/23 17:30	549	12.1	7.7	139	1.8	9
1/4/23 17:45	545	12.1	7.7	139	1.8	9
1/4/23 18:00	545	12.1	7.7	139	1.8	9
1/4/23 18:15	545	12.1	7.7	139	1.8	9
1/4/23 18:30	545	12.1	7.7	139	1.8	9
1/4/23 18:45	549	12.1	7.7	139	1.8	9
1/4/23 19:00	545	12.1	7.7	139	1.8	10
1/4/23 19:15	549	12	7.7	139	1.8	9
1/4/23 19:30	545	12	7.7	139	1.8	10
1/4/23 19:45	545	12	7.7	139	1.8	9
1/4/23 20:00	549	12	7.7	139	1.8	9
1/4/23 20:15	549	12	7.7	139	1.8	9
1/4/23 20:30	549	12.1	7.7	138	1.8	10
1/4/23 20:45	549	12	7.7	138	1.8	10
1/4/23 21:00	549	12.1	7.7	138	1.8	9
1/4/23 21:15	549	12.1	7.7	138	1.8	9
1/4/23 21:30	549	12.1	7.7	138	1.8	9
1/4/23 21:45	549	12	7.7	138	1.8	9
1/4/23 22:00	549	12.1	7.7	138	1.8	10
1/4/23 22:15	545	12	7.7	138	1.8	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/4/23 22:30	549	12	7.7	138	1.8	9
1/4/23 22:45	545	12	7.7	138	1.8	10
1/4/23 23:00	549	12.1	7.7	138	1.8	10
1/4/23 23:15	549	12.1	7.7	137	1.9	10
1/4/23 23:30	549	12.1	7.7	137	1.9	9
1/4/23 23:45	549	12.1	7.7	137	1.9	9
1/5/23 0:00	553	12.1	7.7	137	1.9	10
1/5/23 0:15	553	12	7.7	137	1.9	10
1/5/23 0:30	549	12.1	7.7	137	1.9	10
1/5/23 0:45	553	12.1	7.7	137	1.9	10
1/5/23 1:00	557	12.1	7.7	137	1.9	10
1/5/23 1:15	553	12	7.7	136	1.9	10
1/5/23 1:30	557	12	7.7	136	1.9	10
1/5/23 1:45	553	12	7.7	136	1.8	10
1/5/23 2:00	549	12.1	7.7	137	1.8	10
1/5/23 2:15	545	12.1	7.7	137	1.8	10
1/5/23 2:30	549	12	7.7	137	1.8	10
1/5/23 2:45	549	12.1	7.7	137	1.8	10
1/5/23 3:00	549	12	7.7	137	1.8	10
1/5/23 3:15	549	12.1	7.7	137	1.8	10
1/5/23 3:30	549	12	7.7	137	1.8	10
1/5/23 3:45	545	12.1	7.7	137	1.8	10
1/5/23 4:00	549	12.1	7.7	137	1.7	10
1/5/23 4:15	549	12.1	7.7	137	1.7	10
1/5/23 4:30	549	12.1	7.7	137	1.7	10
1/5/23 4:45	545	12.1	7.7	137	1.7	10
1/5/23 5:00	545	12.1	7.7	137	1.7	10
1/5/23 5:15	545	12.1	7.7	137	1.7	10
1/5/23 5:30	545	12.1	7.7	137	1.7	10
1/5/23 5:45	545	12.1	7.7	137	1.7	10
1/5/23 6:00	545	12.1	7.7	137	1.7	10
1/5/23 6:15	549	12.1	7.7	137	1.7	10
1/5/23 6:30	545	12.1	7.7	137	1.7	10
1/5/23 6:45	545	12.1	7.7	137	1.7	10
1/5/23 7:00	545	12.2	7.7	137	1.7	10
1/5/23 7:15	545	12.1	7.7	137	1.7	10
1/5/23 7:30	545	12.2	7.7	137	1.7	10
1/5/23 7:45	545	12.2	7.7	137	1.7	10
1/5/23 8:00	545	12.2	7.7	137	1.7	10
1/5/23 8:15	549	12.1	7.7	137	1.7	10
1/5/23 8:30	549	12.2	7.7	137	1.7	10
1/5/23 8:45	553	12.2	7.7	137	1.7	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/5/23 9:00	549	12.2	7.7	137	1.7	10
1/5/23 9:15	549	12.2	7.7	137	1.7	10
1/5/23 9:30	545	12.2	7.7	137	1.8	10
1/5/23 9:45	545	12.2	7.7	137	1.8	10
1/5/23 10:00	549	12.2	7.7	137	1.8	10
1/5/23 10:15	545	12.2	7.7	137	1.8	10
1/5/23 10:30	545	12.3	7.7	137	1.8	10
1/5/23 10:45	545	12.2	7.7	137	1.9	10
1/5/23 11:00	541	12.2	7.7	136	1.9	10
1/5/23 11:15	541	12.2	7.7	136	1.9	9
1/5/23 11:30	549	12.2	7.8	136	1.9	10
1/5/23 11:45	549	12.2	7.7	136	1.9	9
1/5/23 12:00	549	12.2	7.8	136	1.9	9
1/5/23 12:15	549	12.2	7.8	136	1.9	10
1/5/23 12:30	549	12.2	7.8	137	1.9	9
1/5/23 12:45	545	12.2	7.8	136	1.9	9
1/5/23 13:00	545	12.2	7.8	136	1.9	9
1/5/23 13:15	545	12.2	7.8	137	1.9	9
1/5/23 13:30	541	12.2	7.8	137	1.9	10
1/5/23 13:45	545	12.2	7.8	136	2.0	9
1/5/23 14:00	545	12.2	7.8	136	2.0	9
1/5/23 14:15	545	12.2	7.8	136	2.0	9
1/5/23 14:30	549	12.2	7.8	137	2.0	9
1/5/23 14:45	545	12.2	7.8	136	2.0	9
1/5/23 15:00	545	12.2	7.8	136	1.9	10
1/5/23 15:15	545	12.2	7.8	136	1.9	9
1/5/23 15:30	545	12.2	7.7	137	1.9	9
1/5/23 15:45	549	12.2	7.7	137	1.8	10
1/5/23 16:00	549	12.2	7.7	137	1.8	10
1/5/23 16:15	549	12.2	7.7	137	1.8	9
1/5/23 16:30	549	12.2	7.7	137	1.8	10
1/5/23 16:45	553	12.2	7.7	137	1.8	9
1/5/23 17:00	549	12.2	7.7	137	1.8	9
1/5/23 17:15	549	12.2	7.7	137	1.8	9
1/5/23 17:30	549	12.2	7.7	137	1.7	10
1/5/23 17:45	549	12.2	7.7	137	1.7	9
1/5/23 18:00	549	12.2	7.7	137	1.7	9
1/5/23 18:15	545	12.2	7.7	137	1.7	9
1/5/23 18:30	545	12.3	7.7	137	1.7	9
1/5/23 18:45	545	12.2	7.7	137	1.7	9
1/5/23 19:00	549	12.2	7.7	137	1.7	9
1/5/23 19:15	549	12.2	7.7	137	1.7	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/5/23 19:30	549	12.2	7.7	137	1.7	9
1/5/23 19:45	545	12.3	7.7	137	1.7	10
1/5/23 20:00	545	12.2	7.7	137	1.7	9
1/5/23 20:15	549	12.2	7.7	137	1.7	9
1/5/23 20:30	549	12.3	7.7	137	1.7	10
1/5/23 20:45	549	12.3	7.7	138	1.7	10
1/5/23 21:00	545	12.3	7.7	138	1.7	9
1/5/23 21:15	545	12.3	7.7	138	1.7	9
1/5/23 21:30	545	12.3	7.7	138	1.7	9
1/5/23 21:45	545	12.2	7.7	138	1.7	9
1/5/23 22:00	545	12.3	7.7	138	1.7	9
1/5/23 22:15	545	12.3	7.7	138	1.7	10
1/5/23 22:30	545	12.3	7.7	138	1.7	9
1/5/23 22:45	545	12.3	7.7	138	1.7	10
1/5/23 23:00	549	12.2	7.7	138	1.7	9
1/5/23 23:15	545	12.3	7.7	138	1.7	9
1/5/23 23:30	549	12.3	7.7	138	1.7	9
1/5/23 23:45	549	12.3	7.7	138	1.7	9
1/6/23 0:00	549	12.3	7.7	138	1.7	9
1/6/23 0:15	549	12.3	7.7	138	1.8	9
1/6/23 0:30	549	12.3	7.7	138	1.8	9
1/6/23 0:45	549	12.3	7.7	138	1.8	9
1/6/23 1:00	549	12.3	7.7	137	1.8	9
1/6/23 1:15	549	12.3	7.7	138	1.8	9
1/6/23 1:30	545	12.3	7.7	138	1.8	9
1/6/23 1:45	545	12.3	7.7	138	1.8	9
1/6/23 2:00	549	12.3	7.7	138	1.8	9
1/6/23 2:15	545	12.3	7.7	138	1.8	9
1/6/23 2:30	545	12.3	7.7	138	1.8	9
1/6/23 2:45	549	12.3	7.7	138	1.8	9
1/6/23 3:00	545	12.4	7.7	138	1.8	9
1/6/23 3:15	545	12.3	7.7	138	1.8	9
1/6/23 3:30	549	12.4	7.7	138	1.8	9
1/6/23 3:45	545	12.4	7.7	138	1.8	9
1/6/23 4:00	545	12.3	7.7	138	1.8	9
1/6/23 4:15	545	12.3	7.7	138	1.8	9
1/6/23 4:30	545	12.3	7.7	138	1.8	9
1/6/23 4:45	549	12.3	7.7	138	1.8	9
1/6/23 5:00	549	12.3	7.7	138	1.8	9
1/6/23 5:15	545	12.2	7.7	138	1.8	9
1/6/23 5:30	541	12.3	7.7	138	1.8	9
1/6/23 5:45	545	12.2	7.7	138	1.9	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/6/23 6:00	545	12.3	7.7	138	1.9	9
1/6/23 6:15	541	12.2	7.7	138	1.9	9
1/6/23 6:30	545	12.3	7.7	138	1.9	9
1/6/23 6:45	545	12.3	7.7	138	1.9	9
1/6/23 7:00	545	12.3	7.7	138	1.8	9
1/6/23 7:15	545	12.3	7.7	138	1.8	9
1/6/23 7:30	545	12.3	7.7	138	1.8	9
1/6/23 7:45	545	12.3	7.7	138	1.8	9
1/6/23 8:00	545	12.3	7.7	138	1.8	12
1/6/23 8:15	545	12.3	7.7	138	1.8	9
1/6/23 8:30	545	12.3	7.7	138	1.8	9
1/6/23 8:45	545	12.3	7.7	139	1.8	9
1/6/23 9:00	529	12.4	7.7	139	1.9	9
1/6/23 9:15	522	12.4	7.7	139	1.9	9
1/6/23 9:30	518	12.4	7.7	139	1.9	9
1/6/23 9:45	518	12.4	7.8	139	1.9	9
1/6/23 10:00	522	12.4	7.8	139	2.0	9
1/6/23 10:15	518	12.3	7.8	139	2.0	9
1/6/23 10:30	522	12.3	7.8	139	2.0	9
1/6/23 10:45	502	12.4	7.8	139	2.0	9
1/6/23 11:00	498	12.3	7.8	139	2.0	9
1/6/23 11:15	498	12.4	7.8	139	2.0	9
1/6/23 11:30	498	12.3	7.8	139	2.0	9
1/6/23 11:45	498	12.3	7.8	139	2.0	9
1/6/23 12:00	498	12.3	7.8	139	2.0	9
1/6/23 12:15	498	12.3	7.8	139	2.0	9
1/6/23 12:30	498	12.3	7.8	140	2.1	9
1/6/23 12:45	498	12.3	7.8	140	2.1	9
1/6/23 13:00	498	12.3	7.8	140	2.1	9
1/6/23 13:15	498	12.2	7.8	140	2.1	9
1/6/23 13:30	495	12.3	7.8	140	2.2	9
1/6/23 13:45	495	12.3	7.8	140	2.2	9
1/6/23 14:00	498	12.3	7.8	140	2.2	9
1/6/23 14:15	498	12.2	7.8	140	2.2	9
1/6/23 14:30	495	12.2	7.8	140	2.2	9
1/6/23 14:45	495	12.3	7.8	140	2.2	9
1/6/23 15:00	498	12.2	7.8	141	2.2	9
1/6/23 15:15	498	12.2	7.8	141	2.2	9
1/6/23 15:30	495	12.3	7.8	141	2.2	9
1/6/23 15:45	498	12.2	7.8	141	2.2	9
1/6/23 16:00	495	12.2	7.8	141	2.2	9
1/6/23 16:15	495	12.2	7.8	141	2.1	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/6/23 16:30	498	12.2	7.8	141	2.1	9
1/6/23 16:45	498	12.2	7.8	141	2.1	9
1/6/23 17:00	498	12.2	7.8	141	2.1	9
1/6/23 17:15	495	12.2	7.7	141	2.1	9
1/6/23 17:30	495	12.2	7.7	141	2.1	9
1/6/23 17:45	495	12.1	7.7	141	2.1	9
1/6/23 18:00	495	12.1	7.7	141	2.1	9
1/6/23 18:15	495	12.2	7.7	141	2.1	9
1/6/23 18:30	498	12.2	7.7	141	2.0	9
1/6/23 18:45	495	12.2	7.7	141	2.0	9
1/6/23 19:00	498	12.2	7.7	141	2.0	9
1/6/23 19:15	495	12.2	7.7	141	2.0	9
1/6/23 19:30	495	12.2	7.7	141	2.0	9
1/6/23 19:45	495	12.2	7.7	141	2.0	9
1/6/23 20:00	495	12.1	7.7	142	2.0	9
1/6/23 20:15	495	12.1	7.7	142	2.0	10
1/6/23 20:30	498	12.2	7.7	142	2.0	9
1/6/23 20:45	495	12.2	7.7	142	2.0	9
1/6/23 21:00	495	12.2	7.7	142	2.0	9
1/6/23 21:15	498	12.2	7.7	142	2.0	9
1/6/23 21:30	495	12.1	7.7	142	2.0	9
1/6/23 21:45	498	12.1	7.7	142	2.0	9
1/6/23 22:00	491	12.1	7.7	142	2.0	9
1/6/23 22:15	483	12.1	7.7	142	2.0	9
1/6/23 22:30	483	12.2	7.7	142	2.0	9
1/6/23 22:45	483	12.1	7.7	142	2.0	9
1/6/23 23:00	483	12.1	7.7	143	2.0	9
1/6/23 23:15	483	12.2	7.7	143	2.0	9
1/6/23 23:30	480	12.2	7.7	143	2.0	9
1/6/23 23:45	483	12	7.7	143	2.0	9
1/7/23 0:00	480	12.1	7.7	143	2.0	9
1/7/23 0:15	480	12.2	7.7	143	2.0	9
1/7/23 0:30	480	12.2	7.7	143	2.0	9
1/7/23 0:45	480	12.2	7.7	143	2.0	9
1/7/23 1:00	480	12.1	7.7	143	2.0	9
1/7/23 1:15	480	12.1	7.7	143	2.0	9
1/7/23 1:30	480	12.1	7.7	143	2.0	9
1/7/23 1:45	483	12.1	7.7	143	2.0	9
1/7/23 2:00	483	12.1	7.7	143	2.0	9
1/7/23 2:15	483	12.1	7.7	143	2.0	9
1/7/23 2:30	480	12.1	7.7	143	2.0	9
1/7/23 2:45	483	12.1	7.7	143	2.0	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/7/23 3:00	480	12.2	7.7	143	2.0	9
1/7/23 3:15	480	12.1	7.7	143	2.0	9
1/7/23 3:30	480	12.2	7.7	143	2.0	9
1/7/23 3:45	483	12.1	7.7	143	2.0	9
1/7/23 4:00	483	12.2	7.7	143	2.0	9
1/7/23 4:15	480	12.1	7.7	143	2.0	9
1/7/23 4:30	483	12.2	7.7	143	2.0	9
1/7/23 4:45	483	12.1	7.7	143	2.0	9
1/7/23 5:00	483	12	7.7	143	2.0	9
1/7/23 5:15	480	12.1	7.7	143	2.0	9
1/7/23 5:30	480	12.2	7.7	143	2.0	9
1/7/23 5:45	480	12.1	7.7	143	2.0	9
1/7/23 6:00	483	12.1	7.7	143	2.0	9
1/7/23 6:15	480	12.1	7.7	143	2.0	9
1/7/23 6:30	483	12.1	7.7	143	2.0	9
1/7/23 6:45	480	12.2	7.7	143	1.9	9
1/7/23 7:00	483	12.1	7.7	143	1.9	9
1/7/23 7:15	483	12.1	7.7	144	1.9	9
1/7/23 7:30	480	12.2	7.7	144	1.9	9
1/7/23 7:45	480	12.2	7.7	144	2.0	9
1/7/23 8:00	480	12.2	7.7	144	2.0	8
1/7/23 8:15	480	12.1	7.7	144	2.0	9
1/7/23 8:30	480	12.1	7.7	143	2.0	9
1/7/23 8:45	476	12.1	7.7	143	2.0	9
1/7/23 9:00	483	12	7.7	143	1.9	9
1/7/23 9:15	476	12.1	7.7	144	1.9	9
1/7/23 9:30	476	12.2	7.8	144	1.9	9
1/7/23 9:45	480	12.2	7.8	144	1.9	8
1/7/23 10:00	476	12.2	7.8	144	2.0	9
1/7/23 10:15	480	12.2	7.8	144	2.0	8
1/7/23 10:30	483	12.3	7.8	145	2.0	8
1/7/23 10:45	480	12.2	7.8	145	2.0	8
1/7/23 11:00	480	12.2	7.8	145	2.1	9
1/7/23 11:15	480	12.2	7.8	145	2.1	8
1/7/23 11:30	480	12.2	7.8	145	2.1	8
1/7/23 11:45	476	12.2	7.8	145	2.2	8
1/7/23 12:00	472	12.1	7.8	145	2.2	8
1/7/23 12:15	476	12.2	7.8	145	2.2	8
1/7/23 12:30	476	12.2	7.8	145	2.2	8
1/7/23 12:45	476	12.2	7.8	145	2.2	8
1/7/23 13:00	472	12.2	7.8	145	2.2	8
1/7/23 13:15	472	12.2	7.8	145	2.2	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/7/23 13:30	461	12.2	7.8	145	2.1	8
1/7/23 13:45	439	12.2	7.8	145	2.2	8
1/7/23 14:00	435	12.2	7.8	145	2.1	8
1/7/23 14:15	439	12.1	7.8	145	2.1	9
1/7/23 14:30	439	12.1	7.8	145	2.1	8
1/7/23 14:45	435	12.2	7.8	145	2.1	8
1/7/23 15:00	439	12.2	7.8	145	2.0	8
1/7/23 15:15	439	12.2	7.8	145	2.0	8
1/7/23 15:30	439	12.2	7.8	145	2.0	8
1/7/23 15:45	439	12.1	7.8	145	2.1	8
1/7/23 16:00	439	12	7.8	145	2.1	9
1/7/23 16:15	439	12.1	7.8	145	2.0	8
1/7/23 16:30	435	12.1	7.8	145	2.0	8
1/7/23 16:45	439	12	7.8	146	2.0	8
1/7/23 17:00	439	12.1	7.8	146	2.0	8
1/7/23 17:15	439	12	7.8	146	2.0	8
1/7/23 17:30	439	12	7.7	146	2.0	8
1/7/23 17:45	439	12	7.7	146	2.0	8
1/7/23 18:00	439	12	7.7	146	2.0	8
1/7/23 18:15	439	11.9	7.7	146	2.0	8
1/7/23 18:30	435	12	7.7	145	2.0	8
1/7/23 18:45	435	12	7.7	146	2.0	9
1/7/23 19:00	435	12	7.7	146	2.0	9
1/7/23 19:15	435	12	7.7	146	2.0	8
1/7/23 19:30	439	12	7.7	146	2.0	9
1/7/23 19:45	439	12	7.8	146	2.0	9
1/7/23 20:00	442	12	7.7	146	2.0	9
1/7/23 20:15	439	12.1	7.7	146	2.0	8
1/7/23 20:30	439	12	7.7	146	2.0	8
1/7/23 20:45	435	12	7.7	146	2.0	9
1/7/23 21:00	435	12	7.7	146	2.0	9
1/7/23 21:15	435	12	7.8	147	2.0	9
1/7/23 21:30	435	12	7.8	147	2.0	9
1/7/23 21:45	439	12	7.8	147	2.0	9
1/7/23 22:00	439	12	7.8	147	2.0	9
1/7/23 22:15	439	12	7.8	147	2.0	9
1/7/23 22:30	439	12	7.8	147	2.0	9
1/7/23 22:45	439	12	7.8	148	1.9	9
1/7/23 23:00	435	12	7.8	148	1.9	9
1/7/23 23:15	439	12	7.8	148	1.9	9
1/7/23 23:30	439	12	7.8	148	1.9	9
1/7/23 23:45	439	12	7.8	148	1.9	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/8/23 0:00	435	12	7.8	148	1.9	9
1/8/23 0:15	431	12	7.8	148	1.9	9
1/8/23 0:30	435	12	7.8	148	1.9	9
1/8/23 0:45	435	12	7.8	148	1.9	9
1/8/23 1:00	431	12.1	7.8	149	1.9	9
1/8/23 1:15	431	12	7.8	149	1.9	9
1/8/23 1:30	435	12	7.8	149	1.9	9
1/8/23 1:45	435	12	7.8	149	1.9	9
1/8/23 2:00	439	12	7.8	149	1.9	9
1/8/23 2:15	439	12	7.8	149	1.8	9
1/8/23 2:30	439	12.1	7.8	149	1.8	9
1/8/23 2:45	431	12	7.8	149	1.8	11
1/8/23 3:00	431	12	7.8	149	1.8	9
1/8/23 3:15	435	12	7.8	149	1.8	9
1/8/23 3:30	431	12	7.8	149	1.8	9
1/8/23 3:45	435	12.1	7.8	149	1.8	9
1/8/23 4:00	435	12	7.8	149	1.8	9
1/8/23 4:15	435	12.1	7.8	149	1.8	9
1/8/23 4:30	435	12	7.8	149	1.8	9
1/8/23 4:45	435	12	7.8	149	1.8	9
1/8/23 5:00	435	12.1	7.8	149	1.8	9
1/8/23 5:15	435	12	7.8	149	1.8	9
1/8/23 5:30	435	12.1	7.8	149	1.8	9
1/8/23 5:45	435	12	7.8	149	1.8	9
1/8/23 6:00	435	12	7.8	149	1.8	9
1/8/23 6:15	435	12	7.8	149	1.8	9
1/8/23 6:30	435	12	7.8	149	1.8	9
1/8/23 6:45	435	12	7.8	149	1.8	9
1/8/23 7:00	431	12	7.8	149	1.8	9
1/8/23 7:15	431	12	7.8	149	1.8	9
1/8/23 7:30	435	12	7.8	149	1.8	9
1/8/23 7:45	435	12.1	7.8	149	1.8	9
1/8/23 8:00	435	12.1	7.8	149	1.8	9
1/8/23 8:15	435	12.1	7.8	149	1.8	9
1/8/23 8:30	431	12.1	7.8	149	1.8	9
1/8/23 8:45	435	12	7.8	149	1.8	9
1/8/23 9:00	431	12	7.8	148	1.9	9
1/8/23 9:15	431	12.1	7.8	148	1.9	9
1/8/23 9:30	431	12.1	7.8	148	1.9	9
1/8/23 9:45	431	12.2	7.8	148	1.9	9
1/8/23 10:00	431	12.2	7.8	148	1.9	9
1/8/23 10:15	431	12.1	7.8	148	1.9	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/8/23 10:30	435	12.2	7.8	148	1.9	9
1/8/23 10:45	435	12	7.8	148	1.9	9
1/8/23 11:00	435	12.1	7.8	149	2.0	9
1/8/23 11:15	435	12.2	7.8	149	2.0	9
1/8/23 11:30	431	12.2	7.8	149	2.0	9
1/8/23 11:45	428	12.2	7.8	149	2.0	9
1/8/23 12:00	428	12.2	7.8	148	2.1	10
1/8/23 12:15	428	12.1	7.8	148	2.1	9
1/8/23 12:30	428	12.1	7.8	148	2.2	9
1/8/23 12:45	428	12	7.8	148	2.2	9
1/8/23 13:00	431	12.1	7.8	148	2.1	9
1/8/23 13:15	431	12.2	7.8	148	2.1	9
1/8/23 13:30	431	12.1	7.8	148	2.1	9
1/8/23 13:45	431	12.1	7.8	148	2.2	9
1/8/23 14:00	428	12.1	7.8	148	2.2	9
1/8/23 14:15	428	12.1	7.8	148	2.2	9
1/8/23 14:30	428	12.1	7.8	149	2.2	9
1/8/23 14:45	428	12.1	7.8	149	2.2	9
1/8/23 15:00	431	12.1	7.8	149	2.2	9
1/8/23 15:15	431	12.1	7.8	149	2.2	9
1/8/23 15:30	431	12.1	7.8	149	2.2	9
1/8/23 15:45	435	12	7.8	149	2.2	9
1/8/23 16:00	431	12.1	7.8	149	2.2	9
1/8/23 16:15	431	12	7.8	149	2.2	9
1/8/23 16:30	431	12.1	7.8	149	2.1	9
1/8/23 16:45	431	12.1	7.8	149	2.1	9
1/8/23 17:00	431	12	7.8	149	2.1	9
1/8/23 17:15	431	12.1	7.8	150	2.0	9
1/8/23 17:30	431	12	7.8	150	2.0	9
1/8/23 17:45	431	12	7.8	150	2.0	9
1/8/23 18:00	446	12.1	7.8	150	2.0	9
1/8/23 18:15	454	12.1	7.8	150	2.0	9
1/8/23 18:30	457	12.1	7.8	150	2.0	9
1/8/23 18:45	454	12.1	7.8	151	2.0	9
1/8/23 19:00	457	12.1	7.8	151	2.0	9
1/8/23 19:15	461	12.1	7.8	151	2.0	9
1/8/23 19:30	457	12.1	7.8	151	2.0	9
1/8/23 19:45	461	12.1	7.8	151	2.0	9
1/8/23 20:00	457	12.1	7.8	151	2.0	9
1/8/23 20:15	457	12.1	7.8	152	2.0	9
1/8/23 20:30	457	12	7.8	152	2.0	9
1/8/23 20:45	457	12.1	7.8	152	2.0	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/8/23 21:00	457	12.1	7.8	152	2.0	9
1/8/23 21:15	457	12.1	7.8	152	2.0	9
1/8/23 21:30	457	12	7.8	152	2.0	9
1/8/23 21:45	457	12.1	7.8	152	2.0	9
1/8/23 22:00	457	12	7.8	152	2.0	9
1/8/23 22:15	457	12.1	7.8	152	2.0	9
1/8/23 22:30	457	12	7.8	152	2.0	9
1/8/23 22:45	457	12.1	7.8	152	2.0	9
1/8/23 23:00	457	12	7.8	151	2.0	9
1/8/23 23:15	457	12	7.8	152	2.0	9
1/8/23 23:30	461	12	7.8	152	2.0	9
1/8/23 23:45	461	11.9	7.8	152	2.0	9
1/9/23 0:00	457	12	7.8	152	2.1	9
1/9/23 0:15	461	12	7.8	152	2.1	9
1/9/23 0:30	461	11.9	7.8	152	2.1	9
1/9/23 0:45	457	12	7.8	152	2.1	9
1/9/23 1:00	457	12	7.8	152	2.1	9
1/9/23 1:15	454	12	7.8	152	2.1	9
1/9/23 1:30	457	11.9	7.8	152	2.1	9
1/9/23 1:45	454	11.9	7.8	152	2.1	9
1/9/23 2:00	457	12	7.8	152	2.1	9
1/9/23 2:15	457	11.9	7.8	152	2.1	9
1/9/23 2:30	454	11.9	7.8	152	2.1	9
1/9/23 2:45	457	11.8	7.8	152	2.1	9
1/9/23 3:00	461	11.9	7.8	152	2.1	9
1/9/23 3:15	457	11.9	7.8	152	2.1	9
1/9/23 3:30	457	12	7.8	152	2.1	9
1/9/23 3:45	457	11.9	7.8	152	2.1	9
1/9/23 4:00	457	12	7.8	152	2.1	9
1/9/23 4:15	457	12	7.8	152	2.1	9
1/9/23 4:30	454	11.9	7.8	152	2.1	9
1/9/23 4:45	454	12	7.8	152	2.0	9
1/9/23 5:00	457	11.9	7.8	152	2.0	9
1/9/23 5:15	457	12	7.8	152	2.0	9
1/9/23 5:30	454	11.9	7.8	152	2.0	9
1/9/23 5:45	457	11.9	7.8	152	2.0	9
1/9/23 6:00	454	11.9	7.8	153	2.0	9
1/9/23 6:15	457	11.9	7.8	153	2.0	9
1/9/23 6:30	457	11.9	7.8	153	2.0	9
1/9/23 6:45	457	11.9	7.8	153	2.0	9
1/9/23 7:00	457	11.9	7.8	153	2.0	9
1/9/23 7:15	457	11.8	7.8	153	2.0	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/9/23 7:30	454	11.9	7.8	152	1.9	9
1/9/23 7:45	454	11.9	7.8	153	1.9	9
1/9/23 8:00	457	12	7.8	153	1.8	9
1/9/23 8:15	454	12	7.8	153	1.8	9
1/9/23 8:30	457	12	7.8	153	1.8	9
1/9/23 8:45	457	12	7.8	153	1.8	9
1/9/23 9:00	461	12	7.8	153	1.8	9
1/9/23 9:15	457	12	7.8	153	1.8	10
1/9/23 9:30	457	12	7.8	153	1.8	9
1/9/23 9:45	457	12.1	7.8	153	1.9	9
1/9/23 10:00	431	12	7.8	153	1.9	9
1/9/23 10:15	392	12	7.8	153	1.9	9
1/9/23 10:30	331	12	7.8	153	2.0	9
1/9/23 10:45	354	11.9	7.8	153	2.0	9
1/9/23 11:00	368	12	7.8	153	2.1	9
1/9/23 11:15	381	12	7.8	154	2.2	9
1/9/23 11:30	395	12	7.8	154	2.2	9
1/9/23 11:45	402	12	7.8	154	2.2	9
1/9/23 12:00	406	12	7.8	153	2.3	9
1/9/23 12:15	406	12	7.8	153	2.3	9
1/9/23 12:30	406	12	7.8	153	2.2	9
1/9/23 12:45	406	12	7.8	153	2.2	9
1/9/23 13:00	406	12	7.8	153	2.2	9
1/9/23 13:15	402	12	7.8	153	2.3	9
1/9/23 13:30	410	12	7.8	153	2.3	9
1/9/23 13:45	424	12	7.8	153	2.3	9
1/9/23 14:00	424	12	7.8	153	2.4	9
1/9/23 14:15	420	12	7.8	153	2.4	9
1/9/23 14:30	424	12	7.8	153	2.4	9
1/9/23 14:45	428	12	7.8	153	2.4	9
1/9/23 15:00	442	11.9	7.8	153	2.4	9
1/9/23 15:15	446	12	7.8	153	2.4	9
1/9/23 15:30	465	11.9	7.8	153	2.3	9
1/9/23 15:45	468	11.9	7.8	153	2.3	9
1/9/23 16:00	472	12	7.8	153	2.3	9
1/9/23 16:15	472	11.9	7.8	153	2.2	9
1/9/23 16:30	472	11.8	7.8	153	2.2	9
1/9/23 16:45	468	12	7.8	153	2.2	9
1/9/23 17:00	468	12	7.8	153	2.2	9
1/9/23 17:15	468	12	7.8	153	2.2	9
1/9/23 17:30	468	12	7.8	153	2.1	9
1/9/23 17:45	468	12	7.8	153	2.1	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/9/23 18:00	468	12	7.8	154	2.2	10
1/9/23 18:15	468	12	7.8	154	2.2	9
1/9/23 18:30	468	12	7.8	154	2.2	9
1/9/23 18:45	468	11.9	7.8	154	2.2	9
1/9/23 19:00	468	12	7.8	154	2.1	9
1/9/23 19:15	468	11.9	7.8	154	2.1	10
1/9/23 19:30	468	12	7.8	155	2.1	9
1/9/23 19:45	468	12	7.8	155	2.2	9
1/9/23 20:00	472	12	7.8	155	2.2	10
1/9/23 20:15	468	12	7.8	155	2.2	9
1/9/23 20:30	468	12	7.8	155	2.2	10
1/9/23 20:45	468	12	7.8	155	2.2	10
1/9/23 21:00	468	12	7.8	155	2.2	10
1/9/23 21:15	468	12	7.8	155	2.2	10
1/9/23 21:30	468	12	7.8	155	2.2	10
1/9/23 21:45	468	12	7.8	155	2.2	9
1/9/23 22:00	468	12	7.8	155	2.2	10
1/9/23 22:15	468	12	7.8	155	2.2	9
1/9/23 22:30	468	12	7.8	155	2.2	10
1/9/23 22:45	468	12	7.8	155	2.2	9
1/9/23 23:00	468	12	7.8	155	2.2	10
1/9/23 23:15	472	12	7.8	156	2.2	10
1/9/23 23:30	468	12	7.8	156	2.2	10
1/9/23 23:45	472	11.9	7.8	156	2.2	10
1/10/23 0:00	468	12	7.8	156	2.2	9
1/10/23 0:15	472	12	7.8	156	2.1	9
1/10/23 0:30	468	12	7.8	156	2.1	10
1/10/23 0:45	468	11.9	7.8	156	2.1	10
1/10/23 1:00	468	11.9	7.8	156	2.1	9
1/10/23 1:15	468	11.9	7.8	156	2.1	9
1/10/23 1:30	468	12	7.8	156	2.2	9
1/10/23 1:45	468	11.9	7.8	156	2.2	9
1/10/23 2:00	468	11.9	7.8	156	2.2	10
1/10/23 2:15	468	12	7.8	156	2.2	9
1/10/23 2:30	472	11.9	7.8	156	2.2	10
1/10/23 2:45	468	11.9	7.8	156	2.2	10
1/10/23 3:00	468	12	7.8	156	2.2	9
1/10/23 3:15	472	11.9	7.8	156	2.2	9
1/10/23 3:30	472	11.9	7.8	156	2.2	10
1/10/23 3:45	468	11.9	7.8	156	2.2	9
1/10/23 4:00	468	11.9	7.8	156	2.2	9
1/10/23 4:15	472	11.9	7.8	156	2.2	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/10/23 4:30	472	12	7.8	156	2.2	10
1/10/23 4:45	468	12	7.8	156	2.2	9
1/10/23 5:00	468	11.9	7.8	156	2.2	10
1/10/23 5:15	468	11.8	7.8	156	2.2	10
1/10/23 5:30	472	11.8	7.8	156	2.2	10
1/10/23 5:45	468	11.8	7.8	156	2.2	10
1/10/23 6:00	468	11.9	7.8	156	2.2	9
1/10/23 6:15	468	11.9	7.8	156	2.2	9
1/10/23 6:30	468	11.9	7.8	156	2.2	10
1/10/23 6:45	468	11.9	7.8	156	2.2	9
1/10/23 7:00	468	11.9	7.8	156	2.2	9
1/10/23 7:15	468	11.9	7.8	156	2.2	9
1/10/23 7:30	468	11.8	7.8	156	2.2	10
1/10/23 7:45	468	11.9	7.8	156	2.2	9
1/10/23 8:00	468	11.8	7.8	156	2.2	9
1/10/23 8:15	468	11.9	7.8	156	2.2	9
1/10/23 8:30	526	11.9	7.8	156	2.1	10
1/10/23 8:45	553	11.9	7.8	156	2.1	10
1/10/23 9:00	553	11.9	7.8	156	2.1	10
1/10/23 9:15	553	12	7.8	156	2.1	10
1/10/23 9:30	553	11.9	7.8	156	2.2	10
1/10/23 9:45	553	12	7.8	156	2.2	10
1/10/23 10:00	553	12	7.8	156	2.2	9
1/10/23 10:15	553	12	7.8	156	2.3	9
1/10/23 10:30	553	12	7.8	156	2.3	10
1/10/23 10:45	549	12	7.8	156	2.3	9
1/10/23 11:00	553	12	7.8	157	2.3	10
1/10/23 11:15	549	12	7.8	157	2.4	9
1/10/23 11:30	553	12	7.8	157	2.4	10
1/10/23 11:45	549	12	7.8	157	2.4	10
1/10/23 12:00	553	12	7.8	157	2.4	10
1/10/23 12:15	549	12	7.8	157	2.4	10
1/10/23 12:30	553	11.9	7.8	157	2.4	10
1/10/23 12:45	553	12	7.8	157	2.4	10
1/10/23 13:00	553	12	7.8	157	2.4	10
1/10/23 13:15	553	12	7.8	157	2.4	10
1/10/23 13:30	553	12	7.8	157	2.4	10
1/10/23 13:45	553	12	7.8	157	2.4	10
1/10/23 14:00	549	12	7.8	157	2.4	10
1/10/23 14:15	553	11.9	7.8	157	2.4	9
1/10/23 14:30	549	12	7.8	157	2.4	10
1/10/23 14:45	553	12	7.8	158	2.4	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/10/23 15:00	553	12	7.8	158	2.3	10
1/10/23 15:15	553	12	7.8	158	2.3	10
1/10/23 15:30	553	12	7.8	158	2.2	11
1/10/23 15:45	553	12	7.8	159	2.2	11
1/10/23 16:00	553	12	7.8	159	2.2	10
1/10/23 16:15	553	12	7.8	159	2.2	11
1/10/23 16:30	553	12	7.8	159	2.2	10
1/10/23 16:45	557	12	7.8	159	2.2	11
1/10/23 17:00	570	12	7.8	159	2.1	11
1/10/23 17:15	570	12	7.8	158	2.1	11
1/10/23 17:30	570	12	7.8	158	2.1	12
1/10/23 17:45	570	12	7.8	159	2.1	12
1/10/23 18:00	557	12.1	7.8	159	2.1	12
1/10/23 18:15	549	12	7.8	159	2.1	12
1/10/23 18:30	545	12	7.8	159	2.1	12
1/10/23 18:45	545	12	7.8	159	2.0	11
1/10/23 19:00	545	12	7.8	160	2.0	11
1/10/23 19:15	545	12.1	7.8	160	2.0	11
1/10/23 19:30	545	12.1	7.8	160	2.0	11
1/10/23 19:45	545	12.1	7.8	160	2.0	10
1/10/23 20:00	549	12.1	7.8	160	2.0	10
1/10/23 20:15	549	12.1	7.8	160	2.0	10
1/10/23 20:30	545	12.1	7.8	160	2.0	10
1/10/23 20:45	545	12.1	7.8	160	2.0	10
1/10/23 21:00	545	12.1	7.8	160	2.0	10
1/10/23 21:15	545	12.1	7.8	160	2.0	10
1/10/23 21:30	545	12.1	7.8	160	2.0	10
1/10/23 21:45	549	12.1	7.8	160	2.0	10
1/10/23 22:00	549	12.1	7.8	160	2.1	10
1/10/23 22:15	549	12.1	7.8	160	2.1	10
1/10/23 22:30	545	12.1	7.8	160	2.1	10
1/10/23 22:45	545	12.1	7.8	160	2.1	10
1/10/23 23:00	545	12.1	7.8	160	2.1	10
1/10/23 23:15	545	12.1	7.8	160	2.1	10
1/10/23 23:30	545	12.1	7.8	160	2.1	10
1/10/23 23:45	549	12.1	7.8	160	2.1	10
1/11/23 0:00	545	12.2	7.8	160	2.1	10
1/11/23 0:15	545	12.1	7.8	160	2.1	10
1/11/23 0:30	545	12.2	7.8	160	2.1	10
1/11/23 0:45	545	12.1	7.8	160	2.1	10
1/11/23 1:00	545	12.1	7.8	160	2.1	10
1/11/23 1:15	545	12.2	7.8	160	2.1	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/11/23 1:30	545	12	7.8	160	2.1	10
1/11/23 1:45	545	12.2	7.8	160	2.1	10
1/11/23 2:00	549	12.1	7.8	160	2.1	10
1/11/23 2:15	545	12.1	7.8	160	2.1	10
1/11/23 2:30	549	12.1	7.8	160	2.1	10
1/11/23 2:45	549	12.2	7.8	160	2.1	10
1/11/23 3:00	545	12.1	7.8	160	2.1	10
1/11/23 3:15	545	12.2	7.8	160	2.1	10
1/11/23 3:30	545	12.2	7.8	160	2.1	10
1/11/23 3:45	545	12.1	7.8	160	2.1	10
1/11/23 4:00	545	12.1	7.8	160	2.1	10
1/11/23 4:15	541	12.1	7.8	160	2.1	10
1/11/23 4:30	545	12.1	7.8	160	2.1	10
1/11/23 4:45	541	12.1	7.8	161	2.1	10
1/11/23 5:00	541	12.2	7.8	161	2.1	10
1/11/23 5:15	545	12.1	7.8	161	2.1	10
1/11/23 5:30	541	12.2	7.8	161	2.1	10
1/11/23 5:45	541	12.1	7.8	161	2.1	10
1/11/23 6:00	541	12.1	7.8	161	2.1	9
1/11/23 6:15	541	12.1	7.8	161	2.1	10
1/11/23 6:30	545	12.2	7.8	161	2.1	10
1/11/23 6:45	545	12.1	7.8	161	2.1	10
1/11/23 7:00	541	12.1	7.8	161	2.1	10
1/11/23 7:15	541	12.2	7.8	161	2.1	10
1/11/23 7:30	545	12.2	7.8	161	2.1	9
1/11/23 7:45	541	12.2	7.8	161	2.1	10
1/11/23 8:00	545	12.1	7.8	161	2.1	10
1/11/23 8:15	545	12.1	7.8	161	2.1	9
1/11/23 8:30	545	12.1	7.8	161	2.1	10
1/11/23 8:45	545	12.2	7.8	161	2.0	9
1/11/23 9:00	545	12.2	7.8	161	2.0	10
1/11/23 9:15	545	12.2	7.8	161	2.0	9
1/11/23 9:30	545	12.2	7.8	161	2.0	10
1/11/23 9:45	545	12.2	7.8	161	2.0	9
1/11/23 10:00	541	12.2	7.8	161	2.0	10
1/11/23 10:15	541	12.3	7.8	161	2.1	10
1/11/23 10:30	541	12.2	7.8	161	2.1	9
1/11/23 10:45	545	12.2	7.8	161	2.1	10
1/11/23 11:00	541	12.2	7.8	161	2.2	10
1/11/23 11:15	545	12.2	7.8	161	2.2	10
1/11/23 11:30	545	12.2	7.8	162	2.2	10
1/11/23 11:45	541	12.2	7.9	162	2.3	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/11/23 12:00	541	12.2	7.9	162	2.3	10
1/11/23 12:15	545	12.2	7.9	162	2.3	10
1/11/23 12:30	541	12.2	7.9	162	2.3	10
1/11/23 12:45	541	12.2	7.9	162	2.3	10
1/11/23 13:00	541	12.2	7.9	162	2.3	10
1/11/23 13:15	541	12.2	7.9	162	2.3	10
1/11/23 13:30	541	12.2	7.9	162	2.3	10
1/11/23 13:45	541	12.2	7.8	162	2.3	11
1/11/23 14:00	545	12.1	7.8	162	2.3	11
1/11/23 14:15	545	12.2	7.8	162	2.2	11
1/11/23 14:30	541	12.2	7.8	162	2.2	12
1/11/23 14:45	545	12.2	7.8	162	2.2	12
1/11/23 15:00	545	12.2	7.8	162	2.2	12
1/11/23 15:15	545	12.1	7.8	162	2.2	11
1/11/23 15:30	545	12.2	7.8	162	2.2	12
1/11/23 15:45	545	12.2	7.8	162	2.2	12
1/11/23 16:00	545	12.2	7.8	162	2.2	12
1/11/23 16:15	545	12.2	7.8	162	2.2	11
1/11/23 16:30	541	12.2	7.8	162	2.2	11
1/11/23 16:45	541	12.1	7.8	162	2.2	11
1/11/23 17:00	541	12.2	7.8	162	2.2	11
1/11/23 17:15	541	12.1	7.8	162	2.1	11
1/11/23 17:30	545	12.2	7.8	162	2.1	11
1/11/23 17:45	545	12.2	7.8	162	2.1	11
1/11/23 18:00	545	12.2	7.8	162	2.1	11
1/11/23 18:15	545	12.1	7.8	162	2.2	10
1/11/23 18:30	545	12.1	7.8	162	2.2	10
1/11/23 18:45	545	12.2	7.8	162	2.2	10
1/11/23 19:00	541	12.2	7.8	162	2.2	10
1/11/23 19:15	545	12.1	7.8	162	2.2	10
1/11/23 19:30	545	12.2	7.8	162	2.2	10
1/11/23 19:45	541	12.2	7.8	162	2.2	10
1/11/23 20:00	545	12.1	7.8	162	2.2	9
1/11/23 20:15	545	12.2	7.8	162	2.2	10
1/11/23 20:30	545	12.2	7.8	162	2.2	10
1/11/23 20:45	541	12.1	7.8	162	2.2	10
1/11/23 21:00	541	12.1	7.8	162	2.2	9
1/11/23 21:15	541	12.2	7.8	162	2.1	9
1/11/23 21:30	545	12.1	7.8	162	2.1	10
1/11/23 21:45	545	12.2	7.8	162	2.1	10
1/11/23 22:00	545	12.2	7.8	162	2.1	9
1/11/23 22:15	545	12.1	7.8	162	2.1	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/11/23 22:30	545	12.2	7.8	162	2.1	10
1/11/23 22:45	545	12.2	7.8	162	2.1	9
1/11/23 23:00	541	12.1	7.8	162	2.1	9
1/11/23 23:15	541	12.2	7.8	162	2.1	9
1/11/23 23:30	545	12.2	7.8	163	2.1	9
1/11/23 23:45	541	12.2	7.8	163	2.1	9
1/12/23 0:00	541	12.2	7.8	163	2.1	9
1/12/23 0:15	541	12.2	7.8	163	2.1	9
1/12/23 0:30	541	12.1	7.8	163	2.1	9
1/12/23 0:45	545	12.2	7.8	163	2.1	9
1/12/23 1:00	545	12.2	7.8	163	2.1	9
1/12/23 1:15	545	12.2	7.8	163	2.1	9
1/12/23 1:30	541	12.2	7.8	163	2.1	9
1/12/23 1:45	545	12.2	7.8	164	2.1	9
1/12/23 2:00	541	12.2	7.8	164	2.1	9
1/12/23 2:15	541	12.2	7.8	164	2.1	9
1/12/23 2:30	545	12.2	7.8	164	2.1	9
1/12/23 2:45	541	12.2	7.8	164	2.1	9
1/12/23 3:00	541	12.2	7.8	164	2.1	9
1/12/23 3:15	541	12.2	7.8	164	2.1	9
1/12/23 3:30	541	12.2	7.8	164	2.1	9
1/12/23 3:45	545	12.2	7.8	164	2.1	9
1/12/23 4:00	541	12.2	7.8	164	2.1	9
1/12/23 4:15	541	12.2	7.8	164	2.1	9
1/12/23 4:30	541	12.2	7.8	164	2.1	9
1/12/23 4:45	541	12.2	7.8	164	2.1	9
1/12/23 5:00	541	12.2	7.8	165	2.1	9
1/12/23 5:15	541	12.2	7.8	165	2.1	9
1/12/23 5:30	541	12.2	7.8	165	2.1	9
1/12/23 5:45	541	12.2	7.8	165	2.1	9
1/12/23 6:00	541	12.3	7.8	165	2.1	9
1/12/23 6:15	545	12.2	7.8	165	2.1	10
1/12/23 6:30	545	12.2	7.8	165	2.1	9
1/12/23 6:45	541	12.2	7.8	165	2.1	9
1/12/23 7:00	541	12.2	7.8	165	2.1	9
1/12/23 7:15	541	12.2	7.8	166	2.1	13
1/12/23 7:30	541	12.2	7.8	166	2.1	9
1/12/23 7:45	541	12.2	7.8	166	2.1	10
1/12/23 8:00	545	12.2	7.8	166	2.1	9
1/12/23 8:15	541	12.3	7.8	166	2.1	9
1/12/23 8:30	506	12.2	7.8	166	2.1	9
1/12/23 8:45	498	12.2	7.8	166	2.1	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/12/23 9:00	498	12.3	7.8	166	2.1	9
1/12/23 9:15	498	12.3	7.8	166	2.1	9
1/12/23 9:30	495	12.3	7.8	167	2.1	9
1/12/23 9:45	495	12.3	7.8	167	2.1	9
1/12/23 10:00	498	12.3	7.8	167	2.1	9
1/12/23 10:15	495	12.3	7.9	167	2.2	9
1/12/23 10:30	495	12.2	7.9	167	2.2	9
1/12/23 10:45	498	12.2	7.9	167	2.2	9
1/12/23 11:00	495	12.3	7.9	167	2.2	9
1/12/23 11:15	498	12.3	7.9	167	2.2	9
1/12/23 11:30	498	12.3	7.9	167	2.2	9
1/12/23 11:45	498	12.2	7.9	167	2.3	9
1/12/23 12:00	498	12.3	7.9	167	2.3	9
1/12/23 12:15	498	12.2	7.9	167	2.3	9
1/12/23 12:30	498	12.2	7.9	167	2.3	9
1/12/23 12:45	498	12.2	7.9	167	2.3	9
1/12/23 13:00	502	12.3	7.9	167	2.3	9
1/12/23 13:15	498	12.3	7.9	167	2.2	9
1/12/23 13:30	498	12.2	7.9	167	2.2	9
1/12/23 13:45	498	12.2	7.9	166	2.2	9
1/12/23 14:00	498	12.2	7.9	166	2.2	9
1/12/23 14:15	498	12.2	7.9	166	2.2	9
1/12/23 14:30	498	12.2	7.9	166	2.2	9
1/12/23 14:45	498	12.2	7.9	166	2.2	9
1/12/23 15:00	498	12.2	7.9	166	2.2	9
1/12/23 15:15	498	12.3	7.9	166	2.2	9
1/12/23 15:30	495	12.3	7.9	166	2.2	9
1/12/23 15:45	498	12.3	7.9	166	2.2	9
1/12/23 16:00	495	12.2	7.9	166	2.2	9
1/12/23 16:15	498	12.2	7.9	166	2.2	9
1/12/23 16:30	495	12.2	7.9	166	2.2	9
1/12/23 16:45	495	12.2	7.8	166	2.2	9
1/12/23 17:00	491	12.2	7.8	166	2.2	9
1/12/23 17:15	491	12.2	7.8	166	2.2	9
1/12/23 17:30	495	12.2	7.8	166	2.2	9
1/12/23 17:45	495	12.2	7.8	166	2.2	9
1/12/23 18:00	495	12.1	7.8	165	2.2	9
1/12/23 18:15	491	12.2	7.8	165	2.2	9
1/12/23 18:30	491	12.2	7.8	165	2.2	9
1/12/23 18:45	495	12.1	7.8	166	2.2	9
1/12/23 19:00	491	12.1	7.8	166	2.2	9
1/12/23 19:15	491	12.1	7.8	166	2.2	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/12/23 19:30	495	12.2	7.8	166	2.2	9
1/12/23 19:45	495	12.1	7.8	166	2.2	9
1/12/23 20:00	495	12.1	7.8	166	2.2	9
1/12/23 20:15	495	12.2	7.8	166	2.2	9
1/12/23 20:30	495	12.2	7.8	166	2.2	9
1/12/23 20:45	491	12.1	7.8	166	2.2	9
1/12/23 21:00	491	12.2	7.8	166	2.2	9
1/12/23 21:15	495	12.1	7.8	166	2.2	9
1/12/23 21:30	491	12.1	7.8	166	2.3	9
1/12/23 21:45	495	12.1	7.8	166	2.3	9
1/12/23 22:00	495	12.1	7.8	166	2.3	9
1/12/23 22:15	495	12.1	7.8	166	2.3	9
1/12/23 22:30	495	12	7.8	166	2.3	9
1/12/23 22:45	495	12.1	7.8	166	2.3	9
1/12/23 23:00	495	12.1	7.8	166	2.3	9
1/12/23 23:15	491	12.1	7.8	166	2.3	9
1/12/23 23:30	491	12.1	7.8	166	2.3	9
1/12/23 23:45	491	12.1	7.8	166	2.3	9
1/13/23 0:00	495	12.1	7.8	167	2.3	9
1/13/23 0:15	495	12.1	7.8	167	2.3	9
1/13/23 0:30	491	12.1	7.8	167	2.3	9
1/13/23 0:45	491	12.1	7.8	167	2.3	9
1/13/23 1:00	491	12	7.8	167	2.3	9
1/13/23 1:15	495	12.1	7.8	167	2.3	9
1/13/23 1:30	495	12.1	7.8	167	2.4	9
1/13/23 1:45	491	12	7.8	167	2.4	9
1/13/23 2:00	491	12.1	7.8	167	2.3	9
1/13/23 2:15	491	12.1	7.8	167	2.3	9
1/13/23 2:30	491	12.1	7.8	167	2.3	9
1/13/23 2:45	491	12.1	7.8	168	2.3	9
1/13/23 3:00	491	12.1	7.8	168	2.3	10
1/13/23 3:15	491	12.1	7.8	168	2.3	10
1/13/23 3:30	491	12	7.8	168	2.3	9
1/13/23 3:45	491	12.1	7.8	169	2.3	10
1/13/23 4:00	491	12.1	7.8	168	2.3	9
1/13/23 4:15	491	12.1	7.8	168	2.3	9
1/13/23 4:30	491	12.1	7.8	169	2.3	9
1/13/23 4:45	495	12.1	7.8	169	2.3	9
1/13/23 5:00	491	12.1	7.8	169	2.3	9
1/13/23 5:15	491	12.1	7.8	169	2.3	9
1/13/23 5:30	495	12.1	7.8	168	2.3	9
1/13/23 5:45	491	12.1	7.8	168	2.2	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/13/23 6:00	491	12.1	7.8	169	2.2	9
1/13/23 6:15	495	12.1	7.8	169	2.2	10
1/13/23 6:30	491	12	7.8	169	2.2	10
1/13/23 6:45	495	12.1	7.8	169	2.2	9
1/13/23 7:00	491	12.1	7.8	169	2.2	9
1/13/23 7:15	491	12.1	7.8	170	2.2	9
1/13/23 7:30	491	12	7.8	170	2.2	9
1/13/23 7:45	495	12.1	7.8	170	2.2	9
1/13/23 8:00	491	12	7.8	170	2.2	10
1/13/23 8:15	491	12.1	7.8	170	2.2	10
1/13/23 8:30	480	12.1	7.8	170	2.2	10
1/13/23 8:45	468	12	7.8	171	2.2	10
1/13/23 9:00	468	12	7.8	171	2.2	9
1/13/23 9:15	472	12.1	7.8	171	2.2	10
1/13/23 9:30	472	12.1	7.8	171	2.3	9
1/13/23 9:45	461	12.2	7.9	171	2.3	9
1/13/23 10:00	446	12.2	7.9	171	2.3	9
1/13/23 10:15	446	12.1	7.9	171	2.4	9
1/13/23 10:30	442	12.1	7.9	172	2.4	9
1/13/23 10:45	442	12.1	7.9	172	2.4	10
1/13/23 11:00	442	12.1	7.9	172	2.4	9
1/13/23 11:15	442	12.1	7.9	172	2.4	9
1/13/23 11:30	442	12	7.9	172	2.4	10
1/13/23 11:45	446	12	7.9	172	2.4	10
1/13/23 12:00	446	12.1	7.9	172	2.5	10
1/13/23 12:15	446	12	7.9	172	2.5	11
1/13/23 12:30	442	12	7.9	172	2.5	11
1/13/23 12:45	446	12	7.9	172	2.5	11
1/13/23 13:00	446	12	7.9	172	2.5	11
1/13/23 13:15	450	12	7.9	172	2.5	11
1/13/23 13:30	446	12	7.9	172	2.5	11
1/13/23 13:45	450	12.1	7.9	172	2.5	11
1/13/23 14:00	450	12	7.9	172	2.5	11
1/13/23 14:15	450	12	7.9	172	2.5	10
1/13/23 14:30	446	12	7.9	172	2.5	10
1/13/23 14:45	446	12	7.9	172	2.5	10
1/13/23 15:00	446	11.9	7.9	172	2.5	10
1/13/23 15:15	446	11.9	7.9	172	2.5	11
1/13/23 15:30	446	12	7.9	172	2.5	10
1/13/23 15:45	446	11.9	7.9	172	2.5	10
1/13/23 16:00	446	11.9	7.9	172	2.5	10
1/13/23 16:15	446	12	7.8	172	2.5	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/13/23 16:30	446	12	7.8	172	2.5	10
1/13/23 16:45	446	12	7.8	172	2.5	10
1/13/23 17:00	446	12	7.8	172	2.5	10
1/13/23 17:15	446	11.9	7.8	172	2.4	10
1/13/23 17:30	446	11.9	7.8	173	2.4	10
1/13/23 17:45	446	12	7.8	173	2.4	10
1/13/23 18:00	446	12	7.8	173	2.4	10
1/13/23 18:15	446	12	7.8	173	2.4	10
1/13/23 18:30	446	12	7.8	173	2.4	10
1/13/23 18:45	446	11.9	7.8	173	2.4	10
1/13/23 19:00	446	12	7.8	173	2.4	9
1/13/23 19:15	442	12	7.8	173	2.4	10
1/13/23 19:30	446	11.9	7.8	173	2.4	9
1/13/23 19:45	446	12	7.8	173	2.4	10
1/13/23 20:00	446	11.9	7.8	174	2.4	10
1/13/23 20:15	446	11.9	7.8	174	2.4	10
1/13/23 20:30	446	11.9	7.8	174	2.4	10
1/13/23 20:45	446	12	7.8	174	2.4	9
1/13/23 21:00	450	12	7.8	174	2.4	10
1/13/23 21:15	450	11.9	7.8	174	2.4	9
1/13/23 21:30	450	11.9	7.8	174	2.4	9
1/13/23 21:45	446	12	7.8	174	2.3	9
1/13/23 22:00	446	11.9	7.8	174	2.3	9
1/13/23 22:15	450	12	7.8	174	2.3	9
1/13/23 22:30	446	12	7.8	174	2.3	9
1/13/23 22:45	446	12	7.8	174	2.3	9
1/13/23 23:00	450	12	7.8	174	2.3	9
1/13/23 23:15	446	12	7.8	174	2.3	9
1/13/23 23:30	446	12	7.8	174	2.3	9
1/13/23 23:45	446	12	7.8	174	2.3	9
1/14/23 0:00	446	12	7.8	174	2.3	9
1/14/23 0:15	446	12	7.8	174	2.3	9
1/14/23 0:30	450	12	7.8	174	2.3	9
1/14/23 0:45	450	12	7.8	174	2.3	9
1/14/23 1:00	446	11.9	7.8	175	2.3	9
1/14/23 1:15	450	11.9	7.8	175	2.3	9
1/14/23 1:30	446	11.9	7.8	175	2.4	9
1/14/23 1:45	446	12	7.8	175	2.4	9
1/14/23 2:00	446	11.9	7.8	175	2.4	9
1/14/23 2:15	446	11.9	7.8	175	2.4	9
1/14/23 2:30	446	11.9	7.8	175	2.4	9
1/14/23 2:45	446	11.9	7.8	175	2.4	9

**Klamath River below Keno Dam
(11509500)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/14/23 3:00	450	11.9	7.8	175	2.4	9
1/14/23 3:15	446	11.8	7.8	175	2.4	9
1/14/23 3:30	446	11.9	7.8	175	2.4	9
1/14/23 3:45	446	11.9	7.8	175	2.4	9
1/14/23 4:00	446	11.8	7.8	175	2.4	9
1/14/23 4:15	446	11.9	7.8	176	2.4	9
1/14/23 4:30	446	11.8	7.8	176	2.4	9
1/14/23 4:45	450	11.8	7.8	176	2.4	9
1/14/23 5:00	450	11.9	7.8	176	2.4	9
1/14/23 5:15	446	11.9	7.8	176	2.4	9
1/14/23 5:30	446	11.8	7.8	176	2.4	9
1/14/23 5:45	446	11.8	7.8	176	2.4	9
1/14/23 6:00	446	11.8	7.8	176	2.4	9
1/14/23 6:15	446	11.9	7.8	176	2.4	9
1/14/23 6:30	446	11.8	7.8	176	2.4	9
1/14/23 6:45	446	11.8	7.8	176	2.4	9
1/14/23 7:00	446	11.8	7.8	176	2.4	9
1/14/23 7:15	446	11.8	7.8	176	2.4	9
1/14/23 7:30	446	11.8	7.8	176	2.4	9
1/14/23 7:45	446	11.8	7.8	176	2.4	8
1/14/23 8:00	450	11.8	7.8	176	2.4	9
1/14/23 8:15	446	11.8	7.8	176	2.4	9
1/14/23 8:30	446	11.8	7.8	176	2.4	9
1/14/23 8:45	446	11.8	7.8	176	2.4	9
1/14/23 9:00	446	11.8	7.8	176	2.4	8
1/14/23 9:15	446	11.8	7.8	176	2.4	8
1/14/23 9:30	446	11.8	7.8	176	2.4	9
1/14/23 9:45	450	11.9	7.9	176	2.4	9
1/14/23 10:00	446	11.8	7.9	176	2.4	9
1/14/23 10:15	446	11.9	7.9	176	2.5	9
1/14/23 10:30	450	11.8	7.9	176	2.5	9
1/14/23 10:45	446	11.9	7.9	176	2.5	9
1/14/23 11:00	446	11.9	7.9	176	2.5	9
1/14/23 11:15	446	11.9	7.9	176	2.5	9
1/14/23 11:30	450	11.9	7.9	176	2.5	9
1/14/23 11:45	442	11.9	7.9	176	2.5	9
1/14/23 12:00	446	11.9	7.9	176	2.5	9
1/14/23 12:15	446	11.9	7.9	177	2.5	9
1/14/23 12:30	450	11.8	7.9	177	2.5	9
1/14/23 12:45	446	11.8	7.9	177	2.5	9
1/14/23 13:00	446	11.9	7.9	178	2.5	9
1/14/23 13:15	446	11.8	7.9	178	2.6	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/14/23 13:30	450	11.8	7.9	179	2.5	9
1/14/23 13:45	457	11.8	7.9	179	2.5	9
1/14/23 14:00	442	11.8	7.9	179	2.5	9
1/14/23 14:15	439	11.8	7.9	179	2.5	9
1/14/23 14:30	439	11.8	7.9	179	2.5	10
1/14/23 14:45	439	11.8	7.9	179	2.5	10
1/14/23 15:00	439	11.8	7.9	179	2.5	10
1/14/23 15:15	439	11.7	7.9	179	2.5	10
1/14/23 15:30	439	11.7	7.9	179	2.5	10
1/14/23 15:45	439	11.7	7.9	179	2.6	9
1/14/23 16:00	439	11.7	7.9	179	2.6	9
1/14/23 16:15	442	11.6	7.9	179	2.5	11
1/14/23 16:30	457	11.8	7.9	180	2.5	9
1/14/23 16:45	461	11.8	7.9	180	2.5	9
1/14/23 17:00	457	11.8	7.9	180	2.5	9
1/14/23 17:15	461	11.7	7.9	180	2.5	9
1/14/23 17:30	461	11.8	7.9	180	2.5	9
1/14/23 17:45	457	11.7	7.8	180	2.5	9
1/14/23 18:00	457	11.6	7.8	180	2.5	9
1/14/23 18:15	457	11.7	7.8	179	2.5	9
1/14/23 18:30	461	11.7	7.8	179	2.4	9
1/14/23 18:45	461	11.7	7.8	180	2.4	9
1/14/23 19:00	461	11.8	7.8	180	2.4	9
1/14/23 19:15	461	11.8	7.8	180	2.4	9
1/14/23 19:30	461	11.8	7.8	180	2.4	9
1/14/23 19:45	461	11.7	7.8	180	2.4	9
1/14/23 20:00	457	11.8	7.8	180	2.4	9
1/14/23 20:15	457	11.7	7.8	180	2.4	9
1/14/23 20:30	457	11.7	7.8	180	2.4	9
1/14/23 20:45	461	11.8	7.8	180	2.5	9
1/14/23 21:00	461	11.8	7.8	180	2.5	9
1/14/23 21:15	461	11.8	7.8	180	2.4	9
1/14/23 21:30	461	11.8	7.8	180	2.4	9
1/14/23 21:45	457	11.8	7.8	181	2.4	8
1/14/23 22:00	457	11.8	7.8	181	2.4	8
1/14/23 22:15	461	11.8	7.8	181	2.4	9
1/14/23 22:30	461	11.8	7.8	181	2.4	9
1/14/23 22:45	461	11.8	7.8	181	2.4	9
1/14/23 23:00	457	11.8	7.8	181	2.4	9
1/14/23 23:15	457	11.8	7.8	181	2.4	8
1/14/23 23:30	457	11.8	7.8	181	2.4	9
1/14/23 23:45	457	11.8	7.8	182	2.4	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/15/23 0:00	457	11.8	7.8	182	2.4	8
1/15/23 0:15	461	11.8	7.8	182	2.4	8
1/15/23 0:30	457	11.8	7.8	182	2.4	9
1/15/23 0:45	461	11.7	7.8	182	2.4	8
1/15/23 1:00	461	11.7	7.8	182	2.4	9
1/15/23 1:15	461	11.8	7.8	183	2.4	9
1/15/23 1:30	461	11.7	7.8	183	2.4	9
1/15/23 1:45	461	11.8	7.8	183	2.4	9
1/15/23 2:00	457	11.8	7.8	183	2.4	9
1/15/23 2:15	461	11.8	7.8	184	2.4	8
1/15/23 2:30	461	11.8	7.9	184	2.4	9
1/15/23 2:45	457	11.8	7.8	184	2.4	9
1/15/23 3:00	457	11.8	7.8	184	2.4	8
1/15/23 3:15	461	11.8	7.8	185	2.4	8
1/15/23 3:30	461	11.8	7.9	185	2.4	8
1/15/23 3:45	457	11.7	7.8	185	2.4	8
1/15/23 4:00	461	11.8	7.9	185	2.4	8
1/15/23 4:15	457	11.8	7.8	185	2.4	8
1/15/23 4:30	457	11.8	7.8	185	2.4	8
1/15/23 4:45	461	11.8	7.8	185	2.4	8
1/15/23 5:00	461	11.8	7.8	185	2.4	9
1/15/23 5:15	461	11.7	7.8	185	2.4	8
1/15/23 5:30	457	11.8	7.8	185	2.4	8
1/15/23 5:45	457	11.8	7.8	185	2.4	8
1/15/23 6:00	457	11.8	7.9	186	2.4	8
1/15/23 6:15	461	11.7	7.8	185	2.5	8
1/15/23 6:30	461	11.8	7.8	185	2.5	8
1/15/23 6:45	457	11.8	7.8	185	2.5	8
1/15/23 7:00	461	11.7	7.8	185	2.5	8
1/15/23 7:15	457	11.7	7.8	186	2.5	8
1/15/23 7:30	457	11.8	7.8	186	2.5	8
1/15/23 7:45	461	11.8	7.8	186	2.5	8
1/15/23 8:00	461	11.8	7.8	186	2.5	8
1/15/23 8:15	457	11.8	7.8	186	2.5	8
1/15/23 8:30	461	11.8	7.8	186	2.5	8
1/15/23 8:45	461	11.8	7.8	186	2.5	9
1/15/23 9:00	461	11.8	7.8	186	2.5	8
1/15/23 9:15	457	11.8	7.9	185	2.5	8
1/15/23 9:30	457	11.9	7.9	185	2.6	8
1/15/23 9:45	461	11.8	7.9	185	2.6	8
1/15/23 10:00	457	11.9	7.9	185	2.6	8
1/15/23 10:15	457	11.9	7.9	186	2.6	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				($\mu\text{S}/\text{cm}$)	($^{\circ}\text{C}$)	
1/15/23 10:30	457	11.9	7.9	186	2.7	8
1/15/23 10:45	454	11.9	7.9	186	2.7	8
1/15/23 11:00	457	11.8	7.9	186	2.7	8
1/15/23 11:15	454	11.9	7.9	186	2.7	8
1/15/23 11:30	457	11.9	7.9	186	2.8	8
1/15/23 11:45	457	11.9	7.9	186	2.8	8
1/15/23 12:00	457	11.9	7.9	186	2.8	8
1/15/23 12:15	454	11.9	7.9	186	2.8	8
1/15/23 12:30	457	11.8	7.9	186	2.8	8
1/15/23 12:45	457	11.8	7.9	186	2.8	8
1/15/23 13:00	457	11.6	7.9	186	2.8	8
1/15/23 13:15	457	11.7	7.9	186	2.8	8
1/15/23 13:30	457	11.8	7.9	186	2.8	8
1/15/23 13:45	457	11.8	7.9	186	2.8	8
1/15/23 14:00	457	11.7	7.9	186	2.8	8
1/15/23 14:15	457	11.8	7.9	186	2.8	8
1/15/23 14:30	461	11.7	7.9	186	2.8	8
1/15/23 14:45	480	11.8	7.9	186	2.8	8
1/15/23 15:00	529	11.7	7.9	186	2.8	8
1/15/23 15:15	553	11.8	7.9	187	2.8	8
1/15/23 15:30	578	11.8	7.9	187	2.7	9
1/15/23 15:45	582	11.8	7.9	187	2.7	9
1/15/23 16:00	582	11.8	7.9	187	2.7	9
1/15/23 16:15	529	11.8	7.9	187	2.7	9
1/15/23 16:30	465	11.8	7.9	187	2.7	9
1/15/23 16:45	442	11.7	7.9	187	2.7	9
1/15/23 17:00	435	11.7	7.9	187	2.7	9
1/15/23 17:15	435	11.7	7.9	187	2.6	8
1/15/23 17:30	435	11.7	7.9	187	2.6	9
1/15/23 17:45	442	11.6	7.9	187	2.6	9
1/15/23 18:00	450	11.6	7.9	187	2.6	9
1/15/23 18:15	450	11.7	7.8	187	2.6	8
1/15/23 18:30	450	11.7	7.8	187	2.6	9
1/15/23 18:45	454	11.7	7.8	187	2.6	9
1/15/23 19:00	454	11.8	7.8	187	2.6	8
1/15/23 19:15	450	11.8	7.8	187	2.6	9
1/15/23 19:30	450	11.7	7.9	187	2.6	8
1/15/23 19:45	450	11.6	7.8	187	2.6	9
1/15/23 20:00	450	11.7	7.8	187	2.6	8
1/15/23 20:15	450	11.7	7.8	187	2.6	8
1/15/23 20:30	450	11.7	7.9	187	2.6	8
1/15/23 20:45	446	11.7	7.8	188	2.6	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/15/23 21:00	450	11.7	7.9	188	2.6	8
1/15/23 21:15	450	11.8	7.9	188	2.5	8
1/15/23 21:30	450	11.8	7.8	188	2.5	8
1/15/23 21:45	450	11.7	7.9	188	2.5	8
1/15/23 22:00	450	11.8	7.9	188	2.5	8
1/15/23 22:15	450	11.8	7.9	188	2.5	8
1/15/23 22:30	450	11.7	7.8	188	2.5	8
1/15/23 22:45	450	11.8	7.9	188	2.5	8
1/15/23 23:00	450	11.7	7.8	188	2.5	8
1/15/23 23:15	450	11.8	7.9	188	2.5	8
1/15/23 23:30	450	11.8	7.9	188	2.5	8
1/15/23 23:45	450	11.8	7.8	188	2.5	8
1/16/23 0:00	450	11.7	7.8	188	2.5	8
1/16/23 0:15	454	11.8	7.8	188	2.5	8
1/16/23 0:30	450	11.8	7.8	189	2.5	8
1/16/23 0:45	450	11.8	7.9	189	2.5	8
1/16/23 1:00	450	11.8	7.9	189	2.5	8
1/16/23 1:15	450	11.8	7.8	189	2.5	8
1/16/23 1:30	450	11.8	7.9	189	2.6	8
1/16/23 1:45	450	11.8	7.9	189	2.6	8
1/16/23 2:00	450	11.7	7.8	189	2.6	9
1/16/23 2:15	450	11.7	7.8	189	2.6	8
1/16/23 2:30	450	11.7	7.8	189	2.6	8
1/16/23 2:45	450	11.7	7.9	188	2.6	8
1/16/23 3:00	450	11.7	7.8	188	2.6	8
1/16/23 3:15	450	11.8	7.9	189	2.6	8
1/16/23 3:30	450	11.8	7.9	189	2.6	8
1/16/23 3:45	450	11.6	7.8	189	2.6	8
1/16/23 4:00	450	11.8	7.9	189	2.6	8
1/16/23 4:15	446	11.7	7.8	189	2.6	8
1/16/23 4:30	450	11.8	7.9	189	2.6	8
1/16/23 4:45	450	11.7	7.8	189	2.6	8
1/16/23 5:00	450	11.7	7.9	189	2.6	8
1/16/23 5:15	450	11.8	7.9	189	2.6	8
1/16/23 5:30	450	11.8	7.9	189	2.6	8
1/16/23 5:45	450	11.8	7.9	189	2.6	8
1/16/23 6:00	450	11.8	7.9	189	2.6	8
1/16/23 6:15	450	11.6	7.8	189	2.6	8
1/16/23 6:30	446	11.7	7.8	189	2.5	8
1/16/23 6:45	450	11.7	7.8	189	2.5	8
1/16/23 7:00	450	11.7	7.9	189	2.5	10
1/16/23 7:15	450	11.7	7.8	189	2.5	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/16/23 7:30	446	11.7	7.8	189	2.5	8
1/16/23 7:45	450	11.8	7.8	189	2.5	8
1/16/23 8:00	446	11.7	7.9	189	2.5	8
1/16/23 8:15	446	11.7	7.8	189	2.5	8
1/16/23 8:30	450	11.8	7.9	190	2.5	8
1/16/23 8:45	450	11.8	7.9	190	2.5	8
1/16/23 9:00	450	11.9	7.9	190	2.4	8
1/16/23 9:15	450	11.7	7.9	190	2.4	8
1/16/23 9:30	446	11.8	7.9	190	2.5	8
1/16/23 9:45	446	11.9	7.9	190	2.5	8
1/16/23 10:00	450	11.9	7.9	190	2.5	8
1/16/23 10:15	450	11.9	7.9	189	2.6	8
1/16/23 10:30	450	11.9	7.9	189	2.6	8
1/16/23 10:45	472	11.9	7.9	189	2.6	8
1/16/23 11:00	495	11.9	7.9	189	2.7	8
1/16/23 11:15	502	11.9	7.9	189	2.7	8
1/16/23 11:30	502	11.8	7.9	189	2.8	8
1/16/23 11:45	502	11.9	7.9	189	2.8	8
1/16/23 12:00	495	11.9	7.9	189	2.8	8
1/16/23 12:15	483	11.9	7.9	189	2.9	8
1/16/23 12:30	480	11.7	7.9	189	2.9	8
1/16/23 12:45	483	11.9	7.9	189	2.9	8
1/16/23 13:00	480	11.8	7.9	189	2.9	8
1/16/23 13:15	480	11.8	7.9	189	2.9	8
1/16/23 13:30	480	11.8	7.9	189	2.9	8
1/16/23 13:45	483	11.7	7.9	189	2.9	8
1/16/23 14:00	480	11.7	7.9	190	2.9	8
1/16/23 14:15	480	11.8	7.9	190	2.9	8
1/16/23 14:30	480	11.8	7.9	190	2.9	8
1/16/23 14:45	480	11.7	7.9	190	2.9	8
1/16/23 15:00	480	11.7	7.9	191	2.9	8
1/16/23 15:15	480	11.8	7.9	191	2.9	8
1/16/23 15:30	480	11.8	7.9	191	2.9	8
1/16/23 15:45	480	11.8	7.9	191	2.9	8
1/16/23 16:00	465	11.7	7.9	191	2.9	8
1/16/23 16:15	454	11.8	7.9	191	2.8	8
1/16/23 16:30	454	11.7	7.9	191	2.8	8
1/16/23 16:45	450	11.8	7.9	191	2.8	8
1/16/23 17:00	446	11.7	7.9	191	2.7	7
1/16/23 17:15	442	11.8	7.9	191	2.7	8
1/16/23 17:30	442	11.8	7.9	191	2.7	8
1/16/23 17:45	446	11.6	7.8	191	2.7	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/16/23 18:00	442	11.6	7.8	191	2.7	8
1/16/23 18:15	442	11.7	7.8	191	2.7	8
1/16/23 18:30	442	11.7	7.9	192	2.6	8
1/16/23 18:45	442	11.8	7.8	192	2.6	8
1/16/23 19:00	442	11.7	7.8	192	2.6	8
1/16/23 19:15	442	11.8	7.8	192	2.6	8
1/16/23 19:30	442	11.8	7.8	192	2.6	8
1/16/23 19:45	442	11.8	7.8	192	2.6	8
1/16/23 20:00	442	11.8	7.8	192	2.6	8
1/16/23 20:15	442	11.7	7.8	192	2.6	8
1/16/23 20:30	442	11.8	7.8	192	2.6	8
1/16/23 20:45	446	11.8	7.8	192	2.6	8
1/16/23 21:00	442	11.8	7.8	192	2.6	8
1/16/23 21:15	442	11.6	7.8	192	2.6	8
1/16/23 21:30	442	11.8	7.8	192	2.6	8
1/16/23 21:45	442	11.8	7.8	192	2.5	8
1/16/23 22:00	442	11.8	7.8	192	2.5	8
1/16/23 22:15	442	11.8	7.8	192	2.5	8
1/16/23 22:30	442	11.8	7.8	192	2.5	8
1/16/23 22:45	442	11.8	7.8	192	2.5	8
1/16/23 23:00	439	11.8	7.8	192	2.5	8
1/16/23 23:15	442	11.8	7.8	192	2.5	8
1/16/23 23:30	442	11.7	7.8	192	2.5	8
1/16/23 23:45	446	11.8	7.8	192	2.5	8
1/17/23 0:00	442	11.8	7.8	192	2.4	8
1/17/23 0:15	442	11.7	7.8	192	2.4	8
1/17/23 0:30	442	11.8	7.8	192	2.4	8
1/17/23 0:45	442	11.8	7.8	192	2.4	8
1/17/23 1:00	439	11.9	7.8	193	2.4	8
1/17/23 1:15	442	11.8	7.8	193	2.4	8
1/17/23 1:30	442	11.8	7.8	193	2.4	8
1/17/23 1:45	442	11.9	7.8	193	2.4	8
1/17/23 2:00	442	11.9	7.8	193	2.4	8
1/17/23 2:15	442	11.9	7.8	193	2.4	8
1/17/23 2:30	442	11.9	7.8	193	2.4	8
1/17/23 2:45	442	11.8	7.8	193	2.4	8
1/17/23 3:00	442	11.9	7.8	193	2.4	8
1/17/23 3:15	442	11.7	7.8	193	2.4	8
1/17/23 3:30	442	11.9	7.8	193	2.4	8
1/17/23 3:45	439	11.9	7.8	193	2.4	8
1/17/23 4:00	442	11.9	7.8	193	2.4	8
1/17/23 4:15	442	12	7.8	193	2.4	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/17/23 4:30	442	11.9	7.8	193	2.4	7
1/17/23 4:45	442	11.9	7.8	193	2.4	8
1/17/23 5:00	442	12	7.8	193	2.3	8
1/17/23 5:15	442	11.9	7.8	193	2.3	8
1/17/23 5:30	442	11.8	7.8	193	2.4	8
1/17/23 5:45	442	11.8	7.8	193	2.4	8
1/17/23 6:00	442	11.8	7.8	193	2.4	8
1/17/23 6:15	442	11.9	7.8	193	2.4	8
1/17/23 6:30	442	11.8	7.8	193	2.4	8
1/17/23 6:45	442	11.9	7.8	193	2.4	8
1/17/23 7:00	442	11.9	7.8	193	2.4	8
1/17/23 7:15	442	12	7.8	193	2.3	8
1/17/23 7:30	446	11.9	7.8	194	2.3	8
1/17/23 7:45	446	12	7.8	194	2.3	8
1/17/23 8:00	442	12	7.8	194	2.3	8
1/17/23 8:15	442	11.9	7.8	194	2.3	8
1/17/23 8:30	442	12	7.9	194	2.3	8
1/17/23 8:45	442	12	7.9	194	2.3	8
1/17/23 9:00	439	11.9	7.9	194	2.3	8
1/17/23 9:15	439	12	7.9	194	2.3	8
1/17/23 9:30	439	12.1	7.9	194	2.4	8
1/17/23 9:45	439	12	7.9	194	2.4	8
1/17/23 10:00	439	12	7.9	194	2.4	8
1/17/23 10:15	442	12	7.9	194	2.5	8
1/17/23 10:30	442	11.9	7.9	194	2.5	8
1/17/23 10:45	439	12	7.9	194	2.6	8
1/17/23 11:00	439	12	7.9	195	2.6	8
1/17/23 11:15	439	12	7.9	195	2.6	8
1/17/23 11:30	439	12	7.9	195	2.7	8
1/17/23 11:45	439	12	7.9	195	2.7	8
1/17/23 12:00	439	11.9	7.9	195	2.7	8
1/17/23 12:15	439	12	7.9	195	2.8	8
1/17/23 12:30	439	11.9	7.9	195	2.8	8
1/17/23 12:45	439	11.9	7.9	195	2.8	8
1/17/23 13:00	439	11.9	7.9	194	2.8	8
1/17/23 13:15	439	11.9	7.9	195	2.8	7
1/17/23 13:30	439	11.9	7.9	195	2.8	8
1/17/23 13:45	439	11.9	7.9	195	2.8	8
1/17/23 14:00	439	11.8	7.9	195	2.8	8
1/17/23 14:15	439	11.8	7.9	195	2.8	8
1/17/23 14:30	439	11.8	7.9	195	2.8	7
1/17/23 14:45	439	11.9	7.9	196	2.8	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/17/23 15:00	439	11.8	7.9	196	2.8	7
1/17/23 15:15	439	11.9	7.9	196	2.8	8
1/17/23 15:30	439	11.9	7.9	196	2.8	8
1/17/23 15:45	439	11.7	7.9	196	2.8	8
1/17/23 16:00	439	11.8	7.9	196	2.8	8
1/17/23 16:15	439	11.8	7.9	196	2.8	8
1/17/23 16:30	439	11.8	7.9	196	2.8	8
1/17/23 16:45	439	11.9	7.9	196	2.8	8
1/17/23 17:00	439	11.8	7.9	196	2.7	7
1/17/23 17:15	439	11.8	7.9	197	2.7	7
1/17/23 17:30	439	11.8	7.9	197	2.7	8
1/17/23 17:45	439	11.8	7.9	197	2.7	8
1/17/23 18:00	439	11.9	7.9	197	2.7	8
1/17/23 18:15	439	11.9	7.9	197	2.7	8
1/17/23 18:30	442	11.8	7.9	197	2.7	8
1/17/23 18:45	439	11.7	7.8	197	2.7	8
1/17/23 19:00	439	11.9	7.8	197	2.7	8
1/17/23 19:15	439	11.8	7.8	197	2.7	8
1/17/23 19:30	439	11.8	7.8	197	2.7	8
1/17/23 19:45	439	11.8	7.8	197	2.7	8
1/17/23 20:00	439	11.8	7.8	197	2.7	8
1/17/23 20:15	439	11.8	7.8	197	2.7	8
1/17/23 20:30	442	11.8	7.8	197	2.7	7
1/17/23 20:45	439	11.8	7.8	197	2.6	8
1/17/23 21:00	439	11.8	7.8	197	2.6	8
1/17/23 21:15	439	11.9	7.8	197	2.6	8
1/17/23 21:30	439	11.8	7.8	197	2.6	8
1/17/23 21:45	439	11.9	7.8	197	2.6	8
1/17/23 22:00	439	11.8	7.8	197	2.6	8
1/17/23 22:15	439	11.8	7.8	197	2.6	7
1/17/23 22:30	439	11.9	7.8	197	2.6	8
1/17/23 22:45	442	11.8	7.8	197	2.6	7
1/17/23 23:00	439	11.8	7.8	197	2.6	7
1/17/23 23:15	439	11.8	7.8	197	2.6	7
1/17/23 23:30	439	11.8	7.8	197	2.6	8
1/17/23 23:45	439	11.8	7.8	197	2.6	7
1/18/23 0:00	439	11.9	7.8	197	2.6	7
1/18/23 0:15	439	11.8	7.8	197	2.6	8
1/18/23 0:30	439	11.9	7.8	197	2.6	7
1/18/23 0:45	439	11.9	7.8	197	2.6	8
1/18/23 1:00	439	11.8	7.8	197	2.6	8
1/18/23 1:15	439	11.8	7.8	197	2.6	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/18/23 1:30	439	11.8	7.8	197	2.6	8
1/18/23 1:45	439	11.8	7.8	197	2.5	7
1/18/23 2:00	439	11.9	7.8	197	2.5	7
1/18/23 2:15	439	11.8	7.8	197	2.5	8
1/18/23 2:30	439	11.8	7.8	197	2.5	8
1/18/23 2:45	439	11.8	7.8	197	2.5	7
1/18/23 3:00	439	11.9	7.8	197	2.5	8
1/18/23 3:15	439	11.8	7.8	197	2.5	8
1/18/23 3:30	442	11.8	7.8	197	2.5	8
1/18/23 3:45	442	11.9	7.8	197	2.5	8
1/18/23 4:00	439	11.8	7.8	197	2.5	8
1/18/23 4:15	439	11.9	7.8	198	2.5	8
1/18/23 4:30	442	11.8	7.8	198	2.5	8
1/18/23 4:45	442	11.9	7.8	198	2.5	8
1/18/23 5:00	439	11.9	7.8	198	2.5	8
1/18/23 5:15	439	11.9	7.8	198	2.5	8
1/18/23 5:30	439	11.9	7.8	198	2.5	8
1/18/23 5:45	439	11.9	7.8	198	2.5	7
1/18/23 6:00	439	12	7.8	198	2.5	8
1/18/23 6:15	439	11.9	7.8	198	2.5	7
1/18/23 6:30	442	11.8	7.8	198	2.5	7
1/18/23 6:45	439	11.9	7.8	198	2.5	7
1/18/23 7:00	439	11.9	7.8	198	2.5	7
1/18/23 7:15	439	11.9	7.8	198	2.5	7
1/18/23 7:30	439	11.8	7.8	198	2.5	8
1/18/23 7:45	439	11.8	7.8	198	2.5	7
1/18/23 8:00	439	11.8	7.8	199	2.5	7
1/18/23 8:15	439	11.9	7.8	199	2.5	7
1/18/23 8:30	476	11.9	7.8	199	2.6	7
1/18/23 8:45	506	11.9	7.9	199	2.6	7
1/18/23 9:00	526	12	7.9	199	2.6	7
1/18/23 9:15	533	12	7.9	199	2.6	8
1/18/23 9:30	537	12	7.9	199	2.6	7
1/18/23 9:45	533	12	7.9	199	2.6	8
1/18/23 10:00	533	12	7.9	199	2.6	7
1/18/23 10:15	537	11.9	7.9	199	2.6	7
1/18/23 10:30	537	11.9	7.9	199	2.6	7
1/18/23 10:45	537	12	7.9	199	2.6	7
1/18/23 11:00	537	12	7.9	199	2.7	7
1/18/23 11:15	537	12	7.9	199	2.7	7
1/18/23 11:30	537	12	7.9	199	2.7	7
1/18/23 11:45	537	12	7.9	199	2.7	7

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/18/23 12:00	537	12	7.9	199	2.7	7
1/18/23 12:15	537	12	7.9	199	2.7	7
1/18/23 12:30	541	12	7.9	199	2.7	7
1/18/23 12:45	537	11.9	7.9	199	2.7	7
1/18/23 13:00	537	12	7.9	199	2.7	8
1/18/23 13:15	537	11.9	7.9	199	2.8	7
1/18/23 13:30	537	12	7.9	199	2.8	7
1/18/23 13:45	537	11.9	7.9	199	2.8	7
1/18/23 14:00	537	11.9	7.9	200	2.8	7
1/18/23 14:15	533	11.9	7.9	200	2.8	7
1/18/23 14:30	537	12	7.9	200	2.7	8
1/18/23 14:45	533	12	7.9	200	2.7	7
1/18/23 15:00	537	11.9	7.9	200	2.7	7
1/18/23 15:15	537	11.9	7.9	200	2.6	7
1/18/23 15:30	537	11.9	7.9	200	2.5	7
1/18/23 15:45	537	12	7.9	200	2.4	7
1/18/23 16:00	537	12	7.9	200	2.4	7
1/18/23 16:15	537	12	7.9	200	2.3	7
1/18/23 16:30	537	12	7.9	200	2.4	7
1/18/23 16:45	537	12	7.9	201	2.4	7
1/18/23 17:00	537	12	7.9	201	2.3	7
1/18/23 17:15	541	12	7.9	201	2.3	7
1/18/23 17:30	537	12	7.9	201	2.3	7
1/18/23 17:45	537	12	7.9	201	2.3	8
1/18/23 18:00	537	12	7.9	201	2.3	8
1/18/23 18:15	537	12	7.9	201	2.3	7
1/18/23 18:30	537	12	7.9	201	2.4	7
1/18/23 18:45	537	12	7.9	201	2.4	7
1/18/23 19:00	537	12	7.9	201	2.4	7
1/18/23 19:15	537	12	7.9	201	2.4	7
1/18/23 19:30	537	12	7.9	201	2.4	7
1/18/23 19:45	533	12	7.9	201	2.4	7
1/18/23 20:00	537	12	7.9	202	2.4	7
1/18/23 20:15	537	12	7.9	202	2.4	7
1/18/23 20:30	533	12	7.9	202	2.4	7
1/18/23 20:45	537	12	7.9	202	2.4	7
1/18/23 21:00	541	12	7.9	202	2.4	7
1/18/23 21:15	537	12	7.9	202	2.3	7
1/18/23 21:30	537	12	7.9	202	2.3	7
1/18/23 21:45	537	12	7.9	202	2.3	7
1/18/23 22:00	537	12.1	7.9	202	2.3	7
1/18/23 22:15	537	11.9	7.9	202	2.3	7

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/18/23 22:30	537	12.1	7.9	202	2.3	7
1/18/23 22:45	537	12.1	7.9	202	2.3	7
1/18/23 23:00	533	12.1	7.9	202	2.3	7
1/18/23 23:15	533	12	7.9	202	2.3	7
1/18/23 23:30	537	12	7.9	202	2.3	7
1/18/23 23:45	533	12.1	7.9	202	2.3	7
1/19/23 0:00	537	12	7.9	202	2.3	7
1/19/23 0:15	537	12	7.9	202	2.3	7
1/19/23 0:30	537	12	7.9	202	2.3	7
1/19/23 0:45	537	12	7.9	202	2.3	7
1/19/23 1:00	537	12	7.9	202	2.3	7
1/19/23 1:15	533	12	7.9	202	2.3	7
1/19/23 1:30	537	12	7.9	202	2.3	7
1/19/23 1:45	537	12	7.9	202	2.3	7
1/19/23 2:00	533	12	7.9	202	2.3	7
1/19/23 2:15	541	12	7.9	202	2.3	7
1/19/23 2:30	537	12	7.9	202	2.3	7
1/19/23 2:45	537	12.1	7.9	202	2.3	7
1/19/23 3:00	537	12	7.9	202	2.3	7
1/19/23 3:15	537	12	7.8	202	2.3	7
1/19/23 3:30	537	12	7.8	202	2.3	7
1/19/23 3:45	537	12.1	7.9	202	2.2	7
1/19/23 4:00	533	12.1	7.9	202	2.2	7
1/19/23 4:15	537	12.1	7.9	202	2.2	7
1/19/23 4:30	537	12.1	7.9	202	2.2	7
1/19/23 4:45	537	12.1	7.9	202	2.2	7
1/19/23 5:00	537	12.1	7.9	202	2.2	7
1/19/23 5:15	537	12.1	7.9	202	2.2	7
1/19/23 5:30	537	12.2	7.9	202	2.2	7
1/19/23 5:45	537	12.1	7.9	202	2.1	7
1/19/23 6:00	541	12.1	7.9	202	2.1	7
1/19/23 6:15	541	12.1	7.9	202	2.1	7
1/19/23 6:30	537	12.1	7.9	202	2.1	7
1/19/23 6:45	537	12.2	7.9	202	2.1	7
1/19/23 7:00	537	12.1	7.9	202	2.1	7
1/19/23 7:15	533	12.1	7.8	202	2.1	7
1/19/23 7:30	537	12.2	7.9	202	2.0	7
1/19/23 7:45	537	12.2	7.9	202	2.0	7
1/19/23 8:00	537	12.2	7.9	202	2.0	7
1/19/23 8:15	537	12.2	7.9	202	2.0	7
1/19/23 8:30	537	12.2	7.9	202	2.0	7
1/19/23 8:45	533	12.2	7.9	202	2.0	7

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	
	(cfs)	DO (mg/L)		Conductance	Temperature	Turbidity (FNU)
				(μ S/cm)	($^{\circ}$ C)	
1/19/23 9:00	533	12.3	7.9	202	2.0	7
1/19/23 9:15	537	12.3	7.9	202	2.0	7
1/19/23 9:30	537	12.3	7.9	202	2.1	7
1/19/23 9:45	537	12.3	7.9	202	2.1	7
1/19/23 10:00	533	12.3	7.8	202	2.1	6
1/19/23 10:15	533	11.9	7.9	201	2.4	7
1/19/23 10:30	533	11.9	7.9	201	2.5	7
1/19/23 10:45	537	11.9	8	201	2.5	7
1/19/23 11:00	533	11.9	8	201	2.5	7
1/19/23 11:15	537	11.9	8	201	2.6	7
1/19/23 11:30	537	12	8	201	2.6	7
1/19/23 11:45	533	11.9	8	202	2.6	7
1/19/23 12:00	537	11.9	8	202	2.6	7
1/19/23 12:15	533	11.9	8	202	2.6	7
1/19/23 12:30	533	11.9	8	202	2.6	7
1/19/23 12:45	533	11.9	8	202	2.6	7
1/19/23 13:00	533	11.9	8	202	2.6	7
1/19/23 13:15	533	11.9	8	202	2.6	7
1/19/23 13:30	533	11.9	8.1	202	2.6	7
1/19/23 13:45	533	11.9	8.1	202	2.5	7
1/19/23 14:00	533	11.9	8.1	202	2.5	8
1/19/23 14:15	533	11.9	8.1	202	2.5	7
1/19/23 14:30	533	11.9	8	202	2.5	7
1/19/23 14:45	533	11.9	8	202	2.5	7
1/19/23 15:00	533	11.9	8	202	2.5	7
1/19/23 15:15	533	11.9	8	202	2.5	7
1/19/23 15:30	537	11.9	8	202	2.5	7
1/19/23 15:45	537	11.9	8	202	2.5	7
1/19/23 16:00	537	11.9	8	202	2.4	7
1/19/23 16:15	537	11.9	8	201	2.4	7
1/19/23 16:30	537	11.9	8	201	2.4	7
1/19/23 16:45	537	11.9	8	201	2.4	7
1/19/23 17:00	537	11.9	8	201	2.3	7
1/19/23 17:15	533	11.9	8	201	2.3	8
1/19/23 17:30	533	11.9	8	201	2.3	8
1/19/23 17:45	533	11.9	8	200	2.3	8
1/19/23 18:00	537	11.9	8	200	2.3	7
1/19/23 18:15	537	11.9	8	201	2.3	7
1/19/23 18:30	537	11.9	8	201	2.2	8
1/19/23 18:45	537	11.9	8	201	2.2	7
1/19/23 19:00	541	11.9	8	200	2.2	7
1/19/23 19:15	541	11.9	8	200	2.2	7

Klamath River below Keno Dam (11509500)



Datetime	Discharge			Specific	Water	
	(cfs)	DO (mg/L)	pH	Conductance ($\mu\text{S}/\text{cm}$)	Temperature ($^{\circ}\text{C}$)	Turbidity (FNU)
1/19/23 19:30	541	11.9	8	200	2.2	8
1/19/23 19:45	541	11.9	8	200	2.2	7
1/19/23 20:00	533	11.9	8	200	2.2	7
1/19/23 20:15	537	12	8	200	2.2	8
1/19/23 20:30	541	12	8	200	2.2	7
1/19/23 20:45	541	12	8	200	2.2	7
1/19/23 21:00	541	12	8	200	2.2	7
1/19/23 21:15	541	11.9	8	200	2.2	7
1/19/23 21:30	537	12	8	200	2.2	7
1/19/23 21:45	537	12	8	200	2.2	7
1/19/23 22:00	537	12	8	200	2.2	7
1/19/23 22:15	533	12	8	200	2.2	7
1/19/23 22:30	537	12	8	200	2.2	7
1/19/23 22:45	537	12	8	200	2.2	7
1/19/23 23:00	541	12	8	200	2.2	7
1/19/23 23:15	541	12	8	200	2.2	7
1/19/23 23:30	537	12	8	200	2.2	8
1/19/23 23:45	537	12	8	200	2.2	7
1/20/23 0:00	537	12	8	200	2.2	8
1/20/23 0:15	537	12	8	200	2.2	7
1/20/23 0:30	537	12	8	200	2.2	8
1/20/23 0:45	537	12	8	200	2.2	7
1/20/23 1:00	553	12	8	199	2.2	7
1/20/23 1:15	561	12	8	199	2.2	7
1/20/23 1:30	561	12	8	199	2.1	7
1/20/23 1:45	561	12	8	199	2.1	8
1/20/23 2:00	561	12	8	199	2.1	7
1/20/23 2:15	561	12	8	199	2.1	7
1/20/23 2:30	553	12	8	199	2.1	8
1/20/23 2:45	561	12	8	199	2.1	8
1/20/23 3:00	557	12	8	199	2.1	8
1/20/23 3:15	557	12	8	199	2.1	7
1/20/23 3:30	557	12	8	199	2.1	7
1/20/23 3:45	553	12	8	199	2.1	7
1/20/23 4:00	557	12	8	199	2.1	7
1/20/23 4:15	557	12	8	199	2.1	7
1/20/23 4:30	553	12	8	199	2.1	7
1/20/23 4:45	553	12	8	199	2.1	7
1/20/23 5:00	561	12	8	198	2.1	
1/20/23 5:15	561	12	8	198	2.1	7
1/20/23 5:30	557	12	8	198	2.1	7
1/20/23 5:45	557	12	8	198	2.1	7

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/20/23 6:00	557	12	8	198	2.1	7
1/20/23 6:15	553	12.1	8	198	2.1	7
1/20/23 6:30	553	12	8	198	2.1	7
1/20/23 6:45	553	12.1	8	198	2.1	7
1/20/23 7:00	557	12	8	198	2.0	8
1/20/23 7:15	553	12.1	8	198	2.0	7
1/20/23 7:30	557	12.1	8	198	2.0	7
1/20/23 7:45	557	12.1	8	198	2.0	7
1/20/23 8:00	553	12.1	8	198	2.0	7
1/20/23 8:15	557	12.1	8	198	2.0	7
1/20/23 8:30	557	12.1	8	198	2.0	7
1/20/23 8:45	557	12.1	8	198	2.0	7
1/20/23 9:00	557	12.1	8	198	2.1	7
1/20/23 9:15	557	12.1	8	198	2.1	7
1/20/23 9:30	553	12.1	8	198	2.1	7
1/20/23 9:45	553	12.1	8	198	2.1	7
1/20/23 10:00	553	12.1	8	198	2.2	7
1/20/23 10:15	553	12.1	8	198	2.2	7
1/20/23 10:30	553	12.1	8	198	2.2	8
1/20/23 10:45	549	12.1	8	198	2.3	7
1/20/23 11:00	553	12.1	8	198	2.3	7
1/20/23 11:15	553	12.1	8	198	2.3	8
1/20/23 11:30	553	12.1	8	198	2.4	7
1/20/23 11:45	553	12.1	8	198	2.4	8
1/20/23 12:00	553	12.1	8	197	2.4	8
1/20/23 12:15	553	12.1	8	197	2.4	7
1/20/23 12:30	549	12.1	8	197	2.4	7
1/20/23 12:45	549	12.1	8	197	2.4	7
1/20/23 13:00	553	12.1	8	197	2.4	8
1/20/23 13:15	549	12.1	8	197	2.4	8
1/20/23 13:30	549	12.1	8	197	2.4	7
1/20/23 13:45	553	12.1	8	197	2.4	7
1/20/23 14:00	549	12.1	8	197	2.4	7
1/20/23 14:15	553	12	8	197	2.4	8
1/20/23 14:30	553	12	8	197	2.4	8
1/20/23 14:45	549	12	8	197	2.4	7
1/20/23 15:00	553	12	8	197	2.4	7
1/20/23 15:15	553	12	8	197	2.4	8
1/20/23 15:30	549	12	8	196	2.3	8
1/20/23 15:45	553	12	8	197	2.3	7
1/20/23 16:00	553	12	8	196	2.3	8
1/20/23 16:15	553	12	8	196	2.2	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/20/23 16:30	553	12	8	196	2.2	7
1/20/23 16:45	553	12.1	8	196	2.2	8
1/20/23 17:00	553	12	8	196	2.2	8
1/20/23 17:15	553	12.1	8	196	2.2	8
1/20/23 17:30	557	12.1	8	196	2.2	8
1/20/23 17:45	557	12.1	8	196	2.2	7
1/20/23 18:00	553	12.1	8	196	2.1	8
1/20/23 18:15	553	12.1	8	196	2.1	8
1/20/23 18:30	553	12.1	8	196	2.1	8
1/20/23 18:45	557	12.1	8	196	2.1	8
1/20/23 19:00	549	12.1	8	196	2.1	8
1/20/23 19:15	553	12.1	8	196	2.1	7
1/20/23 19:30	553	12.1	8	196	2.1	8
1/20/23 19:45	553	12.1	8	196	2.1	7
1/20/23 20:00	553	12.1	8	196	2.1	8
1/20/23 20:15	557	12.1	8	196	2.1	8
1/20/23 20:30	553	12.1	8	196	2.1	7
1/20/23 20:45	553	12.1	8	196	2.1	8
1/20/23 21:00	553	12.1	8	196	2.1	7
1/20/23 21:15	557	12.1	8	196	2.1	8
1/20/23 21:30	557	12.1	8	196	2.1	7
1/20/23 21:45	561	12.1	8	196	2.1	8
1/20/23 22:00	557	12.1	8	196	2.1	8
1/20/23 22:15	553	12.1	8	196	2.1	8
1/20/23 22:30	557	12.1	8	196	2.1	8
1/20/23 22:45	557	12.1	8	196	2.1	7
1/20/23 23:00	553	12.1	8	196	2.1	8
1/20/23 23:15	553	12.1	8	196	2.1	8
1/20/23 23:30	553	12.1	8	196	2.1	8
1/20/23 23:45	549	12.1	8	196	2.1	8
1/21/23 0:00	553	12.1	8	196	2.0	8
1/21/23 0:15	557	12.1	8	196	2.0	8
1/21/23 0:30	553	12.1	8	196	2.0	8
1/21/23 0:45	557	12.1	8	196	2.0	8
1/21/23 1:00	557	12.1	8	196	2.0	8
1/21/23 1:15	557	12.1	8	196	2.0	7
1/21/23 1:30	557	12.1	8	196	2.0	8
1/21/23 1:45	557	12.1	8	196	2.0	8
1/21/23 2:00	557	12.1	8	196	2.0	8
1/21/23 2:15	557	12.1	8	196	2.0	8
1/21/23 2:30	553	12.1	8	196	2.0	8
1/21/23 2:45	553	12.1	8	196	2.0	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/21/23 3:00	553	12.1	8	196	2.0	8
1/21/23 3:15	557	12.1	8	196	2.0	8
1/21/23 3:30	553	12.1	8	196	2.0	8
1/21/23 3:45	553	12.1	8	196	2.0	8
1/21/23 4:00	557	12.1	8	196	2.0	8
1/21/23 4:15	553	12.1	8	196	2.0	8
1/21/23 4:30	553	12.1	8	196	2.0	8
1/21/23 4:45	557	12.1	8	196	2.0	8
1/21/23 5:00	553	12.1	8	196	2.0	8
1/21/23 5:15	553	12.2	8	196	2.0	8
1/21/23 5:30	553	12.1	8	196	2.0	8
1/21/23 5:45	553	12.1	8	196	2.0	8
1/21/23 6:00	553	12.2	8	196	2.0	8
1/21/23 6:15	553	12.2	8	196	2.0	8
1/21/23 6:30	553	12.2	8	196	2.0	8
1/21/23 6:45	553	12.2	8	196	2.0	8
1/21/23 7:00	553	12.2	8	196	2.0	8
1/21/23 7:15	557	12.2	8	196	2.0	8
1/21/23 7:30	557	12.2	8	196	2.0	8
1/21/23 7:45	553	12.2	8	196	2.0	8
1/21/23 8:00	553	12.2	8	196	2.0	8
1/21/23 8:15	557	12.2	8	196	2.0	8
1/21/23 8:30	594	12.2	8	196	2.0	8
1/21/23 8:45	611	12.2	8	196	2.0	8
1/21/23 9:00	607	12.2	8	196	2.0	8
1/21/23 9:15	628	12.2	8	196	2.0	8
1/21/23 9:30	628	12.2	8	196	2.1	8
1/21/23 9:45	628	12.2	8	196	2.1	8
1/21/23 10:00	624	12.2	8	196	2.1	8
1/21/23 10:15	628	12.2	8	196	2.1	8
1/21/23 10:30	628	12.2	8	196	2.2	8
1/21/23 10:45	628	12.2	8	196	2.2	8
1/21/23 11:00	633	12.2	8	196	2.2	8
1/21/23 11:15	628	12.2	8	196	2.3	8
1/21/23 11:30	624	12.2	8	196	2.3	8
1/21/23 11:45	624	12.2	8	196	2.3	8
1/21/23 12:00	624	12.2	8	196	2.3	8
1/21/23 12:15	624	12.2	8	196	2.4	8
1/21/23 12:30	624	12.2	8	196	2.4	8
1/21/23 12:45	628	12.2	8	195	2.4	8
1/21/23 13:00	624	12.2	8	195	2.4	8
1/21/23 13:15	624	12.2	8.1	195	2.4	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge			Specific	Water	
	(cfs)	DO (mg/L)	pH	Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	Turbidity (FNU)
1/21/23 13:30	624	12.2	8.1	195	2.4	8
1/21/23 13:45	624	12.2	8.1	195	2.4	8
1/21/23 14:00	628	12.2	8.1	195	2.4	8
1/21/23 14:15	628	12.2	8.1	195	2.4	8
1/21/23 14:30	624	12.2	8.1	195	2.4	8
1/21/23 14:45	624	12.1	8.1	195	2.4	8
1/21/23 15:00	624	12.1	8	195	2.4	8
1/21/23 15:15	624	12.1	8	195	2.3	8
1/21/23 15:30	603	12.1	8	195	2.3	8
1/21/23 15:45	599	12.1	8	195	2.3	8
1/21/23 16:00	603	12.1	8	195	2.3	8
1/21/23 16:15	603	12.1	8	195	2.3	8
1/21/23 16:30	603	12.1	8	195	2.3	8
1/21/23 16:45	603	12	8	195	2.3	8
1/21/23 17:00	599	12	8	195	2.3	8
1/21/23 17:15	599	12	8	195	2.3	8
1/21/23 17:30	599	12	8	195	2.3	8
1/21/23 17:45	603	12	8	195	2.3	8
1/21/23 18:00	599	12	8	195	2.3	8
1/21/23 18:15	599	12	8	195	2.3	8
1/21/23 18:30	594	12	8	195	2.4	8
1/21/23 18:45	594	12	8	195	2.4	8
1/21/23 19:00	599	12	8	195	2.4	8
1/21/23 19:15	599	12	8	195	2.4	8
1/21/23 19:30	599	12	8	195	2.4	8
1/21/23 19:45	599	12	8	195	2.4	8
1/21/23 20:00	599	12	8	195	2.4	8
1/21/23 20:15	603	12	8	195	2.4	8
1/21/23 20:30	599	12	8	195	2.4	8
1/21/23 20:45	599	12	8	195	2.4	8
1/21/23 21:00	599	12	8	195	2.4	8
1/21/23 21:15	603	12	8	195	2.3	8
1/21/23 21:30	599	12	8	195	2.3	8
1/21/23 21:45	599	12	8	195	2.3	8
1/21/23 22:00	599	12	8	195	2.3	8
1/21/23 22:15	599	12	8	195	2.3	8
1/21/23 22:30	594	12	8	195	2.3	8
1/21/23 22:45	594	12	8	195	2.3	8
1/21/23 23:00	599	12	8	195	2.2	8
1/21/23 23:15	599	12	8	195	2.2	8
1/21/23 23:30	599	12.1	8	195	2.2	8
1/21/23 23:45	599	12	8	195	2.2	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/22/23 0:00	594	12	8	195	2.2	8
1/22/23 0:15	594	12.1	8	195	2.2	8
1/22/23 0:30	599	12	8	195	2.2	8
1/22/23 0:45	599	12.1	8	195	2.2	8
1/22/23 1:00	599	12.1	8	195	2.2	8
1/22/23 1:15	599	12.1	8	195	2.2	8
1/22/23 1:30	594	12.1	8	195	2.2	8
1/22/23 1:45	599	12.1	8	195	2.2	8
1/22/23 2:00	594	12.1	8	195	2.2	8
1/22/23 2:15	603	12.1	8	195	2.2	8
1/22/23 2:30	599	12.1	8	195	2.2	8
1/22/23 2:45	599	12.1	8	195	2.2	8
1/22/23 3:00	599	12.1	8	195	2.2	8
1/22/23 3:15	594	12.1	8	195	2.2	8
1/22/23 3:30	599	12.1	8	195	2.2	8
1/22/23 3:45	603	12.1	8	195	2.2	8
1/22/23 4:00	599	12.1	8	195	2.2	8
1/22/23 4:15	594	12.1	8	195	2.2	8
1/22/23 4:30	599	12.1	8	195	2.2	8
1/22/23 4:45	603	12.1	8	195	2.2	8
1/22/23 5:00	603	12.1	8	195	2.2	8
1/22/23 5:15	603	12.1	8	195	2.2	8
1/22/23 5:30	603	12.1	8	195	2.1	8
1/22/23 5:45	599	12.1	8	195	2.1	8
1/22/23 6:00	603	12.1	8	195	2.1	9
1/22/23 6:15	603	12.1	8	195	2.1	8
1/22/23 6:30	599	12.1	8	195	2.1	8
1/22/23 6:45	603	12.1	8	195	2.1	8
1/22/23 7:00	599	12.1	8	195	2.1	8
1/22/23 7:15	599	12.1	8	195	2.1	8
1/22/23 7:30	599	12.1	8	195	2.1	8
1/22/23 7:45	599	12.1	8	195	2.1	8
1/22/23 8:00	603	12.1	8	195	2.1	8
1/22/23 8:15	603	12.2	8	195	2.1	8
1/22/23 8:30	603	12.2	8	195	2.1	8
1/22/23 8:45	599	12.2	8	195	2.1	8
1/22/23 9:00	599	12.2	8	195	2.1	8
1/22/23 9:15	599	12.2	8	195	2.1	8
1/22/23 9:30	603	12.2	8	195	2.1	8
1/22/23 9:45	599	12.2	8	195	2.2	8
1/22/23 10:00	599	12.2	8	195	2.2	8
1/22/23 10:15	599	12.2	8	195	2.2	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/22/23 10:30	599	12.2	8	195	2.3	8
1/22/23 10:45	599	12.2	8	195	2.3	8
1/22/23 11:00	599	12.2	8	195	2.3	8
1/22/23 11:15	599	12.2	8	195	2.4	8
1/22/23 11:30	594	12.2	8	195	2.4	8
1/22/23 11:45	594	12.2	8.1	195	2.4	8
1/22/23 12:00	594	12.2	8.1	195	2.4	8
1/22/23 12:15	599	12.2	8.1	195	2.5	8
1/22/23 12:30	594	12.1	8.1	195	2.5	8
1/22/23 12:45	599	12.1	8.1	195	2.5	8
1/22/23 13:00	594	12.1	8.1	195	2.5	8
1/22/23 13:15	594	12.1	8.1	195	2.5	8
1/22/23 13:30	594	12.1	8.1	195	2.5	8
1/22/23 13:45	594	12.1	8.1	195	2.5	8
1/22/23 14:00	599	12.1	8.1	195	2.5	8
1/22/23 14:15	594	12.1	8.1	194	2.5	8
1/22/23 14:30	594	12.1	8.1	194	2.5	8
1/22/23 14:45	594	12.1	8.1	194	2.5	8
1/22/23 15:00	594	12.1	8.1	195	2.5	8
1/22/23 15:15	599	12.1	8.1	195	2.5	8
1/22/23 15:30	594	12	8	195	2.5	8
1/22/23 15:45	599	12	8	195	2.5	8
1/22/23 16:00	599	12	8	195	2.5	8
1/22/23 16:15	599	12	8	195	2.5	8
1/22/23 16:30	603	12	8	195	2.4	8
1/22/23 16:45	599	12	8	195	2.4	8
1/22/23 17:00	599	12	8	195	2.4	8
1/22/23 17:15	599	12	8	195	2.4	8
1/22/23 17:30	603	12	8	195	2.4	8
1/22/23 17:45	599	12	8	195	2.4	8
1/22/23 18:00	599	12	8	195	2.4	8
1/22/23 18:15	594	12	8	195	2.4	8
1/22/23 18:30	599	12	8	195	2.4	8
1/22/23 18:45	599	12	8	195	2.4	8
1/22/23 19:00	599	12	8	195	2.4	8
1/22/23 19:15	603	12	8	195	2.4	8
1/22/23 19:30	599	12	8	195	2.4	8
1/22/23 19:45	603	12	8	195	2.4	8
1/22/23 20:00	603	12	8	195	2.4	8
1/22/23 20:15	607	12	8	195	2.4	8
1/22/23 20:30	603	12	8	195	2.4	8
1/22/23 20:45	603	12	8	195	2.4	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/22/23 21:00	603	12	8	195	2.4	8
1/22/23 21:15	599	12	8	195	2.4	8
1/22/23 21:30	599	12.1	8	195	2.4	8
1/22/23 21:45	599	12.1	8	195	2.4	8
1/22/23 22:00	599	12.1	8	195	2.4	8
1/22/23 22:15	599	12.1	8	195	2.4	8
1/22/23 22:30	599	12.1	8	195	2.4	8
1/22/23 22:45	599	12.1	8	195	2.4	8
1/22/23 23:00	599	12	8	195	2.3	8
1/22/23 23:15	599	12.1	8	195	2.4	8
1/22/23 23:30	594	12.1	8	195	2.4	8
1/22/23 23:45	603	12.1	8	195	2.4	8
1/23/23 0:00	599	12	8	195	2.4	8
1/23/23 0:15	594	12	8	195	2.4	8
1/23/23 0:30	599	12	8	195	2.4	8
1/23/23 0:45	599	12.1	8	195	2.4	8
1/23/23 1:00	599	12.1	8	195	2.4	8
1/23/23 1:15	603	12	8	195	2.4	8
1/23/23 1:30	603	12.1	8	195	2.4	8
1/23/23 1:45	599	12.1	8	195	2.4	8
1/23/23 2:00	599	12.1	8	195	2.4	8
1/23/23 2:15	599	12.1	8	195	2.4	8
1/23/23 2:30	607	12.1	8	195	2.4	8
1/23/23 2:45	603	12.1	8	195	2.4	8
1/23/23 3:00	599	12.1	8	195	2.4	8
1/23/23 3:15	599	12.1	8	195	2.4	8
1/23/23 3:30	599	12	8	195	2.4	8
1/23/23 3:45	603	12	8	195	2.4	8
1/23/23 4:00	603	12	8	195	2.4	8
1/23/23 4:15	599	12	8	195	2.4	8
1/23/23 4:30	599	12	8	195	2.4	8
1/23/23 4:45	599	12	8	195	2.4	8
1/23/23 5:00	599	12	8	195	2.4	8
1/23/23 5:15	599	12.1	8	195	2.4	8
1/23/23 5:30	603	12.1	8	195	2.4	9
1/23/23 5:45	603	12.1	8	195	2.4	8
1/23/23 6:00	603	12.1	8	195	2.4	8
1/23/23 6:15	599	12.1	8	195	2.4	8
1/23/23 6:30	599	12.1	8	195	2.4	8
1/23/23 6:45	599	12.1	8	195	2.4	8
1/23/23 7:00	603	12.1	8	195	2.4	8
1/23/23 7:15	603	12.1	8	195	2.4	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/23/23 7:30	599	12.1	8	195	2.4	8
1/23/23 7:45	599	12.1	8	195	2.4	8
1/23/23 8:00	599	12.1	8	195	2.4	8
1/23/23 8:15	607	12.1	8	195	2.4	8
1/23/23 8:30	599	12.1	8	195	2.4	8
1/23/23 8:45	599	12.1	8	195	2.4	8
1/23/23 9:00	599	12.1	8	195	2.4	9
1/23/23 9:15	599	12.1	8	195	2.4	8
1/23/23 9:30	599	12.1	8	195	2.4	8
1/23/23 9:45	599	12.1	8	195	2.4	8
1/23/23 10:00	599	12.1	8	195	2.5	8
1/23/23 10:15	599	12.2	8	195	2.5	8
1/23/23 10:30	594	12.1	8	195	2.5	8
1/23/23 10:45	594	12.1	8	194	2.6	8
1/23/23 11:00	594	12.1	8.1	194	2.6	8
1/23/23 11:15	590	12.1	8.1	194	2.6	8
1/23/23 11:30	594	12.1	8.1	194	2.7	8
1/23/23 11:45	599	12.1	8.1	194	2.7	8
1/23/23 12:00	590	12.1	8.1	194	2.7	8
1/23/23 12:15	594	12.1	8.1	194	2.7	8
1/23/23 12:30	594	12.1	8.1	194	2.8	8
1/23/23 12:45	594	12.1	8.1	194	2.8	9
1/23/23 13:00	594	12	8.1	194	2.8	8
1/23/23 13:15	594	12	8.1	194	2.8	8
1/23/23 13:30	594	12	8.1	194	2.8	8
1/23/23 13:45	594	12	8.1	194	2.8	8
1/23/23 14:00	594	12	8.1	194	2.8	8
1/23/23 14:15	594	12	8.1	194	2.8	8
1/23/23 14:30	594	12	8.1	194	2.8	8
1/23/23 14:45	590	12	8.1	194	2.8	8
1/23/23 15:00	594	12	8.1	194	2.8	8
1/23/23 15:15	599	12	8.1	194	2.8	8
1/23/23 15:30	594	12	8.1	194	2.8	8
1/23/23 15:45	590	12	8.1	194	2.8	8
1/23/23 16:00	594	12	8.1	194	2.7	8
1/23/23 16:15	599	12	8	194	2.7	8
1/23/23 16:30	594	12	8	193	2.7	8
1/23/23 16:45	594	12	8	193	2.7	8
1/23/23 17:00	594	12	8	193	2.7	8
1/23/23 17:15	594	12	8	193	2.6	8
1/23/23 17:30	594	12	8	193	2.6	8
1/23/23 17:45	590	12	8	193	2.6	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/23/23 18:00	599	12	8	193	2.6	8
1/23/23 18:15	594	12	8	193	2.6	8
1/23/23 18:30	594	12	8	193	2.6	8
1/23/23 18:45	599	12	8	193	2.6	8
1/23/23 19:00	599	12	8	193	2.6	8
1/23/23 19:15	599	12	8	193	2.6	8
1/23/23 19:30	599	12	8	193	2.6	8
1/23/23 19:45	599	12	8	194	2.6	9
1/23/23 20:00	599	12	8	194	2.6	9
1/23/23 20:15	594	12	8	194	2.6	8
1/23/23 20:30	594	12	8	194	2.6	8
1/23/23 20:45	599	12	8	194	2.6	8
1/23/23 21:00	599	12	8	194	2.5	8
1/23/23 21:15	594	12	8	194	2.5	8
1/23/23 21:30	594	12.1	8	194	2.5	8
1/23/23 21:45	599	12.1	8	193	2.5	8
1/23/23 22:00	594	12.1	8	193	2.5	8
1/23/23 22:15	603	12.1	8	193	2.5	8
1/23/23 22:30	599	12.1	8	193	2.5	8
1/23/23 22:45	594	12.1	8	193	2.5	8
1/23/23 23:00	599	12.1	8	193	2.4	8
1/23/23 23:15	599	12.1	8	193	2.4	8
1/23/23 23:30	599	12.1	8	193	2.4	8
1/23/23 23:45	599	12.1	8	193	2.4	8
1/24/23 0:00	599	12.1	8	193	2.4	8
1/24/23 0:15	599	12.1	8	193	2.4	9
1/24/23 0:30	599	12.1	8	193	2.4	8
1/24/23 0:45	599	12.1	8	193	2.4	8
1/24/23 1:00	599	12.1	8	193	2.4	8
1/24/23 1:15	603	12.1	8	193	2.4	8
1/24/23 1:30	599	12.1	8	193	2.4	8
1/24/23 1:45	599	12.1	8	193	2.4	8
1/24/23 2:00	603	12.1	8	193	2.4	8
1/24/23 2:15	599	12.1	8	193	2.4	8
1/24/23 2:30	599	12.1	8	193	2.4	9
1/24/23 2:45	599	12.1	8	193	2.4	8
1/24/23 3:00	603	12.1	8	193	2.4	9
1/24/23 3:15	599	12.1	8	193	2.4	8
1/24/23 3:30	599	12.1	8	193	2.4	8
1/24/23 3:45	599	12.1	8	193	2.4	9
1/24/23 4:00	599	12.1	8	193	2.4	8
1/24/23 4:15	599	12.1	8	193	2.4	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/24/23 4:30	599	12.1	8	193	2.4	8
1/24/23 4:45	599	12.1	8	193	2.4	8
1/24/23 5:00	603	12.1	8	193	2.4	8
1/24/23 5:15	603	12.1	8	193	2.4	8
1/24/23 5:30	603	12.1	8	193	2.4	8
1/24/23 5:45	599	12.1	8	193	2.4	8
1/24/23 6:00	599	12.1	8	193	2.4	8
1/24/23 6:15	599	12.1	8	193	2.4	8
1/24/23 6:30	599	12.1	8	193	2.4	8
1/24/23 6:45	603	12.1	8	193	2.4	8
1/24/23 7:00	594	12.1	8	193	2.4	8
1/24/23 7:15	599	12.1	8	193	2.4	8
1/24/23 7:30	599	12.1	8	193	2.4	8
1/24/23 7:45	599	12.1	8	193	2.4	8
1/24/23 8:00	599	12.2	8	193	2.4	8
1/24/23 8:15	599	12.2	8	193	2.4	9
1/24/23 8:30	599	12.2	8	193	2.4	8
1/24/23 8:45	599	12.2	8	193	2.4	8
1/24/23 9:00	599	12.2	8	193	2.4	8
1/24/23 9:15	603	12.2	8	193	2.4	8
1/24/23 9:30	599	12.2	8	193	2.5	8
1/24/23 9:45	599	12.2	8	193	2.5	8
1/24/23 10:00	594	12.2	8	193	2.5	8
1/24/23 10:15	599	12.2	8.1	193	2.6	8
1/24/23 10:30	594	12.2	8.1	192	2.6	8
1/24/23 10:45	594	12.2	8.1	192	2.7	8
1/24/23 11:00	590	12.2	8.1	192	2.7	8
1/24/23 11:15	594	12.2	8.1	192	2.7	8
1/24/23 11:30	594	12.2	8.1	192	2.8	8
1/24/23 11:45	594	12.2	8.1	192	2.8	8
1/24/23 12:00	594	12.1	8.1	192	2.8	8
1/24/23 12:15	590	12.1	8.1	192	2.8	8
1/24/23 12:30	590	12.1	8.1	192	2.9	8
1/24/23 12:45	590	12.1	8.1	192	2.9	8
1/24/23 13:00	590	12.1	8.1	192	2.9	8
1/24/23 13:15	594	12.1	8.1	192	2.9	8
1/24/23 13:30	594	12.1	8.1	192	2.9	9
1/24/23 13:45	590	12.1	8.1	192	2.9	8
1/24/23 14:00	594	12	8.1	192	2.9	9
1/24/23 14:15	590	12	8.1	191	2.9	8
1/24/23 14:30	594	12	8.1	191	2.9	8
1/24/23 14:45	594	12	8.1	191	2.9	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	
	(cfs)	DO (mg/L)		Conductance	Temperature	Turbidity (FNU)
				(μ S/cm)	($^{\circ}$ C)	
1/24/23 15:00	594	12	8.1	191	2.9	8
1/24/23 15:15	594	12	8.1	191	2.9	8
1/24/23 15:30	590	12	8.1	191	2.9	9
1/24/23 15:45	594	12	8.1	191	2.9	8
1/24/23 16:00	594	12	8.1	191	2.9	8
1/24/23 16:15	594	12	8.1	191	2.9	8
1/24/23 16:30	594	12	8.1	191	2.9	8
1/24/23 16:45	594	12	8.1	191	2.9	8
1/24/23 17:00	594	12	8.1	191	2.8	9
1/24/23 17:15	590	12	8	191	2.8	8
1/24/23 17:30	590	12	8	191	2.8	8
1/24/23 17:45	594	12	8	191	2.8	8
1/24/23 18:00	594	12	8	191	2.8	9
1/24/23 18:15	594	12	8	191	2.8	8
1/24/23 18:30	594	12	8	191	2.8	8
1/24/23 18:45	594	12	8	191	2.7	8
1/24/23 19:00	594	12	8	191	2.7	9
1/24/23 19:15	594	12	8	191	2.7	8
1/24/23 19:30	594	12	8	191	2.7	9
1/24/23 19:45	594	12	8	191	2.7	9
1/24/23 20:00	594	12	8	191	2.7	8
1/24/23 20:15	594	12	8	190	2.7	9
1/24/23 20:30	590	12	8	190	2.7	9
1/24/23 20:45	594	12	8	191	2.7	9
1/24/23 21:00	594	12	8	190	2.7	8
1/24/23 21:15	594	12	8	190	2.7	8
1/24/23 21:30	594	12	8	190	2.7	8
1/24/23 21:45	594	12	8	190	2.7	8
1/24/23 22:00	594	12.1	8	190	2.7	8
1/24/23 22:15	594	12.1	8	190	2.6	8
1/24/23 22:30	594	12.1	8	190	2.6	8
1/24/23 22:45	594	12.1	8	190	2.6	8
1/24/23 23:00	594	12.1	8	190	2.6	9
1/24/23 23:15	594	12.1	8	190	2.6	8
1/24/23 23:30	594	12.1	8	190	2.6	9
1/24/23 23:45	594	12.1	8	190	2.6	8
1/25/23 0:00	594	12.1	8	190	2.6	8
1/25/23 0:15	599	12.1	8	190	2.6	8
1/25/23 0:30	594	12.1	8	190	2.6	8
1/25/23 0:45	594	12.1	8	190	2.6	8
1/25/23 1:00	594	12.1	8	189	2.6	9
1/25/23 1:15	599	12.1	8	189	2.6	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/25/23 1:30	594	12.1	8	189	2.6	8
1/25/23 1:45	594	12.1	8	189	2.6	8
1/25/23 2:00	594	12.1	8	189	2.6	9
1/25/23 2:15	594	12.1	8	189	2.6	8
1/25/23 2:30	594	12.1	8	189	2.6	8
1/25/23 2:45	599	12.1	8	189	2.6	8
1/25/23 3:00	594	12.1	8	189	2.6	9
1/25/23 3:15	599	12.1	8	189	2.6	8
1/25/23 3:30	590	12.1	8	189	2.6	8
1/25/23 3:45	594	12.1	8	189	2.6	8
1/25/23 4:00	594	12.1	8	189	2.6	8
1/25/23 4:15	594	12.1	8	189	2.6	9
1/25/23 4:30	594	12.1	8	189	2.6	8
1/25/23 4:45	594	12.1	8	189	2.6	9
1/25/23 5:00	590	12.1	8	189	2.6	9
1/25/23 5:15	594	12.1	8	189	2.6	8
1/25/23 5:30	594	12.1	8	189	2.6	9
1/25/23 5:45	594	12.1	8	189	2.6	8
1/25/23 6:00	594	12.1	8	189	2.6	8
1/25/23 6:15	594	12.1	8	188	2.6	9
1/25/23 6:30	590	12.1	8	188	2.6	8
1/25/23 6:45	590	12.1	8	188	2.6	8
1/25/23 7:00	594	12.1	8	188	2.6	9
1/25/23 7:15	594	12.1	8	188	2.6	9
1/25/23 7:30	594	12.1	8	188	2.6	8
1/25/23 7:45	594	12.1	8	188	2.6	9
1/25/23 8:00	590	12.1	8	188	2.6	8
1/25/23 8:15	594	12.1	8	188	2.6	8
1/25/23 8:30	590	12.2	8	188	2.6	8
1/25/23 8:45	637	12.2	8	188	2.6	8
1/25/23 9:00	637	12.2	8	188	2.6	8
1/25/23 9:15	641	12.2	8	188	2.6	9
1/25/23 9:30	641	12.2	8.1	188	2.6	9
1/25/23 9:45	646	12.2	8.1	188	2.6	8
1/25/23 10:00	646	12.2	8.1	188	2.7	8
1/25/23 10:15	646	12.2	8.1	188	2.7	9
1/25/23 10:30	637	12.2	8.1	188	2.8	8
1/25/23 10:45	637	12.2	8.1	188	2.8	8
1/25/23 11:00	637	12.2	8.1	188	2.9	9
1/25/23 11:15	633	12.2	8.1	187	2.9	9
1/25/23 11:30	633	12.2	8.1	187	3.0	8
1/25/23 11:45	633	12.2	8.1	187	3.0	8

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/25/23 12:00	633	12.2	8.1	187	3.0	8
1/25/23 12:15	637	12.2	8.1	187	3.0	8
1/25/23 12:30	633	12.2	8.1	187	3.0	8
1/25/23 12:45	633	12.2	8.1	187	3.1	8
1/25/23 13:00	633	12.1	8.1	187	3.1	8
1/25/23 13:15	633	12.1	8.1	187	3.1	9
1/25/23 13:30	633	12.1	8.1	187	3.1	8
1/25/23 13:45	637	12.1	8.1	187	3.1	8
1/25/23 14:00	633	12.1	8.1	187	3.1	9
1/25/23 14:15	633	12.1	8.1	187	3.1	9
1/25/23 14:30	633	12.1	8.1	187	3.1	9
1/25/23 14:45	637	12.1	8.1	187	3.1	8
1/25/23 15:00	633	12	8.1	187	3.1	8
1/25/23 15:15	650	12	8.1	187	3.1	8
1/25/23 15:30	671	12	8.1	187	3.1	9
1/25/23 15:45	680	12	8.1	187	3.1	8
1/25/23 16:00	680	12	8.1	186	3.1	8
1/25/23 16:15	680	12	8.1	186	3.1	9
1/25/23 16:30	680	12	8.1	186	3.1	9
1/25/23 16:45	680	12	8.1	186	3.1	9
1/25/23 17:00	680	12	8.1	186	3.0	8
1/25/23 17:15	680	12	8.1	186	3.0	9
1/25/23 17:30	680	12	8.1	186	3.0	9
1/25/23 17:45	680	12	8.1	186	3.0	8
1/25/23 18:00	680	12	8.1	186	3.0	9
1/25/23 18:15	680	12	8.1	186	3.0	9
1/25/23 18:30	680	12	8.1	186	3.0	9
1/25/23 18:45	680	12	8	186	3.0	9
1/25/23 19:00	680	12	8.1	186	2.9	9
1/25/23 19:15	680	12.1	8	186	2.9	9
1/25/23 19:30	685	12	8	186	2.9	8
1/25/23 19:45	680	12	8	186	2.9	9
1/25/23 20:00	680	12	8	186	2.9	8
1/25/23 20:15	702	12.1	8	186	2.9	9
1/25/23 20:30	807	12.1	8	186	2.9	9
1/25/23 20:45	693	12.1	8.1	186	2.9	9
1/25/23 21:00	667	12.1	8	186	2.9	9
1/25/23 21:15	667	12.1	8	186	2.9	9
1/25/23 21:30	671	12.1	8	186	2.9	8
1/25/23 21:45	671	12.1	8	186	2.9	8
1/25/23 22:00	671	12.1	8	185	2.9	9
1/25/23 22:15	671	12.1	8	185	2.9	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/25/23 22:30	667	12.1	8	185	2.9	9
1/25/23 22:45	671	12.1	8	185	2.9	8
1/25/23 23:00	671	12.1	8	185	2.9	9
1/25/23 23:15	667	12.1	8	185	2.9	8
1/25/23 23:30	671	12.1	8	185	2.9	9
1/25/23 23:45	671	12.1	8	185	2.9	9
1/26/23 0:00	671	12.1	8	185	2.9	8
1/26/23 0:15	671	12.1	8	185	2.9	9
1/26/23 0:30	667	12.1	8	185	2.9	8
1/26/23 0:45	671	12.1	8	185	2.9	8
1/26/23 1:00	671	12.1	8	185	2.9	9
1/26/23 1:15	671	12.1	8	185	2.9	9
1/26/23 1:30	671	12.1	8	185	2.9	8
1/26/23 1:45	667	12.1	8	184	2.9	8
1/26/23 2:00	671	12	8	184	2.9	9
1/26/23 2:15	671	12.1	8	184	2.9	9
1/26/23 2:30	667	12.1	8	184	2.9	9
1/26/23 2:45	689	12.1	8	184	2.9	9
1/26/23 3:00	693	12.1	8	184	2.9	8
1/26/23 3:15	693	12.1	8	184	2.9	9
1/26/23 3:30	693	12.1	8	184	2.9	8
1/26/23 3:45	693	12.1	8	184	2.9	9
1/26/23 4:00	693	12.1	8	184	2.9	9
1/26/23 4:15	693	12.1	8	184	2.9	9
1/26/23 4:30	689	12.1	8	184	2.9	9
1/26/23 4:45	689	12.1	8	184	2.9	9
1/26/23 5:00	693	12.1	8	184	2.8	8
1/26/23 5:15	693	12.1	8	183	2.8	9
1/26/23 5:30	693	12.1	8	183	2.8	9
1/26/23 5:45	689	12.1	8	183	2.8	9
1/26/23 6:00	689	12.1	8	183	2.8	9
1/26/23 6:15	693	12.1	8	183	2.8	9
1/26/23 6:30	693	12.1	8	183	2.8	9
1/26/23 6:45	689	12.1	8	183	2.8	8
1/26/23 7:00	693	12.1	8	182	2.8	9
1/26/23 7:15	693	12.1	8	182	2.8	9
1/26/23 7:30	693	12.1	8	182	2.8	8
1/26/23 7:45	693	12.1	8	182	2.8	9
1/26/23 8:00	693	12.1	8	182	2.8	9
1/26/23 8:15	693	12.1	8	182	2.8	9
1/26/23 8:30	689	12.1	8	182	2.8	9
1/26/23 8:45	693	12.1	8	182	2.8	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/26/23 9:00	693	12.2	8	182	2.8	8
1/26/23 9:15	689	12.2	8	181	2.9	8
1/26/23 9:30	689	12.2	8	181	2.9	9
1/26/23 9:45	689	12.2	8	181	2.9	9
1/26/23 10:00	689	12.2	8	181	3.0	9
1/26/23 10:15	689	12.2	8.1	181	3.0	10
1/26/23 10:30	689	12.2	8.1	181	3.0	8
1/26/23 10:45	693	12.2	8.1	181	3.1	9
1/26/23 11:00	689	12.2	8.1	181	3.2	8
1/26/23 11:15	689	12.1	8.1	181	3.2	9
1/26/23 11:30	689	12.1	8.1	181	3.2	9
1/26/23 11:45	689	12.1	8.1	181	3.3	9
1/26/23 12:00	689	12.1	8.1	181	3.3	9
1/26/23 12:15	685	12.1	8.1	180	3.4	
1/26/23 12:30	689	12.1	8.1	180	3.4	9
1/26/23 12:45	689	12	8.1	180	3.4	9
1/26/23 13:00	685	12	8.1	180	3.4	9
1/26/23 13:15	685	12	8.1	180	3.4	9
1/26/23 13:30	689	12	8.1	180	3.4	9
1/26/23 13:45	689	12	8.1	180	3.4	9
1/26/23 14:00	685	12	8.1	180	3.5	9
1/26/23 14:15	685	12	8.1	180	3.5	9
1/26/23 14:30	689	12	8.1	180	3.4	9
1/26/23 14:45	685	12	8.1	180	3.4	9
1/26/23 15:00	685	12	8.1	180	3.4	9
1/26/23 15:15	689	11.9	8.1	180	3.4	9
1/26/23 15:30	689	12	8.1	179	3.4	9
1/26/23 15:45	689	12	8.1	179	3.4	9
1/26/23 16:00	689	12	8.1	179	3.4	9
1/26/23 16:15	689	12	8.1	179	3.4	9
1/26/23 16:30	689	12	8.1	179	3.4	9
1/26/23 16:45	689	11.9	8.1	179	3.4	9
1/26/23 17:00	676	11.9	8.1	179	3.3	9
1/26/23 17:15	663	11.9	8.1	179	3.3	9
1/26/23 17:30	667	11.9	8.1	179	3.3	9
1/26/23 17:45	667	11.9	8	179	3.3	9
1/26/23 18:00	667	11.9	8	179	3.2	9
1/26/23 18:15	667	11.9	8	178	3.2	9
1/26/23 18:30	663	11.9	8	178	3.2	9
1/26/23 18:45	667	11.9	8	178	3.2	9
1/26/23 19:00	667	11.9	8	178	3.2	10
1/26/23 19:15	667	11.9	8	179	3.2	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/26/23 19:30	667	11.9	8	179	3.2	9
1/26/23 19:45	667	11.9	8	178	3.2	9
1/26/23 20:00	667	11.9	8	178	3.2	9
1/26/23 20:15	663	11.9	8	178	3.2	9
1/26/23 20:30	667	11.9	8	178	3.2	9
1/26/23 20:45	667	11.9	8	178	3.2	9
1/26/23 21:00	667	11.9	8	178	3.2	9
1/26/23 21:15	663	11.9	8	178	3.2	9
1/26/23 21:30	663	11.9	8	178	3.2	9
1/26/23 21:45	663	11.9	8	178	3.2	9
1/26/23 22:00	667	11.9	8	178	3.2	9
1/26/23 22:15	663	11.9	8	178	3.2	9
1/26/23 22:30	667	11.9	8	178	3.2	9
1/26/23 22:45	663	11.9	8	178	3.2	9
1/26/23 23:00	663	11.9	8	178	3.2	9
1/26/23 23:15	667	11.9	8	178	3.2	9
1/26/23 23:30	667	11.9	8	178	3.2	9
1/26/23 23:45	667	11.9	8	177	3.2	9
1/27/23 0:00	667	11.9	8	177	3.2	9
1/27/23 0:15	663	11.9	8	177	3.2	9
1/27/23 0:30	667	11.9	8	177	3.2	9
1/27/23 0:45	667	11.9	8	177	3.2	9
1/27/23 1:00	667	11.9	8	177	3.2	9
1/27/23 1:15	663	11.9	8	177	3.2	9
1/27/23 1:30	663	11.9	8	177	3.2	9
1/27/23 1:45	663	11.9	8	177	3.2	9
1/27/23 2:00	663	11.9	8	177	3.2	9
1/27/23 2:15	663	11.9	8	177	3.2	9
1/27/23 2:30	667	11.9	8	177	3.2	9
1/27/23 2:45	663	11.9	8	177	3.2	9
1/27/23 3:00	667	11.9	8	177	3.2	9
1/27/23 3:15	667	11.9	8	176	3.2	9
1/27/23 3:30	667	11.9	8	176	3.2	9
1/27/23 3:45	663	11.9	8	176	3.2	9
1/27/23 4:00	663	11.9	8	176	3.2	9
1/27/23 4:15	663	11.9	8	176	3.2	9
1/27/23 4:30	663	11.9	8	176	3.2	9
1/27/23 4:45	667	11.9	8	176	3.2	9
1/27/23 5:00	667	11.9	8	176	3.2	9
1/27/23 5:15	663	11.9	8	176	3.2	9
1/27/23 5:30	667	11.9	8	175	3.2	9
1/27/23 5:45	667	11.9	8	175	3.2	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/27/23 6:00	667	11.9	8	175	3.2	9
1/27/23 6:15	667	11.9	8	175	3.2	9
1/27/23 6:30	667	11.9	8	175	3.2	9
1/27/23 6:45	667	11.9	8	175	3.2	9
1/27/23 7:00	667	11.9	8	175	3.1	9
1/27/23 7:15	667	11.9	8	175	3.1	9
1/27/23 7:30	667	11.9	8	174	3.1	9
1/27/23 7:45	663	11.9	8	174	3.2	9
1/27/23 8:00	663	11.9	8	174	3.2	9
1/27/23 8:15	659	11.9	8	174	3.2	9
1/27/23 8:30	667	11.9	8	174	3.2	9
1/27/23 8:45	663	12	8	174	3.2	9
1/27/23 9:00	663	12	8	174	3.2	9
1/27/23 9:15	663	11.9	8	174	3.2	9
1/27/23 9:30	663	12	8.1	174	3.2	9
1/27/23 9:45	663	12	8.1	174	3.3	9
1/27/23 10:00	663	12	8.1	173	3.3	9
1/27/23 10:15	663	11.9	8.1	173	3.4	9
1/27/23 10:30	659	12	8.1	173	3.4	9
1/27/23 10:45	641	11.9	8.1	173	3.4	9
1/27/23 11:00	616	11.9	8.1	173	3.4	9
1/27/23 11:15	616	11.9	8.1	173	3.4	9
1/27/23 11:30	620	11.9	8.1	173	3.5	9
1/27/23 11:45	616	11.9	8.1	173	3.5	9
1/27/23 12:00	620	11.9	8.1	172	3.6	9
1/27/23 12:15	616	11.9	8.1	172	3.6	9
1/27/23 12:30	616	11.9	8.1	172	3.7	9
1/27/23 12:45	599	11.8	8.1	172	3.7	9
1/27/23 13:00	590	11.8	8.1	172	3.7	9
1/27/23 13:15	594	11.8	8.1	172	3.7	9
1/27/23 13:30	590	11.8	8.1	172	3.7	9
1/27/23 13:45	594	11.8	8.1	172	3.7	9
1/27/23 14:00	590	11.8	8.1	172	3.6	10
1/27/23 14:15	590	11.8	8.1	172	3.6	10
1/27/23 14:30	594	11.7	8.1	172	3.6	10
1/27/23 14:45	590	11.8	8.1	172	3.6	10
1/27/23 15:00	594	11.7	8.1	172	3.6	10
1/27/23 15:15	590	11.7	8.1	172	3.6	10
1/27/23 15:30	590	11.7	8.1	172	3.6	10
1/27/23 15:45	590	11.7	8.1	172	3.5	10
1/27/23 16:00	594	11.7	8.1	172	3.5	10
1/27/23 16:15	594	11.7	8.1	172	3.5	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/27/23 16:30	590	11.7	8.1	172	3.5	10
1/27/23 16:45	594	11.7	8.1	172	3.4	10
1/27/23 17:00	594	11.7	8.1	172	3.4	10
1/27/23 17:15	594	11.7	8.1	172	3.4	10
1/27/23 17:30	590	11.7	8.1	172	3.4	9
1/27/23 17:45	590	11.7	8.1	172	3.4	9
1/27/23 18:00	590	11.7	8	171	3.4	9
1/27/23 18:15	590	11.7	8	171	3.4	9
1/27/23 18:30	594	11.7	8	171	3.3	10
1/27/23 18:45	590	11.7	8	171	3.3	9
1/27/23 19:00	590	11.7	8	171	3.3	10
1/27/23 19:15	590	11.7	8	171	3.3	9
1/27/23 19:30	590	11.7	8	171	3.3	10
1/27/23 19:45	590	11.7	8	171	3.3	9
1/27/23 20:00	594	11.8	8	170	3.3	9
1/27/23 20:15	590	11.8	8	170	3.3	9
1/27/23 20:30	594	11.8	8	170	3.2	10
1/27/23 20:45	590	11.8	8	170	3.2	9
1/27/23 21:00	590	11.8	8	170	3.2	10
1/27/23 21:15	590	11.8	8	170	3.2	9
1/27/23 21:30	594	11.8	8	169	3.2	10
1/27/23 21:45	590	11.8	8	169	3.2	9
1/27/23 22:00	590	11.8	8	169	3.2	9
1/27/23 22:15	590	11.8	8	169	3.2	9
1/27/23 22:30	590	11.8	8	169	3.2	9
1/27/23 22:45	590	11.8	8	169	3.2	9
1/27/23 23:00	590	11.8	8	169	3.2	9
1/27/23 23:15	590	11.8	8	169	3.2	10
1/27/23 23:30	590	11.8	8	168	3.2	10
1/27/23 23:45	590	11.8	8	168	3.1	10
1/28/23 0:00	586	11.8	8	168	3.1	9
1/28/23 0:15	590	11.8	8	168	3.1	9
1/28/23 0:30	590	11.8	8	168	3.1	9
1/28/23 0:45	590	11.8	8	168	3.1	9
1/28/23 1:00	590	11.8	8	168	3.1	9
1/28/23 1:15	590	11.8	8	168	3.1	9
1/28/23 1:30	590	11.8	8	168	3.1	9
1/28/23 1:45	590	11.8	8	168	3.1	10
1/28/23 2:00	590	11.8	8	168	3.0	10
1/28/23 2:15	590	11.8	8	167	3.0	10
1/28/23 2:30	590	11.8	8	167	3.0	9
1/28/23 2:45	590	11.8	8	167	3.0	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/28/23 3:00	590	11.8	8	167	3.0	9
1/28/23 3:15	594	11.8	8	167	3.0	10
1/28/23 3:30	594	11.8	8	167	3.0	9
1/28/23 3:45	590	11.8	8	167	3.0	10
1/28/23 4:00	590	11.8	8	167	3.0	9
1/28/23 4:15	590	11.8	8	167	3.0	9
1/28/23 4:30	590	11.8	8	167	3.0	9
1/28/23 4:45	594	11.8	8	167	3.0	10
1/28/23 5:00	590	11.8	8	167	3.0	9
1/28/23 5:15	594	11.8	8	167	3.0	9
1/28/23 5:30	590	11.8	8	167	3.0	9
1/28/23 5:45	590	11.8	8	167	3.0	9
1/28/23 6:00	594	11.8	8	167	3.0	9
1/28/23 6:15	590	11.8	8	167	3.0	9
1/28/23 6:30	590	11.8	8	167	3.0	9
1/28/23 6:45	594	11.8	8	167	3.0	9
1/28/23 7:00	594	11.8	8	166	3.0	9
1/28/23 7:15	590	11.8	8	166	2.9	9
1/28/23 7:30	590	11.8	8	166	2.9	10
1/28/23 7:45	590	11.8	8	166	2.9	9
1/28/23 8:00	594	11.8	8	166	2.9	9
1/28/23 8:15	594	11.8	8	166	2.9	9
1/28/23 8:30	590	11.9	8	166	2.9	9
1/28/23 8:45	590	11.9	8	166	2.9	9
1/28/23 9:00	594	11.9	8	166	2.9	9
1/28/23 9:15	590	11.9	8	166	2.9	9
1/28/23 9:30	594	11.9	8	165	3.0	10
1/28/23 9:45	590	12	8	165	3.0	10
1/28/23 10:00	590	12	8	165	3.0	9
1/28/23 10:15	590	11.9	8	165	3.1	10
1/28/23 10:30	586	12	8.1	165	3.1	9
1/28/23 10:45	590	11.9	8.1	165	3.2	9
1/28/23 11:00	590	11.9	8.1	165	3.2	10
1/28/23 11:15	590	11.9	8.1	164	3.2	10
1/28/23 11:30	590	11.9	8.1	164	3.2	9
1/28/23 11:45	590	11.9	8.1	164	3.3	9
1/28/23 12:00	590	11.9	8.1	164	3.3	9
1/28/23 12:15	590	11.9	8.1	164	3.4	10
1/28/23 12:30	590	11.9	8.1	164	3.4	9
1/28/23 12:45	586	11.8	8.1	164	3.4	9
1/28/23 13:00	590	11.8	8.1	164	3.4	9
1/28/23 13:15	586	11.8	8.1	164	3.4	9

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/28/23 13:30	586	11.8	8.1	164	3.4	9
1/28/23 13:45	586	11.8	8.1	164	3.4	9
1/28/23 14:00	586	11.8	8.1	164	3.4	9
1/28/23 14:15	590	11.7	8.1	164	3.4	10
1/28/23 14:30	586	11.7	8.1	164	3.4	9
1/28/23 14:45	590	11.7	8.1	164	3.4	9
1/28/23 15:00	590	11.7	8.1	164	3.4	9
1/28/23 15:15	590	11.7	8.1	164	3.4	9
1/28/23 15:30	586	11.7	8.1	164	3.4	9
1/28/23 15:45	586	11.7	8.1	164	3.4	10
1/28/23 16:00	586	11.7	8.1	163	3.4	9
1/28/23 16:15	590	11.7	8.1	163	3.4	9
1/28/23 16:30	590	11.7	8.1	163	3.3	9
1/28/23 16:45	590	11.7	8	163	3.3	10
1/28/23 17:00	590	11.7	8	163	3.3	10
1/28/23 17:15	590	11.7	8	164	3.3	9
1/28/23 17:30	590	11.7	8	163	3.2	9
1/28/23 17:45	590	11.7	8	163	3.2	9
1/28/23 18:00	590	11.7	8	164	3.2	9
1/28/23 18:15	590	11.7	8	164	3.2	10
1/28/23 18:30	590	11.7	8	164	3.2	10
1/28/23 18:45	590	11.7	8	164	3.2	10
1/28/23 19:00	590	11.7	8	163	3.2	9
1/28/23 19:15	590	11.7	8	163	3.2	9
1/28/23 19:30	590	11.7	8	163	3.2	9
1/28/23 19:45	590	11.7	8	163	3.2	9
1/28/23 20:00	590	11.7	8	163	3.2	10
1/28/23 20:15	590	11.7	8	163	3.2	10
1/28/23 20:30	590	11.7	8	163	3.2	9
1/28/23 20:45	590	11.7	8	163	3.2	9
1/28/23 21:00	586	11.7	8	163	3.1	10
1/28/23 21:15	590	11.7	8	163	3.1	10
1/28/23 21:30	586	11.7	8	163	3.1	9
1/28/23 21:45	586	11.7	8	163	3.1	10
1/28/23 22:00	590	11.7	8	163	3.1	10
1/28/23 22:15	590	11.7	8	163	3.1	10
1/28/23 22:30	590	11.7	8	163	3.1	10
1/28/23 22:45	586	11.7	8	163	3.1	9
1/28/23 23:00	586	11.7	8	163	3.1	10
1/28/23 23:15	590	11.7	8	163	3.1	10
1/28/23 23:30	586	11.7	8	163	3.2	10
1/28/23 23:45	590	11.7	8	163	3.2	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/29/23 0:00	586	11.7	8	163	3.2	10
1/29/23 0:15	586	11.7	8	163	3.2	10
1/29/23 0:30	586	11.7	8	162	3.2	10
1/29/23 0:45	586	11.7	8	162	3.1	10
1/29/23 1:00	586	11.7	8	162	3.1	10
1/29/23 1:15	586	11.7	8	162	3.1	10
1/29/23 1:30	586	11.7	8	162	3.1	10
1/29/23 1:45	586	11.7	8	162	3.1	10
1/29/23 2:00	586	11.8	8	162	3.0	10
1/29/23 2:15	590	11.8	8	162	3.0	10
1/29/23 2:30	590	11.7	8	162	3.0	10
1/29/23 2:45	590	11.8	8	162	3.0	10
1/29/23 3:00	590	11.8	8	162	3.0	10
1/29/23 3:15	590	11.8	8	162	3.0	10
1/29/23 3:30	586	11.8	8	162	3.0	10
1/29/23 3:45	586	11.8	8	162	3.0	10
1/29/23 4:00	586	11.8	8	162	3.0	10
1/29/23 4:15	590	11.8	8	162	3.0	10
1/29/23 4:30	586	11.8	8	162	2.9	10
1/29/23 4:45	590	11.8	8	161	2.9	10
1/29/23 5:00	586	11.8	8	161	2.9	9
1/29/23 5:15	586	11.8	8	161	2.9	10
1/29/23 5:30	590	11.8	8	161	2.9	10
1/29/23 5:45	590	11.8	8	161	2.8	10
1/29/23 6:00	586	11.8	8	161	2.8	10
1/29/23 6:15	590	11.8	8	161	2.8	10
1/29/23 6:30	590	11.8	8	161	2.8	10
1/29/23 6:45	586	11.8	8	161	2.8	10
1/29/23 7:00	586	11.9	8	161	2.7	10
1/29/23 7:15	590	11.9	8	161	2.7	10
1/29/23 7:30	590	11.9	8	161	2.7	10
1/29/23 7:45	586	11.9	8	160	2.7	10
1/29/23 8:00	590	11.9	8	160	2.6	9
1/29/23 8:15	590	12	8	160	2.6	11
1/29/23 8:30	590	12	8	160	2.6	10
1/29/23 8:45	590	12	8	160	2.6	9
1/29/23 9:00	586	12	8	160	2.6	10
1/29/23 9:15	586	12	8	160	2.6	9
1/29/23 9:30	586	12.1	8	160	2.6	10
1/29/23 9:45	590	12.1	8.1	160	2.6	10
1/29/23 10:00	586	12.1	8.1	160	2.7	10
1/29/23 10:15	590	12.1	8.1	160	2.7	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/29/23 10:30	586	12.1	8.1	160	2.7	9
1/29/23 10:45	590	12.1	8.1	160	2.8	10
1/29/23 11:00	586	12.1	8.1	160	2.8	10
1/29/23 11:15	590	12.1	8.1	160	2.8	10
1/29/23 11:30	586	12.1	8.1	159	2.8	10
1/29/23 11:45	586	12.1	8.1	159	2.8	10
1/29/23 12:00	582	12.1	8.1	159	2.9	10
1/29/23 12:15	586	12	8.1	159	2.9	10
1/29/23 12:30	586	12	8.1	159	3.0	10
1/29/23 12:45	586	12	8.1	159	3.0	10
1/29/23 13:00	582	12	8.1	159	3.0	10
1/29/23 13:15	586	12	8.1	159	3.0	10
1/29/23 13:30	586	12	8.1	159	3.0	10
1/29/23 13:45	586	12	8.1	159	3.0	10
1/29/23 14:00	590	12	8.1	159	3.0	10
1/29/23 14:15	586	12	8.1	159	2.9	10
1/29/23 14:30	586	12	8.1	159	2.9	10
1/29/23 14:45	586	12	8.1	159	2.9	10
1/29/23 15:00	590	12	8.1	158	2.9	10
1/29/23 15:15	586	12	8.1	158	2.9	10
1/29/23 15:30	586	12	8.1	158	2.8	10
1/29/23 15:45	590	12	8.1	158	2.8	10
1/29/23 16:00	590	11.9	8.1	158	2.8	10
1/29/23 16:15	586	12	8.1	158	2.8	10
1/29/23 16:30	586	12	8.1	158	2.7	10
1/29/23 16:45	586	12	8.1	158	2.7	10
1/29/23 17:00	586	12	8.1	158	2.7	10
1/29/23 17:15	586	12	8.1	158	2.7	10
1/29/23 17:30	586	12	8.1	158	2.7	10
1/29/23 17:45	590	12	8.1	158	2.7	10
1/29/23 18:00	594	12	8.1	158	2.6	10
1/29/23 18:15	590	12	8.1	158	2.6	10
1/29/23 18:30	586	12	8.1	158	2.6	10
1/29/23 18:45	590	12	8.1	158	2.6	10
1/29/23 19:00	590	12	8.1	158	2.6	10
1/29/23 19:15	590	12	8.1	158	2.6	10
1/29/23 19:30	586	12	8.1	158	2.6	10
1/29/23 19:45	590	12	8.1	158	2.5	10
1/29/23 20:00	590	12	8.1	158	2.5	10
1/29/23 20:15	590	12.1	8.1	158	2.5	10
1/29/23 20:30	590	12	8.1	158	2.5	10
1/29/23 20:45	590	12.1	8.1	158	2.5	10

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance (μ S/cm)	Temperature ($^{\circ}$ C)	
1/29/23 21:00	590	12.1	8.1	158	2.5	11
1/29/23 21:15	586	12.1	8.1	158	2.5	10
1/29/23 21:30	590	12.1	8.1	158	2.4	10
1/29/23 21:45	586	12.1	8.1	158	2.4	10
1/29/23 22:00	586	12.1	8.1	158	2.4	10
1/29/23 22:15	590	12.1	8.1	158	2.4	10
1/29/23 22:30	590	12.1	8.1	158	2.4	10
1/29/23 22:45	590	12.1	8.1	158	2.4	10
1/29/23 23:00	590	12.1	8.1	158	2.4	10
1/29/23 23:15	586	12.1	8.1	158	2.4	10
1/29/23 23:30	590	12.1	8.1	158	2.4	10
1/29/23 23:45	590	12.1	8.1	158	2.4	10
1/30/23 0:00	586	12.1	8.1	158	2.4	10
1/30/23 0:15	586	12.1	8.1	158	2.4	10
1/30/23 0:30	590	12.1	8.1	158	2.4	10
1/30/23 0:45	586	12.1	8.1	158	2.4	11
1/30/23 1:00	590	12.1	8.1	158	2.4	10
1/30/23 1:15	586	12.1	8.1	158	2.4	10
1/30/23 1:30	590	12.1	8.1	157	2.4	10
1/30/23 1:45	586	12.1	8.1	157	2.4	10
1/30/23 2:00	590	12.1	8.1	157	2.4	10
1/30/23 2:15	586	12.1	8.1	157	2.4	10
1/30/23 2:30	590	12.1	8.1	157	2.3	11
1/30/23 2:45	586	12.1	8.1	157	2.3	11
1/30/23 3:00	586	12.1	8.1	157	2.3	10
1/30/23 3:15	586	12.1	8.1	157	2.3	10
1/30/23 3:30	590	12.1	8.1	157	2.3	10
1/30/23 3:45	586	12.1	8.1	157	2.3	10
1/30/23 4:00	586	12.2	8.1	157	2.3	10
1/30/23 4:15	590	12.1	8.1	157	2.3	10
1/30/23 4:30	590	12.1	8.1	157	2.3	10
1/30/23 4:45	594	12.2	8.1	157	2.3	10
1/30/23 5:00	586	12.1	8.1	157	2.3	10
1/30/23 5:15	590	12.2	8.1	157	2.3	10
1/30/23 5:30	590	12.1	8.1	157	2.3	10
1/30/23 5:45	590	12.2	8.1	157	2.3	11
1/30/23 6:00	594	12.1	8.1	157	2.3	10
1/30/23 6:15	590	12.2	8.1	157	2.3	10
1/30/23 6:30	590	12.2	8.1	157	2.3	10
1/30/23 6:45	586	12.2	8.1	157	2.3	10
1/30/23 7:00	586	12.2	8.1	157	2.3	10
1/30/23 7:15	590	12.2	8.1	157	2.3	11

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/30/23 7:30	590	12.2	8.1	157	2.3	10
1/30/23 7:45	586	12.2	8.1	157	2.3	10
1/30/23 8:00	590	12.2	8.1	157	2.3	10
1/30/23 8:15	586	12.2	8.1	157	2.3	10
1/30/23 8:30	590	12.2	8.1	157	2.3	10
1/30/23 8:45	594	12.2	8.1	157	2.3	10
1/30/23 9:00	586	12.3	8.1	157	2.3	10
1/30/23 9:15	590	12.3	8.1	157	2.3	10
1/30/23 9:30	590	12.3	8.1	157	2.3	10
1/30/23 9:45	594	12.3	8.1	157	2.4	11
1/30/23 10:00	590	12.3	8.2	156	2.4	10
1/30/23 10:15	586	12.3	8.2	156	2.4	10
1/30/23 10:30	586	12.3	8.2	156	2.5	11
1/30/23 10:45	582	12.3	8.2	156	2.5	11
1/30/23 11:00	586	12.3	8.2	156	2.5	10
1/30/23 11:15	586	12.3	8.2	156	2.6	10
1/30/23 11:30	582	12.3	8.2	156	2.6	10
1/30/23 11:45	586	12.3	8.2	156	2.6	11
1/30/23 12:00	586	12.3	8.2	156	2.6	10
1/30/23 12:15	586	12.3	8.2	156	2.7	10
1/30/23 12:30	586	12.2	8.2	156	2.7	10
1/30/23 12:45	582	12.3	8.2	156	2.7	10
1/30/23 13:00	582	12.3	8.2	156	2.7	10
1/30/23 13:15	582	12.3	8.2	156	2.7	11
1/30/23 13:30	582	12.2	8.3	156	2.7	11
1/30/23 13:45	582	12.2	8.3	156	2.7	10
1/30/23 14:00	586	12.2	8.3	156	2.7	10
1/30/23 14:15	586	12.2	8.3	156	2.7	10
1/30/23 14:30	586	12.2	8.3	156	2.6	10
1/30/23 14:45	586	12.2	8.3	156	2.6	10
1/30/23 15:00	586	12.2	8.3	156	2.6	11
1/30/23 15:15	586	12.2	8.3	156	2.6	11
1/30/23 15:30	586	12.2	8.3	156	2.6	10
1/30/23 15:45	586	12.2	8.3	156	2.6	10
1/30/23 16:00	586	12.2	8.3	156	2.6	10
1/30/23 16:15	586	12.2	8.3	156	2.5	10
1/30/23 16:30	586	12.2	8.3	155	2.5	11
1/30/23 16:45	582	12.2	8.2	155	2.5	11
1/30/23 17:00	586	12.2	8.2	155	2.5	11
1/30/23 17:15	586	12.2	8.2	155	2.4	10
1/30/23 17:30	586	12.2	8.2	155	2.4	11
1/30/23 17:45	586	12.2	8.2	155	2.4	11

Klamath River below Keno Dam (11509500)



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/30/23 18:00	586	12.2	8.2	155	2.4	11
1/30/23 18:15	586	12.2	8.2	155	2.4	10
1/30/23 18:30	590	12.2	8.2	155	2.4	10
1/30/23 18:45	586	12.2	8.2	155	2.4	10
1/30/23 19:00	586	12.2	8.2	155	2.4	10
1/30/23 19:15	586	12.2	8.2	155	2.4	10
1/30/23 19:30	590	12.2	8.2	155	2.4	10
1/30/23 19:45	590	12.2	8.2	155	2.3	11
1/30/23 20:00	590	12.2	8.2	155	2.3	10
1/30/23 20:15	586	12.2	8.2	155	2.3	11
1/30/23 20:30	590	12.2	8.2	155	2.3	11
1/30/23 20:45	590	12.2	8.2	155	2.3	11
1/30/23 21:00	590	12.2	8.2	155	2.3	10
1/30/23 21:15	590	12.2	8.2	155	2.3	11
1/30/23 21:30	590	12.2	8.2	155	2.3	11
1/30/23 21:45	590	12.2	8.2	155	2.3	10
1/30/23 22:00	590	12.2	8.2	155	2.3	11
1/30/23 22:15	590	12.2	8.2	155	2.3	11
1/30/23 22:30	590	12.2	8.2	155	2.3	11
1/30/23 22:45	590	12.2	8.2	155	2.3	11
1/30/23 23:00	590	12.2	8.2	155	2.3	11
1/30/23 23:15	586	12.2	8.2	155	2.3	11
1/30/23 23:30	586	12.2	8.2	155	2.2	11
1/30/23 23:45	590	12.2	8.2	155	2.2	11
1/31/23 0:00	590	12.2	8.2	155	2.2	11
1/31/23 0:15	590	12.2	8.2	155	2.2	11
1/31/23 0:30	590	12.2	8.2	155	2.2	10
1/31/23 0:45	590	12.2	8.2	155	2.2	11
1/31/23 1:00	590	12.2	8.2	155	2.2	11
1/31/23 1:15	590	12.2	8.2	155	2.2	11
1/31/23 1:30	594	12.2	8.2	155	2.2	11
1/31/23 1:45	590	12.2	8.2	155	2.2	11
1/31/23 2:00	590	12.2	8.2	155	2.2	11
1/31/23 2:15	590	12.2	8.2	155	2.2	11
1/31/23 2:30	590	12.2	8.2	155	2.2	11
1/31/23 2:45	590	12.3	8.2	155	2.2	11
1/31/23 3:00	590	12.3	8.2	155	2.2	11
1/31/23 3:15	590	12.3	8.2	155	2.2	11
1/31/23 3:30	590	12.3	8.2	155	2.2	11
1/31/23 3:45	590	12.3	8.2	155	2.2	11
1/31/23 4:00	590	12.3	8.2	155	2.2	11
1/31/23 4:15	590	12.3	8.2	155	2.2	11

Klamath River below Keno Dam (11509500)




Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(μ S/cm)	($^{\circ}$ C)	
1/31/23 4:30	594	12.3	8.2	155	2.2	11
1/31/23 4:45	590	12.3	8.2	155	2.2	11
1/31/23 5:00	590	12.3	8.2	155	2.2	11
1/31/23 5:15	594	12.3	8.2	155	2.2	11
1/31/23 5:30	590	12.3	8.2	155	2.2	11
1/31/23 5:45	590	12.3	8.2	155	2.2	11
1/31/23 6:00	594	12.3	8.2	155	2.1	11
1/31/23 6:15	590	12.3	8.2	155	2.1	11
1/31/23 6:30	590	12.3	8.2	155	2.1	11
1/31/23 6:45	590	12.3	8.2	155	2.1	11
1/31/23 7:00	590	12.3	8.2	155	2.1	11
1/31/23 7:15	590	12.3	8.2	155	2.1	11
1/31/23 7:30	590	12.3	8.2	155	2.1	11
1/31/23 7:45	594	12.3	8.2	155	2.1	11
1/31/23 8:00	594	12.3	8.2	155	2.1	11
1/31/23 8:15	594	12.4	8.2	155	2.1	11
1/31/23 8:30	553	12.3	8.2	155	2.1	11
1/31/23 8:45	545	12.4	8.2	155	2.1	11
1/31/23 9:00	522	12.4	8.2	155	2.2	11
1/31/23 9:15	510	12.4	8.2	155	2.2	11
1/31/23 9:30	510	12.4	8.3	155	2.2	11
1/31/23 9:45	510	12.4	8.3	155	2.2	11
1/31/23 10:00	506	12.4	8.3	155	2.3	11
1/31/23 10:15	506	12.4	8.3	155	2.3	11
1/31/23 10:30	506	12.4	8.3	155	2.4	11
1/31/23 10:45	506	12.4	8.4	155	2.4	11
1/31/23 11:00	506	12.4	8.4	155	2.4	11
1/31/23 11:15	510	12.4	8.4	155	2.5	11
1/31/23 11:30	510	12.4	8.4	155	2.5	11
1/31/23 11:45	506	12.4	8.4	155	2.5	11
1/31/23 12:00	506	12.4	8.4	155	2.6	11
1/31/23 12:15	506	12.4	8.4	155	2.6	11
1/31/23 12:30	502	12.4	8.4	155	2.6	11
1/31/23 12:45	506	12.4	8.5	155	2.6	11
1/31/23 13:00	506	12.4	8.5	155	2.7	11
1/31/23 13:15	502	12.4	8.5	155	2.7	11
1/31/23 13:30	510	12.3	8.5	155	2.7	11
1/31/23 13:45	549	12.3	8.5	155	2.7	11
1/31/23 14:00	553	12.3	8.5	155	2.7	11
1/31/23 14:15	549	12.3	8.5	155	2.6	11
1/31/23 14:30	553	12.3	8.5	155	2.6	11
1/31/23 14:45	553	12.3	8.5	155	2.6	11

**Klamath River below Keno Dam
(11509500)**



Datetime	Discharge		pH	Specific	Water	Turbidity (FNU)
	(cfs)	DO (mg/L)		Conductance	Temperature	
				(µS/cm)	(°C)	
1/31/23 15:00	553	12.3	8.5	155	2.6	11
1/31/23 15:15	553	12.3	8.5	155	2.6	11
1/31/23 15:30	557	12.3	8.5	155	2.6	11
1/31/23 15:45	553	12.3	8.5	155	2.7	11
1/31/23 16:00	549	12.3	8.5	155	2.7	11
1/31/23 16:15	549	12.3	8.5	155	2.7	11
1/31/23 16:30	553	12.3	8.5	155	2.6	11
1/31/23 16:45	553	12.2	8.5	155	2.6	11
1/31/23 17:00	557	12.2	8.5	155	2.6	11
1/31/23 17:15	553	12.2	8.4	155	2.6	11
1/31/23 17:30	553	12.2	8.4	155	2.6	11
1/31/23 17:45	553	12.2	8.4	155	2.6	11
1/31/23 18:00	553	12.2	8.4	155	2.5	11
1/31/23 18:15	557	12.1	8.4	155	2.5	11
1/31/23 18:30	557	12.1	8.4	155	2.5	11
1/31/23 18:45	557	12.1	8.4	155	2.5	11
1/31/23 19:00	557	12.2	8.4	155	2.5	11
1/31/23 19:15	557	12.2	8.4	155	2.5	11
1/31/23 19:30	561	12.2	8.4	155	2.4	11
1/31/23 19:45	557	12.2	8.4	155	2.4	11
1/31/23 20:00	557	12.2	8.4	155	2.4	11
1/31/23 20:15	557	12.2	8.4	155	2.4	11
1/31/23 20:30	557	12.2	8.4	155	2.4	11
1/31/23 20:45	553	12.2	8.4	155	2.4	11
1/31/23 21:00	553	12.2	8.4	155	2.4	11
1/31/23 21:15	553	12.2	8.4	155	2.4	11
1/31/23 21:30	553	12.2	8.4	155	2.4	11
1/31/23 21:45	553	12.2	8.4	155	2.4	11
1/31/23 22:00	553	12.2	8.4	155	2.4	11
1/31/23 22:15	553	12.2	8.4	155	2.4	11
1/31/23 22:30	557	12.2	8.4	155	2.4	11
1/31/23 22:45	553	12.2	8.4	155	2.4	11
1/31/23 23:00	553	12.2	8.4	155	2.3	11
1/31/23 23:15	557	12.2	8.4	155	2.3	11
1/31/23 23:30	553	12.2	8.4	155	2.3	11
1/31/23 23:45	553	12.2	8.4	155	2.3	11



Appendix C / Figures




Figure 1a.
Water Quality Monitoring Locations

Lower Klamath Project
Del Norte and Siskiyou Counties,
CA
123.3829°W 41.5215°N

- WQ monitoring locations by type
- Continuous, Grab Water
 - Continous
 - Klamath River



Reference: Project limits are approximate. The property boundaries depicted on this map have not been surveyed and are for prospect assessment purposes only. This information is not to be used as final legal boundaries.
Data Source: Site locations via USGS and Karuk Tribe
Spatial Reference: WGS 1984 UTM Zone 10N
Date: 2/14/2023
Project Number: PRJ107489






Figure 1b.
 Water Quality Monitoring Locations
Lower Klamath Project
 Siskiyou County, CA and Klamath County, OR
 122.1241°W 42.0264°N

WQ monitoring locations by type


- Continuous, Grab Water
- Grab Water
- Klamath River

1 in = 25,044 ft when printed at 8.5x11"

0 3 5 Miles

Reference: Project limits are approximate. The property boundaries depicted on this map have not been surveyed and are for prospect assessment purposes only. This information is not to be used as final legal boundaries.
 Data Source: Site locations via USGS and Karuk Tribe
 Spatial Reference: WGS 1984 UTM Zone 10N
 Date: 2/14/2023
 Project Number: PRJ107489





Appendix D / Grab Sample Location Photos



Figure 1a. Klamath River at Klamath Estuary, CA; downstream view. Taken Jan 18, 2023.



Figure1b. Klamath River at Klamath Estuary, CA; upstream view. Taken Jan 18, 2023.



Figure 2a. Klamath River near Klamath, CA (USGS 11530500); downstream view. Taken Jan 18, 2023.



Figure 2b. Klamath River near Klamath, CA (USGS 11530500); upstream view. Taken Jan 18, 2023.



Figure 3a. Klamath River at Orleans, CA (USGS 11523000); downstream view. Taken Jan 18, 2023.



Figure 3b. Figure 3a. Klamath River at Orleans, CA (USGS 11523000); upstream view. Taken Jan 18, 2023.



Figure 4a. Klamath River near Seiad Valley, CA (USGS 11520500); downstream view. Taken Jan 18, 2023.



Figure 4b. Klamath River near Seiad Valley, CA (USGS 11520500); upstream view. Taken Jan 18, 2023.



Figure 5a. Klamath River below Iron Gate Dam, CA (USGS 11516530); downstream view. Taken Jan 18, 2023.



Figure 5b. Klamath River below Iron Gate Dam, CA (USGS 11516530); upstream view. Taken Jan 18, 2023.



**Figure 6a. Klamath River above Fall Creek near Copco, CA (USGS 11511990) - Daggett Bridge; downstream view.
Taken Jan 18, 2023.**



**Figure 6b. Klamath River above Fall Creek near Copco, CA (USGS 11511990) - Daggett Bridge; upstream view.
Taken Jan 18, 2023.**



Figure 7a. Klamath River below Shovel Creek above Copco Lake, CA; downstream view. Taken Jan 18, 2023.



Figure 7b. Klamath River below Shovel Creek above Copco Lake, CA; upstream view. Taken Jan 18, 2023.



Figure 8a. Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700); downstream view. Taken Jan 19, 2023.



Figure 8b. Klamath River below J.C. Boyle Powerplant, near Keno, OR (USGS 11510700); upstream view. Taken Jan 19, 2023.



Figure 9a. Klamath River at Keno, OR (USGS 11509500); downstream direction. Taken Jan 19, 2023.



Figure 9b. Klamath River at Keno, OR (USGS 11509500); upstream direction. Taken Jan 19, 2023.

Document Content(s)

LKP (P-14803) Monthly Report for CA WQMP (Jan2023).pdf.....1